

DAFTAR PUSTAKA

- [1] H. A. Shedeed, M. F. Issa, and S. M. El-sayed, "Brain EEG signal processing for controlling a robotic arm," in *2013 8th International Conference on Computer Engineering & Systems (ICCES)*, IEEE, Nov. 2013, pp. 152–157. doi: 10.1109/ICCES.2013.6707191.
- [2] J. H. Choi, Y. Chung, and S. Oh, "Motion control of joystick interfaced electric wheelchair for improvement of safety and riding comfort," *Mechatronics*, vol. 59, pp. 104–114, May 2019, doi: 10.1016/j.mechatronics.2019.03.005.
- [3] J. Kilmarx, R. Abiri, S. Borhani, Y. Jiang, and X. Zhao, "Sequence-based manipulation of robotic arm control in brain machine interface," *Int. J. Intell. Robot. Appl.*, vol. 2, no. 2, pp. 149–160, Jun. 2018, doi: 10.1007/s41315-018-0049-7.
- [4] H. U. R. Siddiqui, A. A. Saleem, M. A. Raza, K. Zafar, R. Russo, and S. Dudley, "Automatic User Preferences Selection of Smart Hearing Aid Using BioAid," *Sensors*, vol. 22, no. 20, Oct. 2022, doi: 10.3390/s22208031.
- [5] D. Karakuş, Ö. K. Cura, B. Yeşilkaya, and A. Akan, "Design of Brain-Computer Interface for Controlling A Virtual Keyboard," in *2019 Medical Technologies Congress (TIPTEKNO)*, IEEE, Oct. 2019, pp. 1–4. doi: 10.1109/TIPTEKNO.2019.8895133.
- [6] M. I. Rusydi *et al.*, "Electric Wheelchair Control Using Wrist Rotation Based on Analysis of Muscle Fatigue," *IEEE Access*, vol. 10, pp. 102907–102918, 2022, doi: 10.1109/ACCESS.2022.3208151.
- [7] C. Saitis, M. Zavid Parvez, and K. Kalimeri, "Cognitive Load Assessment from EEG and Peripheral Biosignals for the Design of Visually Impaired Mobility Aids," 2018. [Online]. Available: <http://emotiv.com/epoc/>
- [8] E. J. Rechy-Ramirez and H. Hu, "Bio-signal based control in assistive robots: a survey," Apr. 01, 2015, *Chongqing University of Posts and Telecommunications*. doi: 10.1016/j.dcan.2015.02.004.
- [9] M. A. Skoglund, M. Andersen, M. M. Shiell, G. Keidser, M. L. Rank, and S. Rotger-Griful, "Comparing In-ear EOG for Eye-Movement Estimation With Eye-Tracking: Accuracy, Calibration, and Speech Comprehension," *Front. Neurosci.*, vol. 16, Jun. 2022, doi: 10.3389/fnins.2022.873201.
- [10] N. Rajesh A, C. S, A. T, and S. K, "EOG Controlled Motorized Wheelchair for Disabled Persons," *International Conference on Electronic Publications*, 2014.
- [11] M. I. Rusydi *et al.*, "Electrooculography and Camera-Based Control of a Four-Joint Robotic Arm for Assistive Tasks," *Buletin Ilmiah Sarjana Teknik*

- Elektro*, vol. 7, no. 4, pp. 823–841, Dec. 2025, doi: 10.12928/biste.v7i4.14305.
- [12] H. N. Jeong *et al.*, “Triggered electrooculography for identification of oculomotor and abducens nerves during skull base surgery,” *J. Korean Neurosurg. Soc.*, vol. 64, no. 2, pp. 282–288, 2021, doi: 10.3340/jkns.2020.0179.
- [13] A. M. Choudhari, P. Porwal, V. Jonnalagedda, and F. Mériaudeau, “An Electrooculography based Human Machine Interface for wheelchair control,” *Biocybern. Biomed. Eng.*, vol. 39, no. 3, pp. 673–685, Jul. 2019, doi: 10.1016/j.bbe.2019.04.002.
- [14] G. Dudek and M. Jenkin, “Differential Drive Robots,” 2013.
- [15] R. Mathew and S. S. Hiremath, “Trajectory Tracking and Control of Differential Drive Robot for Predefined Regular Geometrical Path,” *Procedia Technology*, vol. 25, pp. 1273–1280, 2016, doi: 10.1016/j.protcy.2016.08.221.
- [16] S. Han, B. S. Choi, and J. M. Lee, “A precise curved motion planning for a differential driving mobile robot,” *Mechatronics*, vol. 18, no. 9, pp. 486–494, 2008, doi: 10.1016/j.mechatronics.2008.04.001.
- [17] R. Togni *et al.*, “Turning in Circles: Understanding Manual Wheelchair Use Towards Developing User-Friendly Steering Systems,” *Front. Bioeng. Biotechnol.*, vol. 10, Feb. 2022, doi: 10.3389/fbioe.2022.831528.
- [18] D. Chaikhot, M. J. D. Taylor, W. H. K. de Vries, and F. J. Hettinga, “Biomechanics of wheelchair turning manoeuvres: novel insights into wheelchair propulsion,” *Front. Sports Act. Living*, vol. 5, Jun. 2023, doi: 10.3389/fspor.2023.1127514.
- [19] Y. Rabhi, M. Mrabet, and F. Fnaiech, “Intelligent Control Wheelchair Using a New Visual Joystick,” *J. Healthc. Eng.*, vol. 2018, pp. 1–20, 2018, doi: 10.1155/2018/6083565.
- [20] H. Luo, X. Cao, Y. Dong, and Y. Li, “Simulation and experimental study on the stability and comfortability of the wheelchair human system under uneven pavement,” *Front. Bioeng. Biotechnol.*, vol. 11, 2023, doi: 10.3389/fbioe.2023.1279675.
- [21] G. G. Samatas and T. P. Pachidis, “Inertial Measurement Units (IMUs) in Mobile Robots over the Last Five Years: A Review,” Feb. 01, 2022, *MDPI*. doi: 10.3390/designs6010017.
- [22] M. B. Alatise and G. P. Hancke, “Pose estimation of a mobile robot based on fusion of IMU data and vision data using an extended kalman filter,” *Sensors (Switzerland)*, vol. 17, no. 10, Oct. 2017, doi: 10.3390/s17102164.
- [23] Y. Liu, J. Tao, D. Kong, Y. Zhang, and P. Li, “A Visual Compass Based on Point and Line Features for UAV High-Altitude Orientation Estimation,” *Remote Sens. (Basel)*, vol. 14, no. 6, Mar. 2022, doi: 10.3390/rs14061430.

- [24] A. Akbar, G. A. Nasser Masikki, A. N. Aliansyah, and N. Z. D. L. Mulyawati, "Perancangan Sistem Monitoring Navigasi Kursi Roda Berbasis Mikrokontroler," *JTEV (Jurnal Teknik Elektro dan Vokasional)*, vol. 7, no. 1, p. 45, Mar. 2021, doi: 10.24036/jtev.v7i1.111958.
- [25] W. Y. Chen *et al.*, "Wheelchair-related accidents: relationship with wheelchair-using behavior in active community wheelchair users," *Arch. Phys. Med. Rehabil.*, vol. 92, no. 6, pp. 892–898, Jun. 2011, doi: 10.1016/j.apmr.2011.01.008.
- [26] W. Yudiantyo, S. Santoso, and A. E. Haryono, "Perancangan Fasilitas Tambahan Pada Kursi Roda Untuk Membantu Pengguna Beraktivitas," *Journal of Integrated System*, vol. 5, no. 1, pp. 107–122, Jun. 2022, doi: 10.28932/jis.v5i1.4505.
- [27] M. H. Fatoni, E. A. Suprayitno, A. Arifin, N. F. Hikmah, T. A. Sardjono, and M. Nuh, "Pemanfaatan Kursi Roda Elektrik dengan Kendali Joystick Guna Meningkatkan Kemandirian Siswa Berkebutuhan Khusus di Sekolah Luar Biasa D Yayasan Pembinaan Anak Cacat Surabaya," *Sewagati*, vol. 7, no. 2, pp. 167–175, Dec. 2022, doi: 10.12962/j26139960.v7i2.446.
- [28] A. X. Gonzalez-Cely, C. F. Blanco-Diaz, C. A. R. Diaz, and T. F. Bastos-Filho, "Roboruada: Python-based GUI to control a wheelchair and monitor user posture," *SoftwareX*, vol. 24, Dec. 2023, doi: 10.1016/j.softx.2023.101555.
- [29] F. Fahrozi, "Perancangan Pengontrol Otomatis dan Pengatur Posisi Tempat Duduk pada Kursi," *JURNAL PERANCANGAN, MANUFAKTUR, MATERIAL, DAN ENERGI (JURNAL PERMADI)*, vol. 2, Jan. 2020.
- [30] M. S. Karim Amrulloh, I. K. Somawirata, and M. Ibrahim Ashari, "Design Sistem Pengendalian Kecepatan dan Pengereman Pada kursi Roda Elektrik Untuk Kondisi Jalanan Menurun Dan Menanjak," *Prosiding SENIATI*, vol. 7, no. 2, pp. 243–248, Dec. 2023, doi: 10.36040/seniati.v7i2.8019.
- [31] N. M. M. Noor and M. Q. bin Kamarudin, "Study the different level of eye movement based on electrooculography (EOG) technique," in *2016 IEEE EMBS Conference on Biomedical Engineering and Sciences (IECBES)*, IEEE, Dec. 2016, pp. 792–796. doi: 10.1109/IECBES.2016.7843559.
- [32] A. López, F. Ferrero, J. R. Villar, and O. Postolache, "High-performance analog front-end (AFE) for EOG systems," *Electronics (Switzerland)*, vol. 9, no. 6, pp. 1–15, Jun. 2020, doi: 10.3390/electronics9060970.
- [33] L. R. Sullivan, "Technical tips: Eye movement monitoring," 1993. doi: 10.1080/00029238.1993.11080442.
- [34] P. A. Constable, M. Bach, L. J. Frishman, B. G. Jeffrey, and A. G. Robson, "ISCEV Standard for clinical electro-oculography (2017 update)," *Documenta Ophthalmologica*, vol. 134, no. 1, pp. 1–9, Feb. 2017, doi: 10.1007/s10633-017-9573-2.

- [35] M. R. Kim and G. Yoon, "Control Signal from EOG Analysis and Its Application," *International Science Index, Electrical and Computer Engineering*, vol. 7, p. 10, 2013.
- [36] A. López, F. Ferrero, J. R. Villar, and O. Postolache, "High-Performance Analog Front-End (AFE) for EOG Systems," *Electronics (Basel)*, vol. 9, no. 6, p. 970, Jun. 2020, doi: 10.3390/electronics9060970.
- [37] F. Fang and T. Shinozaki, "Electrooculography-based continuous eye-writing recognition system for efficient assistive communication systems," *PLoS One*, vol. 13, no. 2, Feb. 2018, doi: 10.1371/journal.pone.0192684.
- [38] A. Fauzan, "Peran Penting Sensor dan Aktuator Dalam Biomedik Serta Perancangan Elektromiografi (EMG) Untuk Mendeteksi Aktivitas Listrik Pada Otot Manusia," *Forum Pendidikan Tinggi Teknik Elektro Indonesia (FORTEL)*, 2017, pp. 602–609.
- [39] K. Polachan, B. Chatterjee, S. Weigand, and S. Sen, "Human body–electrode interfaces for wide-frequency sensing and communication: A review," Aug. 01, 2021, *MDPI AG*. doi: 10.3390/nano11082152.
- [40] M. Al-Ayyad, H. A. Owida, R. De Fazio, B. Al-Naami, and P. Visconti, "Electromyography Monitoring Systems in Rehabilitation: A Review of Clinical Applications, Wearable Devices and Signal Acquisition Methodologies," Apr. 01, 2023, *MDPI*. doi: 10.3390/electronics12071520.
- [41] A. Lopez, F. J. Ferrero, M. Valledor, J. C. Campo, and O. Postolache, "A study on electrode placement in EOG systems for medical applications," in *2016 IEEE International Symposium on Medical Measurements and Applications (MeMeA)*, IEEE, May 2016, pp. 1–5. doi: 10.1109/MeMeA.2016.7533703.
- [42] M. I. Rusydi, T. Okamoto, S. Ito, and M. Sasaki, "Rotation matrix to operate a robot manipulator for 2D analog tracking objects using electrooculography," *Robotics*, vol. 3, no. 3, pp. 289–309, Sep. 2014, doi: 10.3390/robotics3030289.
- [43] M. A. Rahman, "Perancangan Sistem ON/OFF Kursi Roda Menggunakan Sensor Electrooculography Untuk Menghindari Kelelahan Pada Mata Dengan Metode Support Vector Machine," 2022.
- [44] A. López, F. Ferrero, D. Yangüela, C. Álvarez, and O. Postolache, "Development of a computer writing system based on EOG," *Sensors (Switzerland)*, vol. 17, no. 7, Jul. 2017, doi: 10.3390/s17071505.
- [45] A. Lopez, I. Rodriguez, F. J. Ferrero, M. Valledor, and J. C. Campo, "Low-cost system based on electro-oculography for communication of disabled people," in *2014 IEEE 11th International Multi-Conference on Systems, Signals & Devices (SSD14)*, IEEE, Feb. 2014, pp. 1–6. doi: 10.1109/SSD.2014.6808755.

- [46] C. Belkhiria, A. Boudir, C. Hurter, and V. Peysakhovich, "EOG-Based Human–Computer Interface: 2000–2020 Review," Jul. 01, 2022, *MDPI*. doi: 10.3390/s22134914.
- [47] M. S. A. Bin Suhaimi, K. Matsushita, M. Sasaki, and W. Njeri, "24-gaze-point calibration method for improving the precision of ac-eog gaze estimation," *Sensors (Switzerland)*, vol. 19, no. 17, Sep. 2019, doi: 10.3390/s19173650.
- [48] W. L. Zheng *et al.*, "Vigilance Estimation Using a Wearable EOG Device in Real Driving Environment," *IEEE Transactions on Intelligent Transportation Systems*, vol. 21, no. 1, pp. 170–184, Jan. 2020, doi: 10.1109/TITS.2018.2889962.
- [49] S. Shustak *et al.*, "Home monitoring of sleep with a temporary-tattoo EEG, EOG and EMG electrode array: A feasibility study," *J. Neural Eng.*, vol. 16, no. 2, 2019, doi: 10.1088/1741-2552/aafa05.
- [50] P. Mandarani, M. I. Rusydi, R. H. Farhan, R. Kurnia, R. Nofendra, and N. Windasari, "Effectiveness of a Multifunction Virtual Keyboard with Electrooculography Signals for People with Disabilities," *Journal Europeen des Systemes Automatises*, vol. 59, no. 4, pp. 951–963, Apr. 2026, doi: 10.18280/jesa.590408.
- [51] *CHI and apos;09 Extended Abstracts on Human Factors in Computing Systems*. Association for Computing Machinery, 2009.
- [52] R. Barea, L. Boquete, M. Mazo, and E. Lopez, "System for assisted mobility using eye movements based on electrooculography," *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 10, no. 4, pp. 209–218, Dec. 2002, doi: 10.1109/TNSRE.2002.806829.
- [53] A. M. Choudhari, P. Porwal, V. Jonnalagedda, and F. Mériaudeau, "An Electrooculography based Human Machine Interface for wheelchair control," *Biocybern. Biomed. Eng.*, vol. 39, no. 3, pp. 673–685, Jul. 2019, doi: 10.1016/j.bbe.2019.04.002.
- [54] National Instruments, "USB-6008 Multifunction I/O Device," National Instruments. Accessed: Feb. 01, 2026. [Online]. Available: <https://www.ni.com/en-id/support/model.usb-6008.html>
- [55] F. Haugen, "A quick guide to National Instruments USB-6008," TechTeach. Accessed: Feb. 01, 2026. [Online]. Available: <https://techteach.no/tekdok/usb6008/>
- [56] S. A. Tafrishi, A. A. Ravankar, J. Salazar, and Y. Hirata, "A Novel Assistive Controller Based on Differential Geometry for Users of the Differential-Drive Wheeled Mobile Robots," Feb. 2022, [Online]. Available: <http://arxiv.org/abs/2202.01969>
- [57] C. L. Shih and L. C. Lin, "Trajectory planning and tracking control of a differential-drive mobile robot in a picture drawing application," *Robotics*, vol. 6, no. 3, Aug. 2017, doi: 10.3390/robotics6030017.

- [58] S. Nurmaini, K. Dewi, and B. Tutuko, "Differential-Drive Mobile Robot Control Design based-on Linear Feedback Control Law," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 190, p. 012001, Apr. 2017, doi: 10.1088/1757-899X/190/1/012001.
- [59] I. A. Hassan, I. A. Abed, and W. A. Al-Hussaibi, "Path Planning and Trajectory Tracking Control for Two-Wheel Mobile Robot," *Journal of Robotics and Control (JRC)*, vol. 5, no. 1, pp. 1–15, 2024, doi: 10.18196/jrc.v5i1.20489.
- [60] A. Chhotray, M. K. Pradhan, K. K. Pandey, and D. R. Parhi, "Kinematic analysis of a two-wheeled self-balancing mobile robot," in *Lecture Notes in Electrical Engineering*, Springer Verlag, 2016, pp. 87–93. doi: 10.1007/978-81-322-3589-7_9.
- [61] S. Sprigle and M. Huang, "Manual wheelchair propulsion cost across different components and configurations during straight and turning maneuvers," *J. Rehabil. Assist. Technol. Eng.*, vol. 7, Jan. 2020, doi: 10.1177/2055668320907819.
- [62] T. Nakayama and M. Wada, "Study on an Add-on Type Electric Wheelchair Using Active Caster with the Differential Mechanism," *Journal of Robotics and Mechatronics*, vol. 35, no. 1, pp. 99–112, Feb. 2023, doi: 10.20965/jrm.2023.p0099.
- [63] R. Hasegawa, A. Uchiyama, T. Magome, J. Tatsumi, and T. Higashino, "Maneuver and turn classification in wheelchair basketball using inertial sensors," *Journal of Information Processing*, vol. 29, pp. 70–80, 2021, doi: 10.2197/ipsjip.29.70.
- [64] Jearl. Walker, David. Halliday, and Robert. Resnick, *Halliday and Resnick fundamentals of physics*. John Wiley & Sons, Inc., 2018.
- [65] Rajesh. Rajamani, *Vehicle dynamics and control*. Springer, 2012.
- [66] David. Titterton and John. Weston, *Strapdown Inertial Navigation Technology*. Institution of Engineering & Technology, 2005.
- [67] L. Wolski, M. Halaki, C. E. Hiller, E. Pappas, and A. Fong Yan, "Validity of an Inertial Measurement Unit System to Measure Lower Limb Kinematics at Point of Contact during Incremental High-Speed Running," *Sensors*, vol. 24, no. 17, Sep. 2024, doi: 10.3390/s24175718.
- [68] J. Xuan, T. Zhu, G. Peng, F. Sun, and D. Dong, "A Review on the Inertial Measurement Unit Array of Microelectromechanical Systems," Nov. 01, 2024, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/s24227140.
- [69] Đ. Brašanac, M. Kapeleti, I. Zlatović, M. Ubović, and V. Mrdaković, "Application of Synchronized Inertial Measurement Units and Contact Grids in Running Technique Analysis: Reliability and Sensitivity Study †," *Biomechanics (Switzerland)*, vol. 5, no. 4, Dec. 2025, doi: 10.3390/biomechanics5040079.

- [70] S. Stančin and S. Tomažič, "On the interpretation of 3D gyroscope measurements," *J. Sens.*, vol. 2018, 2018, doi: 10.1155/2018/9684326.
- [71] B. Fan, Q. Li, and T. Liu, "How magnetic disturbance influences the attitude and heading in magnetic and inertial sensor-based orientation estimation," *Sensors (Switzerland)*, vol. 18, no. 1, Jan. 2018, doi: 10.3390/s18010076.
- [72] D. Tedaldi, A. Pretto, and E. Menegatti, "A robust and easy to implement method for IMU calibration without external equipments," in *2014 IEEE International Conference on Robotics and Automation (ICRA)*, IEEE, May 2014, pp. 3042–3049. doi: 10.1109/ICRA.2014.6907297.
- [73] S. Sabatelli, M. Galgani, L. Fanucci, and A. Rocchi, "A double stage Kalman filter for sensor fusion and orientation tracking in 9D IMU," in *2012 IEEE Sensors Applications Symposium Proceedings*, IEEE, Feb. 2012, pp. 1–5. doi: 10.1109/SAS.2012.6166315.
- [74] R. H. Ali, A. K. Kashefi, A. C. Gorman, J. St. P. Walsh, and E. J. Linstead, "Automated identification of astronauts on board the International Space Station: A case study in space archaeology," *Acta Astronaut.*, vol. 200, pp. 262–269, Nov. 2022, doi: 10.1016/j.actaastro.2022.08.017.
- [75] Bosch Sensortec GmbH, "BNO055 Intelligent 9-axis Absolute Orientation Sensor Datasheet," 2021. Accessed: Jul. 02, 2026. [Online]. Available: <https://www.bosch-sensortec.com/media/boschsensortec/downloads/datasheets/bst-bno055-ds000.pdf>
- [76] M. Kuczmam, "Review of DC Motor Modeling and Linear Control: Theory with Laboratory Tests," Jun. 01, 2024, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/electronics13112225.
- [77] I. Hudati, A. P. Aji, and S. Nurrahma, "Kendali Posisi Motor DC dengan Menggunakan Kendali PID," *Jurnal Listrik, Instrumentasi dan Elektronika Terapan (JuLIET)*, vol. 2, no. 2, Oct. 2021, doi: 10.22146/juliet.v2i2.71148.
- [78] M. Akbaba, O. Dakkak, B. S. Kim, A. Cora, and S. A. Nor, "Electric Circuit-Based Modeling and Analysis of the Translational, Rotational Mechanical and Electromechanical Systems Dynamics," *IEEE Access*, vol. 10, pp. 67338–67349, 2022, doi: 10.1109/ACCESS.2022.3185422.
- [79] R. Zhou, G. Li, Q. Wang, and J. He, "Torque Calculation of Permanent-Magnet Spherical Motor Based on Permanent-Magnet Surface Current and Lorentz Force," *IEEE Trans. Magn.*, vol. 56, no. 5, May 2020, doi: 10.1109/TMAG.2020.2976039.
- [80] R. Hall and W. Konstanty, "Commutation of DC motors," *IEEE Industry Applications Magazine*, vol. 16, no. 6, pp. 56–62, Nov. 2010, doi: 10.1109/MIAS.2010.938392.
- [81] N. Barry, "Electrical motor force analysis using quaternions," in *2015 50th International Universities Power Engineering Conference (UPEC)*, IEEE, Sep. 2015, pp. 1–4. doi: 10.1109/UPEC.2015.7339974.

- [82] N. Shaharudin, M. Z. Hasan, and S. M. Noor, "Direct Current (DC) Motor Speed and Direction Controller," in *Journal of Physics: Conference Series*, IOP Publishing Ltd, Dec. 2021. doi: 10.1088/1742-6596/2129/1/012035.
- [83] R. Badarudin, D. Hariyanto, M. Ali, and S. Meunmany, "Electric Machines Virtual Laboratory: Testing of DC Motor," in *Journal of Physics: Conference Series*, IOP Publishing Ltd, Dec. 2021. doi: 10.1088/1742-6596/2111/1/012041.
- [84] D. González, J. Pérez, V. Milanés, and F. Nashashibi, "A Review of Motion Planning Techniques for Automated Vehicles," *IEEE Transactions on Intelligent Transportation Systems*, vol. 17, no. 4, pp. 1135–1145, Apr. 2016, doi: 10.1109/TITS.2015.2498841.
- [85] A. Faroqi, M. A. Ramdhani, F. Frasetyio, and A. Fadhil, "DC Motor Speed Controller Design using Pulse Width Modulation," in *IOP Conference Series: Materials Science and Engineering*, Institute of Physics Publishing, Dec. 2018. doi: 10.1088/1757-899X/434/1/012205.
- [86] F. B. Lubis, A. Yanie, T. Elektro, K. E. Listrik, F. Teknik, and D. Komputer, "Implementasi Pulse Width Modulation (PWM) Pada Penyaluran Limbah Cair Pupuk Kelapa Sawit Berbasis Arduino," 2022.
- [87] J. Lopez-Gomez *et al.*, "Influence of PWM Torque Control Frequency in DC Motors by Means of an Optimum Design Method," *IEEE Access*, vol. 8, pp. 80691–80706, 2020, doi: 10.1109/ACCESS.2020.2990158.
- [88] R. P. Borase, D. K. Maghade, S. Y. Sondkar, and S. N. Pawar, "A review of PID control, tuning methods and applications," *Int. J. Dyn. Control*, vol. 9, no. 2, pp. 818–827, Jun. 2021, doi: 10.1007/s40435-020-00665-4.
- [89] M. Ajmeri, "Analytical design of enhanced PID controller with set-point filter for unstable processes with time delay," *Int. J. Dyn. Control*, vol. 11, no. 2, pp. 564–573, Apr. 2023, doi: 10.1007/s40435-022-00987-5.
- [90] G. Bevilacqua, V. Biancalana, Y. Dancheva, and A. Vigilante, "Self-Adaptive Loop for External-Disturbance Reduction in a Differential Measurement Setup," *Phys. Rev. Appl.*, vol. 11, no. 1, p. 014029, Jan. 2019, doi: 10.1103/PhysRevApplied.11.014029.
- [91] Y. Bao, L. Y. Wang, C. Wang, J. Jiang, C. Jiang, and C. Duan, "Adaptive Feedforward Compensation for Voltage Source Disturbance Rejection in DC–DC Converters," *IEEE Transactions on Control Systems Technology*, vol. 26, no. 1, pp. 344–351, Jan. 2018, doi: 10.1109/TCST.2017.2661829.
- [92] J. Wright, V. G. Macefield, A. van Schaik, and J. C. Tapsen, "A Review of Control Strategies in Closed-Loop Neuroprosthetic Systems," *Front. Neurosci.*, vol. 10, Jul. 2016, doi: 10.3389/fnins.2016.00312.
- [93] D. J. Gonzalez and H. H. Asada, "Hybrid Open-Loop Closed-Loop Control of Coupled Human–Robot Balance During Assisted Stance Transition With Extra Robotic Legs," *IEEE Robot. Autom. Lett.*, vol. 4, no. 2, pp. 1676–1683, Apr. 2019, doi: 10.1109/LRA.2019.2897177.

- [94] J. M. Diaz, R. Costa-Castello, and S. Dormido, "Closed-Loop Shaping Linear Control System Design: An Interactive Teaching/Learning Approach [Focus on Education]," *IEEE Control Syst.*, vol. 39, no. 5, pp. 58–74, Oct. 2019, doi: 10.1109/MCS.2019.2925255.
- [95] A. J. Ali, K. Farej, and N. S. Sultan, "Performance evaluation of a hybrid fuzzy logic controller based on genetic algorithm for three phase induction motor drive," *International Journal of Power Electronics and Drive System (IJPEDS)*, vol. 10, no. 1, pp. 117–127, 2019, doi: 10.11591/ijpeds.v10n1.pp117-127.
- [96] M. Maggio and A. Leva, "Extending ideal PID tuning rules to the ISA real structure: Two procedures and a benchmark campaign," *Ind. Eng. Chem. Res.*, vol. 50, no. 16, pp. 9657–9666, Aug. 2011, doi: 10.1021/ie102065y.
- [97] R. Salat and M. Awtoniuk, "Black box modeling of PIDs implemented in PLCs without structural information: a support vector regression approach," *Neural Comput. Appl.*, vol. 26, no. 3, pp. 723–734, Apr. 2015, doi: 10.1007/s00521-014-1754-2.
- [98] A. Y. Yaakob and M. H. M. Ramli, "Implementation of a Discrete Prescribed Performance Controller (DPPC) based on a Discrete PID Scheme on a DC Motor System," *mekatronika-Journal of Intelligent Manufacturing & Mechatronics*, vol. 02, pp. 8–15, doi: 10.15282/mekatronika.v2i1.3016.
- [99] D. Izci *et al.*, "Designing a cascaded exponential PID controller via starfish optimizer for DC motor and liquid level systems," *Sci. Rep.*, vol. 15, no. 1, p. 44504, Dec. 2025, doi: 10.1038/s41598-025-28145-9.
- [100] A. N. Aliansyah, N. Nurhayati, S. N. Jaya', L. Pagiling, W. O. S. N. Alam, and M. N. A. Nur, "Analisis Tuning Parameter PID Menggunakan Algoritma Genetika pada Pengontrolan Kecepatan Motor DC," *Majalah Ilmiah Teknologi Elektro*, vol. 21, no. 2, p. 287, Dec. 2022, doi: 10.24843/mite.2022.v21i02.p17.
- [101] R. P. Borase, D. K. Maghade, S. Y. Sondkar, and S. N. Pawar, "A review of PID control, tuning methods and applications," *Int. J. Dyn. Control*, vol. 9, no. 2, pp. 818–827, Jun. 2021, doi: 10.1007/s40435-020-00665-4.
- [102] C. Ben Jabeur and H. Seddik, "Design of a PID optimized neural networks and PD fuzzy logic controllers for a two-wheeled mobile robot," *Asian J. Control*, vol. 23, no. 1, pp. 23–41, Jan. 2021, doi: 10.1002/asjc.2356.
- [103] W. Zhao, L. Ji, and C. Wang, " H_∞ control of integrated rollover prevention system based on improved lateral load transfer rate," *Transactions of the Institute of Measurement and Control*, vol. 41, no. 3, pp. 859–874, Feb. 2019, doi: 10.1177/0142331218773527.
- [104] J. Peng, L. Chu, T. Wang, and T. F. Fwa, "Analysis of vehicle skidding potential on horizontal curves," *Accid. Anal. Prev.*, vol. 152, Mar. 2021, doi: 10.1016/j.aap.2020.105960.

- [105] X. Xu, X. Ai, R. Chen, G. Jiang, and X. Hua, "Research on roll stability of articulated engineering vehicles based on dynamic lateral transfer load," *Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering*, vol. 234, no. 9, pp. 2364–2376, Aug. 2020, doi: 10.1177/0954407020909242.
- [106] T. D. . Gillespie, *Fundamentals of vehicle dynamics*. Society of Automotive Engineers, 1992.
- [107] T. D. . Gillespie, *Fundamentals of vehicle dynamics*. Society of Automotive Engineers, 1992.
- [108] W. F. . Milliken and D. L. . Milliken, *Race car vehicle dynamics*. SAE International, 1995.
- [109] H. B. Pacejka, *Tyre and Vehicle Dynamics*, 3rd ed. Oxford, 2012. doi: 10.1016/C2009-0-60418-3.
- [110] R. Rajesh, *Vehicle Dynamics and Control*, 3rd ed. Cham: Springer, 2021. doi: 10.1007/978-3-030-66534-2.
- [111] N. S. . Nise, *Control systems engineering*. Wiley, 2015.
- [112] N. Thongpance *et al.*, "Comparative Analysis of PID Tuning Methods for Speed Control in Mecanum-Wheel Electric Wheelchairs," *Buletin Ilmiah Sarjana Teknik Elektro*, vol. 7, no. 2, pp. 95–110, Jun. 2025, doi: 10.12928/biste.v7i2.13046.
- [113] J. Terven, D. M. Cordova-Esparza, J. A. Romero-González, A. Ramírez-Pedraza, and E. A. Chávez-Urbiola, "A comprehensive survey of loss functions and metrics in deep learning," *Artif. Intell. Rev.*, vol. 58, no. 7, Jul. 2025, doi: 10.1007/s10462-025-11198-7.
- [114] I. Budin-Ljøsne *et al.*, "Public perceptions of brain health: an international, online cross-sectional survey," *BMJ Open*, vol. 12, no. 4, p. e057999, Apr. 2022, doi: 10.1136/bmjopen-2021-057999.
- [115] K. Sheela sobana Rani, S. Pravinth Raja, M. Sinthuja, B. Vidhya Banu, R. Sapna, and K. Dekeba, "Classification of EEG Signals Using Neural Network for Predicting Consumer Choices," *Comput. Intell. Neurosci.*, vol. 2022, pp. 1–7, Jul. 2022, doi: 10.1155/2022/5872401.
- [116] S. Lemeshow, D. W. Hosmer, and J. Klar, "Sample size requirements for studies estimating odds ratios or relative risks," *Stat. Med.*, vol. 7, no. 7, pp. 759–764, Jul. 1988, doi: 10.1002/sim.4780070705.
- [117] A. Ali and S. Majhi, "PI/PID controller design based on IMC and percentage overshoot specification to controller setpoint change," *ISA Trans.*, vol. 48, no. 1, pp. 10–15, 2009, doi: 10.1016/j.isatra.2008.09.002.
- [118] I. D. Fajuke and A. Raji, "Optimal tuning of PID controller for speed control of DC motor using equilibrium optimizer," *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 30, no. 1, pp. 89–101, Apr. 2023, doi: 10.11591/ijeecs.v30.i1.pp89-101.

- [119] M. Diah Ika Putri, A. Ma'arif, and R. Dwi Puriyanto, "Pengendali Kecepatan Sudut Motor DC Menggunakan Kontrol PID dan Tuning Ziegler Nichols," *Techno (Jurnal Fakultas Teknik, Universitas Muhammadiyah Purwokerto)*, vol. 23, no. 1, Apr. 2022, doi: 10.30595/techno.v23i1.10773.
- [120] M. A. Sahib and B. S. Ahmed, "A new multiobjective performance criterion used in PID tuning optimization algorithms," *J. Adv. Res.*, vol. 7, no. 1, pp. 125–134, Jan. 2016, doi: 10.1016/j.jare.2015.03.004.
- [121] M. M. Gani, M. S. Islam, and M. A. Ullah, "Optimal PID tuning for controlling the temperature of electric furnace by genetic algorithm," *SN Appl. Sci.*, vol. 1, no. 8, Aug. 2019, doi: 10.1007/s42452-019-0929-y.
- [122] I. Harrade *et al.*, "Arithmetic optimization algorithm based PID control for reduced order motorized wheelchairs with real time MIL SIL PIL validation," *Sci. Rep.*, Apr. 2026, doi: 10.1038/s41598-026-47689-y.
- [123] F. Suryatini and A. Firasanti, "KENDALI P, PI, DAN PID ANALOG PADA PENGATURAN KECEPATAN MOTOR DC DENGAN PENALAAAN ZIEGLER-NICHOLS," *Journal of Electrical and Electronics*, vol. 6, no. 1, 2018.
- [124] R. Chotikunnan, P. Chotikunnan, N. Thongpance, T. Puttasakul, Y. Pititheeraphab, and M. Sangworasil, "Application of PID Control System in Mecanum Wheelchair," 2023.
- [125] W. Fu, X. Wang, and X. Zhang, "Rollover Stability of Heavy-Duty AGVs in Turns Considering Variation in Friction Coefficient," *Lubricants*, vol. 11, no. 3, Mar. 2023, doi: 10.3390/lubricants11030119.

