

DAFTAR PUSTAKA

- Alberto, N. J., Ferreira, A., Ribeiro-Barros, A. I., Aoyama, E. M., Silva, L. O. E., Rakocevic, M., Ramalho, J. C., & Partelli, F. L. (2024). Plant Morphological and Leaf Anatomical Traits in *Coffea arabica* L. Cultivars Cropped in Gorongosa Mountain, Mozambique. *Horticulturae*, 10(9), 1002. <https://doi.org/10.3390/horticulturae10091002>
- Andini, R., Zaelani, A., Sulaiman, M. I., Sembiring, E. R., Jaya, R., Gusain, M., Bhanot, D., Morghade, R. S., Gaafar, A.-R. Z., Azis, A., & Widayat, H. P. (2025). Genetic diversity of cultivated Gayo Arabica Coffee (*Coffea arabica* L.) based on morphological and microsatellite markers. *BMC Plant Biology*, 25(1), 990. <https://doi.org/10.1186/s12870-025-06768-4>
- Anisa, N., Dewi, R., & Nurlaila, R. (2022). Pembuatan Glukosa dari Ampas Tebu dengan Proses Hidrolisis. In *Chemical Engineering Journal Storage* (Vol. 2, Number 5).
- Anjarsari. (2016). Katekin Teh Indonesia: Prospek dan Manfaatnya. *Jurnal Kultivasi*, 15(2), 99–106. <http://www.indonesia-investments.com>,
- Antończyk, A., Mika, M., & Wikiera, A. (2023). Influence of Synthetic Antioxidants Used in Food Technology on the Bioavailability and Metabolism of Lipids - In Vitro Studies. *Polish Journal of Food and Nutrition Sciences*, 95–107. <https://doi.org/10.31883/pjfn/161366>
- Asrifaturofingah, Listiowati, E., Matsna, F. U., Putriliana, S. Z., & Ulya, N. A. H. (2024). Analisis Aktivitas Senyawa Antioksidan Pada Berbagai Daun Tanaman Herbal dengan Metode DPPH. *Jurnal Pharmascience*, 11(1), 98–114. <https://ppjp.ulm.ac.id/journal/index.php/pharmascience>

- Baihaqi, Hakim, S., Nuraida, Fridayati, D., & Madani, E. (2023). Sifat Organoleptik Teh Cascara (Limbah Kulit Buah Kopi) Pada Pengeringan Berbeda. *Jurnal Agrosains*, 16(1), 56–63.
- Bajkacz, S., & Adamek, J. (2018). Development of a Method Based on Natural Deep Eutectic Solvents for Extraction of Flavonoids from Food Samples. *Food Analytical Methods*, 11(5), 1330–1344. <https://doi.org/10.1007/s12161-017-1118-5>
- Bevilacqua, E., Cruzat, V., Singh, I., Rose'Meyer, R. B., Panchal, S. K., & Brown, L. (2023). The Potential of Spent Coffee Grounds in Functional Food Development. *Nutrients*, 15(4), 994. <https://doi.org/10.3390/nu15040994>
- Cabrera, L., Xavier, L., & Zecchi, B. (2024). Extraction of phenolic compounds with antioxidant activity from olive pomace using natural deep eutectic solvents: modelling and optimization by response surface methodology. *Discover Food*, 4(1). <https://doi.org/10.1007/s44187-024-00100-z>
- Cappelletti, S., Daria, P., Sani, G., & Aromatario, M. (2015). Caffeine: Cognitive and Physical Performance Enhancer or Psychoactive Drug? *Current Neuropharmacology*, 13(1), 71–88. <https://doi.org/10.2174/1570159X13666141210215655>
- Çelik, E. E., Cömert, E. D., & Gökmen, V. (2024). The power of the QUENCHER method in measuring total antioxidant capacity of foods: Importance of interactions between different forms of antioxidants. *Talanta*, 269, 125474. <https://doi.org/10.1016/j.talanta.2023.125474>
- Chev  Kools, E., Choi, Y. H., Roullier, C., Ruprich-Robert, G., Grougnet, R., Chapeland-Leclerc, F., & Hollmann, F. (2025). Natural deep eutectic solvents (NaDES): green solvents for pharmaceutical applications and beyond. *Green Chemistry*, 27(28), 8360–8385. <https://doi.org/10.1039/D4GC06386D>
- Dai, Y., Witkamp, G.-J., Verpoorte, R., & Choi, Y. H. (2015). Tailoring properties of natural deep eutectic solvents with

- water to facilitate their applications. *Food Chemistry*, 187, 14–19. <https://doi.org/10.1016/j.foodchem.2015.03.123>
- Dewajanti, A. M. (2019). Peranan Asam Klorogenat Tanaman Kopi terhadap Penurunan Kadar Asam Urat dan Beban Oksidatif. *Jurnal Kedokteran Meditek*. <http://ejournal.ukrida.ac.id/ojs/index.php/Meditek/index><http://ejournal.ukrida.ac.id/ojs/index.php/Meditek/article/view/1758>
- Direktorat Jenderal Perkebunan. (2024). *Statistik Pperkebunan Jilid I 2022-2024*. Sekretariat Direktorat Jenderal Perkebunan.
- Fahleni, F., Mun'im, A., Saputri, F. C., & Surini, S. (2025). Natural deep eutectic solvents (NaDES) improves extraction and antioxidant activity of stem bark of *Garcinia cowa* Roxb. *Jurnal Ilmu Kefarmasian Indonesia*, 23(1), 123. <https://doi.org/10.35814/jifi.v23i1.1722>
- Franca, A. S., Basílio, E. P., Resende, L. M., Fante, C. A., & Oliveira, L. S. (2024). Coffee Silverskin as a Potential Ingredient for Functional Foods: Recent Advances and a Case Study with Chocolate Cake. *Foods*, 13(23), 3935. <https://doi.org/10.3390/foods13233935>
- García, G., Aparicio, S., Ullah, R., & Atilhan, M. (2015). Deep Eutectic Solvents: Physicochemical Properties and Gas Separation Applications. *Energy & Fuels*, 29(4), 2616–2644. <https://doi.org/10.1021/ef5028873>
- García-Roldán, A., Piriou, L., & Jauregi, P. (2023). Natural deep eutectic solvents as a green extraction of polyphenols from spent coffee ground with enhanced bioactivities. *Frontiers in Plant Science*, 13. <https://doi.org/10.3389/fpls.2022.1072592>
- Gulcin, İ. (2020). Antioxidants and antioxidant methods: an updated overview. *Archives of Toxicology*, 94(3), 651–715. <https://doi.org/10.1007/s00204-020-02689-3>
- Gupta, A., & Maurya, J. L. (2023). Extraction and Analysis of Caffeine from Various Sources: A Review. In *International*

- Haque, S. M., Kabir, A., Ratemi, E., Elzagheid, M., Appu, S. P., Ghani, S. S., & Sarief, A. (2025). Greener Pectin Extraction Techniques: Applications and Challenges. *Separations*, 12(3), 65. <https://doi.org/10.3390/separations12030065>
- Hayat, J., Akodad, M., Moumen, A., Baghour, M., Skalli, A., Ezrari, S., & Belmalha, S. (2020). Phytochemical screening, polyphenols, flavonoids and tannin content, antioxidant activities and FTIR characterization of Marrubium vulgare L. from 2 different localities of Northeast of Morocco. *Heliyon*, 6(11), e05609. <https://doi.org/10.1016/j.heliyon.2020.e05609>
- Heeger, A., Kosińska-Cagnazzo, A., Cantergiani, E., & Andlauer, W. (2017). Bioactives of coffee cherry pulp and its utilisation for production of Cascara beverage. *Food Chemistry*, 221, 969–975. <https://doi.org/10.1016/j.foodchem.2016.11.067>
- Hikmawanti, N. P. E., Ramadon, D., Jantan, I., & Mun'im, A. (2021). Natural Deep Eutectic Solvents (NADES): Phytochemical Extraction Performance Enhancer for Pharmaceutical and Nutraceutical Product Development. *Plants*, 10(10), 2091. <https://doi.org/10.3390/plants10102091>
- Hoseyni, S. Z., Jafari, S. M., Shahiri Tabarestani, H., Ghorbani, M., Assadpour, E., & Sabaghi, M. (2020). Production and characterization of catechin-loaded electrospun nanofibers from Azivash gum- polyvinyl alcohol. *Carbohydrate Polymers*, 235, 115979. <https://doi.org/10.1016/j.carbpol.2020.115979>
- Husain, A., Berrandjia, N., Mousa, N., & Abu-Jdayil, B. (2026). Caramelization-driven transformation of natural deep eutectic solvents: Impact on physicochemical properties and displacement behaviour during enhanced oil recovery. *Results in Engineering*, 32, 112227. <https://doi.org/10.1016/j.rineng.2026.112227>

- Imanda, S. D., Kaseng, E. S., & Mihrani. (2025). Analisis Kadar Polifenol dan Aktivitas Antioksidan Minuman Herbal Kunyit (*Curcuma Longa* L.) dengan Penambahan Jahe (*Zingiber Officinale* Roscoe). *JIMU: Jurnal Ilmiah Multi Disiplin*, 03(03), 3031–9498.
- Jovanović, A. A., Krgović, N., Živković, J., & Šavikin, K. (2026). Eco-friendly valorization of wild thyme processing residue: Ultrasound probe-assisted extraction using tailored natural deep eutectic solvents and evaluation of antioxidant activity. *Food and Bioproducts Processing*, 157, 610–628. <https://doi.org/10.1016/j.fbp.2026.04.008>
- Kareem, M. A., Mjalli, F. S., Hashim, M. A., & AlNashef, I. M. (2010). Phosphonium-Based Ionic Liquids Analogues and Their Physical Properties. *Journal of Chemical & Engineering Data*, 55(11), 4632–4637. <https://doi.org/10.1021/je100104v>
- Karima, U., Chusnah, M., & Hartati, D. A. S. (2024). The Effect of Long Drying on the Chemical and Organoleptic Characteristics of Excelsa Coffee Skin Tea (*Coffee liberica* var.dewevrei). *AGARICUS: Advances Agriculture Science & Farming*, 4(1), 14–18.
- Koh, Q. Q., Kua, Y. L., Gan, S., Tan, K. W., Lee, T. Z. E., Cheng, W. K., & Lau, H. L. N. (2023). Sugar-based natural deep eutectic solvent (NADES): Physicochemical properties, antimicrobial activity, toxicity, biodegradability and potential use as green extraction media for phytonutrients. *Sustainable Chemistry and Pharmacy*, 35, 101218. <https://doi.org/10.1016/j.scp.2023.101218>
- Kousar, M. U., Jabeen, A., Fatima, T., Hussain, S. Z., Zargar, I. A., Amin, T., & Yaseen, M. (2023). Optimization of ultrasonic-assisted extraction of eugenol-rich fraction from basil leaves: Characterization of extract for phenols, flavonoids and antioxidant activity. *Food Chemistry Advances*, 3. <https://doi.org/10.1016/j.focha.2023.100374>

- Latunra, A. I., Johannes, E., & Tuwo, M. (2024). *Kopi: Kandungan Metabolit dan Manfaatnya*. PT. Literasi Nusantara Abadi Grup.
- Li, S., Wang, G., Zhao, J., Ou, P., Yao, Q., & Wang, W. (2024). Ultrasound-Assisted Extraction of Phenolic Compounds from Celtuce (*Lactuca sativa* var. *augustana*) Leaves Using Natural Deep Eutectic Solvents (NADES): Process Optimization and Extraction Mechanism Research. *Molecules*, 29(10), 2385. <https://doi.org/10.3390/molecules29102385>
- Liang, N., Kitts, D. D., Wang, X., Hu, Z., & Sabier, M. (2025). Phenolic Acid Composition of Coffee Cascara in Connection with Antioxidant Capacity: A Geographic Assessment. *Antioxidants*, 14(5), 502. <https://doi.org/10.3390/antiox14050502>
- Mahendra, I., & Azhar, M. (2022). Ekstraksi dan Karakterisasi Katekin Dari Gambir (*Uncaria Gambir Roxb*). *Chemistry Journal*, 11, 5–7. <https://doi.org/10.1016/j.proche.2015.03.002>
- Maimulyanti, A., Nurhidayati, I., Mellisani, B., Amelia Rachmawati Putri, F., Puspita, F., & Restu Prihadi, A. (2023). Development of natural deep eutectic solvent (NADES) based on choline chloride as a green solvent to extract phenolic compound from coffee husk waste. *Arabian Journal of Chemistry*, 16(4), 104634. <https://doi.org/10.1016/j.arabjc.2023.104634>
- Mokodongan, R. S., Rokot, A., Sulasmi, Astuti, S. I., Pinontoan, S. P. M., Latifah, A., Muawanah, Fajri, H., Maretha, D. E., Doloking, H., Safitri, W., & Habibah, N. (2025). *Biokimia*. PT Media Pustaka Indo. www.mediapustakaindo.com
- Nasrullah, N., Akram, S., Rashid, A., Adnan, A., & Mushtaq, M. (2024). Natural deep eutectic liquid and ultrasound-assisted extraction of milk thistle phenolics and their hepatoprotective activities. *Frontiers in Sustainable Food Systems*, 8. <https://doi.org/10.3389/fsufs.2024.1375076>

- National Center for Biotechnology Information. (2025a). *D-Glucose*. <https://pubchem.ncbi.nlm.nih.gov/compound/D-Glucose>
- National Center for Biotechnology Information. (2025b). *Lactic Acid*. <https://pubchem.ncbi.nlm.nih.gov/compound/Lactic-acid>
- Nishitani, E., & Sagesaka, Y. M. (2004). Simultaneous determination of catechins, caffeine and other phenolic compounds in tea using new HPLC method. *Journal of Food Composition and Analysis*, 17(5), 675–685. <https://doi.org/10.1016/j.jfca.2003.09.009>
- Nuraziza, Seniwati, & Waris, R. (2017). Uji Aktivitas Antioksidan Ekstrak Etanol Daun Arbenan (*Duchesnea indica* (Jacks.) Focke) dengan Metode DPPH. *As-Syifaa*, 09(02), 154–164.
- Octaviani, N. E. K., Nurdyansyah, F., Umiyani, R., & Ferdiansyah, K. (2025). Physicochemical, Microbiological, and Sensory Characteristics of Soy Milk Yoghurt with the Addition of Cascara Extract. *Jurnal Pangan Dan Agroindustri*, 13(4), 213–224. <https://doi.org/10.21776/ub.jpa.2025.013.04.2>
- Ojo, A. O., & de Smidt, O. (2023). Lactic Acid: A Comprehensive Review of Production to Purification. *Processes*, 11(3), 688. <https://doi.org/10.3390/pr11030688>
- Omar, K. A., & Sadeghi, R. (2022). Physicochemical properties of deep eutectic solvents: A review. *Journal of Molecular Liquids*, 360, 119524. <https://doi.org/10.1016/j.molliq.2022.119524>
- Panić, M., Radošević, K., Radojčić Redovniković, I., Zagajski Kućan, K., Sander, A., Halambek, J., Prlić Kardum, J., & Mitar, A. (2019). Physicochemical Properties, Cytotoxicity, and Antioxidative Activity of Natural Deep Eutectic Solvents Containing Organic Acid. *Chemical & Biochemical Engineering Quarterly*, 33(1), 1–18. <https://doi.org/10.15255/CABEQ.2018.1454>

- Pires, I. V., Sakurai, Y. C. N., Ferreira, N. R., Moreira, S. G. C., da Cruz Rodrigues, A. M., & da Silva, L. H. M. (2022). Elaboration and Characterization of Natural Deep Eutectic Solvents (NADESs): Application in the Extraction of Phenolic Compounds from pitaya. *Molecules*, 27(23), 8310. <https://doi.org/10.3390/molecules27238310>
- Polakova, K., Bobková, A., Demianová, A., Bobko, M., Mesárošová, A., Jurčaga, L., Švecová, T., Lidiková, J., & Belej, L. (2025). Bioactive Compounds and Heavy Metals Content in Cascara Coffea Arabica. *Journal of Microbiology, Biotechnology and Food Sciences*, e11759. <https://doi.org/10.55251/jmbfs.11759>
- Pozharitskaya, O. N., Obluchinskaya, E. D., Shikova, V. A., Flisyuk, E. V., Vishnyakov, E. V., Makarevich, E. V., & Shikov, A. N. (2024). Physicochemical and Antimicrobial Properties of Lactic Acid-Based Natural Deep Eutectic Solvents as a Function of Water Content. *Applied Sciences (Switzerland)*, 14(22). <https://doi.org/10.3390/app142210409>
- Puma-Isuiza, G., García-Chacón, J. M., Osorio, C., Betalleluz-Pallardel, I., Chue, J., & Inga, M. (2024). Extraction of phenolic compounds from lucuma (*Pouteria lucuma*) seeds with natural deep eutectic solvents: modelling using response surface methodology and artificial neural networks. *Frontiers in Sustainable Food Systems*, 8. <https://doi.org/10.3389/fsufs.2024.1401825>
- Putri, M. K., Asshaumi, R. U., Rahmadani, N. F., Kurnia, S. I., Mayasari, S., Martatino, R., Prastowo, S. H. B., & Dewi, N. M. (2024). Analisis Nilai Kecepatan Terhadap Viskositas Terhadap Pada Fluida. *Jurnal Pendidikan Fisika*, 8(1), 89.
- Rahardjo, P. (2012). *Kopi Panduan Budi Daya dan Pengolahan Kopi Arabika dan Robusta*. Penebar Swadaya.
- Reddy, V. S., Shiva, S., Manikantan, S., & Ramakrishna, S. (2024). Pharmacology of caffeine and its effects on the human body.

- European Journal of Medicinal Chemistry Reports*, 10, 100138. <https://doi.org/10.1016/j.ejmcr.2024.100138>
- Rocha, D., Freitas, D. S., Castro, T. G., Noro, J., Cavaco-Paulo, A., & Silva, C. (2023). Hydration is not detrimental for Glycerol:Lactic acid deep eutectic mixtures. *Journal of Molecular Liquids*, 391, 123249. <https://doi.org/10.1016/j.molliq.2023.123249>
- Rojas-González, A., Figueroa-Hernández, C. Y., González-Rios, O., Suárez-Quiroz, M. L., González-Amaro, R. M., Hernández-Estrada, Z. J., & Rayas-Duarte, P. (2022). Coffee Chlorogenic Acids Incorporation for Bioactivity Enhancement of Foods: A Review. *Molecules*, 27(11), 3400. <https://doi.org/10.3390/molecules27113400>
- Rosarina, D., Narawangsa, D. R., Chandra, N. S. R., Sari, E., & Hermansyah, H. (2022). Optimization of Ultrasonic—Assisted Extraction (UAE) Method Using Natural Deep Eutectic Solvent (NADES) to Increase Curcuminoid Yield from *Curcuma longa* L., *Curcuma xanthorrhiza*, and *Curcuma mangga* Val. *Molecules*, 27(18), 6080. <https://doi.org/10.3390/molecules27186080>
- Rosidah, U., Sugito, S., Yuliati, K., Abdiansyah, A., & Anggraini, F. (2021). Identifikasi Senyawa Fitokimia dan Aktivitas Antioksidan Minuman Fungsional Cascara dari Kulit Kopi dengan Fermentasi Terkendali. *Prosiding Seminar Nasional Lahan Suboptimal*, 611–620.
- Şahin, S., Kurtulbaş, E., Toprakçı, İ., Anwar, F., Khan, R., Cigeroğlu, Z., İnce Yardımcı, A., Torun, M., Balcı Torun, F., & Falsafi, S. R. (2026). Deep Eutectic Solvents for Sustainable Extraction of Bioactive Compounds from Biomass: Mechanistic Insights and Scale-Up Challenges. *Molecules*, 31(5), 880. <https://doi.org/10.3390/molecules31050880>
- Saini, A., Benjamin, M. A. Z., Rusdi, N. A., Abdul Aziz, A. H., & Awang, M. A. (2025). Effect of Natural Deep Eutectic

- Solvents and Conventional Solvents on Extraction Yield, Antioxidant Activity, and Toxicity of *Peperomia pellucida*(L.) Kunth. *Malaysian Journal of Science*, 44(1), 34–41. <https://doi.org/10.22452/mjs.vol44no1.5>
- Sakurai, Y. C. N., Pires, I. V., Ferreira, N. R., Moreira, S. G. C., Silva, L. H. M. da, & Rodrigues, A. M. da C. (2024). Preparation and Characterization of Natural Deep Eutectic Solvents (NADESS): Application in the Extraction of Phenolic Compounds from Araza Pulp (*Eugenia stipitata*). *Foods*, 13(13), 1983. <https://doi.org/10.3390/foods13131983>
- Sanjaya, Y. A., Tola, P. S., & Rahmawati, R. (2022). Ultrasound-assisted Extraction as a Potential Method to Enhanced Extraction of Bioactive Compound. *Nusantara Science and Technology Proceedings*. <https://doi.org/10.11594/nstp.2022.2729>
- Sari, I. P., Octaviani, E. A., Khansa, S. D., & Fadillah, G. (2024). Spectroscopic Insights And Physicochemical Properties Of Deep Eutectic Solvents Formed From Choline Chloride And Organic Hydrogen Bond Donors. *Analit: Analytical and Environmental Chemistry*, 11–22. <https://doi.org/10.23960/analit.v9i02.202>
- Savi, L. K., Carpiné, D., Waszczynskyj, N., Ribani, R. H., & Haminiuk, C. W. I. (2019). Influence of temperature, water content and type of organic acid on the formation, stability and properties of functional natural deep eutectic solvents. *Fluid Phase Equilibria*, 488, 40–47. <https://doi.org/10.1016/j.fluid.2019.01.025>
- Sayuti, K., & Yenrina, R. (2015). *Antioksidan Alami dan Sintetik*. Andalas University Press.
- Sholichah, E., Desnilasari, D., Karim, M. A., Putra, A., & Purwono, B. (2022). Purification and characterization of catechin from cascara and its evaluation on antioxidant and antibacterial activities. 070022. <https://doi.org/10.1063/5.0110988>

- Slamet, S., Anggun, B. D., & Pambudi, D. B. (2020). Uji Stabilitas Fisik Formula Sediaan Gel Ekstrak Daun Kelor (*Moringa Oleifera* Lamk.). *Jurnal Ilmiah Kesehatan*, 13(2), 115–122. <https://doi.org/10.48144/jiks.v13i2.260>
- Stuart, Barbara. (2004). *Infrared spectroscopy : fundamentals and applications*. J. Wiley.
- Syakfanaya, A. M., Saputri, F. C., & Munim, A. (2019). Simultaneously Extraction of Caffeine and Chlorogenic Acid from *Coffea canephora* Bean using Natural Deep Eutectic Solvent-Based Ultrasonic Assisted Extraction. *Pharmacognosy Journal*, 11(2), 267–271. <https://doi.org/10.5530/pj.2019.11.41>
- Syukri, D. (2021). *Bagan Alir Analisis Proksimat Bahan Pangan (Volumetri dan Gravimetri)*. Andalas University Press.
- Turck, D., Bohn, T., Castenmiller, J., De Henauw, S., Hirsch-Ernst, K. I., Maciuk, A., Mangelsdorf, I., McArdle, H. J., Naska, A., Pelaez, C., Pentieva, K., Siani, A., Thies, F., Tsabouri, S., Vinceti, M., Cubadda, F., Frenzel, T., Heinonen, M., Marchelli, R., ... Knutsen, H. K. (2022). Safety of dried coffee husk (cascara) from *Coffea arabica* L. as a Novel food pursuant to Regulation (EU) 2015/2283. *EFSA Journal*, 20(2). <https://doi.org/10.2903/j.efsa.2022.7085>
- Vo, T. P., Pham, N. D., Pham, T. V., Nguyen, H. Y., Vo, L. T. V., Tran, T. N. H., Tran, T. N., & Nguyen, D. Q. (2023). Green extraction of total phenolic and flavonoid contents from mangosteen (*Garcinia mangostana* L) rind using natural deep eutectic solvents. *Heliyon*, 9(4), e14884. <https://doi.org/10.1016/j.heliyon.2023.e14884>
- Wang, L., Pan, X., Jiang, L., Chu, Y., Gao, S., Jiang, X., Zhang, Y., Chen, Y., Luo, S., & Peng, C. (2022). The Biological Activity Mechanism of Chlorogenic Acid and Its Applications in Food Industry: A Review. *Frontiers in Nutrition*, 9. <https://doi.org/10.3389/fnut.2022.943911>

- Wardana, R. R., Hakim, T., & Sulardi. (2023). *Budidaya Tanaman Kopi Arabika*. PT Dewangga Energi Internasional. <https://www.researchgate.net/publication/368607480>
- Wibowo, N. A., Wanita, Y. P., Novitasari, E., Amri, A. F., Purwanto, E. H., Yulianti, Y., & Aurum, F. S. (2024). Innovative of cascara as potential in beverage, food and their functional impact: a review. *International Journal of Food Science and Technology*, 59(11), 8082–8092. <https://doi.org/10.1111/ijfs.17562>
- Wu, K., Ren, J., Wang, Q., Nuerjiang, M., Xia, X., & Bian, C. (2022). Research Progress on the Preparation and Action Mechanism of Natural Deep Eutectic Solvents and Their Application in Food. *Foods*, 11(21), 3528. <https://doi.org/10.3390/foods11213528>
- Wu, Y. C., Wu, P., Li, Y. B., Liu, T. C., Zhang, L., & Zhou, Y. H. (2018). Natural deep eutectic solvents as new green solvents to extract anthraquinones from *Rheum palmatum* L. *RSC Advances*, 8(27), 15069–15077. <https://doi.org/10.1039/C7RA13581E>
- Yenrina, R. (2015). *Metode Analisis Bahan Pangan dan Komponen Bioaktif*. Andalas University Press.
- Yuniarto, K., & Muvianto, C. M. O. (2021). Aplikasi Ultrasound Assisted Extraction untuk Produksi Minyak Bawang Putih Varietas Lokal. *Jurnal Teknologi Pertanian*, 22(3), 177–186.
- Zhang, H., Tang, B., & Row, K. (2014). Extraction of catechin compounds from green tea with a new green solvent. *Chemical Research in Chinese Universities*, 30(1), 37–41. <https://doi.org/10.1007/s40242-014-3339-0>