

DAFTAR PUSTAKA

- Ahsan, A., Utami, M.G., Pertiwi, Y.B.A. and Anastasia, E.V. (2023). Industri kesehatan dan kebijakan fiskal: Dilema ketahanan alat kesehatan di Indonesia. Depok: Center for Education and Learning in Economics and Business (CELEB), Universitas Indonesia. <https://feb.ui.ac.id>
- Alberts, B., Johnson, A., Lewis, J., Morgan, D., Raff, M., Roberts, K. and Walter, P. (2014). *Molecular Biology of the Cell*. 5th edn. New York: Garland Science.
- Arezi, B. and Hogrefe, H. (2009). Alberts, B., Johnson, A., Lewis, J., Morgan, D., Raff, M., Roberts, K. and Walter, P. 2014. *Molecular Biology of the Cell*. 5th edn. New York: Garland Science.
- Azevedo, F., Pereira, H. and Johansson, B. (2017). Colony PCR', in Domingues, L. (ed.) *PCR: Methods and Protocols*. Methods in Molecular Biology. New York: Humana Press, pp. 129–139. doi: 10.1007/978-1-4939-7060-5_8.
- Baltimore, D. (1970) 'RNA-dependent DNA polymerase in virions of RNA tumour viruses', *Nature*, 226(5252), pp. 1209–1211. Available at: <https://doi.org/10.1038/2261209a0>.
- Baltimore, D., Huang, A.S. and Stampfer, M. (1970). Ribonucleic Acid Synthesis of Vesicular Stomatitis Virus, II. An RNA Polymerase in the Virion. *Proceedings of the National Academy of Sciences* 66(2), pp. 572–576. doi: 10.1073/pnas.66.2.572.
- Baranauskas, A., Paliksa, S., Alzbutas, G., Vaitkevicius, M., Lubiene, J., Letukiene, V. and Skirgaila, R. (2012) 'Generation and characterization of new highly thermostable and processive M-MuLV reverse transcriptase variants', *Protein Engineering, Design and Selection*, 25(10), pp. 657–668. doi:10.1093/protein/gzs034.
- Bashiri, G. and Baker, E.N. (2015). Production of recombinant proteins in *Mycobacterium smegmatis* for structural and functional studies. *Protein Science* 24(1), pp. 1–10. doi: 10.1002/pro.2584.
- Berkmen, M. (2012). Production of disulfide-bonded proteins in *Escherichia coli*. *Protein Expression and Purification* 82(1), pp. 240–251. doi: 10.1016/j.jep.2011.10.009.

- Briand, L., Marcion, G., Kriznik, A., Heydel, J.M. and Neiers, F. (2016). A self-inducible heterologous protein expression system in *Escherichia coli*, *Scientific Reports*, 6, 33037. doi:10.1038/srep33037.
- Brown, P.O. (1997). Integration. In: John M. Coffin, Stephen H. Hughes, and Harold E. Varmus eds. *Retroviruses*. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK19392/> [Accessed: 14 June 2026].
- Buchori, D., Adiwibowo, S., Santoso, D.A., Kartodiharjo, H. and Triwidodo, H. (2005). *Public Participation on Development of Biotechnology Policy in Indonesia: Challenges, Obstacles, And Opportunities*. Bogor: Department of Plant Protection, Faculty of Agriculture, Bogor Agricultural University (IPB) Place Published <http://repository.ipb.ac.id/handle/123456789/57481>
- Buchschacher, G.L., Yu, L., Murai, F., Friedmann, T. and Miyanohara, A. 1999. Association of Murine Leukemia Virus Pol with Virions, Independent of Gag-Pol Expression. *Journal of Virology* 73(11), pp. 9632–9637. doi: 10.1128/JVI.73.11.9632–9637.1999.
- Carson, M., Johnson, D.H., McDonald, H., Brouillette, C. and DeLucas, L.J. 2007. His-tag impact on structure. *Acta Crystallographica Section D Biological Crystallography* 63(3), pp. 295–301. doi: 10.1107/S0907444906052024.
- Carvalho, R.F. et al. 2021. Validation of conventional PCR-like alternative to SARS-CoV-2 detection with target nucleocapsid protein gene in naso-oro-pharyngeal samples. *PLOS ONE* 16(9), p. e0257350. doi: 10.1371/journal.pone.0257350.
- Carvalho, R.F., Oliveira, M.S., Ribeiro, J., dos Santos, I.G.C., Almeida, K.S., Conti, A.C.M., et al. (2021). Validation of conventional PCR-like alternative to SARS-CoV-2 detection with target nucleocapsid protein gene in naso-oro-pharyngeal samples. *PLoS ONE* 16(9), e0257350. doi:10.1371/journal.pone.0257350.
- Chen, Y., Xu, W. and Sun, Q. (2009). A novel and simple method for high-level production of reverse transcriptase from Moloney murine leukemia virus (MMLV-RT) in *Escherichia coli*. *Biotechnology Letters* 31(7), pp. 1051–1057. doi: 10.1007/s10529-009-9977-5.
- Choi, T.-J. and Geletu, T.T. (2018). High level expression and purification of recombinant flounder growth hormone in *E. coli*. *Journal of Genetic*

Engineering and Biotechnology 16(2), pp. 347–355. doi: 10.1016/j.jgeb.2018.03.006.

Cholet, F., Ijaz, U.Z. and Smith, C.J. (2020). Reverse transcriptase enzyme and priming strategy affect quantification and diversity of environmental transcripts. *Environmental Microbiology* 22(6), pp. 2383–2402. doi: 10.1111/1462-2920.15017.

Clark, D.P.. and Pazdernik, N.Jean. (2016). *Biotechnology*. London: Elsevier/AP Cell, Academic Cell is an imprint of Elsevier.

Clark, D.P., Pazdernik, N.Jean. and McGehee, M.R. (2019). *Molecular biology*. London: Academic Press is an imprint of Elsevier.

Claverie, J.M. and Ogata, H. (2003). The insertion of palindromic repeats in the evolution of proteins. *Trends in Biochemical Sciences* 28(2), pp. 75–80. doi: 10.1016/S0968-0004(02)00036-1.

Coffin, J.M. and Fan, H. (2016). The Discovery of Reverse Transcriptase. *Annual Review of Virology* 3(1), pp. 29–51. doi: 10.1146/annurev-virology-110615-035556.

Copeland, R.A. (2000). *Enzymes*. Wiley. doi: 10.1002/0471220639.

Divbandi, M., Yamchi, A., Nikoo, H.R., Moradi, A. and Tabarraei, A. (2024). Expression of thermostable MMLV reverse transcriptase in *Escherichia coli* by directed mutation. *AMB Express* 14(1), p. 113. doi: 10.1186/s13568-024-01773-6.

El Zowalaty, M.E., Young, S.G. and Järhult, J.D. (2020). Environmental impact of the COVID-19 pandemic – a lesson for the future. *Infection Ecology & Epidemiology* 10(1). doi: 10.1080/20008686.2020.1768023.

Froger, A. and Hall, J.E. (2007). Transformation of Plasmid DNA into *E. coli* Using the Heat Shock Method. *Journal of Visualized Experiments* (6). doi: 10.3791/253.

Gerard, G.E. and D'Alessio, J.M. (1993). Reverse Transcriptase (EC 2.7.7.49): The Use of Cloned Maloney Murine Leukemia Virus Reverse Transcriptase to Synthesize DNA from RNA. In: *Enzymes of Molecular Biology*. New Jersey: Humana Press, pp. 73–94. doi: 10.1385/0-89603-234-5:73.

Goff, S.P. (1990). Retroviral reverse transcriptase: Synthesis, structure, and function. *Journal of Acquired Immune Deficiency Syndromes* 3(8).

- Hayat, S.M.G., Farahani, N., Golichenari, B. and Sahebkar, A. (2018). Recombinant Protein Expression in *Escherichia coli* (*E. coli*): What We Need to Know. *Current Pharmaceutical Design* 24(6), pp. 718–725. doi: 10.2174/1381612824666180131121940.
- Hizi, A. and Herschhorn, A. (2008). Retroviral reverse transcriptases (other than those of HIV-1 and murine leukemia virus): A comparison of their molecular and biochemical properties. *Virus Research* 134(1–2), pp. 203–220. doi: 10.1016/j.virusres.2007.12.008.
- Hochuli, E., Bannwarth, W., Döbeli, H., Gentz, R. and Stüber, D. (1988). Genetic Approach to Facilitate Purification of Recombinant Proteins with a Novel Metal Chelate Adsorbent. *Nature Biotechnology* 6(11), pp. 1321–1325. doi: 10.1038/nbt1188-1321.
- Hu, W.-S. and Hughes, S.H. (2012). HIV-1 Reverse Transcription. *Cold Spring Harbor Perspectives in Medicine* 2(10), pp. a006882–a006882. doi: 10.1101/cshperspect.a006882.
- Invitrogen. (2010). pET system manual: Protein expression in *Escherichia coli*. Carlsbad, California, USA.
- International Committee on Taxonomy of Viruses (ICTV) (2025) International Committee on Taxonomy of Viruses. Available at: <https://ictv.global> (Accessed: 18 April 2025).
- International Trade Administration. (2021). Indonesia - Country Commercial Guide. <https://www.trade.gov/country-commercial-guides/indonesia-healthcare-medicaldevices-equipment>
- Jeong, H., Kim, H.J. and Lee, S.J. (2015). Complete Genome Sequence of *Escherichia coli* Strain BL21. *Genome Announcements* 3(2). doi: 10.1128/genomeA.00134-15.
- Jia, B. and Jeon, C.O. (2016). High-throughput recombinant protein expression in *Escherichia coli*: current status and future perspectives. *Open Biology* 6(8). doi: 10.1098/rsob.160196.
- Johnston, C., Martin, B., Fichant, G., Polard, P. and Claverys, J.-P. (2014). Bacterial transformation: distribution, shared mechanisms and divergent control. *Nature Reviews Microbiology* 12(3), pp. 181–196. doi: 10.1038/nrmicro3199.
- Kementerian Kesehatan RI. Statistik Alat Kesehatan. (2022). Jakarta: Pusat Data dan Informasi Kemenkes.

- Kementerian Kesehatan Republik Indonesia. (2023). Laporan kinerja Kementerian Kesehatan tahun 2023. Jakarta: Kementerian Kesehatan RI. <https://kemkes.go.id>
- Kotewicz, M.L., Sampson, C.M., D Alessio, J.M. and Gerard, G.F. (1988). Isolation of cloned Moloney murine leukemia virus reverse transcriptase lacking ribonuclease H activity. *Nucleic Acids Research* 16(1), pp. 265–277. doi: 10.1093/nar/16.1.265.
- Kwon, S.K., Kim, S.K., Lee, D.H. and Kim, J.F. (2015). Comparative genomics and experimental evolution of *Escherichia coli* BL21(DE3) strains reveal the landscape of toxicity escape from membrane protein overproduction. *Scientific Reports* 5(1), p. 16076. doi: 10.1038/srep16076.
- Lewis Mander and Hung Wen Liu. (2010). *Comprehensive Natural Products II: Chemistry and Biology*. Amsterdam: Elsevier.
- Lim, G., Lum, D., Ng, B. and Sam, C. (2015). Differential transformation efficiencies observed for pUC19 and pBR322 in *Escherichia coli* may be related to calcium chloride concentration. *Journal of Experimental Microbiology and Immunology (JEMI)* 20, pp. 1–6.
- Lin Chao, S., Chen, W. and Wong, T. (1992). High copy number of the pUC plasmid results from a Rom/Rop-suppressible point mutation in RNA II. *Molecular Microbiology* 6(22), pp. 3385–3393. doi: 10.1111/j.1365-2958.1992.tb02206.x.
- Maksum, I.P., Utama, E. and Subroto, T. (2017). Extracellular Secretion of Recombinant Human Epidermal Growth Factor by Using Trimethylamine N-Oxide Reductase A (TORA) Signal Peptide in *Escherichia coli* BL21 (DE3). *Journal of Pharmaceutical Sciences and Research* 9(6).
- Malhotra, A. (2009). Tagging for protein expression. In: Burgess, R. R. and Deutscher, M. P. eds. *Methods in Enzymology: Guide to Protein Purification*. San Diego, California, USA: Academic Press (Elsevier), pp. 239–258. doi: 10.1016/S0076-6879(09)63016-0.
- Manta, B., Boyd, D. and Berkmen, M. (2019). Disulfide Bond Formation in the Periplasm of *Escherichia coli*. *EcoSal Plus* 8(2). doi: 10.1128/ecosalplus.esp-0012-2018.
- Manzur, M.J., Munoz, R. V., Lucero, A.A., Ayub, M.J., Alvarez, S.E. and Ciuffo, G.M. (2006). Production of recombinant enzymes of wide use

for research. *Electronic Journal of Biotechnology* 9(3), pp. 0–0. doi: 10.2225/vol9-issue3-fulltext-16.

Marintcheva, B. (2018). *Harnessing the Power of Viruses*. London; San Diego: Academic Press. doi: 10.1016/C2015-0-05654-4.

Mursida, L. (2010). *Expression of the pol Gene Encoding RNase H-Deficient Reverse Transcriptase of Murine Leukemia Virus in Escherichia coli BL21*. Undergraduate Thesis, Depok: Universitas Indonesia.

Noble, J.E. and Bailey, M.J.A. (2009). Chapter 8 Quantitation of Protein. pp. 73–95. doi: 10.1016/S0076-6879(09)63008-1.

Nuryana, I., Laksmi, F.A., Agustriana, E., Dewi, K.S., Andriani, A., Thontowi, A., Kusharyoto, W. and Lisdiyanti, P. (2022). Expression of codon-optimized gene encoding Murine Moloney Leukemia Virus reverse transcriptase in *Escherichia coli*. *Protein Journal*, 41(4–5), pp. 515–526. doi:10.1007/s10930-022-10066-5.

Oscorbin, I.P. and Filipenko, M.L. (2021). M-MuLV reverse transcriptase: Selected properties and improved mutants. *Computational and Structural Biotechnology Journal* 19, pp. 6315–6327. doi: 10.1016/j.csbj.2021.11.030.

Panja, S., Aich, P., Jana, B. and Basu, T. (2008). How does plasmid DNA penetrate cell membranes in artificial transformation process of *Escherichia coli*? *Molecular Membrane Biology* 25(5), pp. 411–422. doi: 10.1080/09687680802187765.

Puigbo, P., Bravo, I.G. and Garcia-Vallve, S. (2008). CAIcal: A combined set of tools to assess codon usage adaptation. *Biology Direct* 3(1), p. 38. doi: 10.1186/1745-6150-3-38.

Putera, P.B., Widianingsih, I., Rianto, Y., Ningrum, S. and Suryanto, S. (2022). Human Resources of Research and Innovation in Indonesia: Reality, Policy Strategy, and Roadmap. *Jurnal Perencanaan Pembangunan: The Indonesian Journal of Development Planning* 6(3), pp. 386–401. doi: 10.36574/jpp.v6i3.365.

Rosano, G.L. and Ceccarelli, E.A. (2014). Recombinant protein expression in *Escherichia coli*: advances and challenges. *Frontiers in Microbiology* 5. doi: 10.3389/fmicb.2014.00172.

Saepuloh, U., Iskandriati, D., Hoetam, F., Septima Mariya, S., Duryadi Solihin, D., Pamungkas, J. et al. (2013). Cloning and Expression of

Serotype-2 Simian Betaretrovirus Reverse Transcriptase Gene Isolated from Indonesian Cynomolgus Monkey in *Escherichia coli*. Microbiology Indonesia 7(2), pp. 59–67. doi: 10.5454/mi.7.2.3.

Sambrook, Joseph. and Russell, D.W. (2001). Molecular cloning: a laboratory manual. Vol. 2. 3rd ed. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory.

Schneider, C.A., Rasband, W.S. and Eliceiri, K.W. (2012). NIH Image to ImageJ: 25 years of image analysis. Nature Methods 9(7), pp. 671–675. doi: 10.1038/nmeth.2089.

Shi, F., Fan, Z., Zhang, S., Wang, Y., Tan, S. and Li, Y. (2020). Optimization of ribosomal binding site sequences for gene expression and 4-hydroxyisoleucine biosynthesis in recombinant corynebacterium glutamicum. Enzyme and Microbial Technology 140, p. 109622. doi: 10.1016/j.enzmictec.2020.109622.

Shine, J. and Dalgarno, L. (1975). Determinant of cistron specificity in bacterial ribosomes. Nature 254(5495), pp. 34–38. doi: 10.1038/254034a0.

Silaban, S., Gaffar, S., Simorangkir, M., Maksum, I.P. and Subroto, T. (2019). Effect of IPTG Concentration on Recombinant Human Prethrombin-2 Expression in *Escherichia coli* BL21(DE3) ArcticExpress. IOP Conference Series: Earth and Environmental Science 217, p. 012039. doi: 10.1088/1755-1315/217/1/012039.

Singh, M., Yadav, A., Ma, X. and Amoah, E. (2010). Plasmid DNA transformation in *Escherichia coli*: effect of heat shock temperature, duration, and cold incubation of CaCl₂-treated cells. International Journal of Biotechnology and Biochemistry 6(4), pp. 561–568.

Singh, S.M. and Panda, A.K. (2005). Solubilization and refolding of bacterial inclusion body proteins. Journal of Bioscience and Bioengineering 99(4), pp. 303–310. doi: 10.1263/jbb.99.303.

Stovicek, A., Cohen-Chalamish, S. and Gillor, O. (2019). The effect of reverse transcription enzymes and conditions on high throughput amplicon sequencing of the 16S rRNA. PeerJ 7, p. e7608. doi: 10.7717/peerj.7608.

Studier, F.W. (2005). Protein production by auto-induction in high-density shaking cultures. Protein Expression and Purification 41(1), pp. 207–234. doi: 10.1016/j.pep.2005.01.016.

- Studier, F.W. and Moffatt, B.A. (1986). Use of bacteriophage T7 RNA polymerase to direct selective high-level expression of cloned genes. *Journal of Molecular Biology* 189(1), pp. 113–130. doi: 10.1016/0022-2836(86)90385-2.
- Suhandono, S., Meitha, K., Dwivany, F.M., Septiani, P., Kristianti, T., Wati, L. et al. (2022) *Diagnostik Molekuler*. Bandung: ITB Press.
- Sukara, E. and Slamet-Loedin, I.H. (2019). *Agricultural Biotechnology in Indonesia*. Bogor. Available at: <http://repository.unas.ac.id/id/eprint/378> [Accessed: 14 June 2026].
- Tahamtan, A. and Ardebili, A. (2020). Real-time RT-PCR in COVID-19 detection: issues affecting the results. *Expert Review of Molecular Diagnostics* 20(5), pp. 453–454. doi: 10.1080/14737159.2020.1757437.
- Teodosio, J.S., Simoes, M. and Mergulhao, F.J. (2012). The influence of nonconjugative *Escherichia coli* plasmids on biofilm formation and resistance. *Journal of Applied Microbiology* 113(2), pp. 373–382. doi: 10.1111/j.1365-2672.2012.05332.x.
- Thermo Fisher Scientific. (2019). BL21 (DE3) competent cells.
- Webster, G.R., Teh, A.Y.H. and Ma, J.K.C. (2017). Synthetic gene design—The rationale for codon optimization and implications for molecular pharming in plants. *Biotechnology and Bioengineering* 114(3), pp. 492–502. doi: 10.1002/bit.26183.
- Wei, S., Lin, J. and Wei, C. 2014. Recombinant Expression of Moloney Murine Leukemia Virus Reverse Transcriptase CN104250642A [Patent].
- Yano, T., Lee, J., Xu, J., Morifuji, Y., Masuda, A., Hino, M. et al. (2019). Expression of the thermostable Moloney murine leukemia virus reverse transcriptase by silkworm-baculovirus expression system. *Journal of Asia-Pacific Entomology* 22(2), pp. 453–457. doi: 10.1016/j.aspen.2019.02.008.
- Zhang, Z., Kuipers, G., Niemiec, Ł., Baumgarten, T., Slotboom, D.J., de Gier, J.-W. and Hjelm, A. (2015a). High-level production of membrane proteins in *E. coli* BL21(DE3) by omitting the inducer IPTG. *Microbial Cell Factories* 14(1), p. 142. doi: 10.1186/s12934-015-0328-z.