

DAFTAR PUSTAKA

- [1] P. Das, J. Mathur, R. Bhakar, and A. Kanudia, "Implications of short-term renewable energy resource intermittency in long-term power system planning," *Energy Strateg. Rev.*, vol. 22, no. July 2017, pp. 1–15, 2018, doi: 10.1016/j.esr.2018.06.005.
- [2] Z. Qin, J. Ma, M. Zhu, and T. Khan, "Advancements in energy storage technologies: Implications for sustainable energy strategy and electricity supply towards sustainable development goals," *Energy Strateg. Rev.*, vol. 59, no. March, p. 101710, 2025, doi: 10.1016/j.esr.2025.101710.
- [3] "Ministry Of Environment And R. Of I. Forestry, 'Enhanced Nationally Determined Contribution (E-Ndc) Of The Republic Of Indonesia,' Sep. 2022. [Online]. Available: https://unfccc.int/sites/default/files/ndc/2022/09/23.09.2022_Enhanced%20ndc%20indonesia.pdf".
- [4] "Indonesia Long-Term Strategy for Low Carbon and Climate Resilience 2050," *Minist. Environ. For.*, p. 156, 2021.
- [5] E. P. Purnomo, T. Khairunisa, and C. F. Hung, "Renewable Energy and the Future of a Sustainable Economy in Indonesia," *IOP Conf. Ser. Earth Environ. Sci.*, vol. 1404, no. 1, 2024, doi: 10.1088/1755-1315/1404/1/012051.
- [6] Syafii, Muhandika, and A. Pawawoi, "Performance Analysis of PV Loading Management System based on Weather Conditions," *Proc. - 4th Int. Conf. Smart Syst. Inven. Technol. ICSSIT 2022*, pp. 610–615, 2022, doi: 10.1109/ICSSIT53264.2022.9716369.
- [7] D. F. Silalahi, A. Blakers, M. Stocks, B. Lu, C. Cheng, and L. Hayes, "Indonesia's vast solar energy potential," *Energies*, vol. 14, no. 17, 2021, doi: 10.3390/en14175424.
- [8] A. B. Syafii, Pulungan and R. Fahreza, "Techno-Economic Analysis of Tracker Based Rooftop PV System Installation Under Tropical Climate," *Int. J. Adv. Trends Comput. Sci. Eng.*, vol. 9, no. 4, pp. 6031–6035, 2020, doi: 10.30534/ijatcse/2020/271942020.
- [9] P. C. Nikolaos, F. Marios, and K. Dimitris, "A Review of Pumped Hydro Storage Systems," *Energies*, vol. 16, no. 11, 2023, doi: 10.3390/en16114516.
- [10] J. Li, J. Yuan, and X. Yue, "Optimizing multi-objective hybrid energy systems with pumped hydro storage for enhanced stability and efficiency in renewable energy integration," *Eng. Sci. Technol. an Int. J.*, vol. 69, no. July, p. 102142, 2025, doi: 10.1016/j.jestch.2025.102142.
- [11] A. Rahma Wardhana and W. H. Marifatullah, "Transisi Indonesia Menuju Energi Terbarukan," *Tashwirul Afkar*, vol. 38, no. 02, pp. 269–283, 2020,

[Online]. Available: <http://tashwirulafkar.net/index.php/afkar/index>

- [12] L. Judijanto, V. K. Putri, T. Ansori, and K. Khamaludin, "Analisis Dampak Penggunaan Energi Terbarukan, Efisiensi Energi, dan Teknologi Hijau pada Pengurangan Emisi Karbon di Industri Manufaktur Kota Tangerang," *J. Multidisiplin West Sci.*, vol. 2, no. 12, pp. 1127–1138, 2023, doi: 10.58812/jmws.v2i12.860.
- [13] Adi Wahyu Setyono, Subuh Isnur Haryundo, Mahendra Widyartono, and Aditya Chandra Hermawan, "Implementasi Ats Amf Menggunakan Sistem Hybrid," *J. Tek. Elektro*, vol. 10, no. 02, pp. 341–349, 2021.
- [14] E. S. Bayu, B. Khan, I. G. Hagos, O. P. Mahela, and J. M. Guerrero, "Feasibility Analysis and Development of Stand-Alone Hybrid Power Generation System for Remote Areas: A Case Study of Ethiopian Rural Area," *Wind*, vol. 2, no. 1, pp. 68–86, 2022, doi: 10.3390/wind2010005.
- [15] N. Maculan and A. Mucherino, "and Applications *," vol. 56, no. 1, pp. 3–69, 2014.
- [16] I. I. J. Rifka Alkhilyatul Ma'rifat, I Made Suraharta, "Analisa Pengaruh Shading Terhadap Perbandingan Daya Keluaran Rangkaian Seri dan Paralel pada PLTS Off-Grid 4X130WP," vol. 2, pp. 306–312, 2024.
- [17] M. Piliougine, P. Sánchez-Friera, and G. Spagnuolo, "Comparative of IEC 60891 and Other Procedures for Temperature and Irradiance Corrections to Measured I–V Characteristics of Photovoltaic Devices," *Energies*, vol. 17, no. 3, 2024, doi: 10.3390/en17030566.
- [18] P. Sharma, "Performance Analysis of flexible module under STC conditions.," no. 1520, 2016.
- [19] Ratna Mustika Yasi and Charis Fathul Hadi, "George Simon Ohm merumuskan hubungan antara kuat aruslistrik (I), hambatan (R) dan beda potensial (V) yang kemudian dikenal dengan hukum Ohm. Arus didefinisikan sebagai banyaknya elektron yang melalui sebuah konduktor tiap waktu (atau satu detik),Dari pen," *J. Zetroem*, vol. 3, no. 1, pp. 34–36, 2021.
- [20] H. T. P. Ryko and A. Kiswantono, "Analisis Stabilitas Tegangan Listrik Menggunakan Panel Surya Pada Lampu Penerangan Jalan Umum (Pju) Berbasis Arduino," *J. Homepage*, vol. 3, no. 2, 2022.
- [21] N. Setiaji, Sumpena, and A. Sugiharto, "Analisis Konsumsi Daya Dan Distribusi Tenaga Listrik," *J. Tekonologi Ind.*, vol. 11, no. 1, pp. 1–8, 2022.
- [22] G. W. Jaya and S. V. Aponno, "13739-49417-1-Pb," *Vol. 9, Nomor 1, Mei 2023*, vol. 9, no. Kajian Teori Arus Listrik dan Daya Listrik pada Rangkaian Resistor Seri dan Paralel Berdasarkan Jumlah Resistor yang Digunakan, pp. 87–89, 2023, [Online]. Available: <https://journal.ummat.ac.id/index.php/orbita/article/view/13739>
- [23] Y. Zahraoui *et al.*, "Energy management system in microgrids: A

- comprehensive review,” *Sustain.*, vol. 13, no. 19, pp. 1–33, 2021, doi: 10.3390/su131910492.
- [24] M. F. Zia, E. Elbouchikhi, and M. Benbouzid, “Microgrids energy management systems: A critical review on methods, solutions, and prospects,” *Appl. Energy*, vol. 222, no. April, pp. 1033–1055, 2018, doi: 10.1016/j.apenergy.2018.04.103.
- [25] S. Jamal, J. Pasupuleti, and J. Ekanayake, “A rule-based energy management system for hybrid renewable energy sources with battery bank optimized by genetic algorithm optimization,” *Sci. Rep.*, vol. 14, no. 1, pp. 1–17, 2024, doi: 10.1038/s41598-024-54333-0.
- [26] A. Hussain and H. M. Kim, “A Rule-Based Modular Energy Management System for AC/DC Hybrid Microgrids,” *Sustain.*, vol. 17, no. 3, pp. 1–28, 2025, doi: 10.3390/su17030867.
- [27] M. Tradacete-Ágreda, A. Sánchez-Pérez, C. Santos-Pérez, P. J. Hueros-Barrios, F. J. Rodríguez-Sánchez, and J. Espolio-Maestro, “Smart Energy Management for Residential PV Microgrids: ESP32-Based Indirect Control of Commercial Inverters for Enhanced Flexibility,” *Sensors*, vol. 25, no. 21, pp. 1–25, 2025, doi: 10.3390/s25216595.
- [28] T. Elektro, T. Industri, M. C. Samudro, W. P. Muljanto, and I. S. Faradisa, “Journal Of Applied Smart Electrical Network AND Systems (JASENS) Desain PLTS Off-Grid Dengan Teknologi Penyimpanan Energi Pumped Storage Di Kabupaten Mahakam Ulu,” vol. 6, no. 2, pp. 118–124, 2025.
- [29] S. Desai, “Pumped Storage Hydropower: A Grid Intermittency Solution,” 2022.
- [30] K. R. Vasudevan, V. K. Ramachandramurthy, G. Venugopal, B. Ekanayake, and S. K. Tiong, “Variable speed pumped hydro storage : A review of converters , controls and energy management strategies,” *Renew. Sustain. Energy Rev.*, vol. 135, no. January 2020, p. 110156, 2021, doi: 10.1016/j.rser.2020.110156.
- [31] P. H. Plants and K. Y. Lee, “Neural Network-Based Control for Hybrid PV and Ternary Pumped-Storage Hydro Plants,” 2021.
- [32] A. Balaguer-mercado, S. N. Kirshner, and C. Tseng, “Sustainable Supplier Selection under Financial Hardships : The Conflicting Impact of Spatial and Temporal Psychological Distances,” 2023.
- [33] R. R. Ramadhan, M. M. Iqbal, and A. Hafid, “Analisi PLTS On GRID,” *J. Tek. Elektro UNISMUH*, vol. 14, no. 1, pp. 12–18, 2022.
- [34] S. Sikken, Y. Barnadi, and A. Suryana, “Perancangan Sumber Listrik Tenaga Surya dengan Sistem on Grid Tanpa Menggunakan Baterai,” *J. Impresi Indones.*, vol. 4, no. 9, pp. 3386–3392, 2025, doi: 10.58344/jii.v4i9.6967.
- [35] H. Imad Hazim, K. Azmi Baharin, C. Kim Gan, and A. H. Sabry, “Techno-economic optimization of photovoltaic (PV)-inverter power sizing ratio for

- grid-connected PV systems,” *Results Eng.*, vol. 23, no. April, p. 102580, 2024, doi: 10.1016/j.rineng.2024.102580.
- [36] M. N. Nizam, Haris Yuana, and Zunita Wulansari, “Mikrokontroler Esp 32 Sebagai Alat Monitoring Pintu Berbasis Web,” *JATI (Jurnal Mhs. Tek. Inform.*, vol. 6, no. 2, pp. 767–772, 2022, doi: 10.36040/jati.v6i2.5713.
- [37] I. Chairunnisa and W. Wildian, “Rancang Bangun Alat Pemantau Biaya Pemakaian Energi Listrik Menggunakan Sensor PZEM-004T dan Aplikasi Blynk,” *J. Fis. Unand*, vol. 11, no. 2, pp. 249–255, 2022, doi: 10.25077/jfu.11.2.249-255.2022.
- [38] N. Saepudin and M. Hafidz, “Rancang Bangun Aplikasi Untuk Prototipe Sistem Monitoring Konsumsi Energi Listrik Pada Peralatan Elektronik Berbasis Pzem-004t,” *J. Tek. Inform.*, vol. 12, no. 2, pp. 22–28, 2020, [Online]. Available: https://dlwqtxts1xzle7.cloudfront.net/86937132/871-Article_Text-1481-1-10-20200824-libre.pdf?1654263370=&response-content-disposition=attachment%3B+filename%3DRancang_Bangun_Aplikasi_Untuk_Prototipe.pdf&Expires=1689787905&Signature=aDH0BqBzXlh~Z~KD0hivo3x
- [39] Y. Daaboul, D. Istrate, Y. Le Bihan, L. Bertin, and X. Yang, “Exploring DC Power Quality Measurement and Characterization Techniques,” *Sensors*, vol. 25, no. 19, pp. 1–18, 2025, doi: 10.3390/s25196043.
- [40] A. Krisna *et al.*, “Preancngan PWM Voltage Controller Sebagai Pengatur Kecepatan Motor DC,” vol. 07, pp. 23–33, 2024.
- [41] S. Syukriyadin, S. Syahrizal, G. Mansur, and H. P. Ramadhan, “Permanent magnet DC motor control by using arduino and motor drive module BTS7960,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 352, no. 1, 2018, doi: 10.1088/1757-899X/352/1/012023.
- [42] K. Meah, S. Fletcher, and S. Ula, “Solar photovoltaic water pumping for remote locations,” *Renew. Sustain. Energy Rev.*, vol. 12, no. 2, pp. 472–487, 2008, doi: 10.1016/j.rser.2006.10.008.
- [43] S. Verma *et al.*, “Solar PV powered water pumping system - A review,” *Mater. Today Proc.*, vol. 46, no. xxxx, pp. 5601–5606, 2020, doi: 10.1016/j.matpr.2020.09.434.
- [44] I. I. J. Rifka Alkhilyatul Ma’rifat, I Made Suraharta, “Rancang Bangun Prototipe Pembangkit Listrik Terapung Hybrid Tenaga Surya dan Pikohidro,” vol. 2, pp. 306–312, 2024.
- [45] A. Putra Ariesta, “Internet of Things (IoT) for the Implementation of Intelligent Energy Systems,” *IJEEE Indones. J. Electr. Eng. Electron.* |, vol. 1, no. 2, pp. 49–54, 2024.
- [46] N. B. Jaharudin, “Systematic Literature Review: The Development of the Internet of Things (IoT) in the Energy Sector,” *Eng. Technol. Int. J.*, vol. 5, no. 03, pp. 270–275, 2023, doi: 10.55642/eatij.v5i03.667.