

DAFTAR PUSTAKA

- [1] Kemenko PMK, "Pemerintah Penuhi Hak Penyandang Disabilitas di Indonesia," <https://www.kemenkopmk.go.id/pemerintah-penuhi-hak-penyandang-disabilitas-di-indonesia>.
- [2] L. F. Zen, H. A. Rachim, and N. C. Apsari, "PENGUNAAN TEKNOLOGI ASISTIF : PENINGKATAN KEMANDIRIAN PENYANDANG DISABILITAS FISIK", doi: 10.40159/share.v14i2.52420.
- [3] E. Nunez Sardinha, N. Zook, D. Western, F. Niyi-Odumosu, V. Ruiz Garate, and M. Múnera, "Effectiveness and acceptance of assistive technologies for people with tetraplegia: A systematic review," 2025, *Taylor and Francis Ltd.* doi: 10.1080/10400435.2025.2540119.
- [4] S. Rezvani, "A review on the performance of brain-computer interface systems used for patients with locked-in and completely locked-in syndrome," Aug. 01, 2024, *Springer Science and Business Media B.V.* doi: 10.1007/s11571-023-09995-3.
- [5] V. Fosbrooke, M. Riguzzi, and A. M. Raab, "Stakeholders and Contextual Factors in the Implementation of Assistive Robotic Arms for Persons With Tetraplegia: Deductive Content Analysis of Focus Group Interviews," *JMIR Rehabil. Assist. Technol.*, vol. 12, p. e65759, May 2025, doi: 10.2196/65759.
- [6] H. Toyama, H. Kawamoto, and Y. Sankai, "Cybernic robot hand-arm that realizes cooperative work as a new hand-arm for people with a single upper-limb dysfunction," *Front. Robot. AI*, vol. 11, 2024, doi: 10.3389/frobt.2024.1455582.
- [7] Z. Wang, B. Cao, Z. Xie, B. Ma, K. Sun, and Y. Liu, "Kinematic Calibration of a Space Manipulator Based on Visual Measurement System with Extended Kalman Filter," *Machines*, vol. 11, no. 3, Mar. 2023, doi: 10.3390/machines11030409.
- [8] A. Fischer-Janzen, T. M. Wendt, and K. Van Laerhoven, "A scoping review of gaze and eye tracking-based control methods for assistive robotic arms," 2024, *Frontiers Media SA*. doi: 10.3389/frobt.2024.1326670.
- [9] E. J. Rechy-Ramirez and H. Hu, "Bio-signal based control in assistive robots: a survey," Apr. 01, 2015, *Chongqing University of Posts and Telecommunications*. doi: 10.1016/j.dcan.2015.02.004.
- [10] M. I. Rusydi, T. Okamoto, S. Ito, dan M. Sasaki, "Controlling 3-D Movement of Robot Manipulator using Electrooculography," *International Journal on Electrical Engineering and Informatics*, vol. 10, no. 1, Mar. 2018.
- [11] K. Voity, T. Lopez, J. P. Chan, and B. D. Greenwald, "Update on How to Approach a Patient with Locked-In Syndrome and Their Communication

- Ability,” Jan. 01, 2024, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/brainsci14010092.
- [12] M. Marino, D. Mantini, M. Marino, and D. Mantini, “Human brain imaging with high-density electroencephalography: Techniques and applications,” *J. Physiol.*, vol. 604, pp. 783–812, 2026, doi: 10.1113/JP286639#support-information-section.
- [13] M. T. Knierim, M. G. Bleichner, and P. Reali, “A Systematic Comparison of High-End and Low-Cost EEG Amplifiers for Concealed, Around-the-Ear EEG Recordings,” *Sensors*, vol. 23, no. 9, May 2023, doi: 10.3390/s23094559.
- [14] S. 'A. Ramadhani, M. I. Rusydi, A. Rusydi, M. Sasaki, dan L. R. Azmi, "Electroencephalography on Controlling Assistive Device: A Systematic Literature Review," Nop. 2024.
- [15] A. Basit, M. Nawaz, S. Rehman, and M. Shafique, “CognitiveArm: Enabling Real-Time EEG-Controlled Prosthetic Arm Using Embodied Machine Learning,” Aug. 2025, doi: 10.1109/DAC63849.2025.11132917.
- [16] B. Mdluli, P. Khumalo, and R. C. Maswanganyi, “Signal Preprocessing, Decomposition and Feature Extraction Methods in EEG-Based BCIs,” Nov. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/app152212075.
- [17] V. A. Raj, T. Parupudi, V. K. K, A. Thalengala, and S. G. Nayak, “Physiological Artifact Suppression in EEG Signals Using an Efficient Multi-Scale Depth-Wise Separable Convolution and Variational Attention Deep Learning Model for Improved Neurological Health Signal Quality,” *Technologies (Basel)*., vol. 13, no. 12, Dec. 2025, doi: 10.3390/technologies13120578.
- [18] M. Rabbani., “EEG based real time classification of consecutive two eye blinks for brain computer interface applications,” *Sci. Rep.*, vol. 15, no. 1, Dec. 2025, doi: 10.1038/s41598-025-07205-0.
- [19] L. Vélez and G. Kemper, “Algorithm for Detection of Raising Eyebrows and Jaw Clenching Artifacts in EEG Signals Using Neurosky Mindwave Headset,” in *Smart Innovation, Systems and Technologies*, Springer Science and Business Media Deutschland GmbH, 2021, pp. 99–110. doi: 10.1007/978-3-030-57566-3_10.
- [20] P. Arpaia., “A Systematic Review of Techniques for Artifact Detection and Artifact Category Identification in Electroencephalography from Wearable Devices,” Sep. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/s25185770.
- [21] C. Rico-Olarte, B. M. Eskofier, and D. M. Lopez, “EEG-cleanse: an automated pipeline for cleaning electroencephalography recordings during full-body movement,” *MethodsX*, vol. 15, Dec. 2025, doi: 10.1016/j.mex.2025.103702.

- [22] M. Melinda, M. Oktiana, Y. Yunidar, N. Hasna Nabila, I. Ketut, and A. Enriko, "INTERNATIONAL JOURNAL ON INFORMATICS VISUALIZATION journal homepage: www.joiv.org/index.php/joiv INTERNATIONAL JOURNAL ON INFORMATICS VISUALIZATION Classification of EEG Signal using Independent Component Analysis and Discrete Wavelet Transform based on Linear Discriminant Analysis." [Online]. Available: <https://malhaddad.kau.edu.sa/Pages-BCI-Datasets-En.aspx>,
- [23] N. Heintz, T. Francart, and A. Bertrand, "Minimally informed linear discriminant analysis: Training an LDA model with unlabelled data," *Signal Processing*, vol. 239, Feb. 2026, doi: 10.1016/j.sigpro.2025.110226.
- [24] R. Finnis, A. Mehmood, H. Holle, and J. Iqbal, "Exploring Imagined Movement for Brain-Computer Interface Control: An fNIRS and EEG Review," Sep. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/brainsci15091013.
- [25] M. Kelemen, I. Virgala, T. Lipták, L. Miková, F. Filakovský, and V. Bulej, "A novel approach for a inverse kinematics solution of a redundant manipulator," *Applied Sciences (Switzerland)*, vol. 8, no. 11, Nov. 2018, doi: 10.3390/app8112229.
- [26] M. I. Rusydi, A. P. Gultom, A. Jordan, R. N. Nurhadi, dan Darwison, "Electrooculography Based Control of a Robotic Manipulator with Dual Cameras for Object Retrieval," *International Journal of Basic and Applied Science*, vol. 14, no. 4, pp. 137–151, Mar. 2026.
- [27] H. C. Kang, H. N. Han, H. C. Bae, M. G. Kim, J. Y. Son, and Y. K. Kim, "Hsv color-space-based automated object localization for robot grasping without prior knowledge," *Applied Sciences (Switzerland)*, vol. 11, no. 16, Aug. 2021, doi: 10.3390/app11167593.
- [28] X. Zhang and M. Zhong, "Research on Target Recognition Algorithm Based on OpenCV," in *2024 IEEE 2nd International Conference on Image Processing and Computer Applications (ICIPCA)*, 2024, pp. 1–6. doi: 10.1109/ICIPCA61593.2024.10709246.
- [29] M. I. I. Zarif., "A Vision-based Object Detection and Localization System in 3D Environment for Assistive Robots' Manipulation," in *International Conference of Control, Dynamic Systems, and Robotics*, Avestia Publishing, 2022. doi: 10.11159/cdsr22.112.
- [30] Y. Fan, X. Lv, J. Lin, J. Ma, G. Zhang, and L. Zhang, "Autonomous operation method of multi-DOF robotic arm based on binocular vision," *Applied Sciences (Switzerland)*, vol. 9, no. 24, Dec. 2019, doi: 10.3390/app9245294.
- [31] BPS Provinsi DKI Jakarta, "Disabilitas Dalam Angka," <https://jakarta.bps.go.id/id/news/2023/01/05/828/disabilitas-dalam-angka.html>.

- [32] E. Strongylou., “Association Between Upper Extremity Function and Independence in Activities of Daily Living in Individuals with Motor-Incomplete Tetraplegia: An Exploratory Cross-Sectional Study,” *J. Funct. Morphol. Kinesiol.*, vol. 11, no. 1, Mar. 2026, doi: 10.3390/jfmk11010119.
- [33] N. Hutmacher., “Identification of needs for an assistive robotic arm in individuals with tetraplegia: a mixed-methods approach,” *J. Neuroeng. Rehabil.*, vol. 22, no. 1, Dec. 2025, doi: 10.1186/s12984-025-01642-8.
- [34] Y. J. Vyas, V. van der Wijk, and S. Cocuzza, “A Review of Mechanical Design Approaches for Balanced Robotic Manipulation,” Nov. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/robotics14110151.
- [35] T. T. C. Duong, C. C. Nguyen, and T. D. Tran, “Experimental Investigation of Motion Control of a Closed-Kinematic Chain Robot Manipulator Using Synchronization Sliding Mode Method with Time Delay Estimation,” *Applied Sciences (Switzerland)*, vol. 15, no. 9, May 2025, doi: 10.3390/app15095206.
- [36] D. M. Mahfouz, O. M. Shehata, E. I. Morgan, and F. Arrichiello, “A Comprehensive Review of Control Challenges and Methods in End-Effector Upper-Limb Rehabilitation Robots,” Dec. 01, 2024, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/robotics13120181.
- [37] J. Muru and A. Rassõlkin, “A Scoping Review of Energy Consumption in Industrial Robotics,” Jul. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/machines13070542.
- [38] Z. Z. Kwan, I. Mohd Khairuddin, M. A. Mohd Razman, A. P. P. Abdul Majeed, and W. H. Mohd Isa, “Design A Precision Motion Control of an Upper Limb Robotic Arm,” *MEKATRONIKA*, vol. 4, no. 2, pp. 6–15, Oct. 2022, doi: 10.15282/mekatronika.v4i2.8941.
- [39] M. Díaz-Rodríguez, P. Araujo-Gómez, and O. González-Estrada, “Performance Index for Dimensional Synthesis of Robots for Specific Tasks,” *Robotics*, vol. 11, no. 2, Apr. 2022, doi: 10.3390/robotics11020051.
- [40] Z. Ding, A. Jabalameli, M. Al-Mohammed, and A. Behal, “End-to-End Intelligent Adaptive Grasping for Novel Objects Using an Assistive Robotic Manipulator,” *Machines*, vol. 13, no. 4, Apr. 2025, doi: 10.3390/machines13040275.
- [41] G. León-González, R. S. Núñez-Cruz, E. D. Antonio-Yañez, J. Herrera-Vidal, G. Canales-Gómez, and C. Rueda-Germán, “A Unified Approach to Modeling and Simulation of Underwater Vehicle Multi-Manipulator Systems,” *Machines*, vol. 12, no. 2, Feb. 2024, doi: 10.3390/machines12020094.
- [42] M. Jayabalan, K. Loganathan, and P. Kayaroganam, “A Novel Hybrid IK Architecture for Robotic Arms: Iterative Refinement of Soft-Computing

- Approximations with Validation on ABB IRB-1200 Robotic Arm,” *Machines*, vol. 14, no. 3, Mar. 2026, doi: 10.3390/machines14030292.
- [43] S. Sulaiman, A. Harikumar, S. Bøgh, and N. Marturi, “Multimodal Control of Manipulators: Coupling Kinematics and Vision for Self-Driving Laboratory Operations,” *Robotics*, vol. 15, no. 1, p. 17, Jan. 2026, doi: 10.3390/robotics15010017.
- [44] Sharkawy, “Forward and inverse kinematics solution of a robotic manipulator using a multilayer feedforward neural network,” *Journal of Mechanical and Energy Engineering*, no. Online First, Oct. 2022, doi: 10.30464/jmee.00300.
- [45] R. Vergara-Hernandez, J. C. Gonzalez-Islas, O. A. Dominguez-Ramirez, E. Rueda-Soriano, and R. Serrano-Chavez, “Dual Quaternion-Based Forward and Inverse Kinematics for Two-Dimensional Gait Analysis,” *J. Funct. Morphol. Kinesiol.*, vol. 10, no. 3, Sep. 2025, doi: 10.3390/jfmk10030298.
- [46] B. Wang, X. Zeng, M. Fang, F. Li, and H. Wang, “A Diffusion-Augmented GWO-TCN-PSA Method for Real-Time Inverse Kinematics in Robotic Manipulator Applications,” *Electronics (Switzerland)*, vol. 15, no. 8, Apr. 2026, doi: 10.3390/electronics15081688.
- [47] Y. Zhu, J. Liu, H. Huang, M. Chen, and J. Qu, “Co-Design of Structural Parameters and Motion Planning in Serial Manipulators via SAC-Based Reinforcement Learning,” *Machines*, vol. 14, no. 2, Feb. 2026, doi: 10.3390/machines14020158.
- [48] M. Sung and Y. Choi, “Algorithmic Modified Denavit–Hartenberg Modeling for Robotic Manipulators Using Line Geometry,” *Applied Sciences (Switzerland)*, vol. 15, no. 9, May 2025, doi: 10.3390/app15094999.
- [49] T. Su., “Triplet-Fusion Self-Attention-Enhanced Pyramidal Convolutional Neural Network for Surgical Robot Kinematic Solution,” *Actuators*, vol. 15, no. 2, Feb. 2026, doi: 10.3390/act15020104.
- [50] S. Zoican and R. Zoican, “Efficient Implementation of Matrix-Based Image Processing Algorithms for IoT Applications,” *Applied Sciences (Switzerland)*, vol. 15, no. 9, May 2025, doi: 10.3390/app15094947.
- [51] T. E. Båserud, J. Johansen, A. Jha, and I. Tyapin, “Dual-Arm Robotic Textile Unfolding with Depth-Corrected Perception and Fold Resolution,” *Robotics*, vol. 15, no. 4, Apr. 2026, doi: 10.3390/robotics15040078.
- [52] U. A. Manawadu and N. Keitaro, “Dexterous Manipulation Based on Object Recognition and Accurate Pose Estimation Using RGB-D Data,” *Sensors*, vol. 24, no. 21, Nov. 2024, doi: 10.3390/s24216823.
- [53] G. Zhang, J. Su, S. Zhang, J. Qi, Z. Hou, and Q. Lin, “Research on Deep Learning-Based Human–Robot Static/Dynamic Gesture-Driven Control Framework,” *Sensors*, vol. 25, no. 23, Dec. 2025, doi: 10.3390/s25237203.
- [54] F. A. Dewanto, A. M. Khakim, Tumiran, M. Wahyudi, N. A. Setiawan, and D. Saputra, “An Approach to Assess the 500 kV Insulator String Condition

- Using Ultraviolet Imager,” *Applied Sciences (Switzerland)*, vol. 12, no. 23, Dec. 2022, doi: 10.3390/app122312054.
- [55] F. Akalın, N. Ö. Aksoy, D. Top, and E. Kara, “Improved Filter Designs Using Image Processing Techniques for Color Vision Deficiency (CVD) Types,” *Symmetry (Basel)*, vol. 17, no. 7, Jul. 2025, doi: 10.3390/sym17071046.
- [56] D. Dunderski, G. Jaćimović, J. Crnobarac, J. Visković, and D. Latković, “Using Digital Image Analysis to Estimate Corn Ear Traits in Agrotechnical Field Trials: The Case with Harvest Residues and Fertilization Regimes,” *Agriculture (Switzerland)*, vol. 13, no. 3, Mar. 2023, doi: 10.3390/agriculture13030732.
- [57] M. Diwakar, P. Singh, V. Ravi, and A. Maurya, “A Non-Conventional Review on Multi-Modality-Based Medical Image Fusion,” Mar. 01, 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/diagnostics13050820.
- [58] A. Ercetin., “Review of Image Processing Methods for Surface and Tool Condition Assessments in Machining,” Dec. 01, 2024, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/jmmp8060244.
- [59] V. Chaowalittawin, W. Krungseanmuang, P. Sathaporn, and B. Purahong, “Duck Egg Crack Detection Using an Adaptive CNN Ensemble with Multi-Light Channels and Image Processing,” *Applied Sciences (Switzerland)*, vol. 15, no. 14, Jul. 2025, doi: 10.3390/app15147960.
- [60] A. S. Ozer and I. Cinar, “Real-Time and Fully Automated Robotic Stacking System with Deep Learning-Based Visual Perception,” *Sensors*, vol. 25, no. 22, Nov. 2025, doi: 10.3390/s25226960.
- [61] F. P. L. Aguiar, I. de A. Nääs, and M. T. Okano, “Bridging the Gap Between Computational Efficiency and Segmentation Fidelity in Object-Based Image Analysis,” *Animals*, vol. 14, no. 24, Dec. 2024, doi: 10.3390/ani14243626.
- [62] C. L. Gómez-Heredia, J. D. Ardila-Usedá, A. F. Cerón-Molina, J. Osorio-Gallego, and J. A. Ramírez-Rincón, “Assessing RGB Color Reliability via Simultaneous Comparison with Hyperspectral Data on Pantone® Fabrics,” *J. Imaging*, vol. 12, no. 3, Mar. 2026, doi: 10.3390/jimaging12030116.
- [63] R. Wang, D. Tan, X. Ju, and J. Wang, “An Object Feature-Based Recognition and Localization Method for Wolfberry,” *Sensors*, vol. 25, no. 11, Jun. 2025, doi: 10.3390/s25113365.
- [64] E. Ivliev, V. Gvindjiliya, D. Donskoy, and Y. Chayka, “Automatic Polygon Annotation of Plant Objects for Training Dataset Preparation in Green Biomass Segmentation Tasks,” *J. Imaging*, vol. 12, no. 5, p. 192, Apr. 2026, doi: 10.3390/jimaging12050192.
- [65] T. Jintasuttisak, P. Chabplan, S. Issaro, O. Saeung, and T. Suwanroj, “Accurate Segmentation of Vegetation in UAV Desert Imagery Using HSV-GLCM Features and SVM Classification,” *J. Imaging*, vol. 12, no. 1, p. 9, Dec. 2025, doi: 10.3390/jimaging12010009.

- [66] O. Gharsa, M. M. Touba, M. Boumehraz, and N. Agram, "Autonomous Vision-Based Object Detection and Tracking System for Quadrotor Unmanned Aerial Vehicles," *Sensors*, vol. 25, no. 20, Oct. 2025, doi: 10.3390/s25206403.
- [67] D. P. Mtowe, L. Long, and D. M. Kim, "Low-Latency Edge-Enabled Digital Twin System for Multi-Robot Collision Avoidance and Remote Control," *Sensors*, vol. 25, no. 15, Aug. 2025, doi: 10.3390/s25154666.
- [68] K. Erdogan and N. Yilmaz, "Shifting Colors to Overcome not Realizing Objects Problem due to Color Vision Deficiency," 2014, doi: 10.15224/978-1-63248-034-7-27.
- [69] Y. He, Z. Feng, and W. Liu, "A Multimodal Analysis of Automotive Video Communication Effectiveness: The Impact of Visual Emotion, Spatiotemporal Cues, and Title Sentiment," *Electronics (Switzerland)*, vol. 14, no. 21, Nov. 2025, doi: 10.3390/electronics14214200.
- [70] Y. Sun, L. Zhang, J. Liu, Y. Xu, and X. Li, "Autonomous Driving of Trackless Transport Vehicles: A Case Study in Underground Mines," *Sensors*, vol. 25, no. 10, May 2025, doi: 10.3390/s25103189.
- [71] M. A. Rahman, S. Giordano, and M. Pagano, "Smart Wildlife Monitoring: Real-Time Hybrid Tracking Using Kalman Filter and Local Binary Similarity Matching on Edge Network," *Computers*, vol. 14, no. 8, Aug. 2025, doi: 10.3390/computers14080307.
- [72] M. Schepperle, S. Junaid, and P. Woias, "Computer-Vision- and Deep-Learning-Based Determination of Flow Regimes, Void Fraction, and Resistance Sensor Data in Microchannel Flow Boiling," *Sensors*, vol. 24, no. 11, Jun. 2024, doi: 10.3390/s24113363.
- [73] E. Huitrón-Ramírez, L. G. Corona-Ramírez, and D. Jiménez-Badillo, "Linear-Region-Based Contour Tracking for Edge Images," *Applied Sciences (Switzerland)*, vol. 16, no. 1, Jan. 2026, doi: 10.3390/app16010509.
- [74] H. Wu, S. Xiong, and Y. Lin, "A Novel 24 h $\times$ 7 Days Broken Wire Detection and Segmentation Framework Based on Dynamic Multi-Window Attention and Meta-Transfer Learning," *Sensors*, vol. 25, no. 12, Jun. 2025, doi: 10.3390/s25123718.
- [75] L. Dong, R. Zhang, Z. Shao, Z. Bian, and X. Wang, "Binding Point Recognition and Localization and Manipulator Binding Path Planning for a Rebar Binding Robot," *Sensors*, vol. 26, no. 4, Feb. 2026, doi: 10.3390/s26041315.
- [76] D. R. Ruiz-Melero, A. Ponkshe, P. Calvo, and G. García-Mateos, "The Development of a Stereo Vision System to Study the Nutation Movement of Climbing Plants," *Sensors*, vol. 24, no. 3, Feb. 2024, doi: 10.3390/s24030747.
- [77] M. S. Amri bin Suhaimi, K. Matsushita, T. Kitamura, P. W. Laksono, and M. Sasaki, "Object Grasp Control of a 3D Robot Arm by Combining EOG Gaze

- Estimation and Camera-Based Object Recognition,” *Biomimetics*, vol. 8, no. 2, Jun. 2023, doi: 10.3390/biomimetics8020208.
- [78] W. Niu, L. Lang, Q. Jing, and D. Wang, “Research on robot manipulator uncalibrated visual serving under two-camera bi-axial parallel vision configuration,” *Advances in Mechanical Engineering*, vol. 7, no. 4, pp. 1–14, Apr. 2015, doi: 10.1177/1687814015578613.
- [79] P. Kasula, J. F. Whidborne, and Z. A. Rana, “Quaternion-Based Attitude Estimation of an Aircraft Model Using Computer Vision,” *Sensors*, vol. 24, no. 12, Jun. 2024, doi: 10.3390/s24123795.
- [80] Y. Jin, S. Wen, Z. Shi, and H. Li, “Target Recognition and Navigation Path Optimization Based on NAO Robot,” *Applied Sciences (Switzerland)*, vol. 12, no. 17, Sep. 2022, doi: 10.3390/app12178466.
- [81] T. F. Wawrzyniak, I. D. Orłowski, and M. A. Galewski, “Three-Dimensional Path-Following with Articulated 6DoF Robot and ToF Sensors,” *Applied Sciences (Switzerland)*, vol. 15, no. 6, Mar. 2025, doi: 10.3390/app15062917.
- [82] S. Han, Z. Yang, and H. Xiang, “Vision–Geometry Fusion for Measuring Pupillary Height and Interpupillary Distance via RC-BlendMask and Ensemble Regression Trees,” *Applied System Innovation*, vol. 8, no. 6, Dec. 2025, doi: 10.3390/asi8060181.
- [83] Z. Ma, X. Hu, and Y. Zhou, “Cross-Shaped Peg-in-Hole Autonomous Assembly System via BP Neural Network Based on Force/Moment and Visual Information,” *Machines*, vol. 12, no. 12, Dec. 2024, doi: 10.3390/machines12120846.
- [84] E. Kasawala and S. Mouli, “Dual-Mode Visual System for Brain–Computer Interfaces: Integrating SSVEP and P300 Responses,” *Sensors*, vol. 25, no. 6, Mar. 2025, doi: 10.3390/s25061802.
- [85] H. Huang, Y. Li, S. C. Lin, Y. Yi, and J. Zheng, “Towards Analysis of Covariance Descriptors via Bures–Wasserstein Distance,” *Mathematics*, vol. 13, no. 13, Jul. 2025, doi: 10.3390/math13132157.
- [86] N. Siribunyaphat and Y. Punsawad, “Brain–Computer Interface Based on Steady-State Visual Evoked Potential Using Quick-Response Code Pattern for Wheelchair Control,” *Sensors*, vol. 23, no. 4, Feb. 2023, doi: 10.3390/s23042069.
- [87] I. Bandes and Y. Koike, “Use of Artificial Intelligence in the Classification of Upper-Limb Motion Using EEG and EMG Signals: A Review,” Mar. 01, 2026, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/s26051457.
- [88] R. P. N. Rao and R. Scherer, “BRAIN-COMPUTER INTERFACING.”
- [89] A. Chaddad, Y. Wu, R. Kateb, and A. Bouridane, “Electroencephalography Signal Processing: A Comprehensive Review and Analysis of Methods and

- Techniques,” Jul. 01, 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/s23146434.
- [90] A. Biasiucci, B. Franceschiello, and M. M. Murray, “Electroencephalography,” *Current Biology*, vol. 29, no. 3, pp. R80–R85, 2019, doi: <https://doi.org/10.1016/j.cub.2018.11.052>.
 - [91] L. Uldry, P. W. Ferrez, and J. D. R. Millán, “Feature Selection Methods on Distributed Linear Inverse Solutions for a Non-Invasive Brain-Machine Interface,” 2007. [Online]. Available: www.idiap.ch
 - [92] Q. Liu, L. Yang, Z. Zhang, H. Yang, Y. Zhang, and J. Wu, “The Feature, Performance, and Prospect of Advanced Electrodes for Electroencephalogram,” Jan. 01, 2023, *MDPI*. doi: 10.3390/bios13010101.
 - [93] C. Canedo and C. Rueda, “Physiologically Guided Modeling for EEG Multichannel Signals,” *Bioengineering*, vol. 13, no. 2, Feb. 2026, doi: 10.3390/bioengineering13020131.
 - [94] H. L. Wei, Y. Guo, F. He, and Y. Zhao, “EEG Signal Processing Techniques and Applications—2nd Edition,” Feb. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/s25030805.
 - [95] N. Padfield, J. Zabalza, H. Zhao, V. Masero, and J. Ren, “EEG-based brain-computer interfaces using motor-imagery: Techniques and challenges,” *Sensors (Switzerland)*, vol. 19, no. 6, Mar. 2019, doi: 10.3390/s19061423.
 - [96] J. Arshad., “Intelligent Control of Robotic Arm Using Brain Computer Interface and Artificial Intelligence,” *Applied Sciences (Switzerland)*, vol. 12, no. 21, Nov. 2022, doi: 10.3390/app122110813.
 - [97] M. Azhar, T. Shafique, and A. Amjad, “A Convolutional Neural Network for the Removal of Simultaneous Ocular and Myogenic Artifacts from EEG Signals,” *Electronics (Switzerland)*, vol. 13, no. 22, Nov. 2024, doi: 10.3390/electronics13224576.
 - [98] M. M. N. Mannan, S. Kim, M. Y. Jeong, and M. A. Kamran, “Hybrid EEG--Eye Tracker: Automatic Identification and Removal of Eye Movement and Blink Artifacts from Electroencephalographic Signal,” *Sensors (Basel)*, vol. 16, no. 2, p. 241, Feb. 2016, doi: 10.3390/s16020241.
 - [99] M. Taherisadr, O. Dehzangi, and H. Parsaei, “Single channel EEG artifact identification using two-dimensional multi-resolution analysis,” *Sensors (Switzerland)*, vol. 17, no. 12, Dec. 2017, doi: 10.3390/s17122895.
 - [100] M. Kołodziej, A. Majkowski, and P. Wiszniewski, “Improved SSVEP Classification Through EEG Artifact Reduction Using Auxiliary Sensors,” *Sensors*, vol. 26, no. 3, Feb. 2026, doi: 10.3390/s26030917.
 - [101] M. P. Heiry, “Learning EEG: Atlas and Digital Textbook,” <https://www.learningeeg.com/>.
 - [102] P. Arpaia., “A Systematic Review of Techniques for Artifact Detection and Artifact Category Identification in Electroencephalography from Wearable

- Devices,” Sep. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/s25185770.
- [103] M. Shahbakhti, M. Maugeon, M. Beiramvand, and V. Marozas, “Low complexity automatic stationary wavelet transform for elimination of eye blinks from eeg,” *Brain Sci.*, vol. 9, no. 12, Dec. 2019, doi: 10.3390/brainsci9120352.
- [104] A. López, F. Ferrero, J. R. Villar, and O. Postolache, “High-performance analog front-end (AFE) for EOG systems,” *Electronics (Switzerland)*, vol. 9, no. 6, pp. 1–15, Jun. 2020, doi: 10.3390/electronics9060970.
- [105] S. Dattola, F. C. Morabito, N. Mammone, and F. La Foresta, “Findings about loreta applied to high-density eeg—a review,” Apr. 01, 2020, *MDPI AG*. doi: 10.3390/electronics9040660.
- [106] A. R. Manuel, P. Ribeiro, G. Silva, P. M. Rodrigues, and M. V. S. Nunes, “Exploring the Relationship Between CAIDE Dementia Risk and EEG Signal Activity in a Healthy Population,” *Brain Sci.*, vol. 14, no. 11, Nov. 2024, doi: 10.3390/brainsci14111120.
- [107] V. Sutharsan, A. Swaminathan, S. Ramachandran, M. K. Lakshmanan, and B. Mahadevan, “Electroencephalogram Signal Processing with Independent Component Analysis and Cognitive Stress Classification using Convolutional Neural Networks,” Aug. 2021, doi: 10.1007/978-981-16-7118-0_24.
- [108] J. Wolfers, W. Hurst, and C. Krampe, “Integrating EEG Sensors with Virtual Reality to Support Students with ADHD,” *Sensors*, vol. 26, no. 3, Feb. 2026, doi: 10.3390/s26031017.
- [109] T. Avdeenko, A. Timofeeva, and M. Murtazina, “Comparative Analysis of Feature Extraction Methods for Intelligence Estimation Based on Resting State EEG Data †,” *Engineering Proceedings*, vol. 33, no. 1, 2023, doi: 10.3390/engproc2023033025.
- [110] P. Christodoulides, D. Peschos, and V. Zakopoulou, “The Use of EEG in the Study of Emotional States and Visual Word Recognition with or Without Musical Stimulus in University Students with Dyslexia,” *Brain Sci.*, vol. 16, no. 4, Apr. 2026, doi: 10.3390/brainsci16040396.
- [111] E. Gkintoni, A. Aroutzidis, H. Antonopoulou, and C. Halkiopoulos, “From Neural Networks to Emotional Networks: A Systematic Review of EEG-Based Emotion Recognition in Cognitive Neuroscience and Real-World Applications,” Mar. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/brainsci15030220.
- [112] A. F. P. Vidal., “Development of RelaxQuest: A Serious EEG-Controlled Game Designed to Promote Relaxation and Self-Regulation with a Potential Focus on ADHD Intervention,” *Applied Sciences (Switzerland)*, vol. 14, no. 23, Dec. 2024, doi: 10.3390/app142311173.

- [113] O. Kolimár, K. Kušnirák, E. Kučera, and O. Haffner, "25 th Conference of Doctoral Students," FEI STU, 2023.
- [114] G. B. Tseghai, B. Malengier, K. A. Fante, and L. Van Langenhove, "Hook Fabric Electroencephalography Electrode for Brain Activity Measurement without Shaving the Head," *Polymers (Basel)*, vol. 15, no. 18, Sep. 2023, doi: 10.3390/polym15183673.
- [115] OpenBCI, "Ultracortex Mark IV EEG Headset," <https://shop.openbci.com/products/ultracortex-mark-iv>.
- [116] D. De, M. Rafael, and M. Duarte, "UNIVERSIDADE FEDERAL DE SANTA CATARINA CENTRO TECNOLÓGICO PROGRAMA DE PÓS GRADUAÇÃO EM ENGENHARIA DE AUTOMAÇÃO E SISTEMAS Low cost Brain Computer Interface system for AR.Drone Control."
- [117] M. H. Kabir., "Exploring Feature Selection and Classification Techniques to Improve the Performance of an Electroencephalography-Based Motor Imagery Brain–Computer Interface System," *Sensors*, vol. 24, no. 15, Aug. 2024, doi: 10.3390/s24154989.
- [118] J. Liu, N. Feng, and Y. Liang, "Frequency-Domain Hybrid Model for EEG-Based Emotion Recognition," *Mathematics*, vol. 13, no. 7, Apr. 2025, doi: 10.3390/math13071072.
- [119] N. Avital, N. Shulkin, and D. Malka, "Automatic Calculation of Average Power in Electroencephalography Signals for Enhanced Detection of Brain Activity and Behavioral Patterns," *Biosensors (Basel)*, vol. 15, no. 5, May 2025, doi: 10.3390/bios15050314.
- [120] N. Kumar and S. P. Ghoshal, "Optimal Design of FIR and IIR Filters using some Evolutionary Algorithms MASTER OF TECHNOLOGY IN ELECTRICAL ENGINEERING (SPECIALIZATION: ELECTRICAL SYSTEMS) Under the guidance of," 2013.
- [121] G. Trane, R. Mijarez, and J. A. Pérez-Díaz, "Automatic guided waves data transmission system using an oil industry multiwire cable," *Sensors (Switzerland)*, vol. 20, no. 3, Feb. 2020, doi: 10.3390/s20030868.
- [122] A. Mussabayeva, P. K. Jamwal, and M. T. Akhtar, "Ensemble voting-based multichannel eeg classification in a subject-independent p300 speller," *Applied Sciences (Switzerland)*, vol. 11, no. 23, Dec. 2021, doi: 10.3390/app112311252.
- [123] H. Li, D. Luo, Y. Sun, and H. Gholamhosseini, "Classification and identification of industrial gases based on electronic nose technology," *Sensors (Switzerland)*, vol. 19, no. 22, Nov. 2019, doi: 10.3390/s19225033.
- [124] ROBOTIS, "OpenRB-150," <https://emanual.robotis.com/docs/en/parts/controller/openrb-150/>.
- [125] Y. Jiang,., "Unsupervised Eye Blink Artifact Detection From EEG With Gaussian Mixture Model," *Frontiers in Neuroscience*, vol. 15, p. 631027, 2021, doi: 10.3389/fnins.2021.631027.

- [126] J. L. Gordillo., "A Supplementary System for a Brain-Machine Interface Based on Jaw Artifacts for the Bidimensional Control of a Robotic Arm," *Frontiers in Neuroengineering*, vol. 7, p. 39, 2014, doi: 10.3389/fneng.2014.00039.
- [127] S. Sathyanarayanan, "Confusion Matrix-Based Performance Evaluation Metrics," *African Journal of Biomedical Research*, vol. 27, no. 4, pp. 4023–4031, 2024, doi: 10.53555/ajbr.v27i4s.4345.
- [128] Y. Sha, J. Faber, S. Gou, B. Liu, W. Li, S. Schramm, H. Stoecker, T. Steckenreiter, D. Vnucce, N. Wetzstein, A. Widl, and K. Zhou, "A multi-task learning for cavitation detection and cavitation intensity recognition of valve acoustic signals," *Eng. Appl. Artif. Intell.*, vol. 113, no. May, p. 104904, 2022, doi: 10.1016/j.engappai.2022.104904.

