

DAFTAR PUSTAKA

- Abe, K., Hori, Y., & Myoda, T. (2020). Volatile compounds of fresh and processed garlic. *Journal Experimental and Therapeutic Medicine*, 19, 1585–1593.
- Agustina, L., Budiyanto, B., & Tutuarima, T. (2019). Subtitusion of RPO To Seasoning Oil and Acceptability and Fortification Potency of Vitamin a Trough Chicken Noodle. *Jurnal Agroindustri*, 8(2), 150–158.
- Aisyah, S. J. (2020). Identifikasi Efek Protektif Bawang Putih Berupa Antioksidan terhadap Radikal Bebas. *Jurnal Ilmiah Kesehatan Sandi Husada*, 9, 1051–1056
- Al-abbasy, O. Y., Younus, S. A., Rashan, A. I., & Ahmad, O. A. S. (2024). Food Science and Applied Biotechnology. *Food Science and Applied Biotechnology*, 7(March), 145–161.
- Almrhag, O. M., & Abookleesh, F. L. (2016). Evaluation of Oxidative Stability of Vegetable Oils during Deep Frying. *Arab Journal Of Science and Rsearch Publishing*, 2(2), 90–97.
- Ankri, S., & Mirelman, D. (1999). Antimicrobial properties of allicin from garlic. *Journal of Microbes and Infection*, 2, 125–129.
- Arnold, M., Teja, T. P., & Yudianto, Y. (2018). Characterization and Sensory Evaluation of Low Sodium, Oil in Water Emulsion Based Instant Noodles Seasoning. *Indonesian Journal of Food Technology*, 1(1).
- Astuti, T. D. (2019). asam lemak bebas dan peroksida minyak dengan penggorengan berulang. *Borneo Journal of Medical Laboratory Technology*, 1, 62–66.

- Ayustaningwarno, F., Diponegoro, U., Rustanti, N., Mada, U. G., Afifah, D. N., Diponegoro, U., & Java, C. (2020). Teori dan Aplikasi Teknologi Pangan (Issue August).
- Babaog, A. S., Ainiwaer, T., Mutlu, E. K., & Karakaya, M. (2023). Assessment of garlic and onion powder as natural antioxidant on the physico- chemical properties , lipid-protein oxidation and sensorial characteristics of beef and chicken patties during frozen storage. *Arch Lebensmittelhyg* 74, 4, 120–127.
- Badan Standarisasi Nasional. (2019). Standarisasi Nasional Indonesia 7709-2019: Minyak goreng sawit. Sni 7709:2019, 1–28.
- Benkeblia, N., & Lanzotti, V. (2007). Allium Thiosulfinates : Chemistry, Biological Properties and their Potential Utilization in Food Preservation. *Journal Food*, 1.
- Bhandari, P. R. (2012). Garlic (*Allium sativum* L .): A review of potential therapeutic applications. *International Journal Of Green Pharmacy*, June, 118–129.
- Borlinghaus, J., Albrecht, F., Gruhlke, M. C. H., Nwachukwu, I. D., & Slusarenko, A. J. (2014). Allicin Chemistry and Biological Properties. *Journal Molecules*, 19(August).
- Cadwallader, K., Potts, D., Briske-BeVier, L., & Mirarefi, S. (2011). Contribution of volatile sulfur compounds to the characteristic aroma of roasted garlic. *ACS Symposium Series*, 1068, 137–151.
- Calín-Sánchez, Á., & Carbonell-Barrachina, Á. A. (2021). Flavor and aroma analysis as a tool for quality control of foods. *Foods*, 10(2), 1–5.
- Chaerunisa, M. (2017). Pengaruh Perbandingan Bawang Merah

dan Minyak Serta Jenis Minyak Terhadap Mutu Minyak Bawang Merah. Institut Pertanian Bogor.

Chanda, S., Kushwaha, S., & Tiwari, R. K. (2016). Garlic as food , spice and Medicine as prospective Garlic. *Journal of Pharmacy Reseach*, 4(June 2011), 4–8.

Daniela, C., Siliawati, D., Brahmana, B., & Rusmarilin, H. (2021). Pengaruh perbedaan jumlah umbi terhadap karakteristik kimia , antioksidan , dan total fenol bawang putih. *Journal Teknologi Pangan*, 12(36).

Dehariya, N., Guha, P., & Gupta, R. K. (2021). Extraction and characterization of essential oil of garlic (*Allium sativa* L.). *International Journal of Chemical Studies*, 9(1), 1455–1459.

Delbaere, S. M., Bernaerts, T., Vancoillie, F., Buv, C., Hendrickx, M. E., Grauwet, T., & Loey, A. M. Van. (2022). Comparing the effect of several pretreatment steps , selected to steer (bio) chemical reactions , on the volatile profile of leek (*Allium ampeloprasum* var . *porrum*). *Journal Food Science and Technology*, 72(November).

Dethier, B., Emilien Hanon, Maayoufi, S., Nott, K., & Laura Fauconnier, M. (2013). Optimizing Of theFormation OfVinylldithiins, therapeuti Compounds From Garlic. *Journal Eur Food Res Technol*, 237, 83–88.

Dewi, K. E., Mardawati, E., & Nurhasanah, S. (2023). Evaluasi Perubahan Warna dalam Tahapan Pengolahan Minyak Mentah Sawit menjadi Minyak Sawit Merah dan Minyak Goreng Sawit sebagai Indikator Kandungan β -Karoten Minyak. *Biomass, Biorefinery, and Bioeconomy*, 1(1), 25–29.

Dian, Sari, P., Salsabila, A., Estiyawati, & Yuliani, D. (2023). Physicochemical Changes and Role of Analytical Chemistry in Black Garlic *Makara Journal of Science Physicochemical*

Changes and Role of Analytical Chemistry in Black Garlic (*Allium sativum* L.) Processing. *Makara Journal Of Science*, 27(June), 148–159.

Elizabeth, A., Sade, O., Ibidunni, A., & Solomon, S. (2023). Measurement: Food Assessment of nutritional values, phytochemical content, and antioxidant properties of Shallot (*Allium ascalonicum* L.) leaf and bulb. *Joirnal Measurement: Food*, 10(April).

Gulia, N., & Khatkar, B. S. (2013). Effect Of Processing Variables On The Oil Uptake, Textural Properties And Cooking Quality OF Instant Fried Noodles. *Food Quality*, 36, 181–189.

Haciseferogullarl, H., Ozcan, M., Demir, F., & Calisir, S. (2005). Some nutritional and technological properties of garlic (*Allium sativum* L). *Journal Measurement Food*, 68, 463–469.

Hastuti, S. (2017). *Mutu dan Uji Inderawi* (1st ed.). Instiper Yogyakarta.

Hendrawan, Y., Susilo, B., & Krakuko, R. N. (2018). Effect of Temperature and Thickness to The Physical and Chemical Quality of Fried Onions Using Vacuum Frying. *Jurnal Keteknikan Pertanian Tropis Dan Biosistem*, 6(3), 272–277.

Hernawan, U. E., & Setyawan, A. D. (2003). Senyawa Organosulfur Bawang Putih (*Allium sativum* L) dan Aktivitas Biologinya. *Jurnal Biofarmasi*, 1, 65–76.

Huang, L., Liu, Z., Wang, J., Fu, J., Jia, Y., Ji, L., & Wang, T. (2023). Bioactivity and health effects of garlic essential oil: A review. *Food Science and Nutrition*, 11(6), 2450–2470.

Ilic, D. p, D, V. N., B, L. Ju. N., Stankovic, M. Z., Stanojevi, L. J. P. S., & Cakic, M. D. (2011). Allicin and Related Compounds Biosynthesis, Synthesis and Pharmacological Activitiy. *Journal*

of Physic, Chemistry, and Technology, 9, 2–20. Junaidi, L. (2008). Flavor alami: Produksi, Sumber, Teknik Isolasi dan Recovery. *Journal of Agro- Based Industry*, 25, 45–58.

Kamel, A., & Saleh, M. (2000). Recent Studies On The Chemistry and Biological Activities Of The Organosulfur Compounds Of Garlic (*Allium Sativum* L). 23, 455–485.

Krisnawan, A. H., Budiono, R., Natarika, A., & Mirani, A. (2023). The Effects of Processing Time on the Total Phenolic , Flavonoid Content , and Antioxidant Activity of Multi Bulb and Single Bulb Black Garlic The Effects of Processing Time on the Total Phenolic , Flavonoid Content , and Antioxidant Activity of Multi Bul. *Teknologi Dan Industri Pangan*, 33 (1)(July), 69–76.

Kristiananda, D., Allo, J. L., & Widjarahma, V. A. (2022). Aktivitas Bawangc Putih (*Allium sativum* L .) Sebagai Agen Antibakteri. *Jurnal Ilmu Farmasi Dan Farmasi Klinik (JIFFK)*, 19(1), 46–53.

Lanzotti, V. (2006). The analysis of onion and garlic. *AphyJournal of Chromatography A*, 1112(1–2), 3–22.

Lawson, L. D., J, Z. Y. W., & Hughes, B. G. (1991). Y-Glutamyl-S-Alkylcysteine In Garlic and Other *Allium* Spp Precursorr Of Age-Dependent Trans-1-Propenyl Thiosulfinates. *Journal Natural Product*, 54.

Lee, H. J. H., & Ji, D. Y. D. (2017). Antioxidant and antimicrobial activities of fresh garlic and aged garlic by-products extracted with different solvents. *Food Science and Biotechnology*, 143–701.

Li, J., Dadmohammadi, Y., & Abbaspourrad, A. (2022). Flavor components, precursors, formation mechanisms, production and characterization methods: garlic, onion, and chili pepper

flavors. *Critical Reviews in Food Science and Nutrition*, 62(30), 8265–8287.

Locatelli, D. A., Altamirano, J. C., González, R. E., & Camargo, A. B. (2015). Home-cooked garlic remains a healthy food. *Journal of Functional Foods*, 16(May), 1–8.

Locatelli, D. A., Nazareno, M. A., Fusari, C. M., & Camargo, A. B. (2017). Cooked garlic and antioxidant activity : Correlation with organosulfur compound composition. *Food Chemistry*, 220, 219–224.

Luhur, S. I. S., Febriyanti, R., & Kusnadi. (2023). Pengaruh Suhu Pengeringan Terhadap Kandungan Flavonoid Pada Bawang Merah (*Allium cepa* L.). *Jurnal Ilmiah Farmasi*, 12(2), 1–10.

Mancini, S., Mattioli, S., Nuvoloni, R., Pedonese, F., Bosco, A. D., & Paci, G. (2020). Effects of Garlic Powder and Salt on Meat Quality and Microbial Loads of Rabbit Burgers. 1–8.

Mardiyah, S. (2018a). Efek Anti Oksidan Bawang Putih terhadap Penurunan Bilangan Peroksida Minyak Jelantah. *The Journal of Muhammadiyah Medical Laboratory Technologist*, 1(2), 98.

Mardiyah, S. (2018b). Efek Antioksidan Bawang Putih Terhadap Penurunan Bilangan Peroksida Minyak Jelantah. *Journal of Medical Laboratory Technologist*, 2.

Mnayer, D., Petitcolas, E., Hamih, T., Nehme, N., Ferrant, C., Fernandez, X., & Chemat, F. (2014). Chemical Composition, Antibacterial and Antioxidant Activities of Six Essentials Oils from the Alliaceae Family. *Molecules*, Atcc 25923, 20034–20053.

Moreno-rojas, R., Pérez-aparicio, J., & Pereira-caro, G. (2018). Development and validation of UHPLC-HRMS methodology

for the determination of flavonoids , amino acids and organosulfur compounds in black onion , a novel derived product from fresh shallot onions (*Allium cepa* var .*aggregatum*). *Journal LWT - Food Science and Technology*, 97(July), 376–383.

Mosia, S., Sukdeo, N., & Pradhan, A. (2022). A Comparative Analysis of Natural and Artificial Flavorings through Analytical Methods and Flavor Additive Regulations. *Proceedings of the 7th North American International Conference on Industrial Engineering and Operations Management*, 190–204.

Mulizar, S.Pd.I, M. T. (2016). Pengaruh Makanan Dalam Kehidupan Manusia. *Jurnal At- Tibyan*, I(1).

Najman, K., Sadowska, A., & Hallmann, E. (2020). Influence of thermal processing on the bioactive, antioxidant, and physicochemical properties of conventional and organic agriculture black garlic (*Allium sativum* L.). *Applied Sciences (Switzerland)*, 10(23), 1–17.

Ndruru, C. C., & Herawati, M. M. (2021). Pengaruh Konsentrasi Minyak Nabati terhadap Lama Simpan dan Kualitas Pasta Bawang Merah (*Allium ascalonicum* L .) The Effect of Vegetable Oil Concentration on Shelf Life and Quality of Shallot Paste (*Allium ascalonicum* L .) Pendahuluan Metode Penelitian. *Biota*, 6(1), 8–14.

Ni Kadek Dina Juniantari, & Ni Made Pitri Susanti. (2023). Pengolahan dan Pengembangan Bawang Putih (*Allium sativum* L.) Menjadi Bawang Hitam sebagai Agen Antiaterosklerosis. *Prosiding Workshop Dan Seminar Nasional Farmasi*, 2, 428–438.

Nurjaya, S. M. K., Wery Aslinda, S.Si, M. S., & Bahja S.Si, M. S. (2023). *Buku Ajar Ilmu Teknologi Pangan* (M. I Dewa

Nyoman Supariasa (ed.); 1st ed.). Jurusan Gizi Poltekkes Kemenkes Palu.

Pacholczyk sienicka, B., Modranka, J., & Ciepielowski, G. (2024). Comparative analysis of bioactive compounds in garlic owing to the cultivar and origin. *Journal Food Chemistry*, 439(August 2023), 138141.

Pareek, S., Sagar, N. A., Sharma, S., & Kumar, V. (2017). Onion Chemistry and Human Health. *Journal Fruit and Vegetable Phytochemicals*, 2(October), 1145–1161.

Prasanto, D., Riyanti, E., & Gartika, M. (2017). Uji Aktivitas Antioksidan Ekstrak Bawang Putih (*Allium Sativum* L). *Jurnal ODONTO Dental*, 2, 122–128.

Rabinkov, A., Miron, T., Konstantinovski, L., Wilchek, M., Mirelman, D., & Weiner, L. (1998). The mode of action of allicin: Trapping of radicals and interaction with thiol containing proteins. *Biochimica et Biophysica Acta - General Subjects*, 1379(2), 233–244.

Radzki, W., & Sykut-doma, E. (2020). Influence of onion skin powder on nutritional and quality attributes of wheat pasta. *Plos One*, 1–15.

Ren, F., & Zhou, S. (2021). Phenolic Components and Health Beneficial Properties. *Agriculture*, 11, 872.

Rohmawati, S., Pangestu, D. R., & Widajanti, L. (2017). Perbedaan Jumlah Bilangan Peroksida Minyak Goreng dengan Penambahan Bawang merah dan Bawang putih Sebagai Antioksidan Alami (Pada Pedangan Gorengan di Wilayah Kecamatan Tembalang Kota Semarang Tahun 2016). *Jurnal Kesehatan MAsyarakar*, 5.

Rosyidah, A., Ediati, R., & K, I. murwani. (2024). diversifikasi

olahan bawang :Upaya Peningkatan Manfaat dan Nilai Ekonomi. Jurnal Service Learning, 10, 70–78.

Sailah, I. (2021). Perubahan sifat fisikokimia selama pengolahan bawang putih tunggal menjadi bawang hitam menggunakan. Teknologi Industri Pertanian, 31(2014), 88–97.

Sandra, P., Zoran, Z., Miljanović, A., Šimić, D., & Maja, R. (2018). Retention of Bioactive Compounds During Domestic Processing of ‘ Croatian Domestic ’ Garlic (*Allium sativum* L.). Food Technology and Biotechnology, 56(4), 0–2.

Subramanian, M. S., Ms, G. N., & Nordin, S. A. (2020). Prevailing Knowledge on the Bioavailability and Biological Activities of Sulphur Compounds from Alliums: A Potential Drug Candidate. Journal Molecules, 25, 4111.

Subroto, Cahyana, E., Y., T., Mahani, Filianti, F., L., E., W., E., K., D., S., R.A, & Faturachman, F. (2021). Bioactive Compounds in Garlic (*Allium sativum* L) as a Source of Antioxidants and its Potential to Improve the Immune System. Journal of Food Research, 5(December), 1–11.

Sudibyo, A. (1991). Peranan Falvor dalam Industri Pangan dan Trend Pengembangannya di Masa Mendatang. Journal of Agro Based Industry, 8, 28–35.

Sun, J., Sun, B., Ren, F., Chen, H., Zhang, N., & Zhang, Y. (2019). Influence of different frying processes on the flavor characteristics and sensory profile of garlic oil. Molecules, 24(24), 1–16.

Sun, Y., Zhang, M., Ju, R., & Mujumdar, A. (2021). Novel nondestructive NMR method aided by artificial neural network for monitoring the flavor changes of garlic by drying. Drying Technology, 39(9), 1184–1195.

- Swamy, K. R. M., & Gowda, R. V. (2006). Leek and shallot. *Journal Herbs and Spices*, 3, 365–389.
- Tahera, M., Akagawa, M., & Okukawa, K. (2008). Food Chemistry Characterization of E - and Z -ajoene obtained from different varieties of garlics. *Journal Food Chemistry*, 106, 1113–1119.
- Tambe, E. A., & Gotmare, S. (2020). Qualitative Estimation Of Chemical Composition Of Five Different Clove Oils (*Syzygium Aromaticum*) By GCMS. *Internasional Of Multidisciplinary Educatinal Research*, 9(September), 116–245.
- Tarwendah, I. P. (2017). Studi Komparasi Atribut Sensoris Dan Kesadaran Merek Produk Pangan. *Jurnal Pangan Dan Agroindustri*, 5(2), 66–73.
- Thalia, C. U., Chrisnasari, R., Dheasy, A., & Dewi, R. (2020). Pengaruh Pengolahan Terhadap Nilai Fungsional Bawang Putih (*Allium sativum*). *Jurnal Sains Dan Teknologi*, 1(1), 1–14.
- Wakamatsu, J., Stark, T. D., & Hofmann, T. (2019). Antioxidative Maillard Reaction Products Generated in Processed Aged Garlic Extract [Research-article]. *Journal of Agricultural and Food Chemistry*, 67, 2190–2200.
- Wang, J., Qiao, L., Wang, R., Zhang, N., Liu, Y., Chen, H., Sun, J., & Wang, S. (2023). Effect of Frying Process on the Flavor Variations of Allium Plants. *Foods*, 1–23.
- Weiner, L., Shin, I., Shimon, L. J. W., Miron, T., Wilchek, M., Mirelman, D., Frolov, F., & Rabinkov, A. (2009). Thiol-disulfide organization in alliin lyase (alliinase) from garlic (*Allium sativum*). *Journal Protein Science*, 18, 196–205.
- Wuri Astuti, D., Rahayu, M., & Safitri Sari, T. (2008). (*Allium Sativum* Linn .) Dalam Minyak Goreng Bekas Pakai Prosiding

Seminar Nasional & International Universitas Muhammadiyah Semarang, 2–6.

Yoshimoto, N., Onuma, M., Mizuno, S., Sugino, Y., Nakabayashi, R., Imai, S., Tsuneyoshi, T., Shin-Ichiro-Sumi, & Saito, K. (2015). Identification Of a Flavin-Containing S-Oxygenating Monooxygenase Involved In Alliin Biosynthesis In Garlic. *Journal The Plant*, 83, 941–951.

Yu, S., Chu, Y., Tung, Y., & Su, Z. (2025). Thermal Aging of Black Garlic Enhances Cellular Antioxidant Potential Through Nrf2-Mediated Pathway Activation. *Food Technology and Biotechnology*, 63(1), 1–28.

Yuniarto, K., Sumarsono, J., Maryati, S., & Alamsyah, A. (2010). Determination of oil and garlic chips deterioration rate during vacuum frying (Study on engineering aspect). *Jurnal Teknologi Pertanian*, 11(2), 101–108.

Zhan, P., Wang, P., Lu, C., & Zhao, Y. (2020). Effects of different vegetable oils on the aroma characteristics of deep-fried shallot flavoring evaluated by HS-SPME / GC-MS coupled with PLSR. *Food Processing and Preservation*, June, 1–11.