

DAFTAR PUSTAKA

- Abtahi, S., Omidian, S., Sherafatmand, Y., Tayebi, G., & Hassani, A. R. (2025). Comprehensive Evaluation of Six Flowable Composite Resins in the Market: A Comparative Study. *Frontiers in Dentistry*, 22, 1.
- Al-Abdullah, A. S., Al-Bounni, R. S., & Al-Omari, M. (2017). Color Stability of Tetric® N-Ceram Bulk Fill Restorative Composite Resin after Immersion in Different Drinks. *Journal of Advanced Oral Research*, 8(1–2), 34–41.
- Al-Mansour, K., Al-Sada, A., & Al-Sinan, H. (2015). Curing Depth of Bulk-fill Composite-An-In-Vitro Study. *Pakistan Oral & Dental Journal*, 35(2), 270–274.
- AlShaafi, M. M. (2017). Factors affecting polymerization of resin-based composites: A literature review. *Saudi Dental Journal*, 29(2), 48–58.
- Alshabib, A., Silikas, N., Algamaiah, H., Alayad, A. S., Alawaji, R., Almogbel, S., Aldosari, A., & Alhotan, A. (2023). Effect of Fibres on Physico-Mechanical Properties of Bulk-Fill Resin Composites. *Polymers*, 15(16), 3452.
- Arora, V., Arora, P., Al Shammrani, A., & Fahmi, M. K. (2017). Devices & Methods for pre-heating/pre-warming Dental Resin Composites: A Critical Appraisal. *International Journal of Oral Health and Medical Research*, 4(2), 52–55.
- Baltacıoğlu, İ. H., Demirel, G., Öztürk, B., Aydın, F., & Orhan, K. (2024). Marginal adaptation of bulk-fill resin composites with different viscosities in class II restorations: a micro-CT evaluation. *BMC Oral Health*, 24(1).
- Bancin, U. A. W., Erlita, I., & Diana, S. (2022). Pengaruh jarak penyinaran terhadap nilai derajat konversi resin komposit bioaktif. *Dentin Jurnal Kedokteran Gigi*, 6(2), 82–86.
- Bhopatkar, J., Ikhar, A., Chandak, M., Mankar, N., & Sedani, S. (2022). Composite Pre-heating: A Novel Approach in Restorative Dentistry. *Cureus*.
- Botros, S. A., Soliman, Z. D. E.-D., El-Korashy, D. I., & El-Askary, F. S. (2021). Pre-heating of dual-polymerized resin core foundation system: effect on micro-shear bond strength, degree of conversion and ultimate tensile strength. *Journal of Adhesion Science and Technology*, 35(17), 1880–1894.

- Comba, A., Scotti, N., Maravić, T., Mazzoni, A., Carossa, M., Breschi, L., & Cadenaro, M. (2020). Vickers hardness and shrinkage stress evaluation of low and high viscosity bulk-fill resin composite. *Polymers*, 12(7).
- Darabi, F., Tayefeh-Davalloo, R., Tavangar, S. M., Naser-Alavi, F., & Boorboo-Shirazi, M. (2020). The effect of composite resin preheating on marginal adaptation of class II restorations. *Journal of Clinical and Experimental Dentistry*, 12(7), e682–e687.
- Değirmenci, A., & Can, D. B. (2022). Pre-Heating Effect on the Microhardness and Depth of Cure of Bulk-Fill Composite Resins. *Odovtos - International Journal of Dental Sciences*, 24(1), 99–112.
- Dionysopoulos, D., Tolidis, K., & Gerasimou, P. (2016). The Effect of Composition, Temperature and Post-Irradiation Curing of Bulk Fill Resin Composites on Polymerization Efficiency. *Materials Research*, 19(2), 466–473.
- Eakle, W. S., & Bastin, K. G. (2021). *Dental Materials: Clinical Applications for Dental Assistants and Dental Hygienists, 4th Edition* (4th ed.). Missouri : Elsevier.
- Ende, A. Van, Munck, J. De, Lise, D. P., & Meerbeek, B. Van. (2017). Bulk-Fill Composites: A Review of the Current Literature. *The Journal of Adhesive Dentistry*, 19(2), 95–109.
- Floriani, F., Jurado, C. A., Madhu, N., Lackey, M. A., Azpiazu-Flores, F. X., & Lopes, G. C. (2024). Color Stability of Bulk-Fill Flowable Resin Composites After Artificial Aging. *Dentistry Journal*, 12(11).
- Flury, S., Hayoz, S., Peutzfeldt, A., Hüsler, J., & Lussi, A. (2012). Depth of cure of resin composites: Is the ISO 4049 method suitable for bulk fill materials? *Dental Materials*, 28(5), 521–528.
- Gulati, A., Gareau, A. P., & Price, R. B. (2025). Effect of a 4 mm vs. a 6 mm Diameter Mold on the Depth of Cure of 6 Bulk-Fill Resin-Based Composites. *Materials*, 18(11), 1–13.
- Hadole, P. G., & Daokar, S. S. (2019). Light-curing unit (devices). *International Journal of Orthodontic Rehabilitation*, 10(3), 121–133.
- Hameed, S. T. M. H., & Khan, F. R. (2020). Comparison of the depth of cure of flowable composites polymerized at variable increment thicknesses and voltages: An In vitro study. *Contemporary Clinical Dentistry*, 10(2), 220–225.

- Jang, J. H., Park, S. H., & Hwang, I. N. (2015). Polymerization shrinkage and depth of cure of bulk-fill resin composites and highly filled flowable resin. *Operative Dentistry*, 40(2), 172–180.
- Keleş, Z. H., & Tarım, B. (2024). Effect of Preheating on Microhardness, Degree of Conversion, and Depth of Cure of Various Bulk-Fill Composites. *Selcuk Dental Journal*, 11(1), 27–32.
- Keleş, Z. H., & Üçüncü, M. K. (2025). To polish or not to polish? An evaluation of the accuracy in measuring depth of cure calculated by microhardness ratio. *BMC Oral Health*, 25(1), 987.
- Keleş, Z., & Tarım, B. (2024). Effect of light guide tip diameter on the degree of conversion and depth of cure of bulk-fill composites. *European Oral Research*, 59(2), 121–128.
- Kim, H. J., Kwon, J., Kim, H.-J., Kim, R. H., Kim, D.-S., & Jang, J.-H. (2025). Comparison of polymerization behaviors, microhardness and compressive strength between bulk-fill resin and dual-cured core resin. *BMC Oral Health*, 25(1), 972.
- Lempel, E., Czibulya, Z., Kovács, B., Szalma, J., Tóth, Á., Kunsági-Máté, S., Varga, Z., & Böddi, K. (2016). Degree of Conversion and BisGMA, TEGDMA, UDMA Elution from Flowable Bulk Fill Composites. *International Journal of Molecular Sciences*, 17(5), 732.
- Lopes, L. C. P., Terada, R. S. S., Tsuzuki, F. M., Giannini, M., & Hirata, R. (2020). Heating and preheating of dental restorative materials—a systematic review. *Clinical Oral Investigations*, 24(12), 4225–4235.
- Ludovichetti, F. S., Lucchi, P., Zambon, G., Pezzato, L., Bertolini, R., Zerman, N., Stellini, E., & Mazzoleni, S. (2022). Depth of Cure, Hardness, Roughness and Dimension of Bulk-Fill Flowable, Conventional Flowable and High-Strength Universal Injectable Composites: An In Vitro Study. *Nanomaterials*, 12(12).
- Marcondes, R. L., Lima, V. P., Barbon, F. J., Isolan, C. P., Carvalho, M. A., Salvador, M. V., Lima, A. F., & Moraes, R. R. (2020). Viscosity and thermal kinetics of 10 preheated restorative resin composites and effect of ultrasound energy on film thickness. *Dental Materials*, 36(10), 1356–1364.
- Miletic, V. (2018). Dental Composite Materials for Direct Restorations. In V. Miletic (Ed.), *Dental Composite Materials for Direct Restorations*. Springer International Publishing.

- Miletic, V., Pongprueksa, P., De Munck, J., Brooks, N. R., & Van Meerbeek, B. (2017). Curing characteristics of flowable and sculptable bulk-fill composites. *Clinical Oral Investigations*, 21, 1201–1212.
- Moore, B. K., Platt, J. A., Borges, G., Chu, T. M. G., & Katsilieri, I. (2008). Depth of cure of dental resin composites: ISO 4049 depth and microhardness of types of materials and shades. *Operative Dentistry*, 33(4), 408–412.
- Muslih, M., & Rosyidah, R. (2020). *Buku Ajar Statistika "Aplikasi di Dunia Kesehatan* (6th ed.). UMSIDA Press.
- Novin Rooz, M., & Yousefi Jordehi, A. (2020). The Effect of Shade and Thickness on the Depth of Cure of Bulk-Fill Composites with Different Viscosities. *Journal of Dentistry (Shiraz, Iran)*, 21(4), 322–329.
- Oskoe, P. A., Oskoe, S. S., Pournaghi-Azar, F., Dibazar, S., & Esmaceli, M. (2022). Frontiers in Dentistry Pre-Heating of Low-Shrinkage Composite Resins: Effects on Color Stability and Surface Roughness. *Frontiers in Dentistry*, 19(26).
- Özduman, Z. C., Oglakci, B., Bagis, D. M. H., Temel, B. A., & Dalkilic, E. E. (2023). Comparison of a Nanofiber-Reinforced Composite with Different Types of Composite Resins. *Polymers*, 15(17).
- Poubel, D. L. do N., Silva, R. C. da, Ribeiro, A. P. D., & Garcia, F. C. P. (2024). Effect of preheating on the viscosity of composite resins. *Journal of Conservative Dentistry and Endodontics*, 27(4), 360–365.
- Powers, J. M., Watana. John C., & Chen, Y.-W. (2017). *Dental Materials: Foundations and Applications, 11th edition* (11th ed.). Missouri : Elsevier.
- Price, R. B., Rueggeberg, F. A., Harlow, J., & Sullivan, B. (2016). Effect of mold type, diameter, and uncured composite removal method on depth of cure. *Clinical Oral Investigations*, 20(7), 1707.
- Rezaei, S., Abbasi, M., Sadeghi Mahounak, F., & Moradi, Z. (2019). Curing Depth and Degree of Conversion of Five Bulk-Fill Composite Resins Compared to a Conventional Composite. *The Open Dentistry Journal*, 13(1), 422–429.
- Ritter, A. V., Boushell, L. W., & Walter, R. (2019). *Sturdevant's Art and Science of Operative Dentistry, 7th Edition* (7th ed.). Missouri : Elsevier.
- Rizzante, F. A. P., Duque, J. A., Duarte, M. A. H., Mondelli, R. F. L., Mendonça, G., & Ishikiriama, S. K. (2019). Polymerization shrinkage, microhardness

and depth of cure of bulk fill resin composites. *Dental Materials Journal*, 38(3), 403–410.

Sabbagh, J., & McConnell, R. (2023). *Bulk Fill Resin Composites in Dentistry* (J. Sabbagh & R. McConnell, Eds.). Springer International Publishing.

Sahetia, A. S., Jain, D. R., Sirsat, P. P., Gulve, M. N., Kolhe, S. J., & Patel, S. P. (2024). Preheating effect on microhardness and depth of cure of three bulk-fill composite resins: An in vitro study. *Endodontology*, 36(2), 125–130.

Sakaguchi, R., Ferracane, J., & Powers, J. (2019). *Craig's Restorative Dental Materials, 14th Edition* (14th ed.). Missouri : Elsevier.

Sengupta, A., Naka, O., B. Mehta, S., & Banerji, S. (2023). The clinical performance of bulk-fill versus the incremental layered application of direct resin composite restorations: a systematic review. *Evidence-Based Dentistry*, 24.

Shen, C., Ralph Rawls, H., & Esquivel-Upshaw, J. F. (2022). *Phillip's Science of Dental Materials 13th edition* (13th ed.). Missouri : Elsevier.

Silva, G., Marto, C. M., Amaro, I., Coelho, A., Sousa, J., Ferreira, M. M., Francisco, I., Vale, F., Oliveiros, B., Carrilho, E., & Paula, A. B. (2023). Bulk-Fill Resins versus Conventional Resins: An Umbrella Review. *Polymers*, 15(12).

Singha, A., Dhanesha, A., Nair, S., Patel, R., Behera, S., & Nanda, S. (2024). Pre-heating effect on micro-hardness and depth of cure for three bulk-fill composite resins: An in vitro study. *Bioinformation*, 20(9), 1128–1131.

Srikumar, G., Barde, S. P., Gajpal, A., Kumari, R., Phafat, A., & Patel, P. (2025). An In vitro Comparative Evaluation of the Effect of Preheating of EverX Posterior, Bulk Fill and G-aenial Posterior Composite Resins on Their Microhardness and Depth of Cure. *Advances in Human Biology*, 16(1), 149–155.

Szczepaniak, M. E., Krasowski, M., & Bołtacz-Rzepkowska, E. (2022). The Effect of Various Polishing Systems on the Surface Roughness of Two Resin Composites—An In Vitro Study. *Coatings*, 12(7).

TARDEM, C., ALBUQUERQUE, E. G., LOPES, L. de S., MARINS, S. S., CALAZANS, F. S., POUBEL, L. A., BARCELOS, R., & BARCELEIRO, M. de O. (2019). Clinical time and postoperative sensitivity after use of bulk-fill (syringe and capsule) vs. incremental filling composites: a randomized clinical trial. *Brazilian Oral Research*, 33.

- Theodoridis, M., Dionysopoulos, D., Koliniotou-Koumpia, E., Dionysopoulos, P., & Gerasimou, P. (2016). Effect of preheating and shade on surface microhardness of silorane-based composites. *Journal of Investigative and Clinical Dentistry*.
- Todd, J.-C., & Wanner, D. M. (2014). *Tetric ® N-Ceram Bulk Fill*. Ivoclar Vivadent AG.
- V Anagha, A., & Palavelil, N. (2025). Comparative evaluation of the effect of preheating on the degree of conversion and depth of cure of three bulk fill composite resins. *IOSR Journal of Dental and Medical Sciences*, 24(6), 57–65.
- Verghese, R. P., Nair, R. S., Mathai, V., Angelo, J. M. C., Christopher, S. R., & Ravi, V. V. (2023). A comparative evaluation of preheat treatment, postcure heat treatment, and combined heat treatment on degree of conversion of a bulk-fill composite: An in vitro study. *Journal of Conservative Dentistry*, 26(2), 207–211.
- Zubaidah, N., Soetojo, A., Ismiyatin, K., Saninggar, K. E., Wahyudi, H. E., Sylvia, & Sari, S. K. (2021). The Monomer Elution of Bulk-Fill Sculptable Composite and Flowable Composite after Photopolymerization. *Indian Journal of Forensic Medicine & Toxicology*, 15(2), 3141–3151.

