

DAFTAR PUSTAKA

- [1] E. , Z. W. S. , dan K. J. Kuffel, *High Voltage Engineering Fundamentals*, 2nd ed. Butterworth-Heinemann., 2000.
- [2] R. S. C. E. A. H. R. Gorur, *Outdoor Insulators*. Phoenix, Arizona: Ravi S. Gorur Inc., 1999.
- [3] M. Khalifa, *High Voltage Engineering: Theory and Practice*. New York: Marcel Dekker, 1990.
- [4] *Spaceplanes: From Airport to Spaceport*. Scholars Portal, 2019.
- [5] L. Niemeyer, "A generalized approach to partial discharge modeling," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 2, no. 4, pp. 510–528, 1995, doi: 10.1109/94.407017.
- [6] R. Hackam, "Outdoor HV composite polymeric insulators," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 6, no. 5, pp. 557–585, 1999, doi: 10.1109/94.798114.
- [7] J. Duncan. Glover, M. S. . Sarma, and T. J. . Overbye, *Power system analysis and design*. Cengage Learning, 2012.
- [8] Z. Chen, B. Dong, P. Lin, S. Zhang, and W. Huang, "High-Sensitivity and Wideband All-Polymer Microcavity Fiber Acoustic Sensor and Its Applications in Partial Discharge Detection," *ACS Appl. Electron. Mater.*, vol. 7, no. 2, pp. 706–713, Jan. 2025, doi: 10.1021/acsaelm.4c01794.
- [9] J. Pihera, O. Turecek, O. Balvin, and J. Reboun, "Acoustic Monitoring of Partial Discharges: Differentiating Corona and Surface Discharges Using Ultrasonic Methods," in *2025 IEEE Conference on Electrical Insulation and Dielectric Phenomena (CEIDP)*, IEEE, Sep. 2025, pp. 273–276. doi: 10.1109/CEIDP61707.2025.11218341.
- [10] C. Zogning, J. Lobry, and F. Moiny, "Numerical Simulation of Corona Discharge Plasma Affecting the Surface Behavior of Polymer Insulators," *Energies (Basel)*., vol. 17, no. 17, p. 4247, Aug. 2024, doi: 10.3390/en17174247.
- [11] D. Fahmi, D. A. Asfani, I. G. N. S. Hernanda, B. Septianto, I. M. Y. Negara, and H. A. Illias, "Partial discharge characteristics from polymer insulator under various contaminant," *Electric Power Systems Research*, vol. 236, p. 110978, Nov. 2024, doi: 10.1016/j.epsr.2024.110978.

- [12] S. M. Gubanski, "Modern outdoor insulation - concerns and challenges," *IEEE Electrical Insulation Magazine*, vol. 36, no. 3, pp. 7–17, 2020.
- [13] M. Farzaneh, *Outdoor Insulators*. IEEE Press, 2021.
- [14] S. Sobieraj, G. Sieklucki, and J. Gromba, "Relative Stability of Electrical into Mechanical Conversion with BLDC Motor-Cascade Control," *Energies (Basel)*, vol. 14, no. 3, p. 704, Jan. 2021, doi: 10.3390/en14030704.
- [15] Y. Li, "Degradation mechanisms of high voltage insulation materials," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 29, no. 2, 2022.
- [16] E. H. Doedens and E. M. Jarvid, "Considerations on the impact of material mesostructure on charge injection at cable interfaces," *IEEE Electrical Insulation Magazine*, vol. 36, no. 5, pp. 43–51, Sep. 2020, doi: 10.1109/MEI.2020.9165698.
- [17] X. Zhang, "Condition monitoring of power equipment insulation," *IEEE Access*, vol. 9, pp. 116322–116336, 2021.
- [18] H. H. N. Okubo, "Recent trend in partial discharge detection technology," *IEEE Electrical Insulation Magazine*, vol. 36, no. 5, pp. 8–17, 2020.
- [19] E. H. Doedens and E. M. Jarvid, "Considerations on the impact of material mesostructure on charge injection at cable interfaces," *IEEE Electrical Insulation Magazine*, vol. 36, no. 5, pp. 43–51, Sep. 2020, doi: 10.1109/MEI.2020.9165698.
- [20] X. Zhang, "Condition monitoring of power equipment insulation based on partial discharge analysis," *IEEE Access*, vol. 9, pp. 116322–116336, 2021.
- [21] S. Sobieraj, G. Sieklucki, and J. Gromba, "Relative Stability of Electrical into Mechanical Conversion with BLDC Motor-Cascade Control," *Energies (Basel)*, vol. 14, no. 3, p. 704, Jan. 2021, doi: 10.3390/en14030704.
- [22] V. S. B. Gustiana, "Analisa Perhitungan Distribusi Tegangan dan Arus Bocor Pada Isolator Rantai," *Journal of Electrical Engineering, Energy, and Information Technology (J3EIT)*, vol. 9, no. 2, 2021.
- [23] M. Z. 2. A. M. 1. Saleem, "Review of the performance of high-voltage composite insulators," *Polymers (Basel)*, vol. 14, no. 3, 2022.
- [24] R. Hackam, "Outdoor high-voltage composite polymeric insulators," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 6, no. 5, pp. 557–585, 1999.
- [25] D. Fahmi, I. G. N. S. Hernanda, D. A. Asfani, B. Septianto, and I. M. Y. Negara, "Partial discharge characteristics from polymer insulator under various contaminant," *Electric Power Systems Research*, 2024.

- [26] H. Reuben, "Outdoor high voltage composite polymeric insulators," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 6, no. 5, pp. 557–585, 1999.
- [27] S. M. Gubanski, "Modern outdoor insulation - concerns and challenges," *IEEE Electrical Insulation Magazine*, vol. 21, no. 6, pp. 5–11, 2005.
- [28] M. Z. A. Ab Kadir, C. Gomes, and W. F. Wan Ahmad, "Performance of polymer insulators in contaminated environments," *Electric Power Systems Research*, vol. 181, 2020.
- [29] D. Fahmi, D. A. Asfani, I. G. N. S. Hernanda, B. Septianto, I. M. Y. Negara, and H. A. Illias, "Partial discharge characteristics from polymer insulator under various contaminant," *Electric Power Systems Research*, vol. 236, p. 110978, Nov. 2024, doi: 10.1016/j.epsr.2024.110978.
- [30] A. A. Salem and R. Abd-Rahman, "Investigation of leakage current and flashover performance of polymer insulators," *Energies (Basel)*, vol. 15, no. 3, 2022.
- [31] PT PLN (Persero), "Tingkat Intensitas Polusi Sehubungan Dengan Pedoman Pemilihan Isolator," Jakarta, 1993.
- [32] L. Ruan, G. Han, Z. Zhu, M. Zhang, and W. Gong, "Spatial and Temporal Characteristics of Insulator Contaminations Revealed by Daily Observations of Equivalent Salt Deposit Density," *Sensors*, vol. 15, no. 2, pp. 3023–3040, Jan. 2015, doi: 10.3390/s150203023.
- [33] G. Teyssedre and C. Laurent, "Charge transport modeling in insulating polymers: from molecular to macroscopic scale," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 12, no. 5, pp. 857–875, Oct. 2005, doi: 10.1109/TDEI.2005.1522182.
- [34] E. Kuffel, W. S. Zaengl, and J. Kuffel, *High Voltage Engineering Fundamentals*. Oxford: Butterworth-Heinemann, 2018.
- [35] M. Dong, A. Ma, M. Ren, C. Zhang, J. Xie, and R. Albarracín, "Positioning and Imaging Detection of Corona Discharge in Air with Double Helix Acoustic Sensors Array," *Energies (Basel)*, vol. 10, no. 12, p. 2105, Dec. 2017, doi: 10.3390/en10122105.
- [36] L. Niemeyer, "A generalized approach to partial discharge modeling," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 2, no. 4, pp. 510–528, 1995, doi: 10.1109/94.407017.
- [37] M. Farzaneh, *Insulators for Polluted Environments*. IEEE Press, 2021.

- [38] A. Cavallini and G. C. Montanari, "Effect of Corona Discharge on Polymeric Insulating Materials," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 27, no. 2, 2020.
- [39] M. S. Naidu and V. Kamaraju, *High Voltage Engineering*. McGraw-Hill, 2018.
- [40] Z. Li, X. Wu, T. Leng, B. An, and W. Dong, "Mechanism and Simulation Analysis of Acoustic Wave Excitation by Partial Discharge," *Applied Sciences (Switzerland)*, vol. 15, no. 21, Nov. 2025, doi: 10.3390/app152111611.
- [41] E. T. da Silva Júnior *et al.*, "Corona Effect Detection in Energized Polymeric Insulators Using Machine Learning and Ultrasonic Emissions," *IEEE Latin America Transactions*, vol. 16, no. 6, pp. 1587–1594, Jun. 2018, doi: 10.1109/TLA.2018.8444153.
- [42] A. Cavallini and G. C. Montanari, "Partial Discharge Detection and Analysis," *IEEE Transactions on Dielectrics and Electrical Insulation*, 2020.
- [43] H. Ibrahim Uckol and S. Ilhan, "Corona Discharge Modes and Their Detections Under DC and AC Voltages," *IEEE Sens. J.*, vol. 24, no. 10, pp. 17019–17026, May 2024, doi: 10.1109/JSEN.2024.3385019.
- [44] A. Samad, W. H. Siew, M. J. Given, I. V. Timoshkin, and J. Liggat, "Modelling of Propagation Characteristics of Acoustic Pulse from Partial Discharge in Polymeric Insulating Materials," *Acoustics*, vol. 6, no. 2, pp. 374–385, Jun. 2024, doi: 10.3390/acoustics6020020.
- [45] F. Yang, L. Li, Z. Li, and P. Wang, "Numerical Simulation of Acoustic Wave Generated by DC Corona Discharge Based on the Shock Wave Theory," *Applied Sciences (Switzerland)*, vol. 13, no. 16, Aug. 2023, doi: 10.3390/app13169251.
- [46] M. FIKRI, C. CHRISTIONO, and I. G. MULYANA K., "Clustering Fenomena Corona Discharge berdasarkan Suara menggunakan Metode LPC dan Euclidean Distance," *ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika*, vol. 10, no. 3, p. 689, Jul. 2022, doi: 10.26760/elkomika.v10i3.689.
- [47] N. A. Al-geelani, M. A. M. Piah, and Z. Abdul-Malek, "Identification of acoustic signals of corona discharges under different contamination levels using wavelet transform," *Electrical Engineering*, vol. 100, no. 2, pp. 1059–1067, Jun. 2018, doi: 10.1007/s00202-017-0568-5.
- [48] X. Wang, N. Taylor, and H. Edin, "Effect of humidity on partial discharge in a metal-dielectric air gap on machine insulation at trapezoidal testing voltages," *J. Electrostat.*, vol. 83, pp. 88–96, Oct. 2016, doi: 10.1016/j.elstat.2016.08.003.

- [49] J. Y. Kang, D. J. Chae, Y. C. Mun, J. M. Park, and B. W. Lee, "Study on the Measurement Technique and Judgment Procedure of Ultrasonic Corona Imaging Equipment," *Energies (Basel)*, vol. 16, no. 14, Jul. 2023, doi: 10.3390/en16145529.
- [50] M. Wahyudi, T. Tumiran, I. M. Yulistya Negara, N. Akhmad Setiawan, and B. Sugiyantoro, "Audiosonic Acoustic Detection of Air Corona Discharge based on Fast Fourier Transform," in *2019 2nd International Conference on High Voltage Engineering and Power Systems (ICHVEPS)*, IEEE, Oct. 2019, pp. 1–6. doi: 10.1109/ICHVEPS47643.2019.9011029.
- [51] Wahyuni and Molli, *Statistik Deskriptif Untuk Penelitian Olah Data Manual dan SPSS Versi 25*. Kampar, 2020.

