

DAFTAR PUSTAKA

- Abdullah, D., & Fithra, H. (2021). Mass Evacuation Transportation Model Using Hybrid Genetic Algorithm. *International Journal on Advanced Science, Engineering and Information Technology*, 11(3), 1157–1161. <https://doi.org/10.18517/ijaseit.11.3.11687>
- Almouhanna, A., Quintero-Araujo, C. L., Panadero, J., Juan, A. A., Khosravi, B., & Ouelhadj, D. (2020). The location routing problem using electric vehicles with constrained distance. *Computers & Operations Research*, 115, 104864. <https://doi.org/10.1016/j.cor.2019.104864>
- Altay, N., & Green, W. G. (2006). OR/MS research in disaster operations management. *European Journal of Operational Research*, 175(1), 475–493. <https://doi.org/10.1016/j.ejor.2005.05.016>
- Asghari, M., & Mirzapour Al-e-hashem, S. M. J. (2021). Green vehicle routing problem: A state-of-the-art review. In *International Journal of Production Economics* (Vol. 231). Elsevier B.V. <https://doi.org/10.1016/j.ijpe.2020.107899>
- Bachri, S., Shrestha, R. P., Sumarni, Irawan, L. Y., Masruroh, H., Prastiwi, M. R. H., Billah, E. N., Putri, N. R. C., Hakiki, A. R. R., & Hidiyah, T. M. (2024). Land use change simulation model using a land change modeler in anticipation of the impact of the Semeru volcano eruption disaster in Indonesia. *Environmental Challenges*, 14, 100862. <https://doi.org/10.1016/j.envc.2024.100862>
- Balcik, B., Beamon, B. M., & Smilowitz, K. (2008). Last Mile Distribution in Humanitarian Relief. *Journal of Intelligent Transportation Systems*, 12(2), 51–63. <https://doi.org/10.1080/15472450802023329>
- Bayram, V., & Yaman, H. (2024). A joint demand and supply management approach to large scale urban evacuation planning: Evacuate or shelter-in-place, staging and dynamic resource allocation. *European Journal of Operational Research*, 313(1), 171–191. <https://doi.org/10.1016/j.ejor.2023.07.033>
- Beamon, B. M., & Balcik, B. (2008). Performance measurement in humanitarian relief chains. *International Journal of Public Sector Management*, 21(1), 4–25. <https://doi.org/10.1108/09513550810846087>

- Beraldi, P., & Bruni, M. E. (2009). A probabilistic model applied to emergency service vehicle location. *European Journal of Operational Research*, 196(1), 323–331. <https://doi.org/10.1016/j.ejor.2008.02.027>
- BPBD Provinsi Jawa Timur. (2022). *RENCANA KONTINGENSI BENCANA ERUPSI GUNUNGAPI SEMERU PROVINSI JAWA TIMUR*.
- Campos, V., Bandeira, R., & Bandeira, A. (2012). A Method for Evacuation Route Planning in Disaster Situations. *Procedia - Social and Behavioral Sciences*, 54, 503–512. <https://doi.org/10.1016/j.sbspro.2012.09.768>
- Çetinkaya, C., Gökçen, H., & Karaoğlu, İ. (2018). The location routing problem with arc time windows for terror regions: a mixed integer formulation. *Journal of Industrial and Production Engineering*, 35(5), 309–318. <https://doi.org/10.1080/21681015.2018.1479894>
- Chandes, J., & Paché, G. (2010). Investigating humanitarian logistics issues: From operations management to strategic action. *Journal of Manufacturing Technology Management*, 21(3), 320–340. <https://doi.org/10.1108/17410381011024313>
- Chen, Y., Li, D., Zhang, Z., Wahab, M. I. M., & Jiang, Y. (2021). Solving the battery swap station location-routing problem with a mixed fleet of electric and conventional vehicles using a heuristic branch-and-price algorithm with an adaptive selection scheme. *Expert Systems with Applications*, 186, 115683. <https://doi.org/https://doi.org/10.1016/j.eswa.2021.115683>
- Coutinho-Rodrigues, J., Tralhão, L., & Alcáda-Almeida, L. (2012). Solving a location-routing problem with a multiobjective approach: the design of urban evacuation plans. *Journal of Transport Geography*, 22, 206–218. <https://doi.org/10.1016/j.jtrangeo.2012.01.006>
- Dewan Energi Nasional. (2019). *Indonesia Energy Outlook*.
- Elçi, Ö., Noyan, N., & Bülbül, K. (2018). Chance-constrained stochastic programming under variable reliability levels with an application to humanitarian relief network design. *Computers & Operations Research*, 96, 91–107. <https://doi.org/10.1016/j.cor.2018.03.011>
- Ertem, M. A., Buyurgan, N., & Rossetti, M. D. (2010). Multiple-buyer procurement auctions framework for humanitarian supply chain management. *International*

- Journal of Physical Distribution & Logistics Management*, 40(3), 202–227.
<https://doi.org/10.1108/09600031011035092>
- Esposito Amideo, A., Scaparra, M. P., & Kotiadis, K. (2019). Optimising shelter location and evacuation routing operations: The critical issues. *European Journal of Operational Research*, 279(2), 279–295.
<https://doi.org/10.1016/j.ejor.2018.12.009>
- Falagara Sigala, I., Kettinger, W. J., & Wakolbinger, T. (2020). Digitizing the field: designing ERP systems for Triple-A humanitarian supply chains. *Journal of Humanitarian Logistics and Supply Chain Management*, 10(2), 231–260.
<https://doi.org/10.1108/JHLSCM-08-2019-0049>
- Fathianpour, A., Evans, B., Babaeian Jelodar, M., & Wilkinson, S. (2024). Environmental factors in tsunami evacuation simulation: topography, traffic jam, human behaviour. *Natural Hazards*. <https://doi.org/10.1007/s11069-024-06714-x>
- Fazayeli, S., Eydi, A., & Kamalabadi, I. N. (2018). Location-routing problem in multimodal transportation network with time windows and fuzzy demands: Presenting a two-part genetic algorithm. *Computers & Industrial Engineering*, 119, 233–246. <https://doi.org/10.1016/j.cie.2018.03.041>
- Ghazali, D. A., Guericolas, M., Thys, F., Sarasin, F., Arcos González, P., & Casalino, E. (2018). Climate Change Impacts on Disaster and Emergency Medicine Focusing on Mitigation Disruptive Effects: an International Perspective. *International Journal of Environmental Research and Public Health*, 15(7), 1379. <https://doi.org/10.3390/ijerph15071379>
- Goerigk, M., Deghdak, K., & Heßler, P. (2014). A comprehensive evacuation planning model and genetic solution algorithm. *Transportation Research Part E: Logistics and Transportation Review*, 71, 82–97.
<https://doi.org/10.1016/j.tre.2014.08.007>
- Islam, R., Jones, S., & Hudnall, M. (2023). Transportation system functions during hurricane Response: A systematic review of modes and methods. *Transportation Research Interdisciplinary Perspectives*, 18, 100786.
<https://doi.org/10.1016/J.TRIP.2023.100786>

- Kaisar, E. I., Benazir, A., & Palomo, P. (2012). An Emergency Evacuation Planning Model for Special Needs Populations Using Public Transit Systems. *Journal of Public Transportation*, 15(2), 45–69. <https://www.caloes.ca.gov/wp-content/uploads/AFN/Documents/General/JPT15.2Kaisar.pdf>
- Karaoglan, I., Altiparmak, F., Kara, I., & Dengiz, B. (2012). The location-routing problem with simultaneous pickup and delivery: Formulations and a heuristic approach. *Omega*, 40(4), 465–477. <https://doi.org/https://doi.org/10.1016/j.omega.2011.09.002>
- Kasereka, S., Kasoro, N., Kyamakya, K., Doungmo Goufo, E. F., Chokki, A. P., & Yengo, M. V. (2018). Agent-Based Modelling and Simulation for evacuation of people from a building in case of fire. *Procedia Computer Science*, 130, 10–17. <https://doi.org/10.1016/j.procs.2018.04.006>
- Khodaei, V., Kayvanfar, V., & Haji, A. (2022). A humanitarian cold supply chain distribution model with equity consideration: The case of COVID-19 vaccine distribution in the European Union. *Decision Analytics Journal*, 4, 100126. <https://doi.org/10.1016/j.dajour.2022.100126>
- Kucukoglu, I., Dewil, R., & Cattrysse, D. (2021). The electric vehicle routing problem and its variations: A literature review. *Computers & Industrial Engineering*, 161, 107650. <https://doi.org/10.1016/j.cie.2021.107650>
- Laporte, G. (2014). The Vehicle Routing Problem: An overview of exact and approximate algorithms. In *European Journal of Operational Research* (Vol. 59).
- Li, Q., Soleimaniamiri, S., & Li, X. (2022). Optimal mass evacuation planning for electric vehicles before natural disasters. *Transportation Research Part D: Transport and Environment*, 107, 103292. <https://doi.org/10.1016/j.trd.2022.103292>
- Li, S., Zhou, H., & Li, Y. (2016). Research on Fuzzy Dynamic Location-Routing Problem of Victim Search in Flood Disaster. 9(7), 61–70.
- Li, X., Stringer, L. C., & Dallimer, M. (2022). The Impacts of Urbanisation and Climate Change on the Urban Thermal Environment in Africa. *Climate*, 10(11), 164. <https://doi.org/10.3390/cli10110164>

- Liperda, R. I., Putra, R. P., Pairunan, G. B., Fitriani, M., Maghfiroh, N., Ngurah, A. A., & Redi, P. (2024). Comparative Analysis of Electric and Conventional Vehicles Performance in the Evacuation Process of Mount Semeru Eruption Victims Based on Geographic Information Systems. *Sustainability*. <https://doi.org/10.3390/su16208939>
- Liu, K., Zhang, H., & Zhang, Z.-H. (2021). The efficiency, equity and effectiveness of location strategies in humanitarian logistics: A robust chance-constrained approach. *Transportation Research Part E: Logistics and Transportation Review*, 156, 102521. <https://doi.org/10.1016/j.tre.2021.102521>
- MacDonald, C. D., Kattan, L., & Layzell, D. (2021). Modelling electric vehicle charging network capacity and performance during short-notice evacuations. *International Journal of Disaster Risk Reduction*, 56, 102093. <https://doi.org/10.1016/j.ijdrr.2021.102093>
- Maghfiroh, M. F. N., & Hanaoka, S. (2018a). Dynamic truck and trailer routing problem for last mile distribution in disaster response. *Journal of Humanitarian Logistics and Supply Chain Management*. <https://doi.org/10.1108/JHLSCM-10-2017-0050>
- Maghfiroh, M. F. N., & Hanaoka, S. (2018b). Last mile distribution in humanitarian logistics under stochastic and dynamic consideration. *IEEE International Conference on Industrial Engineering and Engineering Management, 2017-Decem*. <https://doi.org/10.1109/IEEM.2017.8290125>
- Maghfiroh, M. F. N., Yu, V. F., Redi, A. A. N. P., & Abdallah, B. N. (2023). A Location Routing Problem with Time Windows Consideration: A Metaheuristics Approach. *Applied Sciences (Switzerland)*, 13(2). <https://doi.org/10.3390/app13020843>
- Maghfiroh, M. F., Pandyaswargo, A. H., & Onoda, H. (2021). Current Readiness Status of Electric Vehicles in Indonesia: Multistakeholder Perceptions. In *Sustainability* (Vol. 13, Number 23). <https://doi.org/10.3390/su132313177>
- Meng, L., Sasha Dong, Z., & Liu, D. (2023). Ridesharing evacuation models of disaster response. *Computers & Industrial Engineering*, 184, 109565. <https://doi.org/10.1016/J.CIE.2023.109565>

- Ministry of Public Safety & Solicitor General. (2009). *Evacuation Operational Guidelines*. British Columbia, Canada.
https://www2.gov.bc.ca/assets/gov/public-safety-and-emergency-services/emergency-preparedness-response-recovery/local-government/evacuation_operational_guidelines.pdf
- Na, H. S., & Banerjee, A. (2019). Agent-based discrete-event simulation model for no-notice natural disaster evacuation planning. *Computers & Industrial Engineering*, 129, 44–55.
- Navazi, F., Sedaghat, A., & Tavakkoli-Moghaddam, R. (2019). A New Sustainable Location-Routing Problem with Simultaneous Pickup and Delivery by Two-Compartment Vehicles for a Perishable Product Considering Circular Economy. *IFAC-PapersOnLine*, 52(13), 790–795.
<https://doi.org/https://doi.org/10.1016/j.ifacol.2019.11.212>
- Noyan, N., Balcik, B., & Atakan, S. (2016). A Stochastic Optimization Model for Designing Last Mile Relief Networks. *Transportation Science*, 50(3), 1092–1113. <https://doi.org/10.1287/trsc.2015.0621>
- Nucamendi-Guillén, S., Gómez Padilla, A., Olivares-Benitez, E., & Moreno-Vega, J. M. (2021). The multi-depot open location routing problem with a heterogeneous fixed fleet. *Expert Systems with Applications*, 165, 113846.
<https://doi.org/https://doi.org/10.1016/j.eswa.2020.113846>
- Peraturan Pemerintah Republik Indonesia Nomor 79 Tahun 2014 Tentang Kebijakan Energi Nasional, Pub. L. Peraturan Pemerintah Republik Indonesia Nomor 79 Tahun 2014, National Energy Regulation (2014).
<https://peraturan.bpk.go.id/Home/Details/5523/pp-no-79-tahun-2014>
- Peraturan Presiden RI. (2017). *Perpres No. 22 Tahun 2017 tentang Rencana Umum Energi Nasional*.
- Renne, J. L., & Mayorga, E. (2022). What has America learned Since Hurricane Katrina? Evaluating evacuation plans for carless and vulnerable populations in 50 large cities across the United States. *International Journal of Disaster Risk Reduction*, 80, 103226. <https://doi.org/10.1016/J.IJDRR.2022.103226>
- Roy, K. C., Hasan, S., Culotta, A., & Eluru, N. (2021). Predicting traffic demand during hurricane evacuation using Real-time data from transportation systems

- and social media. *Transportation Research Part C: Emerging Technologies*, 131, 103339. <https://doi.org/10.1016/J.TRC.2021.103339>
- Schiffer, M., & Walther, G. (2017). The electric location routing problem with time windows and partial recharging. *European Journal of Operational Research*, 260(3), 995–1013. <https://doi.org/10.1016/j.ejor.2017.01.011>
- Shahabi, K., & Wilson, J. P. (2018). Scalable evacuation routing in a dynamic environment. *Computers, Environment and Urban Systems*, 67, 29–40.
- Shahjalal, M., Shams, T., Tasnim, M. N., Ahmed, M. R., Ahsan, M., & Haider, J. (2022). A Critical Review on Charging Technologies of Electric Vehicles. In *Energies* (Vol. 15, Number 21). MDPI. <https://doi.org/10.3390/en15218239>
- Shavarani, S. M. (2019). Multi-level facility location-allocation problem for post-disaster humanitarian relief distribution. *Journal of Humanitarian Logistics and Supply Chain Management*, 9(1), 70–81. <https://doi.org/10.1108/JHLSCM-05-2018-0036>
- Srivastava, K. (2010). Disaster: Challenges and perspectives. *Industrial Psychiatry Journal*, 19(1), 1–4. <https://doi.org/10.4103/0972-6748.77623>
- Staes, B., Menon, N., & Bertini, R. L. (2021). Analyzing transportation network performance during emergency evacuations: Evidence from Hurricane Irma. *Transportation Research Part D: Transport and Environment*, 95, 102841. <https://doi.org/10.1016/j.trd.2021.102841>
- Swamy, R., Kang, J. E., Batta, R., & Chung, Y. (2017). Hurricane evacuation planning using public transportation. *Socio-Economic Planning Sciences*, 59, 43–55. <https://doi.org/10.1016/j.seps.2016.10.009>
- Tayebi Araghi, M. E., Tavakkoli-Moghaddam, R., Jolai, F., & Hadji Molana, S. M. (2021). A green multi-facilities open location-routing problem with planar facility locations and uncertain customer. *Journal of Cleaner Production*, 282, 124343. <https://doi.org/10.1016/j.jclepro.2020.124343>
- Tofighi, S., Torabi, S. A., & Mansouri, S. A. (2016). Humanitarian logistics network design under mixed uncertainty. *European Journal of Operational Research*, 250(1), 239–250. <https://doi.org/10.1016/j.ejor.2015.08.059>
- Toro, E. M., Franco, J. F., Echeverri, M. G., & Guimarães, F. G. (2017). A multi-objective model for the green capacitated location-routing problem

- considering environmental impact. *Computers & Industrial Engineering*, 110, 114–125. <https://doi.org/https://doi.org/10.1016/j.cie.2017.05.013>
- Toth, P. , & V. D. (2014). *THE VEHICLE ROUTING PROBLEM*.
- UNESCO. (2020). *Manuals and Guides 82 Intergovernmental Oceanographic Commission TSUNAMI EVACUATIONS From Inundation to Evacuation Maps, Response Plans, and Exercises PREPARING FOR COMMUNITY*.
- U.S. Department of Energy. (2015). *Costs Associated With Non-Residential Electric Vehicle Supply Equipment Factors to consider in the implementation of electric vehicle charging stations*.
- Walch, C. (2018). Evacuation ahead of natural disasters: Evidence from cyclone Phailin in India and typhoon Haiyan in the Philippines. *Geo: Geography and Environment*, 5(1), e00051. <https://doi.org/https://doi.org/10.1002/geo2.51>
- Wang, M., Zhang, C., Bell, M. G. H., & Miao, L. (2022). A branch-and-price algorithm for location-routing problems with pick-up stations in the last-mile distribution system. *European Journal of Operational Research*, 303(3), 1258–1276. <https://doi.org/https://doi.org/10.1016/j.ejor.2022.03.058>
- Wang, Y., Kyriakidis, M., & Dang, V. N. (2021). Incorporating human factors in emergency evacuation – An overview of behavioral factors and models. *International Journal of Disaster Risk Reduction*, 60, 102254. <https://doi.org/10.1016/J.IJDRR.2021.102254>
- Wei, X., Qiu, H., Wang, D., Duan, J., Wang, Y., & Cheng, T. C. E. (2020). An integrated location-routing problem with post-disaster relief distribution. *Computers & Industrial Engineering*, 147, 106632. <https://doi.org/https://doi.org/10.1016/j.cie.2020.106632>
- Wilson, G., Wilson, T. M., Deligne, N. I., & Cole, J. W. (2014). Volcanic hazard impacts to critical infrastructure: A review. *Journal of Volcanology and Geothermal Research*, 286, 148–182. <https://doi.org/10.1016/J.JVOLGEORES.2014.08.030>
- Xu, X., Liu, W., Jiang, M., & Lin, Z. (2022). A multi-cycle and multi-echelon location-routing problem for integrated reverse logistics. *Industrial Management & Data Systems*, 122(10), 2237–2260. <https://doi.org/10.1108/IMDS-01-2022-0015>

- Yang, J., & Sun, H. (2015). Battery swap station location-routing problem with capacitated electric vehicles. *Computers & Operations Research*, 55, 217–232. <https://doi.org/10.1016/j.cor.2014.07.003>
- Yu, V. F., & Lin, S.-Y. (2015). A simulated annealing heuristic for the open location-routing problem. *Computers & Operations Research*, 62, 184–196. <https://doi.org/10.1016/j.cor.2014.10.009>
- Yulianto, S., Apriyadi, R. K., Aprilyanto, A., Winugroho, T., Ponangsera, I. S., & Wilopo, W. (2021). Histori Bencana dan Penanggulangannya di Indonesia Ditinjau Dari Perspektif Keamanan Nasional. *PENDIPA Journal of Science Education*, 5(2), 180–187. <https://doi.org/10.33369/pendipa.5.2.180-187>
- Zhalechian, M., Tavakkoli-Moghaddam, R., Zahiri, B., & Mohammadi, M. (2016). Sustainable design of a closed-loop location-routing-inventory supply chain network under mixed uncertainty. *Transportation Research Part E: Logistics and Transportation Review*, 89, 182–214. <https://doi.org/10.1016/j.tre.2016.02.011>
- Zhang, G., Zhu, N., Ma, S., & Xia, J. (2021). Humanitarian relief network assessment using collaborative truck-and-drone system. *Transportation Research Part E: Logistics and Transportation Review*, 152. <https://doi.org/10.1016/j.tre.2021.102417>
- Zhang, J., & Zhang, X. (2022). A multi-trip electric bus routing model considering equity during short-notice evacuations. *Transportation Research Part D: Transport and Environment*, 110, 103397. <https://doi.org/10.1016/j.trd.2022.103397>
- Zhang, Z.-H., & Jiang, H. (2014). A robust counterpart approach to the bi-objective emergency medical service design problem. *Applied Mathematical Modelling*, 38(3), 1033–1040. <https://doi.org/10.1016/j.apm.2013.07.028>
- Zhou, L., Wang, X., Ni, L., & Lin, Y. (2016). Location-routing problem with simultaneous home delivery and customer's pickup for city distribution of online shopping purchases. *Sustainability (Switzerland)*, 8(8). <https://doi.org/10.3390/su8080828>