

DAFTAR PUSTAKA

- Abduh, M. Y., Nofitasari, D., Rahmawati, A., Eryanti, A. Y., & Rosmiati, M. (2023). Effects of brewing conditions on total phenolic content, antioxidant activity and sensory properties of cascara. *Food Chemistry Advances*, 2, 100183.
- Agrotani Sejahtera. (2025). *Tanaman kopi: Penjelasan, jenis, dan manfaat*.
- Al-Dhabi, N. A., & Arasu, M. V. (2017). "Ultrasonic-assisted extraction of bioactive compounds from medicinal plants: A review." *Ultrasonics Sonochemistry*, 34, 1-12.
- Ali, S., Mehrabani, N., Vatanpour, V., & Koyuncu, I. (2022). Green solvents in polymeric membrane fabrication: A review. *Separation and Purification Technology*, 298(April), 121691.
- Ariadi, H. P., Sukatiningsih, W. S., & Windarti, (2015). *Ekstraksi Senyawa Antioksidan Kulit Buah Kopi: Kajian Jenis Kopi dan Lama Maserasi*. Berkala Ilmiah Pertanian.
- Ariva, A. N., Widyasanti, A., & Nurjanah, S. (2020). Pengaruh suhu pengeringan terhadap mutu teh cascara dari kulit kopi arabika (*Coffea arabica*). *Jurnal Teknologi dan Industri Pertanian Indonesia*, 12(1), 21–28. <https://doi.org/10.17969/jtipi.v12i1.15744>
- Base, N. H., Arief, R., & Nurmita. (2025). Karakterisasi mutu fisik teh celup kulit buah kopi arabika (*Coffea arabica* L.). *Jurnal Kesehatan Yamsi Makassar*, 9(1), 56–65.
- Bojorquez-Quintal, D., Xotlanihua-Flores, D., & Emanuel, B. Q. (2025). *Modeling and Optimizing Ultrasound-Assisted Extractions of Pectin and Phenolic Compounds from Coffee Husk Waste Using Response Surface Methodology*. *Biomass*, 5(3), 53.
- Bragagnolo, F. S., Strieder, M. M., Pizani, R. S., Mesquita, L. M. S., González-Miquel, M., & Rostagno, M. A. (2024). Revisiting natural deep eutectic solvents (NADES) as extraction media and ready-to-use purposes. *TrAC Trends in Analytical Chemistry*, 179, 117726. <https://doi.org/10.1016/j.trac.2024.117726>
- Caporaso, N., et al. (2018). *Coffee Husk as a By-Product of Coffee Production: Chemical Composition, Antioxidant Activity, and Potential Uses*. *Food Research International*, 103, 206–213.
- Carmen, M. T. (2020). Coffee pulp: An industrial by-product with uses in agroindustry. *Res. Agric. & Indus.*, 8, 323.
- Celik, G., Cömert, E. D., & Gökmen, V. (2024). The power of the

- QUENCHER method in measuring total antioxidant capacity of foods: Importance of interactions between different forms of antioxidants. *Food Research International*, 162, 112177.
- Chemat, F., & Rombaut, N. (2017). Green extraction techniques: Principles and applications. *Springer Series in Green Chemistry*.
- Chen, F., Liu, Y., Sebbah, T., Cao, X., & Li, Z. (2021). A theoretical study on terpene-based natural deep eutectic solvent: Relationship between viscosity and hydrogen-bonding interactions. *Global Challenges*, 5(3), 2000103.
- Choi, Y. H., van Spronsen, J., Dai, Y., Verbeme, M., Hollmann, F., Arends, I. W. C. E., Witkamp, G. J., & Verpoorte, R. (2011). Are natural deep eutectic solvents the missing link in understanding cellular metabolism and physiology? *Plant Physiology*, 156(4), 1701–1705. <https://doi.org/10.1104/pp.111.178426>
- Dai, Y., Rozema, E., Verpoorte, R., & Choi, Y. H. (2016). Application of natural deep eutectic solvents to the extraction of anthocyanins from *Catharanthus roseus* with high extractability and stability replacing conventional organic solvents. *Journal of Chromatography A*, 1434, 50–56.
- Dai, Y., van Spronsen, J., Witkamp, G. J., Verpoorte, R., & Choi, Y. H. (2013). Natural deep eutectic solvents as new potential media for green technology. *Analytica Chimica Acta*, 766, 61–68. [doi:10.1016/j.aca.2012.12.019](https://doi.org/10.1016/j.aca.2012.12.019).
- Dai, Y., Witkamp, G. J., Verpoorte, R., & Choi, Y. H. (2013). Natural deep eutectic solvents as extraction media for phenolic metabolites. *Analytical Chemistry*, 85(13), 6272–6278.
- Deniz, S., Ünlü, A. E., & Takaç, S. (2023). Ultrasound-assisted natural deep eutectic solvent extraction of phenolic compounds from apple pomace. *Separation Science and Technology*, 58(2), 302–313. <https://doi.org/10.1080/01496395.2022.2112603>
- Dewajanti, A. M. (2019). Peranan Asam Klorogenat Tanaman Kopi terhadap Penurunan Kadar Asam Urat dan Beban Oksidatif. *Jurnal Kedokteran Meditek*.
- Dong, J., Yang, X., & Zong, Y. (2022). Valorization of coffee husk as a potential source of bioactive compounds. *Journal of Cleaner Production*, 332, 130085.
- Dzhanfezova, T., Barba-Espín, G., Müller, R., Joemsgaard, B., Hegelund, J. N., Madsen, B., Larsen, D. H., Martínez Vega, M., and Toldam-Andersen, T. B. (2020). Anthocyanin profile, antioxidant activity and

- total phenolic content of a strawberry (*Fragaria × ananassa* Duch) genetic resource collection. *Food Bioscience*, 36, 100620.
- Esquivel, P., & Jiménez, V. M. (2012). Functional properties of coffee and coffee by-products. *Food Research International*, 46(2), 488–495.
- Esquivel, P., Viñas, M., Steingass, C. B., Gruschwitz, M., Guevara, E., Carle, R., Schweiggert, R. M., & Jiménez, V. M. (2020). *Coffee (Coffea arabica L.) by-products as a source of carotenoids and phenolic compounds: Evaluation of varieties with different peel color. Frontiers in Sustainable Food Systems*, 4, 590597.
- Fadlilah, A. R., & Lestari, K. (2023). *Farmaka Farmaka*. 21.
- Farah, A., & Donangelo, C. M. (2006). Phenolic compounds in coffee. *Brazilian Journal of Plant Physiology*, 18(1), 23–36.
- Fanali, C., Gallo, V., Della Posta, S., Dugo, L., Mazzeo, L., Cocchi, M., Piemonte, V., & De Gara, L. (2021). Choline chloride-lactic acid-based NADES as an extraction medium in a response surface methodology-optimized method for the extraction of phenolic compounds from hazelnut skin. *Molecules*, 26(9), 2652. <https://doi.org/10.3390/molecules26092652>
- Ferreira, C., & Sarraguça, M. (2024). A comprehensive review on deep eutectic solvents and its use to extract bioactive compounds of pharmaceutical interest. *Pharmaceuticals*, 17(1), 124. <https://doi.org/10.3390/ph17010124>
- Ferreira, S. S., Lamarca, R. S., Silva, L. S., Burgo, T. A. L., Gomes, P. C. F. L., Amaral, C. D. B., Femandes, J. O., Cunha, S. C., & Gonzalez, M. H. (2025). Green approaches for preparation of natural deep eutectic solvents for determination of As, Cd, and Pb in plant samples by ICP-MS. *ACS Omega*, 10, 26118–26128.
- Fitri, A., et al. (2020). Penentuan rendemen ekstrak kulit buah kopi arabika (*Coffea arabica* L.) serta pengaruhnya terhadap karakteristik ekstrak. *Jurnal Pertanian UMPAR*.
- Fitri, H., Maliza, R., Refiani, E., Laila, A., & Widyaningrum, M. (2021). Uji Toksisitas Ekstrak Etanol Kulit Buah Kopi Arabika (*Coffea arabica* L.) dan Bawang Dayak (*Eleutherine palmifolia* L.) dengan Metode Brine Shrimp Lethality (BSLT). *Jurnal Galung Tropika*, 10(2), 138–145.
- Fitri, N., Nur, S., & Putra, R. (2023). Antioxidant and phytometabolite profiles of ethanolic extract from the cascara pulp of *Coffea arabica*. *F1000Research*, 12, 126762.
- Foroutani, Z., Khavarpour, M., & colleagues. (2024). *Application of deep*

- eutectic solvents in the extraction of anthocyanins: Stability, bioavailability, and antioxidant property.* Trends in Food Science & Technology, 144, 104324.
- Gaba, R., Kaur, N., Urvika, Pal, A., & Sharma, D. (2023). Study of intermolecular interactions present in ternary mixtures containing sugar alcohol and choline chloride at different temperatures. *Journal of Molecular Liquids*, 380, 121766.
- Gaioto, R. C., Dias, M. C. G. C., Ndiaye, P. M., Igarashi-Mafra, L., & Mafra, M. R. (2023). Choline chloride aqueous solution: A thermophysical study. *Fluid Phase Equilibria*, 574, 113903.
- García, G., Aparicio, S., Ullah, R., and Atilhan, M. (2015). Deep Eutectic Solvents: Physicochemical Properties and Gas Separation Applications. *Energy and Fuels*, 29(4), 2616–2644. <https://doi.org/10.1021/ef5028873>
- Gayatri, A. A. S. I. K., Putra, A. A. G. R. Y., & Samirana, P. O. (2025). Green Extraction of Com Silk Flavonoids Using NADES-UAE: Optimizing Conditions for Agricultural Waste Valorization. *Biology, Medicine, & Natural Product Chemistry*, 14(2), 1039–1045
- Hassan, A., Khan, M., & Ahmed, S. (2021). *Glycerol as a By-Product of Biodiesel Production and Its Applications.* *Renewable Energy Journal*, 40(6), 1123–1131.
- Heeger, A. (2017). Bioactives of coffee cherry pulp and its utilisation for food, cosmetic, and health industries. *Food Chemistry*.
- Heeger, A., Kosińska-Cagnazzo, A., Cantergiani, E., & Andlauer, W. (2017). Bioactives of coffee cherry pulp and its utilisation for production of cascara beverage. *Food Chemistry*, 221, 969–975.
- Huang, S. T., Lee, S. Y., Ju, Y. J., Chen, C. C., Yang, M. J., Tzou, Y. M., & Liang, J. Y. (2025). Synergistic degradation of catechin and minocycline hydrochloride in alkaline solution. *Arabian Journal of Chemistry*, 18, 274
- Hu, G., Zhang, Y., & Liu, S. (2020). *Excavation of coffee maturity markers and further research on their relation to green bean and brew quality.* *Food Research International*, 137,
- Huertas, J., et al. (2023). Antioxidants in foods and their health implications. *Journal of Food Chemistry*, 368, 130389.
- Iriondo-DeHond, A., Uranga, J., Castillo, M., & Abalo, R. (2020). Effects of coffee and its components on the gastrointestinal tract and the brain–gut axis. *Nutrients*, 13(1), 88. <https://doi.org/10.3390/nu13010088>
- Jomova, K., & Valko, M. (2023). *Reactive oxygen species, toxicity, oxidative*

stress, and antioxidants. Springer Review.

- Joules, M. R., Samaniego-Sánchez, C., Troncoso, A. M., & García-Parrilla, M. C. (2023). Development and characterization of natural deep eutectic solvents for optimized extraction of phenolic compounds from olive pomace. *Food and Bioproducts Processing*, 141, 65–74.
- Karimah, A. U. L., Pertanian, F. T., & Andalas, U. (2024). *No Title*.
- Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. (2017). *Anthocyanidins and anthocyanins: colored pigments as food, pharmaceutical ingredients, and the potential health benefits*. *Food & Nutrition Research*, 61(1), 1361779.
- Koh, Q. Q., Chew, Z. L., Zhao, Y., Kua, Y. L., Gan, S., Tan, K. W., Lee, T. E., & Lau, H. L. N. (2024). *Formulation and characterization of natural deep eutectic solvents (NADES) for simultaneous phenolics and carotenes extraction from fresh oil palm leaf*. *Food and Bioproducts Processing*, 147, 459–473. <https://doi.org/10.1016/j.fbp.2024.07.023>
- Kunarto, B., Sani, E. Y., & Larasati, D. (2024). Antioxidant extraction of cascara Arabica using the ultrasonic-assisted extraction method. *Journal of Agricultural and Biosystem Engineering Research*, 5(1), 1–7.
- Lestari, W., Arumsari, A., Nurkolis, F., Yuniarti, N., Rosi, F., Subroto, E., Cassandri, M., Lee, Y. G., & Chang, J. S. (2022). Coffee by-products as the source of antioxidants: A systematic review. *F1000Research*, 11, 220. <https://doi.org/10.12688/f1000research.107811.1>
- Liang, N., Kitts, D. D., Wang, X., Hu, Z., & Sabier, M. (2025). Phenolic acid composition of coffee cascara in connection with antioxidant capacity: A geographic assessment. *Antioxidants*, 14(5), Article 502. <https://doi.org/10.3390/antiox14050502>
- Liang, N., et al. (2025). Phenolic acid composition of coffee cherry pulp and its bioactivities
- Li, Y., Zhang, Y., & Wang, L. (2023). The safety and application of synthetic antioxidants in the food industry. *Comprehensive Reviews in Food Science and Food Safety*, 22(1), 217–229.
- Liu, W., Zhang, L., & Sun, G. (2023). *Phenolic metabolites as therapeutic in inflammation and oxidative stress: A review*. *Antioxidants*, 12(4), 123.
- López, D., Gómez, E., & Martínez, P. (2023). *Glycerol-Based Processes in Biotechnology and Their Industrial Applications*. *Biotechnology Advances*, 41(1), 51–67.
- Loukri, A., Sarafera, C., Goula, A. M., Gardikis, K., & Mourtzinis, I. (2022). Green extraction of caffeine from coffee pulp using a deep eutectic

- solvent (DES). *Applied Food Research*, 2(2), 100176.
<https://doi.org/10.1016/j.afres.2022.100176>
- Lusk, J. L., Brown, M. L., & Horan, R. D. (2020). *Fructose and its Role in the Food Industry*. *Journal of Food Science*, 85(2), 312-317.
- Maharani, S. D., Widyasanti, A., & Nurhasanah, S. (2024). Proses pengeringan kulit kopi arabika (*Coffea arabica*) sebagai bahan baku minuman cascara kering menggunakan food dehydrator. *Seminar Nasional Pariwisata dan Kewirausahaan (SNPK)*, 3, 685–689.
- Mahendra, I., & Azhar, M. (2022). Ekstraksi dan Karakterisasi Katekin Dari Gambir (*Uncaria Gambir Roxb*). *Chemistry Journal*, 11, 5–7
<https://doi.org/10.1016/j.proche.2015.03.002>
- Maimulyanti, A., Nurhidayati, I., Mellisani, B., Putri, F. A. R., Puspita, F., & Prihadi, A. R. (2023). Development of natural deep eutectic solvent (NADES) based on choline chloride as a green solvent to extract phenolic compound from coffee husk waste. *Arabian Journal of Chemistry*, 16(4), 104634
- Mangiacapre, E., Castiglione, F., D'Aristotile, M., Di Lisio, V., Triolo, A., & Russina, O. (2023). Choline chloride-water mixtures as new generation of green solvents: A comprehensive physico-chemical study. *Journal of Molecular Liquids*, 383, 122120.
<https://doi.org/10.1016/j.molliq.2023.122120>
- Martins, K. P., Hernandez Brito, N. L., Costa, G. B., Ramos, J. S., Alessi, A. C. S. B., Santos, T. A., & Cardoso, F. A. R. (2025). Natural Deep Eutectic Solvents (NADES) in Food Systems: Emerging Applications, Extraction Efficiency, Safety Concerns, and Regulatory Challenges. *Journal of Agricultural and Food Chemistry*, 73(32), 32982–32994
- Masrukan, et al. (2024). *Penelitian ekstraaksi cascara menggunakan pelarut konvensional*.
- Maimulyanti, A., Nurhidayati, I., Mellisani, B., Amelia Rachmawati Putri, F., Puspita, F., & Restu Prihadi, A. (2023). Development of natural deep eutectic solvent (NADES) based on choline chloride as a green solvent to extract phenolic compound from coffee husk waste. *Arabian Journal of Chemistry*, 16(4), 104634.
- Muriqi, S. (2025). Physicochemical properties, antioxidant and mineral composition of Cascara coffee pulp
- Murthy, P. S., & Naidu, M. M. (2012). Sustainable management of coffee industry by-products and value addition—A review. *Resources, Conservation and Recycling*, 66, 45–58.

- Muzaifa, M., Abubakar, Y., Safrida, S., Nilda, C., & Irfan, I. (2023). Phytochemicals and sensory quality of cascara kombucha made from coffee by-products. *Current Research in Nutrition and Food Science*, 11(2), 605–616.
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). Cara membaca dan menafsirkan spektroskopi FTIR bahan organik. *Jurnal Sains & Teknologi Indonesia*, 4(1), 97–118.
- National Center for Biotechnology Information. (2025a). *Choline Chloride*. Retrieved from
- National Center for Biotechnology Information. (2025b). *Lactic Acid*. Retrieved from <https://pubchem.ncbi.nlm.nih.gov/compound/LacticAcid>.
- National Center for Biotechnology Information. (2025c). *Glucose*. Retrieved from <https://pubchem.ncbi.nlm.nih.gov/compound/Glucose>
- National Center for Biotechnology Information. (2025d). *Glycerol*. Retrieved from <https://pubchem.ncbi.nlm.nih.gov/compound/Glycerol>
- National Center for Biotechnology Information. (2025e). *Fructose*. Retrieved from <https://pubchem.ncbi.nlm.nih.gov/compound/Fructose>
- Naveed, M., Ahsan, H., & Shah, Z. (2018). "Chlorogenic acid: A potential bioactive compound in health promotion." *Biomolecules*, 8(3), 72.
- Nishitani, Y., & Sagesaka, Y. M. (2004). "High performance liquid chromatography (HPLC) analysis of bioactive compounds from natural sources." *Journal of Food Science*, 69(7), C309–C315.
- Nuzzo, G., Landi, S., Esercizio, N., Manzo, E., Fontana, A., & d'Ippolito, G. (2019). Capnophilic Lactic Fermentation from Thermotoga neapolitana: A Resourceful Pathway to Obtain Almost Enantiopure L-lactic Acid. *Fermentation*, 5(2).
- Owczark, R., Wojtacha-Rychter, M., & Krok, F. (2016). Natural deep eutectic solvents (NADES) as green solvents in extraction processes: A review. *Chemical Engineering Journal*, 306, 363–380.
- Paiva, A., Craveiro, R., Aroso, I., Martins, M., Reis, R. L., & Duarte, A. R. C. (2014). Natural deep eutectic solvents – solvents for the 21st century. *ACS Sustainable Chemistry & Engineering*, 2(5), 1063–1071. <https://doi.org/10.1021/sc500096j>
- Pérez, M., Dominguez-López, I., & Lamuela-Raventós, R. M. (2023). The chemistry behind the Folin–Ciocalteu method for the estimation of (poly)phenol content in food: Total phenolic intake in a Mediterranean dietary pattern. *Journal of Agricultural and Food Chemistry*, 71, 17543–17553.

- Posta, D. S., Gallo, V., Ascrizzi, A. M., Gentili, A., De Gara, L., Dugo, L., & Fanali, C. (2023). Development of a green ultrasound-assisted procedure for the extraction of phenolic compounds from avocado peel with deep eutectic solvents. *Green Analytical Chemistry*, 7, 100083. <https://doi.org/10.1016/j.greeac.2023.100083>
- Rahman, M., Choudhury, M. R., & Hossain, M. S. (2022). *The Utilization of Fructose in the Food and Pharmaceutical Industries. International Journal of Food Science*, 56(4), 249-260.
- Rahmawati, A., Nofitasari, D., Rosmiati, M., Taufik, I., & Abduh, M. Y. (2025). *Evaluation of phenolic compounds, antioxidant activity, and sensory analysis of commercial cascara from different locations in Indonesia. Food and Humanity*, 5(100791).
- Reddy, V. S., Shiva, S., Manikantan, S., & Ramakrishna, S. (2024). Pharmacology of caffeine and its effects on the human body. *European Journal of Medicinal Chemistry Reports*, 10, 100138.
- Sakurai, Y. C. N., Pires, I. V., Ferreira, N. R., Moreira, S. G. C., Silva, L. H. M. da, & Rodrigues, A. M. da C. (2024). Preparation and characterization of natural deep eutectic solvents (NADESs): Application in the extraction of phenolic compounds from araza pulp (*Eugenia stipitata*). *Foods*, 13(13), 1983.
- Sanjaya, Y. A., Tola, P. S., and Rahmawati, R. (2022). Ultrasound-assisted Extraction as a Potential Method to Enhanced Extraction of Bioactive Compound. *Nusantara Science and Technology Proceedings*, 191–198. <https://doi.org/10.11594/nstp.2022.2729>
- Saini, R. K., et al. (2022). "Bioactive compounds and antioxidant activity of coffee by-products: A review." *Food Chemistry*, 346, 128717.
- Sasadara, M. M. V., Cahyaningsih, E., Kusuma Yuda, P. E. S., Handani, D. A. S., Dewi, N. L. K. A., Megawati, F., & Tirtayasa, G. A. A. (2025). Identifikasi Senyawa Fitokimia dan Uji Aktivitas Antioksidan pada Cascara (*Coffea arabica* L.). *USADHA: Jurnal Integrasi Obat Tradisional*, 4(1), 31-37. <https://doi.org/10.36733/usadha.v4i1.12181>
- Stanhope, K. L. (2016). *Sugar Consumption, Metabolism, and Associated Health Risks: Fructose as a Key Player. The American Journal of Clinical Nutrition*, 104(3), 1513-1525.
- Sainakham, M., Jantrawut, P., Kiattisin, K., Chittasupho, C., & Singh, S. (2023). Potential of green extraction using edible deep eutectic solvents on the bioactivities from *Curcuma aromatica* rhizome extracts for food application. *Journal of Agriculture and Food Research*, 14, 100868. <https://doi.org/10.1016/j.jafr.2023.100868>

- Sanjaya, Y. A., Tola, P. S., and Rahmawati, R. (2022). Ultrasound-assisted Extraction as a Potential Method to Enhanced Extraction of Bioactive Compound. *Nusantara Science and Technology Proceedings*, 191–198. <https://doi.org/10.11594/nstp.2022.2729>
- Santoso, U. (2021). *Antioksidan pangan*. UGM PRESS.
- Sasadara, M. M. V. (2025). Identifikasi Senyawa Fitokimia dan Uji Aktivitas Antioksidan pada Cascara Kopi Arabika
- Sayuti, A., & Yenrina, L. (2015). Peran antioksidan dalam melindungi kualitas pangan dan kesehatan. *Jurnal Pangan dan Kesehatan*, 9(2), 130–142.
- Sazali, A. L., AlMasoud, N., Amran, S. K., Alomar, T. S., Pa'ee, K. F., El-Bahy, Z. M., Yong, T.-L. K., Dailin, D. J., & Chuah, L. F. (2023). *Physicochemical and thermal characteristics of choline chloride-based deep eutectic solvents*. *Chemosphere*, 338, 139485. <https://doi.org/10.1016/j.chemosphere.2023.139485>
- Schafer, F. Q., & Buettner, G. R. (2001). "Redox environment of the cell as viewed through the redox state of the glutathione disulfide/glutathione couple." *Free Radical Biology and Medicine*, 30(12), 1191-1212.
- Sharma, O. P., Bhat, T. K., & Singh, B. (2022). DPPH antioxidant assay revisited. *Food Chemistry*, 378, 132019.
- Silva, D. T., Pauletto, R., Cavalheiro, S. da S., Bochi, V. C., Rodrigues, E., Weber, J., Silva, C. de B. da, Morisso, F. D. P., Barcia, M. T., & Emanuelli, T. (2020). Natural deep eutectic solvents as a biocompatible tool for the extraction of blueberry anthocyanins. *Journal of Food Composition and Analysis*, 89, 103470.
- Silveira, J. S. da, Mertz, C., Morel, G., Lacour, S., Belleville, M.-P., Durand, N., & Dornier, M. (2020). Alcoholic fermentation as a potential tool for coffee pulp detoxification and reuse: Analysis of phenolic composition and caffeine content by HPLC-DAD-MS/MS. *Food Chemistry*, 326, 126600.
- Slamet, S., Anggun, B.D., and Pambudi, D.B. 2020. Uji Stabilitas Fisik Formula Sediaan Gel Ekstrak Daun Kelor (*Moringa Oleifera* Lamk.). *Jurnal Ilmiah Kesehatan*. 13 (2):115–122.
- Smith, J., Brown, A., & Davis, R. (2024). *The Role of Glucose in Human Metabolism and Clinical Applications*. *Journal of Biochemical Studies*, 32(4), 234-245.
- Soares, T. F., Páscoa, R. N. M. J., Fonseca, J., Souto, E. B., Oliveira, M. B. P. P., & Alves, R. C. (2025). Development and characterization of natural deep eutectic solvents for optimized extraction of olive

- pomace phenolics. *Food and Bioproducts Processing*, 154, 295–306.
<https://doi.org/10.1016/j.fbp.2025.10.002>
- Spekking, R. (2023). *Coffee cherry tea (cascara)* [Foto]. Wikimedia Commons. Diakses 19 Mei 2026, dari Wikimedia Commons
- Syafira, W. A. (2023). "Natural Deep Eutectic Solvents (NADES) sebagai pelarut alternatif ekstraksi senyawa bioaktif."
- Syakfanaya, D., et al. (2019). "Quantification of bioactive compounds in coffee waste using HPLC and its potential for industrial applications." *Food Research International*, 125, 108618.
- Syukri, D. (2021). *Bagian Alir Analisis Proksimat Bahan Pangan*. Andalas University Press.
- Tampubolon, S. D. R. (2023). Pengaruh suhu dan lama pengeringan terhadap mutu teh cascara dari kulit kopi arabika (*Coffea arabica*). *Jurnal Riset Teknologi Pangan dan Hasil Pertanian*.
- Temple, J. L., Bernard, C., Lipshultz, S. E., Czachor, J. D., Westphal, J. A., & Mestre, M. A. (2017). *The Safety of Ingested Caffeine: A Comprehensive Review*. *Frontiers in Psychiatry*, 8, 80.
- Thi, T., Nguyen, T., Duong, V., Nguyen, H., Ho, H. H., Nguyen, A. Q., Thi, L., & Trinh, P. (2025). *Enhancing bioactive compounds from coffee cascara via enzymatic treatment and microbial fermentation*.
- Tung, Y., Li, H., & Zhang, H. (2019). "Antioxidant properties and health benefits of chlorogenic acid: A review." *Food Chemistry*, 301, 125253.
- Vieira, A. J. S. C., Gaspar, E. M., & Santos, P. M. P. (2020). *Mechanisms of potential antioxidant activity of caffeine*. *Radiation Physics and Chemistry*, 174, 108968.
- Viñas-Ospino, A., Panić, M., Radojčić-Redovniković, I., Blesa, J., & Esteve, M. J. (2023). Using novel hydrophobic deep eutectic solvents to improve a sustainable carotenoid extraction from orange peels. *Food Bioscience*, 53, 102570.
- White, M., Lee, H., & Choi, Y. (2022). *Glucose and Its Role in Cellular Energy Production and Biosynthesis*. *Cellular Metabolism Journal*, 45(2), 145-158.
- Wongsa, P., Phatikulrungsun, P., & Prathumthong, S. (2022). *FT-IR characteristics, phenolic profiles and inhibitory potential against digestive enzymes of 25 herbal infusions*. *Scientific Reports*, 12, 6631.
<https://doi.org/10.1038/s41598-022-10669-z>
- Yenrina, R. (2015). *Metode Analisis Bahan Pangan dan Komponen Bioaktif*. Andalas University Press.

- Yeow, A. T. H., Hayyan, A., Hayyan, M., Junaidi, M. U. M., Saleh, J., Basirun, W. J., Nor, M. R. M., Al Abdulmonem, W., Salleh, M. Z. M., Zuki, F. M., & Hamid, M. D. (2024). *A comprehensive review on the physicochemical properties of deep eutectic solvents*. *Results in Chemistry*, 7, 101378. <https://doi.org/10.1016/j.rechem.2024.101378>
- Zannou, O., & Koca, I. (2022). Greener extraction of anthocyanins and antioxidant activity from blackberry (*Rubus spp*) using natural deep eutectic solvents. *LWT*, 158, 113184.
- Zhang, Y., Li, X., & Chen, X. (2019). "Flavonoids as antioxidants in food and medicinal plants." *Food Research International*, 125, 108532.
- Zhu, Y., Zhang, Q., Li, Z., & Wang, Y. (2023). Application of natural deep eutectic solvents in extraction of phenolic compounds: Mechanism and optimization. *New Journal of Chemistry*, 47, 14500–14510. <https://doi.org/10.1039/D3NJ03313A>
- Zhao, X., Zuo, Z., & Chen, F. (2015). "Natural deep eutectic solvents (NADES) for green extraction of bioactive compounds." *Food Chemistry*, 171, 51–60.
- Zhao, H., Zhang, L., & Li, J. (2017). *Agronomic practices for coffee production: Impact of altitude and environmental conditions on coffee yield and quality*. *Journal of Agricultural*

