

DAFTAR PUSTAKA

1. Hunter DJ, Bierma-Zeinstra S. Osteoarthritis. *Lancet*. 2019;393(10182):1745–59.
2. Firestein GS, Gabriel SE, McInnes IB, O'Dell JR. Kelley and Firestein's textbook of rheumatology. 10th ed. Philadelphia: Elsevier; 2017.
3. Steinmetz JD, Culbreth GT, Haile LM, Rafferty Q, Lo J, Fukutaki KG, et al. Global, regional, and national burden of osteoarthritis, 1990–2020 and projections to 2050: a systematic analysis for the Global Burden of Disease Study 2021. *Lancet Rheumatol*. 2023;5(9):e508–22.
4. Long H, Liu Q, Yin H, Wang K, Diao N, Zhang Y, et al. Prevalence trends of site-specific osteoarthritis from 1990 to 2019: findings from the Global Burden of Disease Study 2019. *Arthritis Rheumatol*. 2022;74(7):1172–83.
5. Siddik M, Haryadi RD. The risk factors effect of knee osteoarthritis towards postural lateral way. *Indian J Forensic Med Toxicol*. 2020;14(2):1787–92.
6. Katz JN, Arant KR, Loeser RF. Diagnosis and treatment of hip and knee osteoarthritis: a review. *JAMA*. 2021;325(6):568–78.
7. Sharma L. Osteoarthritis of the knee. *N Engl J Med*. 2021;384(1):51–9.
8. Reski S, Wahyuni W, Widiatmi S. Physiotherapy management of total knee replacement et causa bilateral genu osteoarthritis. *FISIO MU Physiother Evid*. 2024;4(3):223–30.
9. Skou ST, Roos EM, Laursen MB, Rathleff MS, Arendt-Nielsen L, Simonsen O, et al. A randomized, controlled trial of total knee replacement. *N Engl J Med*. 2015;373(17):1597–606.
10. Shichman I, Roof M, Askew N, Nherera L, Rozell JC, Seyler TM, et al. Projections and epidemiology of primary hip and knee arthroplasty in Medicare patients to 2040–2060. *JBJS Open Access*. 2023;8(1):e22.00112.
11. Evans JT, Walker RW, Evans JP, Blom AW, Sayers A, Whitehouse MR. How long does a knee replacement last? A systematic review and meta-analysis of case series and national registry reports with more than 15 years of follow-up. *Lancet*. 2019;393(10172):655–63.
12. Azyhar MS. Karakteristik pasien osteoarthritis genu yang menjalani pembedahan total knee replacement di RSUP Dr. Wahidin Sudirohusodo tahun 2020–2023 [skripsi]. Makassar: Universitas Hasanuddin; 2024.
13. Alia DF, Andayani TM, Endarti D, Pamungkas KN. Gambaran pengobatan pergantian sendi lutut (total knee replacement) di RSUD Jenderal Ahmad Yani, Kota Metro, Lampung. *J Farm Lampung*. 2024;13(1):45–53.

14. Kementerian Kesehatan RI, Badan Kebijakan Pembangunan Kesehatan. Survei Kesehatan Indonesia (SKI) 2023 dalam angka. Jakarta: Kementerian Kesehatan RI; 2024.
15. Dinas Kesehatan Kota Padang. Profil Kesehatan Kota Padang Tahun 2024. Padang: Dinas Kesehatan Kota Padang; 2025.
16. Mukhlashin MI. Gambaran pasien gonartrosis yang menjalani tindakan total knee replacement di RS Dr. M. Djamil Padang tahun 2022–2023 [skripsi]. Padang: Fakultas Kedokteran, Universitas Andalas; 2025.
17. Komang-Agung IS, Sindrawati O, William PS. Do age and co-morbidity, among other factors, affect length of hospital stay following total knee arthroplasty. *Malays Orthop J*. 2018;12(2):25–30.
18. Dusak IWS, Dwiwahyonokusuma, Wijaya Putra IGNP. Profile of total knee replacement patients and short term outcome in the Sanglah public hospital 2018: a case reports. *Int J Res Med Sci*. 2020;8(7):2684–7.
19. Yuwono ZKN, Luklukaningsih Z, Yunitasari R. Penatalaksanaan fisioterapi pada kasus post total knee replacement dextra. *Jurnal Peduli Masyarakat*. 2025;7(4):27–36.
20. Ng MSP, Low SSE, Tay WX, Lee P, Liau ZQG. Enhanced recovery after surgery protocol improves postoperative pain and shortens length of stay among patients undergoing primary total knee arthroplasty. *J Orthop*. 2024;47:63–6.
21. Aldossari RM, Alqahtani A, Alqahtani MS, Alzahrani S, Alghamdi AA, Saddah MA, et al. Role of Enhanced Recovery After Surgery (ERAS) protocols in arthroplasty: a systematic review of RCTs and prospective studies (2018–2024). *Cureus*. 2025;17(8):e90560.
22. Desouza C, Shetty V. Optimizing total knee arthroplasty recovery: the role of enhanced recovery after surgery (ERAS) protocols on clinical outcomes and patient satisfaction. *Musculoskelet Surg*. 2025;109:1–10.
23. Wainwright TW, Gill M, McDonald DA, Middleton RG, Reed M, Sahota O, et al. Consensus statement for perioperative care in total hip replacement and total knee replacement surgery: Enhanced Recovery After Surgery (ERAS) Society recommendations. *Acta Orthop*. 2020;91(1):3–19.
24. Insana S. ERAS (Enhanced Recovery After Surgery) pada pasien medically compromised. *EduInovasi J Basic Educ Stud*. 2025;5(2):112–24.
25. Altman R, Asch E, Bloch D, Bole G, Borenstein D, Brandt K, et al. Development of criteria for the classification and reporting of osteoarthritis: classification of osteoarthritis of the knee. *Arthritis Rheum*. 1986;29(8):1039–49.

26. Kloppenburg M, Namane M, Cicuttini F. Osteoarthritis. *Lancet*. 2025;405(10472):71–85.
27. Zhang Y, Jordan JM. Epidemiology of osteoarthritis. *Clin Geriatr Med*. 2010;26(3):355–69.
28. Martel-Pelletier J, Barr AJ, Cicuttini FM, Conaghan PG, Cooper C, Goldring MB, et al. Osteoarthritis. *Nat Rev Dis Primers*. 2016;2:16072.
29. Loeser RF, Goldring SR, Scanzello CR, Goldring MB. Osteoarthritis: a disease of the joint as an organ. *Arthritis Rheum*. 2012;64(6):1697–707.
30. Glyn-Jones S, Palmer AJR, Agricola R, Price AJ, Vincent TL, Weinans H, et al. Osteoarthritis. *Lancet*. 2015;386(9991):376–87.
31. Cui A, Li H, Wang D, Zhong J, Chen Y, Lu H. Global, regional prevalence, incidence and risk factors of knee osteoarthritis in population-based studies. *EClinicalMedicine*. 2020;29–30:100587.
32. Zhou J, Zhang Y, Xie S, Li Y, Sun Q, Tang X, et al. The escalating burden of osteoarthritis in East and Southeast Asia: an information-analytical study from the GBD 2021. *Clin Rheumatol*. 2025;44(12):4819–32.
33. Silverwood V, Blagojevic-Bucknall M, Jinks C, Jordan JL, Protheroe J, Jordan KP. Current evidence on risk factors for knee osteoarthritis in older adults: a systematic review and meta-analysis. *Osteoarthritis Cartilage*. 2015;23(4):507–15.
34. Srikanth VK, Fryer JL, Zhai G, Winzenberg TM, Hosmer D, Jones G. A meta-analysis of sex differences prevalence, incidence and severity of osteoarthritis. *Osteoarthritis Cartilage*. 2005;13(9):769–81.
35. Gustafsson K, Wahlström J, Stjernbrandt A, Lewis C, Mukka S, Liv P, et al. Occupational biomechanical risk factors for hip and knee arthroplasty incidence: a register-based cohort study in male construction workers. *BMJ Open*. 2026;16(4):e107604. doi:10.1136/bmjopen-2025-107604.
36. Duffaut CJ, Goldman J, Miller EM. Clinical evaluation of the knee arthritis patient. *Tech Vasc Interv Radiol*. 2023;26(1):100876.
37. Kohn MD, Sassoon AA, Fernando ND. Classifications in brief: Kellgren-Lawrence classification of osteoarthritis. *Clin Orthop Relat Res*. 2016;474(8):1886–93.
38. Momenpour T, Abu Mallouh A. Optimizing CNN-based diagnosis of knee osteoarthritis: enhancing model accuracy with CleanLab relabeling. *Diagnostics*. 2025;15(11):1332.
39. Bannuru RR, Osani MC, Vaysbrot EE, Arden NK, Bennell K, Bierma-Zeinstra SMA, et al. OARSI guidelines for the non-surgical management of

- knee, hip, and polyarticular osteoarthritis. *Osteoarthritis Cartilage*. 2019;27(11):1578–89.
40. Kolasinski SL, Neogi T, Hochberg MC, Oatis C, Guyatt G, Block J, et al. 2019 American College of Rheumatology/Arthritis Foundation guideline for the management of osteoarthritis of the hand, hip, and knee. *Arthritis Care Res (Hoboken)*. 2020;72(2):149–62.
 41. Orange GM, Hince DA, Travers MJ, Stanton TR, Jones M, Sharma S, et al. Physical function following total knee arthroplasty for osteoarthritis: a longitudinal systematic review with meta-analysis. *J Orthop Sports Phys Ther*. 2025;55(1):1–11.
 42. Price AJ, Alvand A, Troelsen A, Katz JN, Hooper G, Gray A, et al. Knee replacement. *Lancet*. 2018;392(10158):1672–82.
 43. American Academy of Orthopaedic Surgeons. Knee replacement implants. Rosemont (IL): OrthoInfo AAOS. Tersedia pada: <https://orthoinfo.aaos.org/en/treatment/knee-replacement-implants/> – Diakses Januari 2026.
 44. Kurtz SM, Ong KL, Lau E, Widmer M, Maravic M, Gómez-Barrena E, et al. International survey of primary and revision total knee replacement. *Int Orthop*. 2011;35(12):1783–9.
 45. Gademan MGJ, Hofstede SN, Vliet Vlieland TPM, Nelissen RGHH, Marangvan de Mheen PJ. Indication criteria for total hip or knee arthroplasty in osteoarthritis: a state-of-the-science overview. *BMC Musculoskelet Disord*. 2016;17(1):463.
 46. Lee JK, Choi CH. Total knee arthroplasty in rheumatoid arthritis. *Knee Surg Relat Res*. 2012;24(1):1–6.
 47. Choe H, Indelli PF, Ricciardi B, Kim TY, Homma Y, Kigera J, et al. What are the absolute contraindications for elective total knee or hip arthroplasty? *J Arthroplasty*. 2025;40(2 Suppl 1):S45–7.
 48. Kamran M, Abumarzouq M, Mahapatra A. Is there a body mass index threshold for patients undergoing primary total knee replacement — a literature review. *J Clin Med*. 2026;15(1):103.
 49. Rodriguez-Merchan EC. Cemented versus cementless total knee arthroplasty: analysis of the latest literature data. *Arch Bone Jt Surg*. 2025;13(5):293–303.
 50. Dong Z, Li Y, Zhang Y, Geng X, Wang X, Zheng Y, et al. Evaluating the clinical outcomes of computer-assisted surgery and patient-specific instrumentation compared to conventional instrumentation in total knee arthroplasty, a randomised controlled trial. *BMC Musculoskelet Disord*. 2025;26(1):785.

51. Kanna R, Murali SM, Ramanathan AT, Pereira L, Yadav CS, Anand S. Cruciate retaining total knee arthroplasty has a better 10 year survival than posterior stabilized total knee arthroplasty: a systematic review and meta-analysis. *J Exp Orthop*. 2023;10(1):19.
52. Healy WL, Della Valle CJ, Iorio R, Berend KR, Cushner FD, Dalury DF, et al. Complications of total knee arthroplasty: standardized list and definitions of the Knee Society. *Clin Orthop Relat Res*. 2013;471(1):215–20.
53. McGarry L, Kearney J, Rotaru J, Gunaratne R. Swelling management in total knee arthroplasty. *JBJS Rev*. 2025;13(9):e25.00109.
54. Li J, Guan T, Zhai Y, Zhang Y. Risk factors of chronic postoperative pain after total knee arthroplasty: a systematic review. *J Orthop Surg Res*. 2024;19(1):320.
55. Shah A, Cieremans D, Slover J, Schwarzkopf R, Meftah M. Trends in complications and outcomes in patients aged 65 years and younger undergoing total knee arthroplasty: data from the American Joint Replacement Registry. *J Am Acad Orthop Surg Glob Res Rev*. 2022;6(6):e22.00116.
56. Bayliss LE, Culliford D, Monk AP, Glyn-Jones S, Prieto-Alhambra D, Judge A, et al. The effect of patient age at intervention on risk of implant revision after total replacement of the hip or knee: a population-based cohort study. *Lancet*. 2017;389(10077):1424–30.
57. Julin J, Jämsen E, Puolakka T, Kontinen YT, Moilanen T. Younger age increases the risk of early prosthesis failure following primary total knee replacement for osteoarthritis. *Acta Orthop*. 2010;81(4):413–9.
58. Felson DT, Zhang Y, Hannan MT, Naimark A, Weissman BN, Aliabadi P, et al. The incidence and natural history of knee osteoarthritis in the elderly: the Framingham Osteoarthritis Study. *Arthritis Rheum*. 1995;38(10):1500–5.
59. Segal NA, Nilges JM, Oo WM. Sex differences in osteoarthritis prevalence, pain perception, physical function and therapeutics. *Osteoarthritis Cartilage*. 2024;32(9):1045–53.
60. Chelli S, Rudy T, Avram GM, Huegli RW, Amsler F, Hirschmann MT. Gender-based differences exist in the functional knee phenotypes classification of the osteoarthritic knee. *Knee Surg Sports Traumatol Arthrosc*. 2024;32(10):2505–15.
61. World Health Organization. Obesity: preventing and managing the global epidemic. Report of a WHO consultation. *World Health Organ Tech Rep Ser*. 2000;894:1–253.

62. Sampath SJP, Venkatesan V, Ghosh S, Kotikalapudi N. Obesity, metabolic syndrome, and osteoarthritis—an updated review. *Curr Obes Rep.* 2023;12(3):308–31.
63. Bae KJ, Chae YJ, Jung SJ, Gong HS. Incidence and risk factors for periprosthetic joint infection: a common data model analysis. *Jt Dis Relat Surg.* 2022;33(2):303–13.
64. Bokhari AF, Alwafi L, Alrimy AA, Asiri M, Bukhari MM, Alrashid AS, et al. Association between preoperative radiological findings and outcomes after total knee arthroplasty. *Cureus.* 2024;16(12):e75697.
65. Kwak IH, Lee SS, Lee J, Lee DH. Effects of severe varus deformity on soft tissue balancing in total knee arthroplasty. *J Clin Med.* 2022;12(1):263.
66. Marques Luís N, Varatojo R. Radiological assessment of lower limb alignment. *EFORT Open Rev.* 2021;6(6):487–94.
67. Nham FH, Patel I, Zalikha AK, El-Othmani MM. Epidemiology of primary and revision total knee arthroplasty: analysis of demographics, comorbidities and outcomes from the national inpatient sample. *Arthroplasty.* 2023;5(1):18.
68. Horvath B, Kloesel B, Todd MM, Cole DJ, Prielipp RC. The evolution, current value, and future of the American Society of Anesthesiologists Physical Status Classification System. *Anesthesiology.* 2021;135(5):904–19.
69. Fitz-Henry J. The ASA classification and peri-operative risk. *Ann R Coll Surg Engl.* 2011;93(3):185–7.
70. Charlson ME, Pompei P, Ales KL, MacKenzie CR. A new method of classifying prognostic comorbidity in longitudinal studies: development and validation. *J Chronic Dis.* 1987;40(5):373–83.
71. National Institute for Health and Care Excellence. Preoperative tests (update): routine preoperative tests for elective surgery. NICE guideline NG45. London: NICE; 2016.
72. Kim TW, Park HJ, Chang MJ, Kang SY, Kang KS, Chang CB, et al. Effect of severity and cause of preoperative anemia on the transfusion rate after total knee arthroplasty. *Sci Rep.* 2022;12(1):4083.
73. Zhang HC, Zhang Y, Dai HB, Wu D, Xu B. Preoperative anemia and complications after total joint arthroplasty: a systematic review and meta-analysis. *Eur Rev Med Pharmacol Sci.* 2022;26(20):7420–30.
74. Hamaway S, Hadid B, Vakharia RM, Ng MK, Gordon AM, Roche MW, et al. The association of iron deficiency anemia and perioperative complications following revision total knee arthroplasty. *Arthroplasty.* 2022;4(1):34.

75. ElSayed NA, Aleppo G, Aroda VR, Bannuru RR, Brown FM, Bruemmer D, et al. 2. Classification and diagnosis of diabetes: Standards of Care in Diabetes—2023. *Diabetes Care*. 2023;46(Suppl 1):S19–40.
76. Kementerian Kesehatan Republik Indonesia. Lampiran terminologi skrining penyakit tidak menular (PTM): interpretasi pemeriksaan gula darah sewaktu (GDS). Jakarta: SATUSEHAT Platform, Kementerian Kesehatan RI; 2025. Tersedia pada: <https://satusehat.kemkes.go.id/platform/docs/id/terminology/lampiran-terminologi/skrining-ptm/> – Diakses Juli 2026.
77. Korytkowski MT, Muniyappa R, Antinori-Lent K, Donihi AC, Drincic AT, Hirsch IB, et al. Management of hyperglycemia in hospitalized adult patients in non-critical care settings: an Endocrine Society clinical practice guideline. *J Clin Endocrinol Metab*. 2022;107(8):2101–28.
78. American Diabetes Association Professional Practice Committee. 6. Glycemic goals and hypoglycemia: Standards of Care in Diabetes—2024. *Diabetes Care*. 2024;47(Suppl 1):S111–25.
79. Shohat N, Muhsen K, Gilat R, Rondon AJ, Chen AF, Parvizi J. Inadequate glycemic control is associated with increased surgical site infection in total joint arthroplasty: a systematic review and meta-analysis. *J Arthroplasty*. 2018;33(7):2312–21.e3.
80. Levey AS, Coresh J. Chronic kidney disease. *Lancet*. 2012;379(9811):165–80.
81. Bohl DD, Shen MR, Kayupov E, Della Valle CJ. Hypoalbuminemia independently predicts surgical site infection, pneumonia, length of stay, and readmission after total joint arthroplasty. *J Arthroplasty*. 2016;31(1):15–21.
82. Zhu S, Qian W, Jiang C, Ye C, Chen X. Enhanced recovery after surgery for hip and knee arthroplasty: a systematic review and meta-analysis. *Postgrad Med J*. 2017;93(1106):736–42.
83. Courage O, Strom L, van Rooij F, Lalevée M, Heuzé D, Papin PE, et al. Higher rates of surgical and medical complications and mortality following TKA in patients aged ≥ 80 years: a systematic review of comparative studies. *EFORT Open Rev*. 2021;6(11):1052–62.
84. Kerkhoffs GMMJ, Servien E, Dunn W, Dahm D, Bramer JAM, Haverkamp D. The influence of obesity on the complication rate and outcome of total knee arthroplasty. *J Bone Joint Surg Am*. 2012;94(20):1839–44.
85. Radhakrishnan R, Padki A, Xu S, Han AX, Liu X, Liow MHL, et al. Obesity predicts longer operative time and worse functional recovery after total knee arthroplasty under enhanced recovery protocols in Asian patients. *Cureus*. 2025;17(7):e88391.

86. Telang SS, Palmer RC, Yoshida B, Ball JR, Lieberman JR, Heckmann ND. Preoperative anemia as a predictor of periprosthetic joint infection following total knee arthroplasty: a continuous variable analysis. *J Arthroplasty*. 2025;40(7 Suppl 1):S169–75.e5.
87. Matsumoto T, Muratsu H, Kubo S, Matsushita T, Kurosaka M, Kuroda R. The influence of preoperative deformity on intraoperative soft tissue balance in posterior-stabilized total knee arthroplasty. *J Arthroplasty*. 2011;26(8):1291–8.
88. Jabalameli M, Askari A, Yahyazadeh H, Bagherifard A, Jabalameli M, Dolikhani M, et al. Promising results of total knee arthroplasty in patients with severe varus deformity with high constrained prosthesis: a prospective study. *Arch Bone Jt Surg*. 2025;13(10):631–7.
89. Soffin EM, YaDeau JT. Enhanced recovery after surgery for primary hip and knee arthroplasty: a review of the evidence. *Br J Anaesth*. 2016;117(Suppl 3):iii62–72.
90. United Nations, Department of Economic and Social Affairs, Population Division. *World population ageing 2017 highlights*. New York: United Nations; 2017.
91. WHO Expert Consultation. Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *Lancet*. 2004;363(9403):157–63.
92. Felson DT. Clinical practice. Osteoarthritis of the knee. *N Engl J Med*. 2006;354(8):841–8.
93. World Health Organization. Haemoglobin concentrations for the diagnosis of anaemia and assessment of severity. Vitamin and Mineral Nutrition Information System (VMNIS). Geneva: WHO; 2011. Report No.: WHO/NMH/NHD/MNM/11.1.
94. Carson JL, Stanworth SJ, Guyatt G, Valentine S, Dennis J, Bakhtary S, et al. Red blood cell transfusion: 2023 AABB international guidelines. *JAMA*. 2023;330(19):1892–1902. doi:10.1001/jama.2023.12914.
95. Shander A, Corwin HL, Meier J, Auerbach M, Bisbe E, Blitz J, et al. Recommendations from the International Consensus Conference on Anemia Management in Surgical Patients (ICCAMS). *Ann Surg*. 2023;277(4):581–590. doi:10.1097/SLA.0000000000005721.
96. Abdullah HR, Sim YE, Hao Y, Lin GY, Liew GHC, Lamoureux EL, et al. Association between preoperative anaemia with length of hospital stay among patients undergoing primary total knee arthroplasty in Singapore: a single-centre retrospective study. *BMJ Open*. 2017;7(6):e016403.

97. Aryana IGNW, Dharmayuda CGO, Febyan F, Dimitri D, Limena S, Kuswara LW. Clinical demographics characteristic of total knee arthroplasty at Prof IGNG Ngoerah General Hospital, Bali, Indonesia. *Indones J Med*. 2023;8(2):128–35.
98. Zhou Y, Wall CJ, Stevens J, Fraval A, Lewis PL, McAuliffe MJ, et al. Data resource profile: the Australian Orthopaedic Association National Joint Replacement Registry (AOANJRR). *Int J Epidemiol*. 2025;54(4):dyaf078.
99. Kurniari PK, Hidayat R, Parlindungan F, Pratama MZ, Wibowo SAK, Sarmidi S, et al. Prevalence, risk factors, and quality of life of knee osteoarthritis in urban community in Indonesia: a COPCORD study. *Int J Rheum Dis*. 2025;28(1):e70014.
100. Lim JU, Lee JH, Kim JS, Hwang YI, Kim T, Lim SY, et al. Comparison of World Health Organization and Asia-Pacific body mass index classifications in COPD patients. *Int J Chron Obstruct Pulmon Dis*. 2017;12:2465–75.
101. Bin Abd Razak HR, Chong HC, Tan AHC. Obesity does not imply poor outcomes in Asians after total knee arthroplasty. *Clin Orthop Relat Res*. 2013;471(6):1957–63.
102. Evans JT, Mouchti S, Blom AW, Wilkinson JM, Whitehouse MR, Beswick A, et al. Obesity and revision surgery, mortality, and patient-reported outcomes after primary knee replacement surgery in the National Joint Registry: a UK cohort study. *PLoS Med*. 2021;18(7):e1003704.
103. Zhao G, Ma C, Luo Z, Ma J, Wang J. A systematic review of geographic differences in knee phenotypes based on the coronal plane alignment of the knee (CPAK) classification. *Arthroplasty*. 2025;7(1):26.
104. Alesi D, Meena A, Fratini S, Rinaldi VG, Cammisa E, Lullini G, et al. Total knee arthroplasty in valgus knee deformity: is it still a challenge in 2021? *Musculoskelet Surg*. 2022;106(1):1–8.
105. Zhang FQ, Yang YZ, Li PF, Ma GR, Zhang AR, Zhang H, et al. Impact of preoperative anemia on patients undergoing total joint replacement of lower extremity: a systematic review and meta-analysis. *J Orthop Surg Res*. 2024;19(1):249.
106. Chen S, Qiang M, Li K, Wang X, Wang W, Xie J. Identifying patients at risk of prolonged hospital length of stay after total knee arthroplasty: a real-world study on the creation and validation of a cloud estimator. *Biomol Biomed*. 2024;24(1):144–52.