

DAFTAR PUSTAKA

1. Ayu Putu Widiastriani I, Udayani NNW, Putri Triansyah GA, Mahita Kumari Dewi NPE, Eva Wulandari NLW, Sri Prabandari AAS. Artikel Review: Peran Antioksidan Flavonoid dalam Menghambat Radikal Bebas. *J Syifa Sci Clin Res* 2024;6(2).
2. Labagu R, Asri, Naiu S. Kadar Saponin Ekstrak Buah Mangrove (*Sonneratia Alba*) Dan Daya Hambatnya Terhadap Radikal Bebas Dpph Levels Of Saponin In Mangrove Fruit (*Sonneratia Alba*) Extract And Its Inhibition Against Dpph Free Radical. *Jambura Fish Process J* 2022;4(1):1–11.
3. Hasyim Ibroham M, Jamilatun S, Dyah Kumalasari I, et al. Seminar Nasional Penelitian LPPM UMJ Website: <http://jurnal.umj.ac.id/index.php/semnaslit> A Review: Potensi Tumbuhan-Tumbuhan Di Indonesia Sebagai Antioksidan Alami. *Semin Nas Penelit LPPM UMJ* 2022;1(1):1–13. Available from: <http://jurnal.umj.ac.id/index.php/semnaslit>
4. Sutoyo. Kurniawan Sutoyo. *Unesa J Chem* 2021;10(Potensi Bunga Tanaman Sukun (*Artocarpus Altilis* [Park. I] Fosberg) Sebagai Bahan Antioksidan Alami):1–11.
5. Sanjaya K, Paramita S, Khalidi MR. *Jurnal Sains dan Kesehatan. J Sains dan Kesehat* 2020;3(6):242–247.
6. Aditya R, Santoso B, Widjiati. Comparative study of bioactive compound content and antioxidant activity in different extraction methods of *Syzygium Polyanthum* leaves. *Bali Med J* 2023;12(3):3425–3430.
7. Kamal NASS, Abdullah A, Ghazali SAISM, Nor NM, Dzulkifli NN, Badrudin S. Response Surface Methodology for Optimization of *Citrullus lanatus* Rind Extraction Conditions, Phytochemical Screening and its Antioxidant Activities. *Trends Sci* 2023;20(10).
8. Najib A, Olli AT, Puspitasari Y. Optimasi Ekstrak Daun Salam (*Syzygium Polyanthum*) Menggunakan Metode Konvensional dan Green Extraction Serta Profil Kimia dan Potensi Antioksidannya. *J Mandala Pharmacon Indones* 2025;11(1):55–65.
9. Rahmawati I. Optimization of Microwave Ultrasound Extraction of Ulvan Biopolymer from *Ulva lactuca* using Response Surface Methodology. *J Kartika Kim* 2023;6(2):86–95.
10. Indriani L, Gunawan ER, Suhendra D. Optimasi Sintesis Asam Lemak Etanolamida Berbasis Minyak Ketapang Menggunakan Response Surface Methodology. *J Pijar Mipa* 2021;16(2):247–257.
11. Dafriani P. Pengaruh Rebusan Daun Salam (*Syzygium Polyanthum* Wight Walp) terhadap Tekanan Darah Pasien Hipertensi. *J Kesehat Med Saintika* 2016;7(2):25–34.
12. Wahyudi W, Fadilla A, Zahra F, Shalsabila N, Na'imi N. Studi Literatur : Daun Salam (*Syzygium Polyanthum*), Bumbu Dapur Dengan Banyak Khasiat Pengobatan. *J Kesehat Tambusai* 2024;5(4):13440–13449.
13. Wahyudi W, Ananda Pulungan DR, Syahfitri D, Adelia D, Salsabila RF. Daun Salam (*Syzygium polyanthum*) Rempah Khas Indonesia dengan Berbagai Manfaat Farmakologi: Literature Review. *Indones J Pharm Educ* 2024;4(3):423–437.
14. Rani M, Setiawansyah A, Marpaung MP. Pengaruh Lokasi Tumbuh Terhadap Aktivitas Antioksidan Ekstrak Daun Salam (*Syzygium polyanthum*). *J Heal Sci* 2025;3(2):1–5.
15. Noviarni I, Fitria R, Fitria D, Dwimalinda Putri R, Gusfi Marni L. SSJ: Sains dan Sains Terapan Journal Review Artikel: Potensi Ekstrak Daun Sungkai (*Peronema canescens* Jack.) sebagai Antioksidan. *SSJ Sains dan Sains Terap J* 2023;1:1–6.
16. I Wayan Sindhu Wahyu Prasetya. Potensi Kandungan Fitokimia Bawang Dayak (*Eleutherine palmifolia*) sebagai Sumber Antioksidan. *Pros Work dan Semin Nas Farm* 2023;2:345–355.
17. Furi M, Meldayanti, Octaviani M. Penentuan Kadar Total Fenolik Dan Flavonoid Ekstrak Etanol Dan Fraksi Daun Terap (*Artocarpus odoratissimus* Blanco). *J Penelit Farm Indones* 2024;13(1):57–64.
18. Zahrani Primadiastri I, Dwi Wulansari E, Suharsanti R. Perbandingan Kandungan Fenolik Total, Flavonoidtotal Dan Aktivitas Antioksidan Ekstrak Etanol daun Jambu Bol (*Syzygium Malaccense* L.) Dan Daun Jambu Air Kancing (*Syzygium aqueum*). *Media Farm Indones* 2021;16(2):1170–1676.

19. Devahimer Harsep Rosi Dhr, Afriani T, Alysa Putri H. Uji Aktivitas Antioksidan Lotion Ekstrak Etanol Daun Pepaya (*Carica papaya* L.). *SITAWA J Farm Sains dan Obat Tradis* 2023;2(2):180–193.
20. Insyirah A, Prijadi SM, Az-zahra F, Hasanah AN, Zuhrotun A. Assessment of Total Phenolic and Flavonoid Content from Nine Different Families of Herbal Medicines Originated from West Java , Indonesia Total Kandungan Fenolik dan Flavonoid dari Sembilan Keluarga Obat Herbal Asal Jawa Barat , Indonesia. *Indones J Pharm Sci Technol* 2025;12(1):49–62.
21. Handayani TH. Aktivitas Antioksidan, Total Fenolik, dan Total Flavonoid Madu Apis mellifera dari Hutan Akasia (*Accacia crassicarpa*) Riau, Indonesia dengan Beberapa Perlakuan Pengeringan. *J Biol Indones* 2022;18(2):231–243.
22. Hidayat R, Patricia Wulandari. Methods of Extraction: Maceration, Percolation and Decoction. *Eureka Herba Indones* 2021;2(1):73–79.
23. Triyanti SB, Lestari FP, Anisa P, Fitriana N, Rostiana HR. Pengaruh Metode Ekstraksi Maserasi bunga kamboja. 2025;8(1):71–78.
24. Rahim NFA, Muhammad N, Abdullah N. Optimum Extraction Condition of *Anacardium occidentale* on Antiuro lithiatic Activities (in-vitro). *Sains Malaysiana* 2022;51(4):1099–1109.
25. Reji M, Kumar R. Response surface methodology (RSM): An overview to analyze multivariate data. *Indian J Microbiol Res* 2022;9(4):241–248.
26. Breig SJM, Luti KJK. Response surface methodology: A review on its applications and challenges in microbial cultures. *Mater Today Proc* 2021;42:2277–2284.
27. Ariffin ZZ, Saat MN, Zulkifle NT. A Review on Response Surface Methodology Optimization in Microbial Biotransformation. 2022;16(2):64–72. Available from: <https://myjms.mohe.gov.my/index.php/SL/article/view/17135>
28. Hasan T, Ida N, Qifni ZF. Skrining Fitokimia Dan Uji Aktivitas Antioksidan Ekstrak Etanol Rimpang Kunyit Hitam (*Curcuma Caesia* Roxb .) Asal Luwu Activity Tests Of Black Turmeric Rhizome Ethanol Extract (*Curcuma Caesia* Roxb .) From Luwu. *J Ris Kefarmasian Indones* 2023;5(3):437–457.
29. Afrizal; Efdi, Mai; Prabowo HW V. Kandungan Fenolik Total, Aktivitas Antioksidan Dan Sitotoksik Dari Ekstrak Daun Dan Kulit Batang Jambu Air (*Syzygium Aqueum* (Burm.F) Alston) Kultivar Putih. *J Kim Unand* 2020;9(3)1–9 2020;9(2303).
30. Buanasari, Febrianto Y, Cholifah, Chakim A. Potensi Metode Ultrasonic-Assisted Extraction (UAE) Dalam Mengekstrak Senyawa Aktif Dari Bahan Alam. *J Farm dan Sains Indones* 2019;2(1):106–111.
31. Hwang S, Lee J. Comparison of antioxidant activities expressed as equivalents of standard antioxidant. 2023;2061:1–5.
32. Yamauchi M, Kitamura Y, Nagano H, Kawatsu J, Gotoh H. DPPH Measurements and Structure — Activity Relationship Studies on the Antioxidant Capacity of Phenols. 2024;
33. Wołosiak R, Dru B, Derewiaka D, et al. Verification of the Conditions for Determination of Antioxidant Activity by ABTS and DPPH Assays — A Practical Approach. 2022;
34. Sochor J, Ryvolova M, Krystofova O, et al. Fully Automated Spectrometric Protocols for Determination of Antioxidant Activity: Advantages and Disadvantages. 2010;(October):8618–8640.
35. Belayneh T, Getachew M, Beshah F, et al. Food Chemistry : X Ultrasonic-assisted extraction and UHPLC determination of ascorbic acid , polyphenols , and half-maximum effective concentration in *Citrus medica* and *Ziziphus spina-christi* fruits using multivariate experimental design. *Food Chem X* [homepage on the Internet] 2024;22(March):101310. Available from: <https://doi.org/10.1016/j.fochx.2024.101310>
36. Setyani, W.; Murwanti R., Sulaiman, T.N.S.; Hertiani T. Optimization of Ultrasound-Assisted Extraction (UAE) of. *Plants* 2023, 12(13), 2455 2023;Available from: <https://doi.org/10.3390/plants12132455>
37. Yefrida Y, Putri YT, Refilda R. Comparative Analysis of Flavonoid and Phenolic Contents and Antioxidant Capacity in Different Plant Parts of *Artemisia*. 2026;10(1):0–7.

38. Laela DP. Verifikasi Metode Penetapan Kadar Fenol Total Cara Folin-Ciocalteu. 2025;4(2):89–99.
39. Qodariyah, Anni Satul; Saputr, Anggun; Firdausia, Rizqa Salsabila; Kurniasih KSI. Pengaruh Jenis Pelarut Terhadap Kadar Total Fenolik. J Pharm 2024;1(1):71–80.
40. Hosni, S.; Gani SSA., Orsat, V.; Hassan, M.; Abdullah S. Ultrasound-Assisted Extraction of Antioxidants from. molecules 2023;
41. Yefrida Y, Hayana H. Optimization of Antioxidant Extraction from Moringa oleifera Leaves Using an Integrated OFAT and RSM – CCD Approach. 2026;9(7):1283–1296.
42. Islam M, Malakar S, Venkateswara M, Nitin R, Jatindra K. Recent advancement in ultrasound - assisted novel technologies for the extraction of bioactive compounds from herbal plants : a review. Food Sci Biotechnol [homepage on the Internet] 2023;32(13):1763–1782. Available from: <https://doi.org/10.1007/s10068-023-01346-6>
43. Yefrida, Yefrida ; Lastri F .D : Refilda. R. Tropical Journal of Natural Product Research Optimization of Antioxidant Extraction from Red Ginger Rhizomes (Zingiber. Trop J Nat Prod Res 2026;10(January):6642–6651.
44. Susmayanti, W., Kusumawati D. Pengaruh Waktu Dan Suhu Ekstraksi Daun Melinjo (Gnetum Gnenom L .) terhadap Aktivitas Antioksidan. J Med Pharm Sci 2023;(August).
45. Sun S, Yu Y, Jo Y, et al. Impact of extraction techniques on phytochemical composition and bioactivity of natural product mixtures. 2025;(July):1–14.
46. Biswas A, Dey S, Xiao A, Deng Y, Birhanie ZM, Roy R. Ultrasound - assisted extraction (UAE) of antioxidant phenolics from Corchorus olitorius leaves : a response surface optimization. Chem Biol Technol Agric. 2023
47. Kurniasari L, Djaeni M, Kumoro AC. Ultrasound-Assisted Extraction (UAE) of sappan wood (Caesalpinia sappan L .): Effect of solvent concentration and kinetic studies. 2023;1–11.
48. Bin AA, Hamid A, Kerboua K. Ultrasonics Sonochemistry Ultrasonic-assisted extraction to enhance the recovery of bioactive phenolic compounds from Commiphora gileadensis leaves. Ultrason Sonochem 2024;105(February):106852. Available from: <https://doi.org/10.1016/j.ultsonch.2024.106852>
49. Mahindrakar K V, Rathod VK. Chemical Engineering & Processing : Process Intensification Ultrasonic assisted aqueous extraction of catechin and gallic acid from Syzygium cumini seed kernel and evaluation of total phenolic , flavonoid contents and antioxidant activity. Chem Eng Process Process Intensif 2020;149(December 2019):107841. Available from: <https://doi.org/10.1016/j.cep.2020.107841>
50. Pratama BP, Pranoto Y, Swasono RT. The Properties of Salam Leaf Extract (Syzygium Polyanthum) with Different Solvent Ratio and Processing Time Using Ultrasonication-Assisted Extraction Method. 2022;26(4):581–587.
51. Nurcholis W, Safithri M, Marliani N, Iqbal M. Response surface modeling to optimize sonication extraction with the maceration method for the phenolic content and antioxidant activity of Justicia gendarussa Burm f . 2023;13(10):181–187.
52. Tran CH, Nghiem MT, Minh A, et al. Optimization Conditions of Ultrasound-Assisted Extraction for Phenolic Compounds and Antioxidant Activity from Rubus alceifolius Poir Leaves. 2023;2023.
53. Khamtache-abderrahim S, Yahiaoui S, Otmani A, Bachir-bey M. Received on 3 June 2021 Revised on 24 November 2021. 2021;45:117–133.
54. Hidayati NA, Wicaksono LA, Winarti S, Alfid M. Hidayati NA et al . Ekstraksi Senyawa Fenolik Daun Asam Jawa Menggunakan Metode Microwave Assisted Extraction (Mae) The Best Condition of Power , Time and Material-Solvent Ratio in the Extraction of Tamarind Leaf Phenolic Compounds using Microwave Assis. 2024;108–115.
55. Hiranpradith V, Therdthai N, Soonrunnarudrungsri A. Optimisation of Ultrasound-Assisted Extraction of Total Phenolics and Flavonoids Content from Centella asiatica. 2025;1–19.