

DAFTAR PUSTAKA

- Abrham, Y., & Shubulo, A. (2024). Growth, yield and quality response of Eggplant (*Solanum melongena*). *Journal of Plant Science*, 10(15).
- Adeniji, O.T., Ariyo, O.A., Kehinde, O.B., Olasanmi, B., Popoola, A.R., & Adewale, B.D. (2021). Genetic Diversity and Utilization of Cultivated Eggplant Germplasm in Varietal Improvement, *Plants*, 10(8), p. 1714.
- Aglave, H. R. (2024). Improving Performance and Yield of *Solanum melongena* L. through Growth Regulator Applications. *South Eastern European Journal of Public Health*, pp. 1827–1830. DOI: 10.70135/seejph.vi.2225.
- Aloni, R. (2013). Role of hormones in controlling vascular differentiation and the mechanism of lateral root initiation. *Planta*, 238(5), pp.819–830. DOI: [10.1007/s00425-013-1927-8](https://doi.org/10.1007/s00425-013-1927-8).
- Arsy, A. F. (2016). Pengaruh Aplikasi GA₃ Terhadap Fruit Set Dan Hasil Tanaman Terung (*Solanum melongena* L.). [Tesis]. Fakultas Pertanian. Universitas Brawijaya. Malang.
- Arsy, A. F., & Barunawati, E. (2019). Pengaruh Aplikasi GA₃ Terhadap Pertumbuhan Dan Hasil Dua Varietas Tanaman Terung (*Solanum melongena* L.). *Jurnal Produksi Tanaman*, 6(7): 1250–57.
- Aubriot, X., & Knapp, S. (2022) A revision of the “spiny solanums” of Tropical Asia (Solanum, the Leptostemonum Clade, *Solanaceae*). *PhytoKeys*. 198: 1–270. DOI: 10.3897/phytokeys.198.79514
- Baral, R., Vainer, A., Melzer, S., Hause, B., & Panda, S. (2025). Bud to fruit-Hormonal interactions governing early fruit development. *Journal of Experimental Botany*, 76(22), 6657–6673.
- Bewley, J.D., Bradford, K.J., Hilhorst, H.W.M., & Nonogaki, H. (2013). *Seeds: Physiology of Development, Germination and Dormancy*. 3rd edn. New York: Springer.
- Bidaramali, V., Akhtar, S., & Das, A. (2020). Proximate composition and bioactive compounds in diverse eggplant genotypes. *Current Journal of Applied Science and Technology*, 39(4), pp. 37–45.
- BPS. (2024). *Statistik Tanaman Sayuran dan Buah-buahan semusim*. BPS-Statistik Indonesia.
- BPS. (2025). *Statistik Tanaman Sayuran dan Buah-buahan semusim*. BPS-Statistik Indonesia.
- Bui, H. H., Serra, V., & Pagès, L. (2015). Root system development and architecture in various genotypes of the Solanaceae family', *Botany*, 93(8), pp. 465–474. doi: 10.1139/cjb-2015-0008.

- Castro-Camba, R., Alonso-Peral, M.M., Orosa-Puente, B., Yanofsky, M.F., & Martínez-Andújar, C., (2022). Hormonal crosstalk in plant growth and development: Insights from GA interactions. *Plant Physiology and Biochemistry*, 180, pp.45–55.
- Copeland, L. O., & McDonald, M. B. (2001). *Principles of Seed Science and Technology*. 4th edn. Boston: Kluwer Academic Publishers.
- Dash, S. P., Singh, J., & Sharma, D. (2019). Morphological characterization of brinjal (*Solanum melongena* L.) germplasm. *Journal of Pharmacognosy and Phytochemistry*, 8(2), 1574–1578.
- Daunay, M. C., & Janick, J. (2007). Eggplant', in Prohens, J. & Nuez, F. (eds.) *Vegetables I: Asteraceae, Brassicaceae, Chenopodiaceae, and Cucurbitaceae*. New York: Springer.
- Davies, P.J. (2010). *Plant Hormones: Biosynthesis, Signal Transduction, Action!*. 3rd edn. Dordrecht: Springer.
- De Jong, M., Mariani, C., & Vriezen, W.H. (2009). The role of auxin and gibberellin in tomato fruit set, *Journal of Experimental Botany*, 60(5), pp. 1523–1532. DOI: 10.1093/jxb/erp094.
- Dorcey, E., Urbez, C., Blázquez, M.A., Carbonell, J., & Pérez-Amador, M.A. (2009). Fertilization-dependent auxin response in ovules triggers fruit development through the modulation of gibberellin metabolism in Arabidopsis, *The Plant Journal*, 58(2), pp. 318–332. doi: 10.1111/j.1365-313X.2008.03781.x.
- dos Santos, C.M., Bione, N.C.P., Sato, A.C.K., Tomaz, Z.F.P., & Dantas, A.C.M. (2019). Atemoya fruit development and cytological aspects of GA₃-induced growth and parthenocarpy. *Protoplasma*, 256, pp.1465–1476. DOI: 10.1007/s00709-019-01382-2
- Dutta, M., Borah, D., Baishya, S., & Rathi, S. (2022). Nutrient composition and total antioxidant activity in eggplant (*Solanum melongena* L.) germplasm. *International Journal of Environment and Climate Change*, 12(11), 1419–1425.
- Emeribe, E. O., & Ogbuehi, H. G. (2024). Bioactives and nutrients evaluation of the leaves and fruits of *Solanum Melongena*. *Journal of Agriculture and Food Sciences*, 22(1), 177–191.
- Faidah, A., Waluyo, B., & Ashari, S. (2020). Keragaman karakter agronomi dan morfologi terung F1 (*Solanum melongena* L.) double cross. *Jurnal Produksi Tanaman*, 8(12), pp. 1090–1098.
- Fraikue, F.B. (2018). Review of Historical, Health Benefits and Uses of Eggplants by Humankind. *Asian Journal of Management*. Vol. 9(1), pp.471–474. DOI: 10.5958/2321-5763.2018.00073.2.

- Gajewski, M., & Arasimowicz, D. (2004). Sensory Quality of Eggplant Fruits (*Solanum Melongena* L.) As Affected by Cultivar And Maturity Stage. *Polish Journal of Food and Nutrition Sciences*, 54(3), pp.249–254.
- Gao, S., & Chu, C. (2020). Gibberellin Metabolism and Signaling: Targets for Improving Agronomic Performance of Crops. *Plant Cell Physiol.* 61(11): 1902–1911. doi:10.1093/pcp/pcaa104
- Garmendia, A., Beltrán, R., & García-Breijo, F.J., (2019). Gibberellic acid in *Citrus* spp. flowering and fruiting: a systematic review. *PLOS ONE*, 14(9), e0223147. doi: [10.1371/journal.pone.0223147](https://doi.org/10.1371/journal.pone.0223147)
- George, R.A.T. (2009), *Vegetable Seed Production*. 3rd edn. Wallingford: CABI.
- Gillaspy, G., Ben-David, H., & Gruissem, W., (1993). Fruits: A developmental perspective. *The Plant Cell*, 5(10), pp.1439–1451.
- Gramazio, P., Prohens, J., Plaza, D. F., Andújar, I., Vilanova, S., Herraiz, F. J., & Díez, M. J. (2021). Genetic diversity and utilization of cultivated eggplant germplasm in varietal improvement. *Plants*, 10(8), 1714.
- Haryanto, E., Suhartini, T., & Rahayu, E. (2003). *Terung: Budidaya dan Analisis Usaha Tani*. Penebar Swadaya, Jakarta.
- Havlin, J. L., Tisdale, S. L., Nelson, W. L., & Beaton, J. D. (2014). *Soil Fertility and Fertilizers*. 8th ed. Pearson.
- Hedden, P., & Sponsel, V. (2015). A century of gibberellin research. *Journal of Plant Growth Regulation*, 34, 740–760. DOI: 10.1007/s00344-015-9546-1
- Hedden, P., & Thomas, S. G. (2012). Gibberellin biosynthesis and its regulation. *Biochem J.* 444(1):11-25 DOI: [10.1042/BJ20120245](https://doi.org/10.1042/BJ20120245)
- Hu, J., Israeli, A., Ori, N., & Sun, T. P. (2018). The interaction between DELLA and ARF/IAA mediates crosstalk between gibberellin and auxin in fruit initiation. *The Plant Cell*, 30(8), pp.1710–1728.
- Hung, N. Q., My Ha, L. T., Hieu, N. Q., Tu, P. T. T., & Lam, V. P. (2023). Gibberellin (GA₃) and Copper Sulfate Pentahydrate (CuSO₄·5H₂O) Reduce Seeds per Fruit and Increase Fruit Quality in Bac Son Mandarin Fruit, *Seeds*, 2(3), pp. 318–330. DOI: 10.3390/seeds2030024
- Hurtado, M., Vilanova, S., Plazas, M., Gramazio, P., Herraiz, F.J., Andújar, I., & Prohens, J., (2013). Phenomics of fruit shape in eggplant (*Solanum melongena* L.) using Tomato Analyzer software. *Scientia Horticulturae*, 164, pp.625–632. DOI:10.1016/j.scienta.2013.10.028.
- Husnudin, U. B., Suharyanto, B. S. D., & Purnomo. (2019). Variation and non-formal classification of Indonesian eggplant (*Solanum melongena* L.) accessions based on macro and micro-morphological characters. *AGRIVITA Journal of Agricultural Science*, 41(3), 507–517.

- Ilahi, R.N.K., Isda, M. N., & Rosmaina, R. (2018). Morfologi permukaan daun tanaman terung (*Solanum melongena* L.) sebagai respons terhadap cekaman kekeringan. *Al-Kauniyah: Jurnal Biologi*, 11(1), 41-48.
- Imdad, H. P., & Nawangsih, A. A. (1995). *Sayuran Jepang*. Jakarta: Penebar Swadaya.
- Karapanos, I. C., Mahmood, S., & Thanopoulos, C. (2008). Fruit Set in Solanaceous Vegetable Crops as Affected by Floral and Environmental Factors. *The European Journal of Plant Science and Biotechnology*. 2(1), 88-105.
- Kaunda, J.S., & Zhang, Y.J. (2019). The genus *Solanum*: an ethnopharmacological, phytochemical and biological properties review, *Natural Products and Bioprospecting*, 9(2), pp. 77–137. DOI: [10.1007/s13659-019-0201-6](https://doi.org/10.1007/s13659-019-0201-6).
- Khaleghi, S., Baninasab, B., & Mobli, M. (2021). Style length and flower morphology of three eggplant (*Solanum melongena* L.) cultivars from Iran affected by fruit load. *Acta agriculturae Slovenica*, 117(3), 1–11. DOI:10.14720/aas.2021.117.3.1938.
- Khaleghi, S., Baninasab, B., Mobli, M. & Ehtemam, M.H. (2021). Effect of plant growth regulators on two different types of eggplant flowers regarding style length and fruit setting. *Spanish Journal of Agricultural Research*. 19 (4).
- Kittakoop, P., Mahidol, C., & Ruchirawat, S. (2013). Alkaloids as important scaffolds in therapeutic drugs for the treatments of cancer, tuberculosis, and smoking cessation. *Current Topics in Medicinal Chemistry*, 14(2), 239–252.
- Knapp, S., Vorontsova, M.S., & Prohens, J. (2013). Wild Relatives of the Eggplant (*Solanum melongena* L.: Solanaceae): New Understanding of Species Names in a Complex Group, *PLOS ONE*, 8(2), e57039.
- Korbag, I., & Saleh, A. (2017). Designing simple equations to fully understand the concentration units in chemistry. *Libyan Journal of Science and Technology*, 6(1), 14–18.
- Kowalska, G. (2008). Flowering Biology Of Eggplant And Procedures Intensifying Fruit Set – Review. *Acta Sci. Pol., Hortorum Cultus*. 7(4). 63-76.
- Lin, D., Xiao, M., Zhao, J., Li, Z., Xing, B., Li, X., Kong, M., Li, L., Zhang, Q., Liu, Y., Chen, H., Qin, W., Wu, H., & Chen, S. (2016). An Overview of Plant Phenolic Compounds and Their Importance in Human Nutrition and Management of Type 2 Diabetes. *Molecules*. 21(10):1374.
- Marcelis, L.F.M., (1996). Sink strength as a determinant of dry matter partitioning in the whole plant. *Journal of Experimental Botany*, 47(Special Issue), pp.1281–1291.
- Marschner, P. (2012). *Marschner's Mineral Nutrition of Higher Plants*. Academic Press.
- Martí, C., Orzáez, D., Ellul, P., Moreno, V., Carbonell, J., & Granell, A., (2007). Silencing of DELLA induces facultative parthenocarpy in tomato fruits. *The Plant Journal*, 52(5), pp.865–876. DOI:[10.1111/j.1365-3113X.2007.03282.x](https://doi.org/10.1111/j.1365-3113X.2007.03282.x)

- Martins, A.O., Silva, W.A., Vallarino, J.G., Omena-Garcia, R.P., Osorio, S., Fernie, A.R., Nunes-Nesi, A., Ribeiro, D.M., & Araújo, W.L. (2025). Reductions of endogenous gibberellin content impact fruit development and modify tomato fruit metabolism during ripening, *Plant Growth Regulation*, 105, pp. 497–514. DOI: 10.1007/s10725-025-01287-6
- McAtee, P., Karim, S., Schaffer, R., & David, K. (2013). A dynamic interplay between hormones is required for fruit development, maturation, and ripening. *Frontiers in Plant Science*, 4, p. 79. DOI: 10.3389/fpls.2013.00079
- Mutasa-Göttgens, E., & Hedden, P. (2009). Gibberellin as a factor in floral regulatory networks. *Journal of Experimental Botany*, 60(7), pp.1979–1989. DOI:10.1093/jxb/erp040
- Nakayama, A., Park, S., Zheng-Jun, X., Nakajima, M., & Yamaguchi, I. (2002). Immunohistochemistry of Active Gibberellins and Gibberellin-Inducible α -Amylase in Developing Seeds of Morning Glory, *Plant Physiology*, 129(3), pp. 1045–1053. DOI: 10.1104/pp.010921.
- Niklas, K. J. (1992). *Plant Biomechanics: An Engineering Approach to Plant Form and Function*. Chicago: University of Chicago Press.
- Noda, Y., Kaneyuki, T., Igarashi, K., Mori, A., & Packer, L. (2000). Antioxidant activity of nasunin, an anthocyanin in eggplant peels. *Toxicology*, 148(2-3), pp.119-123. doi:10.1016/S0300-483X(00)00202-X
- Nurita, F. D., & Yuliana. (2023). Pengaruh Kombinasi Auksin dan Giberelin Terhadap Pertumbuhan dan Partenokarpi Pada Tanaman Terung (*Solanum melongena* var. Gelatik). *Jurnal Biologi*. 12(3), pp. 457-465.
- Pandolfini, T. (2009). Seedless fruit production by hormonal regulation of fruit set. *Nutrients*, 1(2), 168–177. DOI:10.3390/nu1020168
- Patel, S.K., Verma, S.K., Maurya, B.K., Maurya, S.K., Patel, Y.C., & Prakash, S. (2022). Effects of GA₃ and NAA on growth and yield of brinjal (*Solanum melongena* L.) cv. Kashi Sandesh, *International Journal of Plant & Soil Science*. 34(22): 71-76.
- Plackett, A.R.G., Thomas, S.G., Wilson, Z.A., & Hedden, P. (2011). Gibberellin control of stamen development. *Trends Plant Sci*, 16(10), pp. 568-78.
- Plackett, A.R.G., Thomas, S.G., Wilson, Z.A., & Hedden, P. (2018). *Gibberellins and Plant Reproduction*. *Annual Plant Reviews*. 49, 323-358. <https://doi.org/10.1002/9781119312994.apr0540>
- Pohl, A., Grabowska, A., Kalisz, A., & Sekara, A. (2019). Biostimulant Application Enhances Fruit Setting in Eggplant—An Insight into the Biology of Flowering. *Agronomy*. 9(9), 482.
- Portis, E., Cericola, F., Barchi, L., Toppino, L., Acciarri, N., Pulcini, L., Sala, T., Lanteri, S., & Rotino, G.L. (2015). Association Mapping for Fruit, Plant and Leaf Morphology Traits in Eggplant. *PLoS ONE*, 10(8) DOI:10.1371/journal.pone.0135200

- Raigón, M. D., Prohens, J., Muñoz-Falcón, J. E., & Nuez, F. (2008). Comparison of eggplant landraces and commercial varieties for fruit content of phenolics, minerals, and dry matter. *Journal of Food Composition and Analysis*, 21(5), 370–376.
- Rieu, I., Eriksson, S., Powers, S.J., Gong, F., Griffiths, J., Woolley, L., Benlloch, R., Nilsson, O., Thomas, S.G., Hedden, P., & Phillips, A.L. (2008). Genetic analysis reveals that C19-GA 2-oxidation is a major gibberellin inactivation pathway in *Arabidopsis*. *The Plant Cell*, 20(9), pp.2420–2436.
- Ruan, Y. L., Patrick, J. W., Bouzayen, M., Osorio, S., & Fernie, A. R. (2012). Molecular regulation of seed and fruit set. *Trends in Plant Science*, 17 (11), pp.656–665. DOI: [10.1016/j.tplants.2012.06.005](https://doi.org/10.1016/j.tplants.2012.06.005)
- Rubatzky, V. E., & Yamaguchi, M. (1998). *Sayuran dunia : prinsip, produksi, dan gizi* jilid 2. Bandung: ITB.
- Rukmana, R. (1994). *Bertanam Terung*. Kanisius: Yogyakarta.
- Samadi, B. (2001). *Budidaya Terung Hibrida*. Yogyakarta: Kanisius.
- Sanyang, S. E., Demba, S., & Njie, E. (2025). Growth Performance of Eggplant (*Solanum melongena* L.) Enhanced by Watering Intervals and Application of Organic Manure. *International Journal of Applied Agricultural Sciences*. 11(1):24-28 DOI:10.11648/j.ijaas.20251101.13.
- Schwechheimer, C. (2012). Gibberellin Signaling in Plants – The Extended Version. *Front Plant Sci*, 2(1), pp. 1-7. DOI: [10.3389/fpls.2011.00107](https://doi.org/10.3389/fpls.2011.00107)
- Sekara, A., Cebula, S., & Kunicki, E. (2007). Cultivated eggplants—Origin, breeding objectives and genetic resources, a review. *Folia Hortic*. 19: 97–114.
- Serrani, J. C., Sanjuán, R., Ruiz-Rivero, O., Fos, M., & García-Martínez, J.L., (2007). Gibberellin regulation of fruit set and growth in tomato. *Plant Physiology*, 145(1), pp.246–257. DOI: [10.1104/pp.107.098335](https://doi.org/10.1104/pp.107.098335)
- Shah, S. M. H., Kumar, R., Bakshi, P., Bhat, D. J., Sinha, B. K., Sharma, M., & Sharma, R. (2023). Influence of Gibberellic Acid on Fruit Crops: A Review, *International Journal of Environment and Climate Change*, 13(8), pp. 1681–1688. DOI: 10.9734/ijecc/2023/v13i82120.
- Soetasad, A. A., Muryanti, S., & Sunarjono, H. (2003) *Budidaya Terung Lokal dan Terung Jepang*. Jakarta: Penebar Swadaya.
- Sparks, J.P., Prohens, J., & Knapp, S. (2019). Eggplant (*Solanum melongena* L.): Taxonomy and Relationships', in Prohens, J., Gramazio, P. and Plazas, M. (eds.) *The Eggplant Genome*. Cham: Springer International Publishing, pp. 1–30. https://doi.org/10.1007/978-3-319-99208-2_2.
- Srikanth, A., & Schmid, M. (2011). Regulation of flowering time: all roads lead to Rome. *Cellular and Molecular Life Sciences*, 68(12), pp: 2013–2037.

- Sulochana, K.H., Saha, P., Tomar, B.S., Behera, T.K., Ghoshal, C., Verma, V.K., Verma, A., Krishnan, S.G., Saha, N.D., Ray, S., Singh, S.K., & Madhav, M.S. (2024). Genetic analysis and molecular mapping of fruit-bearing habit locus (Bh1) in eggplant (*Solanum melongena* L.). *Plant Breeding*, 143(2), pp. 287–298.
- Sun, T. P. (2011). The molecular mechanism and evolution of the GA–GID1–DELLA signaling module in plants. *Current Biology*, 21(9), pp: 337–345. DOI 10.1016/j.cub.2011.02.036
- Taiz, L., & Zeiger, E. (2010). *Plant Physiology*. 5th ed. Sinauer Associates, Sunderland: Sinauer Associates.
- Taiz, L., Zeiger, E., Møller, I.M. & Murphy, A. (2015). *Plant Physiology and Development*. 6th edn. Sunderland: Sinauer Associates.
- Tanimoto, E. (2012). Tall or short? Slender or tiny? Gibberellin in plant height control. *Annals of Botany*, 110(2), 373–381. DOI: [10.1093/aob/mcs049](https://doi.org/10.1093/aob/mcs049)
- Tiwari, A., Offringa, R. & Heuvelink, E. (2012). Auxin-induced fruit set in *Capsicum annuum* L. requires downstream gibberellin biosynthesis. *Journal of Plant Growth Regulation*, 31(3), pp.570–578.
- Triani, N., Permatasari, V. P., & Guniarti. (2020). Pengaruh konsentrasi dan frekuensi pemberian zat pengatur tumbuh giberelin (GA₃) terhadap pertumbuhan dan hasil tanaman terung (*Solanum melongena* L. cv. ANTABOGA 1). *Agro Bali: Agricultural Journal*, 3(2), pp. 144–155. DOI: 10.37637/ab.v3i2.575.
- Vauzour, D., Vafeiadou, K., Rodriguez-Mateos, A., Rendeiro, C., & Spencer, J.P.E. (2008). The neuroprotective potential of flavonoids: a multiplicity of effects', *Genes & Nutrition*, 3(3–4), pp. 115–126.
- Vignati, E., Caccamo, M., Dunwell, J.M., & Simkin, A.J. (2024). Morphological Changes to Fruit Development Induced by GA₃ Application in Sweet Cherry (*Prunus avium* L.). *Plants*, 13.
- Wahyuningsih, S., Serdani, A. D., Kurniastuti, T., & Widiatmanta, J. (2023). Pengaruh konsentrasi dan frekuensi pemberian zat pengatur tumbuh giberelin (GA₃) terhadap pertumbuhan dan hasil tanaman terung (*Solanum melongena* L.) varietas Mustang F1. Dalam Milissa (ed), *Prosiding Seminar Nasional Ekonomi dan Teknologi 3*. Madura: Universitas Wiraraja Sumenep, pp. 59-65. DOI: <https://doi.org/10.24929/prosd.v0i0.2795>.
- Weiss, D., & Ori, N. (2007). Mechanisms of cross-talk between gibberellin and other hormones. *Plant Physiology*, 144(3): 1240–1246. DOI:10.1104/pp.107.100370
- Widsten, P., Cruz, C. D., Fletcher, G. C., Pajak, M. A., & McGhie, T. K. (2014). Tannins and extracts of fruit byproducts: antibacterial activity against foodborne bacteria and antioxidant capacity. *J Agric Food Chem* . 62(46): 11146-56. DOI: 10.1021/jf503819t.

- Younas, M., Ahmad, S., Nawaz, A., Mahmood, A., & Rauf, A. (2022). Assessment of diversity among important brinjal (*Solanum melongena*) cultivars using morphological markers, *Journal of Food Quality*, 2022, pp. 1–13.
- Youssef, J., & Samra, B. (2023). Studying the Effect of Treatment with Gibberellic Acid (GA₃) on the Growth and Productivity of Eggplant (*Solanum melongena* L.). *Syrian Journal of Agricultural Research*. 11(2): 96-107.
- Zain, A. R., Basri, Z., & Lapanjang, I. (2015). Pembentukan Buah Terung (*Solanum melongena* L.) Partenokarpi Melalui Aplikasi Berbagai Konsentrasi Giberelin. *Jurnal Sains dan Teknologi Tadulako*, 4(2), pp. 60–67.
- Zhang ,Y., Chen, H., Deng, S., Bai, Q., Zhang, Y., Zhao, H., Liu, K., Chu, Y., & Ren, L. (2025). Integrating phenotypic analyses and color parameters: a multidimensional framework for precise color characterization in eggplant fruit. *Frontiers in Plant Science*, 16, doi: 10.3389/fpls.2025.1689896
- Zhang, S., Wang, X., & Zeng, J. (2016). Interaction of gibberellin and other hormones in horticultural crops: A review. *Horticultural Plant Journal*, 2(6), 246–250. <https://doi.org/10.1016/j.hpj.2016.11.001>

