

DAFTAR PUSTAKA

1. Adiyasa MR, Meiyanti M. Pemanfaatan obat tradisional di Indonesia: distribusi dan faktor demografis yang berpengaruh. *Jurnal Biomedika dan Kesehatan*. 2021;4(3):130–8.
2. Nelson SC. *Morinda citrifolia* L. Permanent Agriculture Resources (PAR). 2003;1–13.
3. Setiawan A, Sumiahadi A, Ginting R, Sari M, Rosalina T, Dahlan Elfarisna A, dkk. *Ensiklopedia Tanaman Obat Indonesia*. Apriyanto M, Elfarisna, Yuniritha E, editor. Yogyakarta: Nuha Medika; 2023.
4. Sogandi S, Rabima R. Identification of Active Compound Extracts from Noni Fruit (*Morinda citrifolia* L.) and Its Potential as Antioxidants. *Jurnal Kimia Sains dan Aplikasi*. 30 September 2019;22(5):206–12.
5. Aldi Y, Handayani D, Bakhtiar A, Wardi A, Yanwirasti, Nasrul E, dkk. Effects of Scopoletin From Noni Fruit (*Morinda citrifolia* L.) to IL-10 Levels in Male White Mice with Hypersensitivity Type I. *Res J Pharm Biol Chem Sci*. 2016;7(4):1404–10.
6. Djauhariya E, Rahardjo M, Ma'mun N. Karakterisasi Morfologi dan Mutu Buah Mengkudu. *Buletin Plasma Nutfah*. 2016;12(1):1.
7. Sina H, Dramane G, Tchekounou P, Assogba MF, Chabi-Sika K, Boya B, dkk. Phytochemical composition and in vitro biological activities of *Morinda citrifolia* fruit juice. *Saudi J Biol Sci*. 2021;28(2):1331–5.
8. Ayuningtyas N, Solichah AI, Setyopuspito A, Trisina J, Mardiyono AK. Penetapan Kadar Flavonoid Ekstrak Etanol Buah Mengkudu (*Morinda citrifolia* L.). *Jurnal Farmasi & Sains Indonesia*. 2023;6(1):93–7.
9. Kemenkes R. *Farmakope Herbal Indonesia Edisi 2*. Kementerian Kesehatan RI. Jakarta; 2017.
10. Kurniawati E, Lestari TP, Kristianingsih I. Phytochemical Composition of 70 % Ethanol Extract of Noni Fruit (*Morinda citrifolia* L.) Using Ultrasound- Assisted Extraction Method and LC-MS Q-ToF. Vol. 14. 2025;14(1):129–40.
11. Aldi Y, Khairiyah H, Kasuma N, Afriwardi, Banowo AS. The Effect of Noni Fruit Extract (*Morinda citrifolia* L.) in Gingivitis Patient. *Pharmacognosy Journal*. 2019;11(4):678–82.
12. Aldi Y, Handayani D. Pengaruh Scopoletin Dari Buah Mengkudu (*Morinda citrifolia* L.) Terhadap Jumlah IgE Mencit Jantan Dengan Hipersensitivitas Tipe I. *J Bahan Alam Indonesia*. 2012.

13. Aldi Y, Yuliandra Y, Nasrul E, Yanwirasti, Handayani D, Bakhtiar A. Decreased Interleukin-4 Level of Type I Hypersensitive Mice Using Scopolletin Isolated from Noni Fruit (*Morinda citrifolia* L.). *Res J Pharm Biol Chem Sci*. 2015;6(4):1823–9.
14. Aldi Y, Amdani A, Bakhtiar A. Aktivitas Senyawa Skopoletin dari Buah Mengkudu (*Morinda citrifolia*, Linn.) Terhadap Respon Fisiologi Makrofag Mencit Putih Jantan. Vol. 6. 2016.
15. Pandey V, Narasingam M, Vijeepallam K, Mohan S, Mani V, Mohamed Z. The Ethyl Acetate Fraction of A Methanolic Extract of Unripe Noni (*Morinda citrifolia* Linn.) Fruit Exhibits A Biphasic Effect on the Dopaminergic System in Mice. *Exp Anim*. 2017;66(3):283–91..
16. Sari EN, Purwidyningrum I. Optimization of the Most Active Fraction of Noni Fruit (*Morinda citrifolia* L.) as Antioxidant. *Journal of Pharmaceutical and Sciences Electronic*. 2025;2472–83.
17. Ferlinahayati F, Nisa S, Hermansyah H, Basir D. Coumarin Derivative from the Unripe Fruit of Mengkudu (*Morinda citrifolia* Linn) and Cytotoxic Activity. *Indonesian Journal of Fundamental and Applied Chemistry*. 2023;8(2):70–5.
18. Henry M. The Essential Role of Liver Functioning in Metabolism, Detoxification, and Overall Health: Insights from Modern Medicine. *J Clin Gastroenterol Hepatol*. 2024;8(04):35.
19. Yu EL, Sivagnanam M, Ellis L. Acute Hepatotoxicity After Ingestion of *Morinda citrifolia* (Noni Berry) Juice in a 14-year-old Boy Elizabeth. *J Pediatr Gastroenterol Nutr*. 2011;52(2).
20. Stadlbauer V, Fickert P, Lackner C, Schmerlaib J, Krisper P, Trauner M, dkk. Hepatotoxicity of Noni Juice: Report of Two Cases. *World J Gastroenterol*. 2005;11(30):4758–60.
21. Dyah Wulandari D, Ma'at S, Veterini L, Sari DF, Wulansari DD. Profil Aktivitas Enzim Alkaline Phosphatase (ALP), Aspartate Aminotransferase (AST), dan Alanine Transaminase (ALT) Pada Tikus Hiperlipidemia yang Diberi Madu Fermentasi Bawang Tenggala. *Jurnal Sains dan Kesehatan*. 2025;6(1):51–8.
22. BPOM RI. Peraturan BPOM Nomor 10 Tahun 2022 Tentang Pedoman Uji Toksisitas Praklinik Secara In Vivo. Badan Pengawas Obat dan Makanan Republik Indonesia. 2022;1–220.
23. OECD. OECD Guidelines for the testing of chemicals: Repeated Dose 28-day Oral Toxicity Study in Rodents. *Drug Chem Toxicol*. 2008;34(1):13. PubMed PMID: 20954811.
24. Falke Suyog, Pandit Tejas, Inamdar Minaj. Pharmacological Activity of *Morinda Citrifolia* Noni Fruit. *International Journal of Advanced Research in Science, Communication and Technology*. 2022;243–8.

25. Inada AC, Silva GT, Laleska P, Fernando W, Fili DO, Asato MA. Therapeutic Effects of *Morinda citrifolia* Linn. (Noni) Aqueous Fruit Extract on the Glucose and Lipid Metabolism in High-Fat/High-Fructose-Fed Swiss Mice. *Nutrients*. 2020;1–25.
26. Fitriana WD, Fajril Islami M. Antioxidant and Antibacterial Activities of Noni Fruit (*Morinda Citrifolia*) Extract. *Jurnal Kimia Riset*. 2025;10(1):92–101.
27. Anwar LOM, Sasmito E, Rasydy LOA, Ismoyowati TW, Hashim SHR, Siregar R, dkk. Modulatory Effects of Noni (*Morinda citrifolia*) Fruit Polysaccharide Syrup on IgG Production and T Cell Activity. *Biosaintifika*. 2025;17(2):348–56.
28. Jamaludin R, Kim DS, Salleh LM, Lim S Bin. Kinetic Study of Subcritical Water Extraction of Scopoletin, Alizarin, and Rutin from *Morinda citrifolia*. *Foods*. 2021;10(10):1–13.
29. Zhou S, Huang G. The Chemical Composition and Pharmacological Activities of *Morinda citrifolia*. *Appl Biol Chem*. 2024;67(1).
30. Mohd Zin Z, Abdul Hamid A, Osman A, Saari N, Misran A. Isolation and Identification of Antioxidative Compound from Fruit of Mengkudu (*Morinda citrifolia* L.). *Int J Food Prop*. 2007;10(2):363–73.
31. Hou S, Ma D, Wu S, Hui Q, Hao Z. *Morinda citrifolia* L.: A Comprehensive Review on Phytochemistry, Pharmacological Effects, and Antioxidant Potential. *Antioxidants*. 2025;14(3):1–43.
32. Sina H, Dramane G, Tchekounou P, Assogba MF, Chabi-Sika K, Boya B, dkk. Phytochemical Composition and In Vitro Biological Activities of *Morinda citrifolia* Fruit Juice. *Saudi J Biol Sci*. 2021;28(2).
33. Wei GJ, Ho CT, Huang ANS. Analysis of Volatile Compounds in Noni Fruit (*Morinda citrifolia* L.) Juice by Team Distillation-Extraction and Solid Phase Microextraction Coupled with GC/AED and GC/MS. *J Food Drug Anal*. 2011;19(1):33–9.
34. Dias BL, Sarmiento RA, Venzon M, Jumbo LOV, dos Santos LSS, de Souza Moura W, dkk. *Morinda citrifolia* Essential Oil: A Plant Resistance Biostimulant and a Sustainable Alternative for Controlling Phytopathogens and Insect Pests. *Biology (Basel)*. 2024;13(7).
35. Silva J, Mourão D, Lima F, Sarmiento R, Dalcin M, Aguiar R, dkk. The Efficiency of Noni (*Morinda citrifolia* L.) Essential Oil on the Control of Leaf Spot Caused by *Exserohilum turcicum* in Maize Culture. *Medicines*. 2017;4(3):60.
36. Joshi H, Gajera V, Katariya A. Review on Scopoletin: a Phenolic Coumarin With Its Medicinal Properties. *Int J Pharm Sci Res*. 2021;12(7).

37. Gao XY, Li XY, Zhang CY, Bai CY. Scopoletin: a Review of Its Pharmacology, Pharmacokinetics, and Toxicity. *Front Pharmacol*. 2024;15:1–24.
38. Riyanto S, Rohman A. Isolasi Skopoletin dari Buah Mengkudu (*Morinda citrifolia* L) dan Uji Aktivitas Antioksidannya. *Agritech: Jurnal Fakultas Teknologi Pertanian UGM*. 2007;27(3):107–11.
39. Chang TN, Deng JS, Chang YC, Lee CY, Jung-Chun L, Lee MM, dkk. Ameliorative Effects of Scopoletin from *Crossostephium chinensis* Against Inflammation Pain and Its Mechanisms in Mice. *Evidence-based Complementary and Alternative Medicine*. 2012;2012.
40. Dhilasari EM, Kusumawati IK, Primaharinastiti RP. Uji Aktivitas Ekstrak Daun Mengkudu (*Morindra citrifolia* Linn) dan Scopoletin secara In-Vitro terhadap Bakteri Tuberkulosis. *Indonesian Journal of Pharmacy and Natural Product*. 2019;2(1):19–24.
41. Zhao P, Chen L, Li LH, Wei ZF, Tong B, Jia YG, dkk. SC-III3, a Novel Scopoletin Derivative, Induces Cytotoxicity in Hepatocellular Cancer Cells Through Oxidative DNA Damage and Ataxia Telangiectasia-mutated Nuclear Protein Kinase Activation. *BMC Cancer*. 2014;14(1):1–13.
42. Dou Y, Tong B, Wei Z, Li Y, Xia Y, Dai Y. Scopoletin Suppresses IL-6 Production from Fibroblast-Like Synoviocytes of Adjuvant Arthritis Aats Induced by IL-1 β Stimulation. *Int Immunopharmacol*. 2013;17(4):1037–43.
43. Wulandari A, Afrizal A, Emriadi E, Efdi M, Imelda I. Studi Komputasi Terhadap Struktur, Sifat Antioksidan, Toksisitas dan Skor Obat dari Scopoletin dan Turunannya. *Chempublish Journal*. 2020;5(1):77–92.
44. Diina TR, Wahyuni IS, Levita J. Toksisitas Akut Dermal Ekstrak Tanaman Sebagai Bagian dalam Aspek Keamanan Obat Herbal Terstandar Topikal. *Jurnal Sains Farmasi & Klinis*. 2022;9(2):71.
45. Aldi Y, Husni E, Sari DP, Zainuddin A, Asshila FN, Alianta AA. Safety Test of *Morinda citrifolia* Linn on Renal Function. *Tropical Journal of Natural Product Research*. 2025;9(6):2375–9.
46. Muharni M, Ferlinahayati F, Fitrya F, Eliza E, Yohandini H, Cenora C. Uji Toksisitas Subkronik Ekstrak Etanol Daun Sungkai (*Paronema canescens* Jack.) Terhadap Tikus Putih *Rattus noverticus* (Wistar strain). *Jurnal Sains Farmasi & Klinis*. 2023;10(2):211.
47. Jailani MAQ, Sjafoer NAA, Mubarakati NJ. Uji Toksisitas Sub-Kronik 28 Hari Ekstrak Metanolik Daun Benalu Teh Dan Benalu Mangga Terhadap Fungsi Jantung Tikus Wistar Betina. *Biosaintropis (Bioscience-Tropic)*. 2022;8(1):111–21.

48. Terreira H. Unlocking the Marvels of Liver Physiology : A Comprehensive Exploration. *Journal of Interventional Nephrology*. 2023;6(1):197–8.
49. Sudatri NW, Setyawati I, Suartini NM, Yulihastuti DA. High doses injection of white vitamin c in long term decreased the liver function of female rat (*Rattus norvegicus* l.)based on SGPT and SGOT levels and histology of the liver. *Metamorfosa Journal of Biological Sciences*. 2016;51(1):44–51.
50. Lorente S, Hautefeuille M, Sanchez-Cedillo A. The liver: a functionalized vascular structure. *Sci Rep*. 2020;10(1):1–10.
51. Kan Z, Madoff DC. Liver anatomy: Microcirculation of the liver. *Semin Intervent Radiol*. 2008;25(2):77–85.
52. Choi JH. Histological and Molecular Evaluation of Liver Biopsies: A Practical and Updated Review. *Int J Mol Sci*. 2025;26(16).
53. Ahmi F. Anatomi Dan Histologi Hepar. *Anatomi Dan Histologi Hepar*. 2016;1(20):147–54.
54. Nikmaneshi MR, Firoozabadi B, Munn LL. A mechanobiological mathematical model of liver metabolism. *Biotechnol Bioeng*. 2020;117(9):2861–74.
55. Agustina N laras. Three-dimensional cell culture model for hepatocytes opens a new avenue of real world research on liver. *J Cell Physiol*. 2019;(81770589):1–9.
56. Rosida A. Pemeriksaan Laboratorium Penyakit Hati. *The 5-Minute Pediatric Consult*. 2018;8:436–7.
57. Grant DM, Children S. Detoxification Pathways in the Liver. *J Inher Metab Dis* 14. 1991;14.
58. Chintya A, Sijabat G, Isdadiyanto S, Sitasiwi AJ. Histopatologi Hepar Tikus Dengan Induksi Pakan Tinggi Lemak Setelah Pemberian Biji Mahoni (Rat Liver Histopathology by Inducing High-Fat Diet After Giving Mahogany Seeds). Vol. 29. 2024;29(3):482–90.
59. DANIEL S, PRATT M. Evaluation of Abnormal Liver -Enzyme Result in a Symptomatic Patient. *N Engl J Med*. 2000;1369–73.
60. Giannini EG, Testa R, Savarino V. Liver enzyme alteration: A guide for clinicians. *CMAJ Canadian Medical Association Journal*. 2005;172(3):367–79.
61. Kim WR, Flamm SL, Di Bisceglie AM, Bodenheimer HC. Serum activity of alanine aminotransferase (ALT) as an indicator of health and disease. *Hepatology*. 2008;47(4):1363–70.

62. Senior JR. Alanine aminotransferase: A clinical and regulatory tool for detecting liver injury-past, present, and future. *Clin Pharmacol Ther.* 2012;92(3):332–9.
63. Gao C, Marcketta A, Backman JD, O'Dushlaine C, Staples J, Ferreira MAR, dkk. Genome-wide association analysis of serum alanine and aspartate aminotransferase, and the modifying effects of BMI in 388k European individuals. *Genet Epidemiol.* 2021;45(6):664–81.
64. Ng VL. Liver Disease, Coagulation Testing, and Hemostasis. *Clin Lab Med.* 2009;29(2):265–82.
65. McClure DE. Clinical pathology and sample collection in the laboratory rodent. *Vet Clin North Am Exot Anim Pract.* 1999;2(3):293.
66. O'Shea RS, Dasarathy S, McCullough AJ, Shuhart MC, Davis GL, Franco J, dkk. Alcoholic liver disease. *Hepatology.* 2010;51(1):307–28.
67. Zempleni J, Kübler W. Metabolism of vitamin B6 by human liver. 1995;15(2):187–92.
68. Mezencev R, Weaver JA, Feshuk M, Kolaczkowski L, Peterson GC, Zhao QJ, dkk. The association between histopathologic effects and liver weight changes induced in mice and rats by chemical exposures : an analysis of the data from Toxicity Reference Database (ToxRefDB). Vol. 200. 2024;200(2):404–13.
69. Ellers RANISS, Orton DAM, Ichael BIM, Oome NIR, Ohnson JUKJ, Ano BALY. Society of Toxicologic Pathology Position Paper : Organ Weight Recommendations for Toxicology Studies. 2007;751–5.
70. Nirogi R, Goya VK, Jana S, Pandey SK. What Suits Best For Organ Weight Analysis: Review Of Relationship Between Organ Weight And Body / Brain Weight For Rodent Toxicity Studie. *Int J Pharm Sci Res.* 2014;5(4):1525–32.
71. Alara OR, Abdurahman NH, Ukaegbu CI. Extraction of phenolic compounds: A review. *Curr Res Food Sci* [Internet]. 2021;4(March):200–14.
72. Krakowska-Sieprawska A, Rafińska K, Walczak-Skierska J, Kielbasa A, Buszewski B. Promising green technology in obtaining functional plant preparations: Combined enzyme-assisted supercritical fluid extraction of flavonoids isolation from medicago sativa leaves. *Materials.* 2021;14(11).
73. Mikšovský P, Kornpointner C, Parandeh Z, Goessinger M, Bica-Schröder K, Halbwirth H. Enzyme-Assisted Supercritical Fluid Extraction of Flavonoids from Apple Pomace (*Malus×domestica*). *ChemSusChem.* 2024;17(7).

74. Zhang QW, Lin LG, Ye WC. Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)*. 2018;13(1):1–26.
75. Bitwell C, Indra S Sen, Luke C, Kakoma MK. A review of modern and conventional extraction techniques and their applications for extracting phytochemicals from plants. *Sci Afr*. 2023;19:e01585.
76. dos Santos Faria T, Reis MHM, Schmidt VCR, Cardoso VL. Influence of Extraction Methods on Phenolic Compounds from Pulp and Peel of Genipap (*Genipa americana* L.) Fruit. *International Journal of Food Studies*. 2022;11(1):38–50.
77. Cacique AP, Barbosa ÉS, de Pinho GP, Silvério FO. Maceration extraction conditions for determining the phenolic compounds and the antioxidant activity of *catharanthus roseus* (L.) g. don. *Ciencia e Agrotecnologia*. 2020;44:1–12.
78. Fakhruzy, Kasim A, Asben A, Anwar A. Review: Optimalisasi Metode Maserasi Untuk Ekstraksi. *Menara Ilmu*. 2020;14(2)(02):38–41.
79. Afifah N, Budi Riyanta A, Amananti W. Pengaruh Waktu Maserasi Terhadap Hasil Skrining Fit (*Mangifera indica* L.). *Jurnal Crystal : Publikasi Penelitian Kimia dan Terapannya*. 2023;5(1):54–61.
80. Dita Intan Karisma, Christina Indriasari. The Effect of Maceration and Soxhletation Extraction Methods on The Flavonoid Content of Anting-anting Leaves Extracts (*Acalypha indica* L.) Using Uv-Vis Spectrophotometry. *Strada Journal of Pharmacy*. 2023;5(2):73–9.
81. Hernández-Álvarez E, Rodríguez-Sabina S, González-Delgado G, Reyes CP, Giménez C, Llaría-López MÁ, dkk. Bioassay-Guided Fractionation Networking for Discovery of Biofungicides from Cultivated *Salvia canariensis*. *Int J Mol Sci*. 2024;25(24):1–13.
82. Lopez BGC, Marcucci MC, Rocco SA, Sforça ML, Eberlin MN, Hewitson P, dkk. Preparative Fractionation of Brazilian Red Propolis Extract Using Step-Gradient Counter-Current Chromatography. *Molecules*. 2024;29(12):1–14.
83. Razani S, Farhadpour M, Avatefi Hemmat M, Alamdaran FS, Fakhr Taha M, Khonakdar HA, dkk. Bioassay-guided fractionation of *Verbascum thapsus* extract and its combination with polyvinyl alcohol in the form electrospun nanofibrous membrane for efficient wound dressing application. *Heliyon*. 2024;10(12):e32717.
84. Shinde PB, Katekhaye SD, Mulik MB. Rapid simultaneous determination of marmelosin , umbelliferone and scopoletin from *Aegle marmelos* fruit by RP-HPLC. *Food Sci Technol*. 2014.