

DAFTAR PUSTAKA

- [1] World Health Organization, *Laboratory Biosafety Manual*, 4th ed. Geneva: WHO, 2020.
- [2] World Health Organization, *WHO Technical Report Series No. 1025: Annex 2 – WHO Good Manufacturing Practices for Pharmaceutical Products*, Geneva: WHO, 2022.
- [3] Centers for Disease Control and Prevention, *Biosafety in Microbiological and Biomedical Laboratories (BMBL)*, 6th ed. Washington, DC: CDC, 2020.
- [4] International Organization for Standardization, *ISO 14644-1: Cleanrooms and Associated Controlled Environments*, Geneva: ISO, 2015.
- [5] A. M. Aulton and K. M. Taylor, *Aulton's Pharmaceutics: The Design and Manufacture of Medicines*, 5th ed. London: Elsevier, 2021.
- [6] D. Cahyaningrum, H. T. Muktiana Sari, and D. Iswandari, "Faktor-Faktor yang Berhubungan dengan Kejadian Kecelakaan Kerja di Laboratorium Pendidikan," *Jurnal Pengelolaan Laboratorium Pendidikan*, vol. 1, no. 2, pp. 41-47, Jul. 2019 [Online]. Available: <https://ejournal2.undip.ac.id/index.php/jplp/article/view/5462/2951>
- [7] C. Critz, H. E. Feagai, A. Akeo, M. Tanaka, J. H. Shin, M. Erickson, M. Ikeda, H. Moriya, dan K. Ozaki, "Sick Students Presenteeism Among Nursing Students in 3 Countries.," *Nurse doc*, 2020.
- [8] L. C. Kaldjian, L. A. Shinkunas, H. S. Reisinger, M. A. Polacco, and E. N. Perencevich, "Attitudes about sickness presenteeism in medical training : is there a hidden curriculum ?," vol. 7, pp. 1–10, 2019.
- [9] K. M. Wibowo, R. B. Deskianditya, H. Fauzi, and R. Irmawanto, "Rancang Bangun Pengukur Suhu Tubuh Tanpa Sentuh Berbasis IoT (Internet Of Things) untuk Screening Mahasiswa Menjelang Diberlakukanya Pembelajaran Tatap Muka," vol. 5, no. 02, pp. 82–85, 2022
- [10] S. Wahyuning, "Alat Pengukur Suhu Tubuh Non Kontak," pp. 1–7, 2021

- [11] I. Inayah, "Analisis Akurasi Sistem Sensor IR MLX90614 dan Sensor Ultrasonik berbasis Arduino terhadap Termometer Standar" vol. 10, no. 4, pp. 428–434, 2021.
- [12] I. Paramudita et al., "PADA HASIL PENGUKURAN SUHU TUBUH SEBAGAI SKRINING AWAL COVID-19 The Effect of Measurement Distances and Infrared Thermometer Types for Body Temperature Measurement as Early Screening of COVID-19," pp. 133–140, 2021.
- [13] Argifa dkk, fuzzy logic
- [14] N. W. Goh et al., "Design and Development of a Low Cost , Non-Contact Infrared Thermometer with Range Compensation," pp. 1–12, 2021
- [15] Gregory W. Kirschen, Daniel D. Singer, Henry C. Thode, Adam J. Singer, "Relationship between body temperature and heart rate in adults and children: A local and national study," *The American Journal of Emergency Medicine*, Volume 38, Issue 5, 2020
- [16] M. Elgendi, "On the Analysis of Fingertip Photoplethysmogram Signals," no. c, pp. 14–25, 2012.
- [17] J. Axelsson et al., "Identification of acutely sick people and facial cues of sickness," no. December, pp. 3–9, 2025, doi: 10.1098/rspb.2017.2430/617288/rspb.2017.2430.pdf.
- [18] Y. Ananta, F. Pramudya, M. Munadi, and I. Haryanto, "Perancangan Object Detection Ayam Broiler Menggunakan Metode Deep Learning," *J. Tek. Mesin S-1*, vol. 11, no. 1, pp. 84–89, 2023.
- [19] A. Raup, W. Ridwan, Y. Khoeriyah, S. Supiana, and Q. Y. Zaqiah, "Deep Learning dan Penerapannya dalam Pembelajaran," *JIIP - J. Ilm. Ilmu Pendidik.*, vol. 5, no. 9, pp. 3258–3267, 2022, doi: 10.54371/jiip.v5i9.805.
- [20] Melexis, "MLX90614 family: Single and Dual Zone Infra Red Thermometer in TO-39," Datasheet, Rev. 13, Sep. 2019. [Online]. Available: <https://www.melexis.com>. [Accessed: Jan. 04, 2026]

- [21] Melexis, "MLX90640 32x24 IR array," Datasheet, Rev. 3, Nov. 2016. [Online]. Available: <https://www.melexis.com>. [Accessed: Jan. 04, 2026].
- [22] Omron Electronic Components, "D6T MEMS Thermal Sensors," Catalog, Kyoto, Japan. [Online]. Available: <https://components.omron.com>. [Accessed: Jan. 04, 2026].
- [23] STMicroelectronics, "VL53L0X: World smallest Time-of-Flight ranging and gesture detection sensor," Datasheet, DocID029104, May 2016. [Online]. Available: <https://www.st.com>.
- [24] ElecFreaks, "Ultrasonic Ranging Module HC - SR04," Datasheet/User Guide. [Online]. Available: <https://www.electfreaks.com>.
- [25] SHARP Corporation, "GP2Y0A41SK0F: Distance Measuring Sensor Unit," Datasheet, Ref. OP13008EN, May 2006. [Online]. Available: <https://global.sharp>.
- [26] S. Widaningsih, "Analisis Perbandingan Metode Fuzzy Tsukamoto , Mamdani dan Sugeno dalam Pengambilan Keputusan Penentuan Jumlah Distribusi Raskin di Bulog Sub . Divisi Regional (Divre) Cianjur," vol. 11, no. 1, pp. 51–65, 2017.
- [27] H. Mudia, A. Info, and C. W. Tank, "Comparative Study of Mamdani-type and Sugeno-type Fuzzy Inference Systems for Coupled Water Tank," vol. 3, no. 1, pp. 42–49, 2020.
- [28] Espressif Systems, "ESP32 Series Datasheet," Ver. 4.4, Shanghai, China, 2023. [Online]. Available: <https://www.espressif.com>.
- [29] Raspberry Pi Ltd, "Raspberry Pi 5 Product Brief," Datasheet, Cambridge, UK, Oct. 2023. [Online]. Available: <https://datasheets.raspberrypi.com/rpi5/raspberry-pi-5-product-brief.pdf>.
- [30] NVIDIA Corporation, "NVIDIA Jetson Orin Nano Series System-on-Module," Datasheet, DS-11105-001_v1.0, Mar. 2023. [Online]. Available: <https://developer.nvidia.com/embedded/jetson-orin-nano>.
- [31] Handson Technology, "Small Passive Buzzer Module KY-006," User Guide, Version 1, 2018. [Online]. Available:

<https://www.handsontec.com/dataspecs/module/Piezo%20Buzzer.pdf>. [Accessed: Jan. 04, 2026].

[32] N. Aggarwal et al., "Systematic reviews Diagnostic accuracy of non-contact infrared thermometers and thermal scanners : a systematic review and meta-analysis," no. September, pp. 1–17, 2020, doi: 10.1093/jtm/taaa193.

[33] M. Arisandi, "Peran Pengetahuan dan Sikap terhadap Kepatuhan Penggunaan Alat Pelindung Diri pada Mahasiswa Farmasi: Studi Cross-Sectional," *Babul Ilmi J. Ilm. Multi Sci. Kesehatan*, vol. 17, no. 2, 2025. Online. Available: <https://jurnal.unisa-palembang.ac.id/index.php/Kep/article/view/1510/1138>

[34] A. R. Pratama, D. P. Kartikasari, dan A. Setiawan, "Implementasi Deteksi Kelengkapan Alat Pelindung Diri (APD) di Area Berbahaya Menggunakan Metode YOLOv5," *Jurnal Elektronika, Kendali dan Industri (ELKOLIND)*, vol. 10, no. 2, pp. 85–94, 2024. [Online]. Available: <https://jurnal.polinema.ac.id/index.php/elkolind/article/view/5744>

[35] C. Bharatiraja, P. K. Chittoor, dan Y. V. Bhargava, "An IoT-based centralized smart locker using RFID technology," *AIP Conf. Proc.*, vol. 2427, pp. 020098-1–020098-7, 2023. DOI:10.1063/5.0101139.

[36] Raspberry Pi Ltd, "Raspberry Pi Camera Module 2 - Hardware Documentation," *Raspberry Pi Documentation*, 2016. [Online]. Available: <https://www.raspberrypi.com/documentation/accessories/camera.html>. [Accessed: Jan. 04, 2026].

[37] Fifine Microphone, "K420 2K Webcam User Manual & Specifications," *Fifine Technical Support*, 2022. [Online]. Available: <https://fifinemicrophone.com/products/fifine-2k-webcam-for-pc-k420>. [Accessed: Jan. 04, 2026].

[38] G. Bradski, "The OpenCV Library," *Dr. Dobb's Journal of Software Tools*, vol. 25, no. 11, pp. 120–125, Nov. 2000.

[39] S. van der Walt et al., "scikit-image: image processing in Python," *PeerJ*, vol. 2, p. e453, Jun. 2014, doi: 10.7717/peerj.453.

- [40] Hitachi, Ltd., "HD44780U (LCD-II) Dot Matrix Liquid Crystal Display Controller/Driver Datasheet," *Hitachi Semiconductor*, Rev. 0.0, ADE-207-272(Z), 1999.
- [41] Waveshare Electronics, "7inch HDMI LCD (C) User Manual & Datasheet," *Waveshare Wiki*, 2023.
- [42] NVM Express, Inc., "NVM Express Base Specification," Revision 2.0, 2021.
- [43] SD Association, "SD Specifications Part 1: Physical Layer Simplified Specification," Version 9.00, *SD Card Association*, 2023.
- [44] Anna Diószegi et al., "Automated tablet defect detection and the prediction of disintegration time using machine vision," *International Journal of Pharmaceutics*, vol. 645, art. 123420, 2024.
- [45] Milind S. Narlawar et al "Precision measurement of tablet characteristics: A digital device approach," *SSRG International Journal of Electrical and Electronics Engineering*, vol. 11, no. 7, pp. 283-291, Jul. 2024.
- [46] Ajantha Vijayakumar et al "Real-time visual intelligence for defect detection in pharmaceutical packaging using deep learning," *Scientific Reports*, vol. 14, art. 15832, 2024. [Online]. Available: <https://www.nature.com/articles/s41598-024-69701-z>
- [47] Mingze Wang et al., "A three-dimensional vision measurement method based on double-line combined structured light," *Scientific Reports*, vol. 13, art. 17824, 2023. [Online]. Available: <https://www.nature.com/articles/s41598-023-46176-y>
- [48] T. Kern, A. Genseberger, and M. Vincze, "Laser triangulation measurements on moving samples with reduced lateral feature uncertainty," *IEEE Transactions on Instrumentation and Measurement*, vol. 73, pp. 1-12, 2024. [Online]. Available: <https://ieeexplore.ieee.org/document/10716733>
- [49] Junfeng Jing et al., "Recent advances on image edge detection: A comprehensive review," *Neurocomputing*, vol. 503, pp. 259-271, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0925231222008141>

[50] T. S. Arulananth et al., "Edge detection using fast pixel based matching and contours mapping algorithms," PLOS ONE, vol. 18, no. 11, art. e0289823, 2023. [Online]. Available:

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0289823>

[51] Milind S. Narlawar et al "Precision measurement of tablet characteristics: A digital device approach," SSRG International Journal of Electrical and Electronics Engineering, vol. 11, no. 7, pp. 283-291, Jul. 2024. [Online]. Available: <https://www.internationaljournalssrg.org/IJEEE/2024/Volume11-Issue7/IJEEE-V11I7P128.pdf>

[52] Oliver Norton and Prashant Jha "Design and development of a simple screw mechanism for a low-cost neonatal syringe pump," Medical Devices: Evidence and Research, vol. 16, pp. 449-463, 2023. [Online]. Available: <https://www.tandfonline.com/doi/pdf/10.2147/MDER.S489922>

[53] Markus dan Iman Firman, "Perancangan Sistem Tata Udara pada Instalasi Ruang Farmasi RSAB Harapan Kita Jakarta," Jurnal Energi, Volume 11, Nomor 2, halaman 25–33, November 2021.

