

## DAFTAR PUSTAKA

- Abolhasani, M., Boroujerdnia, M., & Cheraghizade, M. (2025). Sonochemical synthesis of CuSnO<sub>3</sub> NPs as a photocatalyst for efficient degradation of MB and environmental remediation. *Physica B: Condensed Matter*, 717(September), 417837. <https://doi.org/10.1016/j.physb.2025.417837>
- Alibe, I. M., Matori, K. A., Sidek, H. A. A., Yaakob, Y., Rashid, U., Alibe, A. M., Zaid, M. H. M., & Khiri, M. Z. A. (2018). Effects of calcination holding time on properties of wide band gap willemite semiconductor nanoparticles by the polymer thermal treatment method. *Molecules*, 23(4), 1–18. <https://doi.org/10.3390/molecules23040873>
- Aouati, R., Namoune, D., Harouni, S., Abed, S., Bouabellou, A., Bouachiba, Y., Serrar, H., Taabouche, A., Djaaboube, H., Boumaiza, S., Mammeri, A., Merabti, H., Kharfi, F., Benzitouni, S., & Nouiri, A. (2026). Al<sup>3+</sup> doping effect on the properties of SnO<sub>2</sub> thin films prepared by sol-gel and dip-coating method for photocatalytic application. *Physica B: Condensed Matter*, 723(September 2025), 418089. <https://doi.org/10.1016/j.physb.2025.418089>
- Aritonang, A. B., Krisnandi, Y. K., & Gunlazuardi, J. (2018). Modification of TiO<sub>2</sub> nanotube arrays with N doping and Ag decorating for enhanced visible light photoelectrocatalytic degradation of methylene blue. *International Journal on Advanced Science, Engineering and Information Technology*, 8(1), 234–241. <https://doi.org/10.18517/ijaseit.8.1.2342>
- B.Yuliyati, Y., A. Lubis, R., R. Noviyanti, A., & Kurniatin, N. (2017). Film Tipis Timah (II) Oksida Sebagai Sensor Karbon Monoksida. *Jurnal Pendidikan Kimia*, 9(1), 254–258. <https://doi.org/10.24114/jpkim.v9i1.6189>
- Bachvarova-Nedelcheva, A., Iordanova, R., Kostov, K. L., & Gegova, R. (2020). Sol-gel powder synthesis in the TiO<sub>2</sub>-TeO<sub>2</sub>-ZnO system: Structural characterization and properties. *Arabian Journal of Chemistry*, 13(9), 7132–7146. <https://doi.org/10.1016/j.arabjc.2020.07.018>
- Barrón, V., & Torrent, J. (2002). Diffuse Reflectance Spectroscopy of Iron Oxides. *Encyclopedia of Surface and Colloid Science*, 1(August), 1438–1446.
- Borhade, V., Tope, D. R., & Sangle, S. L. (2019). Synthesis, Characterization, and Photocatalytic Application of CuSnO<sub>3</sub> Perovskite Oxide. *JETIR1903551 Journal of Emerging Technologies and Innovative Research*, 6(3), 382–386. [www.jetir.org](http://www.jetir.org)

- Brilliantari, A. R., & Wahyuni, N. (2015). sintesis garam timah klorida ( $\text{SnCl}_2$ ) berbahan dasar limbah elektronik. 4(3), 79–83.
- Bunaciu, A. A., Udriștioiu, E. gabriela, & Aboul-Enein, H. Y. (2015). X-Ray Diffraction: Instrumentation and Applications. *Critical Reviews in Analytical Chemistry*, 45(4), 289–299. <https://doi.org/10.1080/10408347.2014.949616>
- Cai, W., Wei, J., Li, Z., Liu, Y., Zhou, J., & Han, B. (2019). Preparation of amino-functionalized magnetic biochar with excellent adsorption performance for Cr(VI) by a mild one-step hydrothermal method from peanut hull. In *Colloids and Surfaces A: Physicochemical and Engineering Aspects* (Vol. 563, Issue Vi). Elsevier B.V. <https://doi.org/10.1016/j.colsurfa.2018.11.062>
- Catauro, M., Papale, F., Roviello, G., Ferone, C., Bollino, F., Trifuoggi, M., & Aurilio, C. (2014). Synthesis of  $\text{SiO}_2$  and CaO rich calcium silicate systems via sol-gel process: Bioactivity, biocompatibility, and drug delivery tests. *Journal of Biomedical Materials Research - Part A*, 102(9), 3087–3092. <https://doi.org/10.1002/jbm.a.34978>
- Cui, J., Wang, A., Edleman, N. L., Ni, J., Lee, P., Armstrong, N. R., & Marks, T. J. (2001). Indium tin oxide alternatives - High work function transparent conducting oxides as anodes for organic light-emitting diodes. *Advanced Materials*, 13(19), 1476–1480. [https://doi.org/10.1002/1521-4095\(200110\)13:19<1476::AID-ADMA1476>3.0.CO;2-Y](https://doi.org/10.1002/1521-4095(200110)13:19<1476::AID-ADMA1476>3.0.CO;2-Y)
- Davis, J., & Rochelle, G. (2009). Thermal degradation of monoethanolamine at stripper conditions. *Energy Procedia*, 1(1), 327–333. <https://doi.org/10.1016/j.egypro.2009.01.045>
- Effenberger, H. (1983). Verfeinerung der Kristallstruktur des monoklinen Dikupfer(II)-trihydroxi-nitrates  $\text{Cu}_2(\text{NO}_3)(\text{OH})_3$ . *Zeitschrift Fur Kristallographie - New Crystal Structures*, 165(1–4), 127–135. <https://doi.org/10.1524/zkri.1983.165.1-4.127>
- Emulsi, M., Cair, M., Hamzah, B., Muchtar, H., & Rahmawati, S. (2017). Pengaruh Tembaga (Ii) Dan Kadmium (Ii) Terhadap Persen Ekstraksi Bersurfaktan Ganda Dengan Benzoiil Aseton Sebagai Pembawa Kation the Effect of Copper (Ii) and Cadmium (Ii) on Mercury (Ii) Extraction Percent Using Liquid Membrane Emulsion Type W. Ii.
- Fadia, P., Tyagi, S., Bhagat, S., Nair, A., Panchal, P., Dave, H., Dang, S., & Singh, S. (2021). Calcium carbonate nano- and microparticles: synthesis methods and biological applications. 3 *Biotech*, 11(11), 1–30. <https://doi.org/10.1007/s13205-021-02995-2>
- Frauenkron, M., Melder, J.-P., Ruider, G., Rossbacher, R., & Höke, H. (2001). Ethanolamines and Propanolamines. *Ullmann's Encyclopedia of Industrial Chemistry*.

[https://doi.org/10.1002/14356007.a10\\_001](https://doi.org/10.1002/14356007.a10_001)

- Gnanamoorthy, G., Yadav, V. K., & Narayanan, V. (2020). Well organized assembly of (X)-CuSnO<sub>3</sub> nanoparticles enhanced photocatalytic and anti-bacterial properties. *Journal of Water Process Engineering*, 36(January), 101258. <https://doi.org/10.1016/j.jwpe.2020.101258>
- Gonzalez-Garza, D., Rivera-Tinoco, R., & Bouallou, C. (2009). Comparison of ammonia, monoethanolamine, diethanolamine and methyldiethanolamine solvents to reduce CO<sub>2</sub> greenhouse gas emissions. *Chemical Engineering Transactions*, 18, 279–284. <https://doi.org/10.3303/CET0918044>
- Görgün, K., & Arapoğlu, M. G. (2026). Comparative study of TiO<sub>2</sub> and ZnO photoanodes in DSSCs sensitized with novel synthesized carbazole (D-A) Based Photosensitizers. *Physica B: Condensed Matter*, 731(January). <https://doi.org/10.1016/j.physb.2026.418474>
- Habte, L., Shiferaw, N., Mulatu, D., Thenepalli, T., Chilakala, R., & Ahn, J. W. (2019). Synthesis of nano-calcium oxide from waste eggshell by sol-gel method. *Sustainability (Switzerland)*, 11(11), 1–10. <https://doi.org/10.3390/su11113196>
- Harmita, D. (2006). *Analisis Fisika Kimia*. Departemen Farmasi FMIPA UI.
- Husein, S., Wahyuni, E. T., & Mudasar, M. (2019). Synthesis of Tin(II) Oxide (SnO) Nanoparticle by Hydrothermal Method. *JKPK (Jurnal Kimia Dan Pendidikan Kimia)*, 4(3), 145. <https://doi.org/10.20961/jkpk.v4i3.29898>
- Karlina, L., & Sanjaya, H. (2023). Pengaruh Penambahan Aditif Diethanolamine (DEA) pada Ukuran Kristal Semikonduktor Copper Tin Oxide (CuSnO<sub>3</sub>) dengan Metode Sol-Gel. *Asian Journal of Science, Technology, Engineering, and Art*, 1(2), 314–319. <https://doi.org/10.58578/ajstea.v1i2.2064>
- Kasuma Warda Ningsih, S., Nasra, E., Yanna Rahayu Jurusan Kimia, D., Matematika dan Ilmu Pengetahuan Alam, F., Negeri Padang Jl Hamka, U., & Tawar, A. (2020). Sintesis dan Karakterisasi Nanopartikel Co<sup>2+</sup> doped ZnO dengan Menggunakan Metode Sol-Gel. *Indonesian Journal of Chemical Science*, 9(1), 2–8. <http://journal.unnes.ac.id/sju/index.php/ijcs>
- Ke, G. L., Jia, B., He, H. C., Zhou, Y., & Zhou, M. (2022). State-of-the-art advancements of transition metal oxides as photoelectrode materials for solar water splitting. *Rare Metals*, 41(7), 2370–2386. <https://doi.org/10.1007/s12598-022-01968-5>
- Kim, B. N., Seo, G. K., Hwang, S. W., Yu, H., Ahn, B., Seo, H., & Cho, I. S. (2018).

Photophysical properties and photoelectrochemical performances of sol-gel derived copper stannate (CuSnO<sub>3</sub>) amorphous semiconductor for solar water splitting application. *Ceramics International*, 44(2), 1843–1849. <https://doi.org/10.1016/j.ceramint.2017.10.119>

Kiran Kumar, S. R., S. H., P. J., Jayanna, B. K., Yogesh Kumar, K., & Anantha, M. S. (2024). Evolution of SnO<sub>2</sub> nanoparticles for the electrochemical sensing of dopamine including photocatalytic toxic dyes degradation. *Sensors International*, 5(September 2023), 100278. <https://doi.org/10.1016/j.sintl.2023.100278>

Kocha, S. S. (2010). Principles of MEA preparation. *Handbook of Fuel Cells*, 1–28. <https://doi.org/10.1002/9780470974001.f303047>

Kortunov, P. V., Siskin, M., Baugh, L. S., & Calabro, D. C. (2015). In Situ Nuclear Magnetic Resonance Mechanistic Studies of Carbon Dioxide Reactions with Liquid Amines in Non-aqueous Systems: Evidence for the Formation of Carbamic Acids and Zwitterionic Species. *Energy and Fuels*, 29(9), 5940–5966. <https://doi.org/10.1021/acs.energyfuels.5b00985>

Lalasari, L. H., Arini, T., Yuwono, A. H., & Firdiyono, F. (2015). pengaruh pencampuran dan rasio dopan/prekursor dalam pembuatan lapisan tipis fluorine doped tin oxide (FTO) berbasis timah (II) klorida. *The Dictionary of Genomics, Transcriptomics and Proteomics*, 1–1. <https://doi.org/10.1002/9783527678679.dg06035>

Leger, J. M., Haines, J., & Atouf, A. (1996). The high pressure behaviour of the cotunnite and post-cotunnite phases of PbCl<sub>2</sub> and SnCl<sub>2</sub>. *Journal of Physics and Chemistry of Solids*, 57(1), 7–16. [https://doi.org/10.1016/0022-3697\(95\)00060-7](https://doi.org/10.1016/0022-3697(95)00060-7)

Li, J., Liu, X., Ling, Y., Liang, T., Long, M., Wu, J., & Nong, G. (2026). Controlled synthesis of N/Cu atoms co-doped with TiO<sub>2</sub> and its application to the electron transport performance of DSSCs photoanodes. *Optical Materials*, 174(November 2025). <https://doi.org/10.1016/j.optmat.2026.118026>

Liang, H., Li, Y., Miao, Z., Wang, X., Sun, Y., Zhang, Y., & Fu, P. (2025). Research progress on the reaction mechanism, metal-based catalysts, and reactors for CO<sub>2</sub> electroreduction to formic acid/formate. *Journal of Environmental Chemical Engineering*, 13(3), 116547. <https://doi.org/10.1016/j.jece.2025.116547>

Liu, N., Ouyang, D., Cai, Y., & Li, Y. (2020). Heterostructured Fe<sub>2</sub>O<sub>3</sub>/BiVO<sub>4</sub> nano-photocatalyst for the reduction of nitroarenes into amines. *Ceramics International*, 46(15), 24534–24543. <https://doi.org/10.1016/j.ceramint.2020.06.240>

- Liza, Y. M., Yasin, R. C., Maidani, S. S., & Zainul, R. (2018). Gelation Sol- Gel Proces s  
Densification Ageing Drying. *Pendidikan FMIPA Universitas Negeri Padang*.
- Lourenço, R. E. R. S., Linhares, A. A. N., de Oliveira, A. V., da Silva, M. G., de Oliveira, J.  
G., & Canela, M. C. (2017a). Photodegradation of ethylene by use of TiO<sub>2</sub> sol-gel on  
polypropylene and on glass for application in the postharvest of papaya fruit.  
*Environmental Science and Pollution Research*, 24(7), 6047–6054.  
<https://doi.org/10.1007/s11356-016-8197-5>
- Lourenço, R. E. R. S., Linhares, A. A. N., de Oliveira, A. V., da Silva, M. G., de Oliveira, J.  
G., & Canela, M. C. (2017b). Photodegradation of ethylene by use of TiO<sub>2</sub> sol-gel on  
polypropylene and on glass for application in the postharvest of papaya fruit.  
*Environmental Science and Pollution Research*, 24(7), 6047–6054.  
<https://doi.org/10.1007/s11356-016-8197-5>
- Lu, Y., Wang, R., He, J., Xu, P., Li, H., Tian, L., & Guo, C. (2019). Synthesis of bimetallic  
CoMn–alginate and synergistic effect on thermal decomposition of ammonium  
perchlorate. *Materials Research Bulletin*, 117(April), 1–8.  
<https://doi.org/10.1016/j.materresbull.2019.04.013>
- Mdlovu, N. V., Lin, K., Kim, T., Nguyen, C., Yang, N., Hussain, J., & François, M. (2026).  
Journal of the Taiwan Institute of Chemical Engineers Adsorption and photocatalytic  
degradation of dye and pharmaceutical wastewater using CQDs – Ag decorated TiO<sub>2</sub>  
nanotubes under visible light. *Journal of the Taiwan Institute of Chemical Engineers*,  
189(May), 106878. <https://doi.org/10.1016/j.jtice.2026.106878>
- Meng, Y., Ding, J., Liu, Y., Hu, G., Feng, Y., Wu, Y., & Liu, X. (2024). Advancements in  
Amorphous Oxides For Electrocatalytic Carbon Dioxide Reduction. *Materials Today  
Catalysis*, 7(September), 100065. <https://doi.org/10.1016/j.mtcata.2024.100065>
- Nadeak, S. M. R., & Susanti, D. (2012). variasi temperatur dan waktu tahan kalsinasi terhadap  
unjuk kerja semikonduktor TiO<sub>2</sub> sebagai dye sensitizer solar cell (DSSC) dengan dye dari  
ekstrak buah naga merah. *Jurnal Teknik Pomits*, 1(1), 81–86.  
<http://ejurnal.its.ac.id/index.php/teknik/article/view/883>
- Navaei, S., Aliannezhadi, M., & Jamali, M. (2026). Cavity-free random Raman dye laser based  
on Rhodamine B dye and eco-friendly synthesized ZnO nanoparticles. *Results in Optics*,  
24(April), 101019. <https://doi.org/10.1016/j.rio.2026.101019>
- Ningsih, S. K. W. (2004). pengaruh zat aditif pada sintesis nanopartikel Mn<sub>2</sub>O<sub>3</sub> melalui proses  
sol gel. *Cvd*, 1–3.

- Ochoa-Muñoz, Y. H., Rodríguez-Páez, J. E., & Mejía de Gutiérrez, R. (2021). Structural and optical study of perovskite nanoparticles  $\text{MSnO}_3$  ( $M = \text{Ba, Zn, Ca}$ ) obtained by a wet chemical route. *Materials Chemistry and Physics*, 266(June 2020). <https://doi.org/10.1016/j.matchemphys.2021.124557>
- Parashar, M., Shukla, V. K., & Singh, R. (2020). Metal oxides nanoparticles via sol–gel method: a review on synthesis, characterization and applications. *Journal of Materials Science: Materials in Electronics*, 31(5), 3729–3749. <https://doi.org/10.1007/s10854-020-02994-8>
- Peñalver-Soler, R. M., Pérez-Álvarez, M. D., Pellerito, F., Pérez-Ruzafa, Á., Campillo, N., Arroyo-Manzanares, N., & Viñas, P. (2025). Direct laser infrared microscopy for the monitoring of microplastics in *Holothuria poli* and sediments of the Mar Menor coastal lagoon. *Environmental Pollution*, 378(May). <https://doi.org/10.1016/j.envpol.2025.126478>
- Peng, X., Xu, R., Zhang, L., Li, X., Xu, J., Huang, D., & Wang, Y. (2026). Construction of multi-component  $\text{CuO/ZIF-8@CNTs}$  modified electrode for sensitive electrochemical detection of neohesperidin dihydrochalcone in liquor samples. *Journal of Food Composition and Analysis*, 151(February), 108987. <https://doi.org/10.1016/j.jfca.2026.108987>
- Rahman, M. (2025). Tin oxide thin films for the future: A paradigm shift in property engineering for advanced functional devices. *Next Materials*, 9(October), 101341. <https://doi.org/10.1016/j.nxmte.2025.101341>
- Rehman, B., Khan, S. A., Nasar, A., Shahjahan, Alimuddin, & Ahamad, Z. (2026). Synergistic Fe-Sn-Ni ternary metal oxide nanocomposite for Congo red adsorption: Synthesis, characterization, and Box-Behnken optimization. *Next Materials*, 10(October 2025), 101502. <https://doi.org/10.1016/j.nxmte.2025.101502>
- Reiter, F. (2011). *carbon based nanomaterials as transparent conductive electrodes by carbon based nanomaterials as transparent*. August.
- Rizaldi, D. R., Doyan, A., & Susilawati, S. (2021). sintesis lapisan tipis  $\text{TiO}_2:(\text{F}+\text{In})$  pada substrat kaca dengan metoda spin coating sebagai bahan sel surya. *ORBITA: Jurnal Kajian, Inovasi Dan Aplikasi Pendidikan Fisika*, 7(1), 219. <https://doi.org/10.31764/orbita.v7i1.4655>
- Rosanti, A.D., Wardani, A.R.K., & Anggraeni, H. A. (2020). Pengaruh Suhu Kalsinasi terhadap Karakteristik dan Aktivitas Fotokatalis  $\text{N/TiO}_2$  pada Penjernihan Limbah Batik

Tenun Ikat Kediri. *Indonesian E-Journal of Applied Chemistry*, 8, 26–33.

- Sabriantje Mulus, D. A., Permana, M. D., Hayaa' Prawiranegara, S. P., Tustika, C. Z., Putri, S. P., Zahra, S. A., Deawati, Y., & Eddy, D. R. (2025). Enhanced performance of spin-coated silver-modified titanium dioxide thin films over dip coating method for metformin photodegradation. *Results in Optics*, 21(May), 100838. <https://doi.org/10.1016/j.rio.2025.100838>
- Sanjaya, H., Aziz, H., Stiadi, Y., Arief, S., Yohandri, Y., & Budiman, S. (2026). Preparation of Thin Film CuSnO<sub>3</sub> by Dip Coating Method: Structural, Optical, and Electrical Properties for Dye-Sensitized Solar Cell Applications. *Jurnal Kimia Valensi*, 12(1), 110–118. <https://doi.org/10.15408/jkv.v12i1.50326>
- Sharipbaev, S. S., Mamatkarimov, O. O., Sharibaev, N. Y., Abdugarimov, A. A., Ergashov, A. Q., Fazliddinov, S. B., & Akhmadjonova, M. X. (2026). Development of a single-layer TiO<sub>2</sub> photoanode for DSSCs with structural and photovoltaic analysis. *Results in Physics*, 86(February). <https://doi.org/10.1016/j.rinp.2026.108693>
- Suhendra, D., & Gunawan, E. R. (2011). Pembuatan Arang Aktif Dari Batang Jagung Menggunakan Aktivator Asam Sulfat Dan Penggunaannya Pada Penjerapan Ion Tembaga (Ii). *MAKARA of Science Series*, 14(1), 22–26. <https://doi.org/10.7454/mss.v14i1.483>
- Sujatha, K., Sharmila, S., Sudha, A. P., & Shanmugasundaram, O. L. (2021). Surfactant assisted spectroscopic application of cadmium oxide nanoparticles prepared via co-precipitation method. *Materials Today: Proceedings*, xxxx. <https://doi.org/10.1016/j.matpr.2021.03.626>
- Sun, H., Boke Abdeta, A., Kuo, D. H., Wu, Q., Guo, Y., Ahmed Zelekew, O., Yuan, Z., Lin, J., & Chen, X. (2021). Activated carbon supported CuSnOS catalyst with an efficient catalytic reduction of pollutants under dark condition. *Journal of Molecular Liquids*, 334, 116079. <https://doi.org/10.1016/j.molliq.2021.116079>
- Sun, L., Uda, K., Yoshida, T., & Suzuri, Y. (2021). Photochemical conversion of ethanolamine-zn<sup>2+</sup> complex gel under vacuum ultraviolet irradiation associated with color-tunable photoluminescence. *Journal of Physical Chemistry C*, 125(9), 5417–5424. <https://doi.org/10.1021/acs.jpcc.1c00318>
- Vernon-Parry, K. D. (2000). Microscopy : An introduction. *III-Vs Review*, 13(4), 40–44.
- Wang, M., Guo, Y., Zhu, Z., Liu, Q., Sun, T., Cui, H., & Tang, Y. (2021). Diethanolamine-assisted and morphology controllable synthesis of ZnO with enhanced photocatalytic activities. *Materials Letters*, 299, 130114. <https://doi.org/10.1016/j.matlet.2021.130114>

- Yarali, D., Ahmadi, R., & Hosseini, R. (2020). Effect of the wire thickness on the morphology and antibacterial properties of the Cu-CuO and CuO-SnO<sub>2</sub> nanoparticles synthesized via electrical discharge method. *UPB Scientific Bulletin, Series B: Chemistry and Materials Science*, 82(2), 79–94.
- Zhang, Y., Zhou, L., Xiong, F., Tang, H., An, Q., & Mai, L. (2018). Amorphous CuSnO<sub>3</sub> nanospheres anchored on interconnected carbon networks for use as novel anode materials for high-performance sodium ion batteries. *Inorganic Chemistry Frontiers*, 5(11), 2756–2762. <https://doi.org/10.1039/c8qi00862k>
- Zhu, H., Li, Y., Liu, W., Zhang, L., Sun, D., Jiang, Z., Cheng, Z., Yuan, Z., Yu, Y., Zhao, Y., & Meng, F. (2025). Amorphous bimetallic oxide CuSnO<sub>3</sub> modified In<sub>2</sub>O<sub>3</sub> for highly sensitive detection of thermal runaway marker 1,2-dimethoxyethane in lithium batteries. *Ceramics International*, 51(8), 9978–9986. <https://doi.org/10.1016/j.ceramint.2024.12.430>

