

DAFTAR PUSTAKA

1. Javeria S, Shahi SK, Shahi MP, Yadava YK. Isolation of Lichen Forming Fungus of *Everniastrum cirrhatum* and Evaluate its Antagonistic and Antimicrobial Activity. *Am J Ethnomedicine*. 2014;1(5):361–7.
2. Seo C, Jae HS, Seong MP, Joung HY, Hong KL, Oh H. Usimines A-C, bioactive usnic acid derivatives from the antarctic lichen *Stereocaulon alpinum*. *J Nat Prod*. 2008;71(4):710–2.
3. Ismed F, Lohezic-Le Devehat F, Delalande O, Sinbandhit S, Bakhtiar A, Boustie J. Lobarin from the Sumatran lichen, *Stereocaulon halei*. *Fitoterapia*. 2012;83(8):1693–8.
4. Ismed F, Hartati S, Mulyadi R, Putra HE, Vidian NP, Putra DP. Isolasi Senyawa Depside-Depsozone dari Lichen Sumatera (*Stereocaulon halei*) dan Uji Aktivitas Antimikroba serta Anti Tuberkulosis. *J Ilmu Kefarmasian Indones*. 2016;14(1):49–56.
5. Muggia L. Fungal Diversity in Lichens: From Extremotolerance to Interactions with Algae. 2018;1–14.
6. Song HC, Qin D, Han MJ, Wang L, Zhang K, Dong JY. Bioactive 2-pyrone metabolites from an endophytic *Phomopsis asparagi* SWUKJ5.2020 of *Kadsura angustifolia*. *Phytochem Lett*. 2017;22(June 2017):235–40.
7. Agawal P, Bhardwaj A. A Review Fungal Endophytes : As A Store House of Bioactive Compound. *World J Pharm Pharm Sci*. 2014;3(9):228–37.
8. Zhao J, Zhou L, Wang J, Shan T, Zhong L, Liu X, Gao X. Endophytic fungi for producing bioactive compounds originally from their host plants. *Technol Educ Top Appl Microbiol Microb Biotechnol*. 2010;1:567–76.
9. Stierle AA, Stierle DB. *HHS Public Access*. 2016;10(10):1671–82.

10. Lenta BN, Ngatchou J, Frese M, Ladoh-Yemeda F, Voundi S, Nardella F, Michalek C, Wibberg D, Ngouela S, Tsamo E, Kaiser M, Kalinowski J, Sewald N. Purpureone, an antileishmanial ergochrome from the endophytic fungus *Purpureocillium lilacinum*. *Zeitschrift fur Naturforsch - Sect B J Chem Sci.* 2016;71(11):1159–67.
11. Werth S, Sork VL. Ecological specialization in *Trebouxia* (Trebouxiophyceae) photobionts of *Ramalina menziesii* (Ramalinaceae) across six range-covering ecoregions of western North America. *Am J Bot.* 2014;101(7):1127–40.
12. Susilawati PR. Fructicose Dan Foliose Lichen Di Bukit Bibi Taman Nasional Gunung Merapi. *J Penelit.* 2017;21(1):12–21.
13. Manojlovic NT, Vasiljevic PJ, Marković ZS. Antimicrobial activity of extracts and various fractions of chloroform extract from the lichen *Laurera benguelensis*. *J Biol Res.* 2010;13(January):27–34.
14. Mycobank. *Stereocaulon halei* [Internet]. 2016 [cited 2019 Jan 12]. Available from: <http://www.mycobank.org/BioloMICS.aspx?TableKey=14682616000000067&Rec=282002&Fields=All>
15. Selim K. Biology of Endophytic Fungi. *Curr Res Environ Appl Mycol.* 2012;2(1):31–82.
16. Ali MZ. Reproduction of Fungi. 2013;(June):1–10.
17. Benjamin S. *Purpureocillium lilacinum* Strain BP13 Produces Flavoglucin. 2016;12(4):472–6.
18. Li SJ, Zhang X, Wang XH, Zhao CQ. Novel natural compounds from endophytic fungi with anticancer activity. *Eur J Med Chem.* 2018;156:316–43.
19. Prakash V. Endophytic fungi as resource of bioactive compounds. *Int J Pharma Bio Sci.* 2015;6(1):B887–98.
20. Liu Z, Chen Y, Chen S, Liu Y, Lu Y, Chen D, et al. Aspterpenacids A and

- B, Two Sesterterpenoids from a Mangrove Endophytic Fungus *Aspergillus terreus* H010. *Org Lett.* 2016;18(6):1406–9.
21. Yan BC, Wang WG, Hu DB, Sun X, Kong LM, Li XN, et al. Phomopchallasins A and B, Two Cytochalasans with Polycyclic-Fused Skeletons from the Endophytic Fungus *Phomopsis* sp. shj2. *Org Lett.* 2016;18(5):1108–11.
 22. Feng Y, Ren F, Niu S, Wang L, Li L, Liu X, Che Y. Guanacastane diterpenoids from the plant endophytic fungus *Cercospora* sp. *J Nat Prod.* 2014;77(4):873–81.
 23. Jia M, Chen L, Xin HL, Zheng CJ, Rahman K, Han T, et al. A friendly relationship between endophytic fungi and medicinal plants: A systematic review. *Front Microbiol.* 2016;7(JUN):1–14.
 24. Luangsa-Ard J, Houbraken J, van Doorn T, Hong SB, Borman AM, Hywel-Jones NL, Samson RA. *Purpureocillium*, a new genus for the medically important *Paecilomyces lilacinus*. *FEMS Microbiol Lett.* 2011;321(2):141–9.
 25. Mycobank. *Purpureocillium lilacinum* [Internet]. 2016 [cited 2019 Jan 12]. Available from: http://www.mycobank.org/Biolomics.aspx?Table=Mycobank&MycoBankNr_=519530
 26. Kidd S, Halliday C, Alexiou H, Ellis D. Description of Medical Fungi. Australia; 2016. 145–147 p.
 27. Park JO, Hargeaves JR, McConville EJ, Stirling G, Ghisalberti EL, Sivasithamparam K. Production of leucinostatins and nematicidal activity of Australian isolates of *Paecilomyces lilacinus* (Thom) Samson. *Lett Appl Microbiol.* 2004;38(4):271–6.
 28. Mikami Y, Yazawa K, Fukushima K, Arai T, Udagawa S ichi, Samson RA. Paecilotoxin production in clinical or terrestrial isolates of *Paecilomyces lilacinus* strains. *Mycopathologia.* 1989;108(3):195–9.

29. Pubchem. Flavoglaucin _ C19H28O3 - PubChem [Internet]. [cited 2019 Jan 12]. Available from: <https://pubchem.ncbi.nlm.nih.gov/compound/Flavoglaucin>
30. Anam C, Agustini TW, Romadhon. Pengaruh Pelarut yang Berbeda pada Ekstraksi Spirulina platensis Serbuk sebagai Antioksidan dengan Metode Soxhletasi. J Pengolah dan Bioteknologi Perikanan. 2014;3(4):106–12.
31. Mukhriani. Ekstraksi, pemisahan senyawa, dan identifikasi senyawa aktif. J Kesehatan. 2014;VII(2):361–7.
32. Pramudita, Tiara, Livia Syafnir LP. Isolasi Senyawa Flavonoid dari Ekstrak Etanol Daun Pacar Air (*Impatiens Balsamina* L.). Pros Penelitian Spes. 2015;
33. Harmita. Analisis Fisikokimia : Kromatografi. Manurung J, editor. Jakarta: EGC; 2014.
34. Ari K, Darmapatni G. Pengembangan Metode GC-MS Untuk Penetapan Kadar Acetaminophen Pada Spesimen Rambut Manusia. Biosains Pasca Sarj. 2016;18(3).
35. Dachriyanus. Analisis Struktur Senyawa Organik Secara Spektroskopi. Padang: LPTIK Universitas Andalas; 2004.
36. Supratman U. Elusidasi Struktur Senyawa Organik. Bandung: Widya Padjadjaran; 2009.
37. Dıblan S, Kadirođlu P, Aydemir LY. Ft-Ir Spectroscopy Characterization and Chemometric Evaluation of Legumes Extracted With Different Solvents. Food Heal. 2018;4(2):80–8.
38. Khopkar SM. Konsep Dasar Kimia Analitik. Terjemahan A. Saptorahardjo dan Agus Nurhadi. Jakarta: Universitas Indonesia; 1990.
39. Harmita. Analisis Fisikokimia : Potensiometri & Spektroskopi. Manurung J, Aini N, editors. Jakarta: EGC; 2014.
40. Valgas C, Souza SM De, Smânia EFA, Jr AS. Screening Methods to Determine Antibacterial Activity of Natural Products. 2007;369–80.

41. Kusumaningtyas E, Stuti E, Darmono. Sensitivitas metode bioautografi kontak dan agar overlay dalam penentuan senyawa antikapang. Vol. 6, no. 2, Jurnal ilmu kefarmasian indonesia. 2008. p. 75–9.
42. Balouiri M, Sadiki M, Ibsouda SK. Methods for in vitro evaluating antimicrobial activity: A review. J Pharm Anal. 2016;6(2):71–9.
43. Brooks GF, Carrol KC, Butel JS, Morse SA, Mietzner TA. Medical microbiology. Vol. 317, Bmj. United States: McGaw-Hill; 2013. 1060 p.
44. Davis WW, Stout TR. Disc Plate Method of Microbiological Antibiotic Assay. Appl Microbiol. 1971;22(4):659–65.
45. Pratiwi ST. Mikrobiologi Farmasi. Jakarta: Gelora Aksara Pratama; 2008.
46. Kjer J, Debbab A, Aly AH, Proksch P. Methods for isolation of marine-derived endophytic fungi and their bioactive secondary products. 2010;5(3):479–90.
47. Huneck S, Yoshimura I. Identification of Lichen Substances. Verlag Berlin Heidelberg: Springer; 1996.
48. Vu TH, Catheline D, Delmail D, Boustie J, Legand P, Lohezic-Le Devehat F. Gas chromatographic analysis to compare the fatty acid composition of fifteen lichen species, with a focus on *Stereocaulon*. Lichenologist. 2016;48(4):323–37.
49. Frengki. Isolasi, Elusidasi Struktur dan Uji Bioaktivitas Kandungan Kimia Fraksi Etil Asetat Kulit Batang Tanaman *Calophyllum macrophyllum* Scheff. Universitas Indonesia; 2010.
50. Naid T, Kasim S, Pakaya M. Penetapan Kadar Parasetamol Dalam Tablet Kombinasi Parasetamol Dengan Kofein Secara Spektrofotometri Ultraviolet-Sinar Tampak. Maj Farm dan Farmakol [Internet]. 2011;15(2):77–82. Available from: <http://ejournal.ukrida.ac.id/ojs/index.php/Ked/article/viewFile/196/192>
51. Soejoko DS, Wahyuni S. Spektroskopi Inframerah Senyawa Kalsium

- Fosfat Hasil Presipitasi. 2002;6(3):117–20.
52. Sutton S. Measurement of microbial cells by optical density. *J Valid Techn.* 2011;17(1):46–9.
53. Souza SM De, Delle Monache F, Smânia A. Antibacterial activity of coumarins. *Zeitschrift fur Naturforsch - Sect C J Biosci.* 2005;60(9–10):693–700.
54. VanderMolen KM, Raja HA, El-Elimat T, Oberlies NH. Evaluation of culture media for the production of secondary metabolites in a natural products screening program. *AMB Express.* 2013;3:1–7.
55. Misna, Diana K. Aktivitas Bakteri Ekstrak Kulit Bawang Merah (*Allium cepa* L.) Terhadap Bakteri *Staphylococcus aureus*. 2016;2(2).
56. Gandjar IG, Rohman A. *Kimia Farmasi Analisis*. Yogyakarta: Pustaka Pelajar; 2007.
57. Harborne J. *Metode fitokimia: penuntun cara modern menganalisis tumbuhan*. Terjemahan Kosasih Padmawinata, Iwang Soediro. Niksolihin S, editor. Bandung: ITB; 1987.
58. Silverstein RM, Webster FX KD. *Silverstein - Spectrometric Identification of Organic Compounds 7th ed.pdf*. USA: John Wiley & Sons, Inc; 1963. p. 78–108.
59. Marston A. Thin-layer chromatography with biological detection in phytochemistry. *J Chromatog A.* 2011;1218(19):2676–83.
60. Eloff JN. A sensitive and quick microplate method to determine the minimal inhibitory concentration of plant extracts for bacteria. *Planta Med.* 1998;64(8):711–3.
61. Das K, Tiwari RKS, Shrivastava DK. Techniques for evaluation of medicinal plant products as antimicrobial agent: Current methods and future trends. *J Med Plants Res.* 2010;4(2):104–11.
62. Shahat AA, El-Barouty G, Hassan RA, Hammouda FM, Abdel-Rahman

- FH, Saleh MA. Chemical composition and antimicrobial activities of the essential oil from the seeds of *Enterolobium contortisiliquum* (leguminosae). *J Environ Sci Heal - Part B Pestic Food Contam Agric Wastes*. 2008;43(6):519–25.
63. Ohta S, Shiomi Y, Kawashima A, Aozasa O, Nakao T, Nagate T, Kitamura K, Miyata H. Antibiotic effect of linolenic acid from *Chlorococcum* strain HS-IO1 and *Dunaliella primolecta* on methicillin-resistant *Staphylococcus aureus*. 1995;121–7.
64. Pu Z hui, Zhang Y qun, Yin Z qiong, Xu J, Jia R yong, Lu Y, Yang F. Antibacterial activity of 9-octadecanoic acid-hexadecanoic acid-tetrahydrofuran-3,4-diyl ester from neem oil. *Agric Sci China*. 2010;9(8):1236–40.
65. Cartron ML, England SR, Chiriac AI, Josten M, Turner R, Rauter Y, Hurd A, Sahl HG, Jones S, Foster SJ. Bactericidal activity of the human skin fatty acid cis-6-hexadecanoic acid on *Staphylococcus aureus*. *Antimicrob Agents Chemother*. 2014;58(7):3599–609.

