

DAFTAR PUSTAKA

1. Jain A, Kumar A, Gupta N, Kumar K. Advancements and challenges in BaTiO₃-Based materials for enhanced energy storage. *Mater Today Proc.* 2024;(March). doi:10.1016/j.matpr.2024.05.048
2. Rahman A, Farrok O, Haque MM. Environmental impact of renewable energy source based electrical power plants: Solar, wind, hydroelectric, biomass, geothermal, tidal, ocean, and osmotic. *Renewable and Sustainable Energy Reviews.* Elsevier Ltd; 2022. doi:10.1016/j.rser.2022.112279
3. Liu G, Wang Y, Han G, Gao J, Yu L, Tang M, et al. Enhanced electrical properties and energy storage performances of NBT-ST Pb-free ceramics through glass modification. *J Alloys Compd.* 2020 Sep 25;836. doi:10.1016/j.jallcom.2020.154961
4. Bayode AA, Ore OT, Nnamani EA, Sotunde B, Koko DT, Unuabonah EI, et al. Perovskite Oxides: Syntheses and Perspectives on Their Application for Nitrate Reduction. *ACS Omega.* American Chemical Society; 2024. p. 19770–85. doi:10.1021/acsomega.4c01487
5. Yan F, Bai H, Ge G, Lin J, Zhu K, Li G, et al. Boosting Energy Storage Performance of Lead-Free Ceramics via Layered Structure Optimization Strategy. *Small.* 2022 Aug 1;18(34). doi:10.1002/sml.202202575 PubMed PMID: 35908160.
6. Kim TY, Choi JO, Anoop G, Kim J, Park SM, Samanta S, et al. (111)-oriented Sn-doped BaTiO₃ epitaxial thin films for ultrahigh energy density capacitors. *Ceram Int.* 2021 Oct 1;47(19):26856–62. doi:10.1016/j.ceramint.2021.06.094
7. Wendari TP, Ramadhani RZ, Zaky FA, Tazkiya RR, Haidar H, Stiadi Y, et al. Effects of low-level NaNbO₃ substitution on the structural, dielectric, ferroelectric, and energy-storage properties of BaTiO₃ perovskite synthesized via molten salt method. *Ceram Int.* 2026. doi:10.1016/j.ceramint.2026.03.329
8. Mahapatra A, Parida S, Sarangi S, Badapanda T. Dielectric and Ferroelectric Behavior of Bismuth-Doped Barium Titanate Ceramic Prepared by Microwave Sintering. *JOM.* 2015 Aug 27;67(8):1896–904. doi:10.1007/s11837-014-1266-7
9. Wendari TP, Akbar MA, Rizki A, Zulhadjri, Putri YE, Insani A, et al. Tuning the dielectric, ferroelectric, and energy storage properties of Ca-substituted Na_{0.5}Bi_{0.5}TiO₃ perovskites synthesized via the molten salt method. *J Solid State Chem.* 2025 Jun 1;346. doi:10.1016/j.jssc.2025.125253
10. Sun Q, Zhu S, Shen Z, Liu Y, Wu C, Kang L, et al. Molten-salt assisted synthesis of two-dimensional materials and energy storage application. *Materials Today Chemistry.* Elsevier Ltd; 2023. doi:10.1016/j.mtchem.2023.101419
11. Wang J, Zhang S, Yang L, He G, Hu Z. Enhancing the energy storage performance of NBT-based ceramics through grain boundary design. *Ceram Int.* 2025 Jul 1;51(18):25094–102. doi:10.1016/j.ceramint.2025.03.191
12. Pattipaka S, Lim Y, Son YH, Bae YM, Peddigari M, Hwang GT. Ceramic-Based Dielectric Materials for Energy Storage Capacitor Applications. *Materials.* Multidisciplinary Digital Publishing Institute (MDPI); 2024. doi:10.3390/ma17102277
13. Corma A, Serna P. Chemoselective hydrogenation of nitro compounds with supported gold catalysts. *Science* (1979). 2006 Jul 21;313(5785):332–4. doi:10.1126/science.1128383
14. Hu Q, Tian Y, Zhu Q, Bian J, Jin L, Du H, et al. Achieve ultrahigh energy storage performance in BaTiO₃-Bi(Mg_{1/2}Ti_{1/2})O₃ relaxor ferroelectric ceramics via nano-scale polarization mismatch and reconstruction. *Nano Energy.* 2020 Jan 1;67. doi:10.1016/j.nanoen.2019.104264
15. Cao W, Lin R, Chen P, Li F, Ge B, Song D, et al. Phase and Band Structure Engineering via Linear Additive in NBT-ST for Excellent Energy Storage Performance with Superior Thermal Stability. *ACS Appl Mater Interfaces.* 2022 Dec 7;14(48):54051–62. doi:10.1021/acsaami.2c17170 PubMed PMID: 36413744.
16. Zhang T, Li W, Zhao Y, Yu Y, Fei W. High Energy Storage Performance of Opposite Double-Heterojunction Ferroelectricity–Insulators. *Adv Funct Mater.* 2018 Mar 7;28(10). doi:10.1002/adfm.201706211
17. Shkuratov SI, Lynch CS. A review of ferroelectric materials for high power devices. *Journal of Materiomics.* 2022 Jul 1;8(4):739–52. doi:10.1016/j.jmat.2022.04.002

18. Deng J, Han F, Schwarz B, Knapp M, Ehrenberg H, Hua W, et al. Dielectric Relaxation and Magnetic Structure of A-Site-Ordered Perovskite Oxide Semiconductor $\text{CaCu}_3\text{Fe}_2\text{Ta}_2\text{O}_{12}$. *Inorg Chem.* 2021;60(10):6999–7007. doi:10.1021/acs.inorgchem.0c03229 PubMed PMID: 33938223.
19. Wendari TP, Zulhadjri, Emriadi. Observation of relaxor ferroelectric behavior and energy storage performances in $\text{Sr}_{1.25}\text{Bi}_{2.75}\text{Nb}_{1.25}\text{Ti}_{1.75}\text{O}_{12}$ aurivillius ceramic synthesized by molten salt method. *J Solid State Chem.* 2023;325(May):124150. doi:10.1016/j.jssc.2023.124150
20. Zhang L, Pu Y, Chen M, Peng X, Wang B, Shang J. Design strategies of perovskite energy-storage dielectrics for next-generation capacitors. *J Eur Ceram Soc.* 2023;43(14):5713–47. doi:10.1016/j.jeurceramsoc.2023.06.037
21. Zhang L, Pu Y, Chen M, Peng X, Wang B, Shang J. Design strategies of perovskite energy-storage dielectrics for next-generation capacitors. *Journal of the European Ceramic Society. Elsevier Ltd;* 2023. p. 5713–47. doi:10.1016/j.jeurceramsoc.2023.06.037
22. Zhou D, Zhou T, Tian Y, Zhu X, Tu Y. Perovskite-Based Solar Cells: Materials, Methods, and Future Perspectives. *J Nanomater.* 2018;2018. doi:10.1155/2018/8148072
23. Balmuchu SP, Sahu S, Dobbidi P. The effect of interfacial charge-induced multiferroic properties of $\text{Bi}_{0.993}\text{La}_{0.007}\text{FeO}_3/\text{BaTiO}_3$ bilayer thin films: Performance modulation and energy storage applications. *Surfaces and Interfaces.* 2024 Jan 1;44. doi:10.1016/j.surfin.2023.103653
24. Zhao T, Ye Y, Guo K, Cui R, Zhang M, Wang X, et al. High energy storage properties of calcium-doped barium titanate thin films with high breakdown field strength. *J Alloys Compd.* 2024 Jan 5;970. doi:10.1016/j.jallcom.2023.172487
25. Rahman, Atikur W. Understanding of doping sites and versatile applications of heteroatom modified BaTiO_3 ceramic. *Journal of Asian Ceramic.* 2023
26. Zeng D, Nong P, Xu MZ, Dong Q, Pan Y, Wang X, et al. Relaxor ferroelectric ceramics with excellent energy storage density obtained from BT-based ceramics. *J Power Sources.* 2023 Oct 1;580. doi:10.1016/j.jpowsour.2023.233454
27. Wendari TP. Journal of Solid State Chemistry Observation of relaxor ferroelectric behavior and energy storage by molten salt method. Vol. 325. 2023;325(December 2022).
28. Wendari TP, Tazkiya RR, Akbar MA, Rizki A, Putri YE, Zulhadjri, et al. Comparative analysis of Ba^{2+} doping effects on structural, dielectric, and energy storage characteristics of $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ and $\text{Na}_{0.25}\text{Bi}_{0.25}\text{Ba}_{0.5}\text{TiO}_3$ perovskites synthesized via the molten-salt method. *Journal of Materials Science: Materials in Electronics.* 2025 Apr 1;36(11). doi:10.1007/s10854-025-14726-x
29. Sun Q, Zhu S, Shen Z, Liu Y, Wu C, Kang L, et al. Molten-salt assisted synthesis of two-dimensional materials and energy storage application. *Materials Today Chemistry.* Elsevier Ltd; 2023. doi:10.1016/j.mtchem.2023.101419
30. Wendari TP, Fajri M, Emriadi, Akbar MA, Zaky FA, Haidar H, et al. Synthesis, structural, dielectric, and magnetic properties of lead-free $\text{Na}_{0.4}\text{Bi}_{0.6}\text{Ti}_{0.8}\text{Fe}_{0.2}\text{O}_3$ multiferroic perovskite ceramic. *J Mater Sci.* 2025 Nov 1;60(43):21056–70. doi:10.1007/s10853-025-11673-0
31. Christyaningsih RY. Aplikasi Fisika Kuantum-Hamburan Pada "X-Ray Diffraction (XRD)". 2020;(June).
32. Xue P, Wu H, Lu Y, Zhu X. Recent progress in molten salt synthesis of low-dimensional perovskite oxide nanostructures, structural characterization, properties, and functional applications: A review. *J Mater Sci Technol.* 2018;34(6):914–30. doi:10.1016/j.jmst.2017.10.005
33. Zhang Y, Zhang ZF, Bai HR, Li P, Huang HH, Hao JG, et al. Advanced energy storage properties and multi-scale regulation mechanism in $(1-x)(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.7}\text{Sr}_{0.3}\text{TiO}_3$ - $x\text{Ca}(\text{Nb}_{0.5}\text{Al}_{0.5})\text{O}_3$ relaxor ferroelectric ceramics. *Acta Mater.* 2024;276(February):120109. doi:10.1016/j.actamat.2024.120109
34. Rostron P, Gaber S, Gaber D. Raman Spectroscopy , Review. 2016;(September).

35. Hayashi H, Nakamura T, Ebina T. In-situ Raman spectroscopy of BaTiO₃ particles for tetragonal-cubic transformation. *Journal of Physics and Chemistry of Solids*. 2013;74(7):957–62. doi:10.1016/j.jpcs.2013.02.010
36. Arrua RD, Hitchcock AP, Hon WB, West M, Hilder EF. Characterization of polymer monoliths containing embedded nanoparticles by scanning transmission X-ray microscopy (STXM). *Anal Chem*. 2014;86(6):2876–81. doi:10.1021/ac403166u
37. Mehmood MF, Habib A. Hydrothermal Synthesis and Structural Characterization of BaTiO₃ Powder. *The Nucleus*. 2023;60(2):168–73. doi:10.71330/thenucleus.2023.1296
38. Kassouf N, Zappi A, Monticelli M, Melucci D. Analysis of Solid Formulates Using UV-Visible Diffused Reflectance Spectroscopy with Multivariate Data Processing Based on Net Analyte Signal and Standard Additions Method. *Chemosensors*. 2024;12(11). doi:10.3390/chemosensors12110227
39. Zhou W, Deng H, Yu L, Yang P, Chu J. Optical band-gap narrowing in perovskite ferroelectric ABO ceramics (A=Pb, Ba; B=Ti) by ion substitution technique. *Ceram Int*. 2015;41(10):13389–92. doi:10.1016/j.ceramint.2015.07.127
40. Xue P, Hu Y, Xia W, Wu H, Zhu X. Molten-salt synthesis of BaTiO₃ powders and their atomic-scale structural characterization. *J Alloys Compd*. 2017;695:2870–7. doi:10.1016/j.jallcom.2016.11.395
41. Zhang L, Pu Y, Chen M, Peng X, Wang B, Shang J. Design strategies of perovskite energy-storage dielectrics for next-generation capacitors. *Journal of the European Ceramic Society*. Elsevier Ltd; 2023. p. 5713–47. doi:10.1016/j.jeurceramsoc.2023.06.037
42. Hachmi A El, Sadoune Z. Synthesis and structural characterization of new perovskite phases, Ba₂Bi_{0.572}TeO_{6±δ} and SrLa₂NiFeNbO₉. *Powder Diffr*. 2024 Dec 1;39(4):235–44. doi:10.1017/S0885715624000289
43. Yu Ran Luo. *Bond Dissociation Energies Organic Compounds*. CRC Press. 2023
44. Le XL, Phu ND, Duong NX. Enhancement of ferroelectricity in perovskite BaTiO₃ epitaxial thin films by sulfurization. *AIMS Mater Sci*. 2024;11(4):802–14. doi:10.3934/matersci.2024039
45. Shi LN, Ren ZH, Jain A, Jin RH, Jiang SS, Zhou HZ, et al. Enhanced energy storage performance achieved in Na_{0.5}Bi_{0.5}TiO₃–Sr_{0.7}Bi_{0.2}TiO₃ ceramics via domain structure and bandgap width tuning. *Ceram Int*. 2023 Apr 15;49(8):12822–31. doi:10.1016/j.ceramint.2022.12.149
46. Behara S, Ghatti L, Kanthamani S, Dumpala M, Thomas T. Structural, optical, and Raman studies of Gd doped sodium bismuth titanate. *Ceram Int*. 2018 Aug 1;44(11):12118–24. doi:10.1016/j.ceramint.2018.03.233
47. Yan J, Fang B, Zhang S, Lu X, Ding J. (Sb_{0.5}Li_{0.5})TiO₃-Doping Effect and Sintering Condition Tailoring in BaTiO₃-Based Ceramics. *Materials*. 2024 May 1;17(9). doi:10.3390/ma17092085
48. Yan J, Fang B, Zhang S, Lu X, Ding J. (Sb_{0.5}Li_{0.5})TiO₃-Doping Effect and Sintering Condition Tailoring in BaTiO₃-Based Ceramics. *Materials*. 2024 May 1;17(9). doi:10.3390/ma17092085
49. Badole M, Dwivedi S, Pareek T, Ahmed SA, Kumar S. Significantly improved dielectric and piezoelectric properties of BiAlO₃ modified potassium bismuth titanate lead-free ceramics. *Materials Science and Engineering: B*. 2020 Dec 1;262. doi:10.1016/j.mseb.2020.114749
50. Deluca M, Al-Jlaihawi ZG, Reichmann K, Bell AMT, Feteira A. Remarkable impact of low BiYbO₃ doping levels on the local structure and phase transitions of BaTiO₃. *J Mater Chem A Mater*. 2018;6(13):5443–51. doi:10.1039/c7ta11096k
51. Li Y, Fan N, Wu J, Xu B, Li X, Liu X, et al. Enhanced energy storage performance in NBT-based MLCCs via cooperative optimization of polarization and grain alignment. *Nature Communications*. 2024 Dec 1;15(1). doi:10.1038/s41467-024-53287-1 PubMed PMID: 39420176.
52. Khondabi M, Ahmadvand H. Dynamics of Polar Nanoregions and Relaxation Mechanisms in BiFeO₃-BaTiO₃-KNbO₃ Relaxor Ferroelectric Ceramics: A Dielectric and Impedance Spectroscopy Study. *Journal of Physical Chemistry C*. 2024 Sep 19;128(37):15732–43. doi:10.1021/acs.jpcc.4c05351

53. Gilbert DA, Murray PD, De Rojas J, Dumas RK, Davies JE, Liu K. Reconstructing phase-resolved hysteresis loops from first-order reversal curves. *Sci Rep.* 2021 Dec 1;11(1). doi:10.1038/s41598-021-83349-z PubMed PMID: 33597639.
54. Wendari TP, Rizki A, Zulhadjri, Putri YE, Emriadi, Labanni A, et al. Structure, ferroelectric, magnetic, and energy storage performances of lead-free $\text{Bi}_4\text{Ti}_{2.75}(\text{FeNb})_{0.125}\text{O}_{12}$ Aurivillius ceramic by doping Fe^{3+} ions extracted from Padang beach sand. *Case Studies in Chemical and Environmental Engineering.* 2024 Jun 1;9. doi:10.1016/j.cscee.2024.100679

