

DAFTAR PUSTAKA

- [1] M. I. Al Hakim, M. Bakrie, and Nurlela, "Pengaruh Baffle Cut Pada Shell dan Tube Heat Exchanger Terhadap Koefisien Perpindahan Panas Menyeluruh & Penurunan Tekanan," vol. 9, no. 2, Jul. 2024.
- [2] A. D. Khalfatirius, "Simulasi Numerik Pengaruh Pitch Helical Fin Terhadap Pressure Drop Pada Double Pipe Heat Exchanger," *Jurnal Teknik Mesin*, vol. 10, no. 01, pp. 55–60, 2022.
- [3] N. Afandi, "Simulasi Performansi Heat exchanger tipe Shell and tube dengan Helical Baffle dan Disk and Doughnut Baffle," *JTM*, vol. 06, no. 01, pp. 61–8, 2018.
- [4] R. Thundil Karuppa Raj and S. Ganne, "Shell side numerical analysis of a *shell and tube heat exchanger* considering the effects of baffle inclination angle on fluid flow," *Thermal Science*, vol. 16, no. 4, pp. 1165–1174, 2012, doi: 10.2298/TSCI110330118R.
- [5] T. H. Ariwibowo *et al.*, "Studi Eksperimen Karakteristik Shell-And-Tube Heat Exchanger Dengan Variasi Jenis Baffle Dan Jarak Antar Baffle," *JIF*, vol. 8, no. 2, 2016.
- [6] G. Sevilgen and H. Bayram, "Numerical investigation of the effects of different baffle types on the thermal performance of a *shell and tube heat exchanger*," *Academic Platform Journal of Engineering and Science*, pp. 1–1, Sep. 2018, doi: 10.21541/apjes.397414.
- [7] M. Safi'i *et al.*, "Kaji Eksperimen Dan Simulasi Pengaruh Sudut Double Segmental Baffle Dan Laju Aliran Fluida Pada Heat Exchanger Jenis Shell And Tube Pada Mesin Main Extruder Terhadap Kebaikan Perpindahan Panas," *Jurnal Device*, vol. 14, no. 01, pp. 92–9, May 2024.
- [8] A. Mulyanto, T. Rachmanto, and D. Saputra, "Pengaruh Parameter Segmental Baffle Pada Shell And Tube Terhadap Koefisien Perpindahan

Panas Dan Pressure Drop Menggunakan Simulasi Ansys,” *Journal Unram*, Jul. 2023, doi: 10.29303/empd.

- [9] B. Nanang Dwi Nuryanto, T. Istanto, and W. Endra Juwana, “Pengaruh laju aliran coolant campuran air dengan ethylene glycol terhadap laju perpindahan panas dan penurunan tekanan radiator otomotif,” *Jurnal Teknik Mesin Indonesia*, vol. 11, no. 2, pp. 71–76, Oct. 2016.
- [10] R. Vidhya, T. Balakrishnan, and B. S. Kumar, “Experimental and theoretical investigation of heat transfer characteristics of cylindrical heat pipe using Al₂O₃–SiO₂/W-EG hybrid nanofluids by RSM modeling approach,” *Journal of Engineering and Applied Science*, vol. 68, no. 1, Dec. 2021, doi: 10.1186/s44147-021-00034-8.
- [11] W. Duangthongsuk and S. Wongwises, “Heat transfer enhancement and pressure drop characteristics of TiO₂-water nanofluid in a double-tube counter flow heat exchanger,” *Int. J. Heat Mass Transf.*, vol. 52, no. 7–8, pp. 2059–2067, Mar. 2009, doi: 10.1016/j.ijheatmasstransfer.2008.10.023.
- [12] T. O. Scott, D. R. E. Ewim, and A. C. Eloka-Eboka, “Hybrid nanofluids flow and heat transfer in cavities: a technological review,” 2022, *Oxford University Press*. doi: 10.1093/ijlct/ctac093.
- [13] M. S. Idris, I. A. Zakaria, W. A. W. Hamzah, and W. A. N. W. Mohamed, “The Characteristics of Hybrid Al₂O₃:SiO₂ Nanofluids in Cooling Plate of PEMFC,” *Journal of Advanced Research in Fluid Mechanics and Thermal Sciences*, vol. 88, no. 3, pp. 96–109, Dec. 2021, doi: 10.37934/arfmts.88.3.96109.
- [14] D. A. Santoso, “Analisis Koesien Perpindahan Panas Konveksi dan Distribusi Temperatur Aliran Fluida pada Heat Exchanger Counterow Menggunakan Solidworks,” *Jurnal Ilmiah Komputasi*, vol. 16, no. 2, Sep. 2017.
- [15] D. Suastiyanti, Y. Fatanur, and P. Rupajati, “Analisis Kerusakan Tube Heat Exchanger Menggunakan Metode Remote Field Testing (RFT),” vol. 4, no. 3, 2020.

- [16] R. Mukherjee, "Effectively Design Shell-and-Tube Heat Exchangers," *American Institute of Chemical Engineers*, Feb. 1998.
- [17] N. Mya, M. Thu, S. Htwe, M. Oo, M. Htay, and M. Htet, "Baffle Design of Shell and tube heat exchanger N," *International Journal of Scientific Engineering and Technology Research*, vol. 08, pp. 420–426, Dec. 2019, [Online]. Available: www.ijsetr.com
- [18] D. Kurmanova, N. Jaichibekov, A. Karpenko, and K. Volkov, "Modelling and Simulation of Heat Exchanger with Strong Dependence of Oil Viscosity on Temperature," *Fluids*, vol. 8, no. 3, Mar. 2023, doi: 10.3390/fluids8030095.
- [19] E. Mansi *et al.*, "Bluesil FLD 550 HT Silicone Oil as Heat Transfer Fluid for Power Plant Applications: Thermal Stability Properties," *Applied Sciences (Switzerland)*, vol. 15, no. 5, Mar. 2025, doi: 10.3390/app15052340.
- [20] K. Salhein, A. Albagul, and C. J. Kobus, "A Comprehensive Review of Heat Transfer Fluids and Their Velocity Effects on Ground Heat Exchanger Efficiency in Geothermal Heat Pump Systems," Sep. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/en18174487.
- [21] M. Z. Saghir, M. Yahya, P. D. Ortiz, S. Impellizzeri, and O. Al-Ketan, "Heat Enhancement of Ethylene Glycol/Water Mixture in the Presence of Gyroid TPMS Structure: Experimental and Numerical Comparison," *Processes*, vol. 13, no. 1, Jan. 2025, doi: 10.3390/pr13010228.
- [22] D. Irawan, M. Wibowo, and Z. Anggara, "Pengaruh Jumlah Tube Dan Baffles Terhadap Efektivitas Shell and tube heat exchanger," *SNPPM-2*, 2020.