

DAFTAR PUSTAKA

- Adetitun, D. O. dan Tomilayo, R. B. (2023). Bacterial Degradation of Phenol: A Review of the Current State of Knowledge. *Ife Journal of Science*. Vol. 25, No. 3. <https://dx.doi.org/10.4314/ijs.v25i3.9>
- Aires, F. I. da S., Dari, D. N., Freitas, I. S., da Silva, J. L., de Matos Filho, J. R., dos Santos, K. M., de Castro Bizerra, V., Sales, M. B., de Souza Magalhães, F. L., da Silva Sousa, P., Simão Neto, F., de Sousa Junior, P. G., Gama Cavalcante, A. L., de Castro, É. C., Melo, R. L. F., & dos Santos, J. C. S. (2024). Advanced and prospects in phenol wastewater treatment technologies: unveiling opportunities and trends. *Discover Water*, 4(20). <https://doi.org/10.1007/s43832-024-00076-y>
- Akan JC., Abdulrahman FI., Sodipo OA., Ochanya AE., Askira YK. (2010). Heavy Metals in Sediments from River Ngada, Maiduguri Metropolis, Borno State, Nigeria. *J Environ Chem Ecotox*; 2(9): 131–140.
- Al-Thani, R.F., Desouky A.M.A. & Mona A. (2007). Isolation Biochemical and Molecular Characterization of 2-chlorophenol-degrading *Bacillus Isolates*. *African Journal of Biotechnology*. 6 (23): 2675-2681.
- Al-Zamili, H. A., & Al-Mayaly, I. K. (2024). Biodegradation of sodium lauryl ether sulfate (SLES) contamination by *Pseudomonas aeruginosa* isolates. *Journal of Degraded and Mining Lands Management*, 11(4), 6319–6327.
- Amro, A.A. & Soheir, S.R. (2007). Characterization of PHA Depolymmerase in Phenol Degrading Bacteria, *International Journal of Biotechnology & Biochemistry*. <http://www.thefreelibrary.com> (diakses 5 Januari 2009).
- Andersson, S. (2019). *Characterization of Bacterial Biofilms from Wastewater Treatment*. Royal Institute of Technology, School of Biotechnology. Stockholm.
- Asimakoula, S., Marinakos, Tsagogiannis, E., & Koukkou, A.I. (2023). Phenol Degradation by *Pseudarthrobacter phenanthrenivorans*. *Mikroorganisme*, 11(2). <https://doi.org/10.3390/microorganisms11020524>
- Ayundha, A., Lestari, W., & Erawati, E. (2022). *COD And BOD Parameter Analysis of Liquid Waste Treatment in RSUD Dr. Moewardi Aerobic Bio Filter Method*.
- Badan Pusat Statistik. (2015). Sumatera Barat dalam angka. BPS Sumatera Barat.
- Bertrand, R. L. (2019). Lag Phase Is a Dynamic, Organized, Adaptive, and Evolvable Period That Prepares Bacteria for Cell Division. *Journal of Bacteriology*, 201(7). <https://doi.org/https://doi.org/10.1128/jb.00697-18>

- Chandra, B., & Rivai, H. (2016). Pengembangan dan Validasi Metode Analisis Ranitidin Hidroklorida Tablet dengan Metode Absorbansi dan Luas Daerah di Bawah Kurva Secara Spektrofotometri Ultraviolet. *In Jurnal Farmasi Higea* (Vol. 8, Issue 2).
- Chowdhury, P., Nag, S., Ray, A. K. (2017), “*Degradation of Phenolic Compounds Through UV and Visible-Light-Driven Photocatalysis: Technical and Economic Aspects*”, Intech open science open minds, London. <http://dx.doi.org/10.5772/66134>.
- Davey, M.E. & O’toole, G.A. (2000). Microbial Biofilms: from Ecology to Molecular Genetics. *Microbial Mol Biol Rev.* 64 (4): 847-867
- Desfitri, E. R., Desmiarti, R., Permata, A. R., & Elizarni, E. (2025). Optimization of Gambier Industry Wastewater Treatment Plant (WWTP) Performance: a Systematic Approach for Environmental Sustainability. *Journal of Applied Agricultural Science and Technology*, 8(2), 228–240. <https://doi.org/10.55043/jaast.v8i2.253>.
- El Moukhtari, F., Martín-Pozo, L. and Zafra Gómez, A. (2023). Strategies based on the use of microorganisms for the elimination of pollutants with endocrine-disrupting activity in the environment. *Journal of Environmental Chemical Engineering*, 109268. <http://doi:10.1016/j.jece.2023.109268>.
- Failisnur, Yeni, G., (2013). Stabilisasi Limbah Cair Hasil Pengolahan Gambir Dan Aplikasinya Sebagai Pewarna Pada Kain Sutera. *Biopropal Ind.* 4, 7–16.
- Febria, F. A., Walpajri, F., Tjong, D. H., & Zakaria, I. J. (2023). Utilization of Local Microorganisms as Bioactivators to Produce Organic Fertilizers and Analysis of Molecular Bacterial Diversity. *Pakistan Journal of Biological Sciences*, 26(3), 138–147. <https://doi.org/10.3923/pjbs.2023.138.147>
- Febria, F. A., Zakaria, I. J., Syukriani, L., Rahayu, S. P., & Fajri, M. A. (2016). The highest mercury resistant bacteria as a mercury remediator from gold mining soil in West Sumatera, Indonesia. Available Online [Www.Jocpr.Com](http://www.jocpr.com) *Journal of Chemical and Pharmaceutical Research*, 8(1), 394–397. <https://doi.org/10.13140/RG.2.1.2305.8324>
- Fuchs, G., Boll, M., & Heider, J. (2011). *Microbial degradation of aromatic compounds—from one strategy to four*. Nature Reviews Microbiology.
- Gami, A. A., Shukor, M., Khalil, K. A., Dahalan, F. A., Khalid, A., & Ahmad, S. A. (2014). Phenol and Its Toxicity. *Journal of Environmental Microbiology Toxicology*, 2(1), and 11–23. <https://doi.org/10.54987/jemat.v2i1.89>

- Hanifah, D. M. (2025). Pengaruh Kalincuang (Limbah Cair Produksi Gambir) Terhadap Aliran Darah dan Laju Jantung Tikus Putih Jantan yang Mengalami Hipertensi. *Repository Unand*. <http://scholar.unand.ac.id/492021/>
- Harianja, S. Y., Wirawan, I. G. P., & Sritamin, M. (2021). Isolation And Ability Test of Phenol-Degrading Bacteria From the Liquid Waste in Bhayangkara Hospital, Denpasar City, Bali, Indonesia. *International Journal of Biosciences and Biotechnology*, 9(1), 49. <https://doi.org/10.24843/ijbb.2021.v09.i01.p06>.
- Helen, A. S., Uche, E. C., & Hamid, F. S. (2017). Screening for polypropylene degradation potential of bacteria isolated from mangrove ecosystems in Peninsular Malaysia. *International Journal of Bioscience, Biochemistry and Bioinformatics*, 7:245-251. <https://doi.org/10.17706/ijbbb.2017.7.4.245251>
- Ilyasu, N. S., Adams, N. H., Umar, R., Ishaya, S., Nweke, O. D., Usman, S., Jagaba, A. H., & Yakasai, H. M. (2024). Palm oil mill effluent degradation by a novel strain of *Bacillus* sp. isolated from contaminated environment. *Case Studies in Chemical and Environmental Engineering*, 9. <https://doi.org/10.1016/j.cscee.2024.100637>
- Irianto Ketut. (2016). *Penanganan Limbah Cair*. Universitas Warmadewa : Denpasar. Katalog dalam Terbitan Edisi 1 Hal 4-7
- Juwita, R., Fibriarti, B. L., & Roza, R. M. (2014). *Isolasi dan Karakterisasi Bakteri Pendegradasi Fenol dari Limbah Cair Rumah Sakit Umum Daerah (RSUD) Arifin Achmad Pekanbaru (Doctoral dissertation, Riau University)*.
- Kasim, A., Asben, A., Mutiar, S., (2015). Kajian Kualitas Gambir dan Hubungannya dengan Karakteristik Kulit Tersamak. *J. Kulit, Karet, dan Plastik*. 31, 55–63. <https://doi:10.20543/mkcp.v31i1.220>.
- Keputusan Menteri Lingkungan Hidup No. 51/MENLH/10/1995 tentang Baku Mutu Limbah Cair Bagi Kegiatan Industri, 2001 diakses pada 20 Januari 2018.
- Kumar, A., et al. (2022). *Microbial degradation of phenolic compounds: pathways, enzymes and applications*. *Frontiers in Microbiology*
- Madigan, M. T., Bender, K. S., Buckley, D. H., Sattley, W. M., & Stahl, D. A. (2021). *Brock Biology of Microorganisms* (16th ed.). Pearson.
- Mahgoub, S. A., Qattan, S. Y. A., Salem, S. S., Abdelbasit, H. M., Raafat, M., Ashkan, M. F., Al-Quwaie, D. A., Motwali, E. A., Alqahtani, F. S., & Abd El Fattah, H. I. (2023). *Characterization and Biodegradation of Phenol by Pseudomonas aeruginosa and Klebsiella variicola Strains Isolated from Sewage Sludge and Their Effect on Soybean Seeds Germination*. *Molecules*, 28(3). <https://doi.org/10.3390/molecules28031203>

- Mahiuddin, Md., A.N.M. Fakhrudin, & Abdullah Al-Mahin. (2012). Degradatio of Phenol via Meta Cleavage Pathyaw by *Pseudomonas fluorescens* PUI.ISRN Microbiology. Vol.2012.
- Martinez, L.R. & Casadevall, A. (2017). *Cryptococcus neoformans* Biofilm Formation Depends on Surface Support and Carbon Source and Reduces Fungal Cell Susceptibility to Heat, Cold and UV Light. *Applied Enviromtmental Microbiology*. 73(14): 4592-4601
- Martins, M., Ribeiro, M. H., and Almeida, C. M. (2023). Physicochemical, Nutritional, And Medicinal Properties of *Opuntia ficus-indica* (L.) mill. And its Main Agro-Industrial Use: A Review. *Plan. Theory* 12:1512. <https://doi:10.3390/plants12071512>.
- Metcalf & Eddy. (2011). *Wastewater Engineering Treatment and Reuse*. New York: Mc. Grawhill.
- Muchtar, H., Kamsina, Anova, I.T., (2011). The Effect of Storage Condition on Mold Growth in Gambir. *J. Din. Penelit. Ind.* 22, 36–43.
- Narayanan, M., Ali, S. S., and El-Sheekh, M. (2023). A Comprehensive Review on The Potential of Microbial Enzymes in Multipollutant Bioremediation: Mechanisms, Challenges, and Future Prospects. *J. Environ. Manag.* 334:117532. <https://doi:10.1016/j.jenvman.2023.117532>.
- National Center for Biotechnology Information (2023). PubChem Compound Summary for CID 996, Phenol. Retrieved November 11, 2023 from <https://pubchem.ncbi.nlm.nih.gov/compound/Phenol>.
- Nesvera, J., Rucka, L., Patek, M. (2015). Chapter Four – Catabolism of Phenol and Its Derivatives in Bacteria: Genes, Their Regulation, and Use in The Biodegradation of Toxic Pollutans. *Journal in Applied Microbiology*. Volume 93: 107-160. <https://doi.org/10.1016/bs.aambs.2015.06.002>
- Permen LHK. (2014). Nomor 5 Tentang Baku Mutu Air Limbah.
- Prayitno Joko, & Nida Sopiah. (2016). Phenol Degradation by Bacteria Isolated from Oil-Mining Site, *Jurnal Teknologi Lingkungan Vol.17, No 2* 126-131.
- Rachman Fidiastuti, H., Suarsini, F., & Tribhuwana Tunggadewi. (2017). Potensi Bakteri Indigen Dalam Mendegradasi Limbah Cair Pabrik Kulit Secara In Vitro The Potential of Indigen Bacteria to degrade Tanning Waste. *J. Ilmu Kesehatan* 2(4) 3(1).
- Rapti, I., Kourkouta, T., Malisova, E. M., Albanis, T., & Konstantinou, I. (2023). Photocatalytic Degradation of Inherent Pharmaceutical Concentration Levels in

Real Hospital WWTP Effluents Using g-C₃N₄ Catalyst on CPC Pilot Scale Reactor. *Molecules*, 28(3). <https://doi.org/10.3390/molecules28031170>.

Sabri, I., Ng, K. X., Soffi, N. K. M., Yusoff, M. Z. M., Muhammad, N. A. N., Ho, L. S., Maeda, T., Ramli, N. (2025). Novel Insight into Indigenous Phenol-degrading Bacteria from Palm Oil Mill Effluent and Their Potential Mechanism for Efficient Phenol Degradation. *Journal Environmental Technology & Innovation*. Volume 37. <https://doi.org/10.1016/j.eti.2024.103983>

Schie, P. M., dan Young. L. Y. (2007). Biodegradation of Phenol: Mechanism and Applications. *Bioremediation Journal*. Volume 4 (2000). <https://doi.org/10.1080/10588330008951128>

Shebl, S., Ghareeb, D. A., Ali, S. M., Ghanem, N. E. D., & Olama, Z. A. (2024). Aerobic phenol degradation using native bacterial consortium via ortho and meta cleavage pathways. *Frontiers in Microbiology*, 15, 1400033. <https://doi.org/10.3389/fmicb.2024.1400033>

Simpson, B. W., & Trent, M. S. (2019). Pushing the envelope: LPS modifications and their consequences. *Nature Reviews Microbiology*, 17(7), 403–416.

Sofyan, Failisnur, & Salmariza, S. (2015). The Effect of Waste Treatment and Mordant Kind of Lime, Alum, and Ferrous Salt on Dyeing Quality of Silk and Cotton Fabrics Using Wastewater of Gambir (*Uncaria Gambir* Roxb). *Journal Litbang Industri Vol 5 No. 2*, 79-89. <https://doi.org/10.24960/jli.v5i2.668.79-89>.

Sridevi, V., Lakshmi, M.V.V.C., Manasa, M., & Sravani, M. (2012). Metabolic Pathways for The Biodegradation of Phenol. *International Journal of Engineering Science & Advanced Technology*. 2(3):695-705.

Tong Y.; Miao, Y. and Ulrich, A. (2012). *Biodegradation of Organic Compounds in OSPW with Microbial Communities Indigenous to MFT*. Department of Civil and Environmental Engineering: University of Alberta.

Turista, D. D. R. (2017). Biodegradation of Organic Liquid Waste by Using Consortium Bacteria as Material Preparation of Environmental Pollution Cause Textbook. *JPBI (Jurnal Pendidikan Biologi Indonesia)*, 3(2), 95-102.

Wang, J., Zhang, L., He, Y., & Ji, R. (2024). Biodegradation of phenolic pollutants and bioaugmentation strategies: A review of current knowledge and future perspectives. *Journal of Hazardous Materials*, 469, 133906. <https://doi.org/10.1016/j.jhazmat.2024.133906>

Wen, Y., Li, C., Song, X., & Yang, Y. (2020). *Biodegradation of phenol by Rhodococcus sp. strain SKC: Characterization and kinetics study*. *Molecules*, 25(16), 3665. <https://doi.org/10.3390/molecules25163665>

- Wulandhani, S., Lohing, R., Hasyim, A., & Patompo, U. (2023). *Isolasi dan identifikasi bakteri indigen yang berpotensi sebagai agen bioremediasi dari limbah biomedis cair*. 34–42.
- Zhang, J., Bing, W., Hu, T., Zhou, X., Zhang, J., Li, Y., & Liang, J. (2023). *Enhanced biodegradation of phenol by microbial collaboration: Resistance, metabolite utilization, and pH stabilization*. *Environmental Research*, 238 (Part 2), 117269. <https://doi.org/10.1016/j.envres.2023.117269>
- Zhang, W., Li, X., Shen, J., Sun, Z., Zhou, X., Li, F. and Gu, Q. (2023). Insights Into the Degradation Process of Phenol During in Situ Thermal Desorption: The Overlooked Oxidation of Hydroxyl Radicals from Oxygenation of Reduced Fe-Bearing Clay Minerals. *Journal of Hazardous Materials*, 444:130401. <https://doi:10.1016/j.jhazmat.2022.130401>.
- Zulkifliani, Zamzami, A., Rustam, Y., & Fierdaus Moch. (2015). Biodegradasi Senyawa Fenol dengan Menggunakan Bakteri *Pseudomonas Aeruginosa* dan *Bacillus Subtilis*, *Journal Publikasi Minyak dan Gas Bumi* Vol. 49 No. 3 (Vol. 49, Issue 3). <http://www.journal.lemigas.esdm.go.id>

