

DAFTAR PUSTAKA

- Abdel-Mawgoud, A.M. and Stephanopoulos, G.S. (2017). Simple glycolipids of microbes: Chemistry, biological activity and metabolic engineering', *Synthetic and Systems Biotechnology*. doi:10.1016/j.synbio.2017.12.001.
- Abd El-Rahim, W.M., Moawad, H., Hashem, M.M., Gebreil, G.M. and Zakaria, M. (2020). Highly efficient fungal pectinase and laccase producers among isolates from flax retting liquor', *Biocatalysis and Agricultural Biotechnology*. doi:10.1016/j.bcab.2020.101570.
- Acharya, P.B., Acharya, S.S. and Modi, H.A. (2008). Optimization for cellulase production by *Aspergillus niger* using wheat bran', *International Journal of Recent Trends in Science and Technology*, 6(3), pp. 386–393.
- Adzitey, F. (2015). Antibiotics: Classification and mode of action', *Scholars Academic Journal of Pharmacy*, 4(1), pp. 67–70.
- Agustien, A. (2010). *Protease Bakteri Termofilik*. Bandung: Unpad Press.
- Akhmaloka, A., Suharto, A., Nurbaiti, S., Tika, I.N. and Warganegara, F.M. (2006). Ribotyping identification of thermophilic bacterium from Papandayan Crater, *Journal of Engineering and Technological Sciences*, 38(1), pp. 1–10.
- Alharbi, S.A., Wainwright, M., Alahmadi, T.A. and Salleeh, H.A. (2014). Penicillin's discovery and antibiotic resistance', *Journal of Infection and Public Health*, 7(2), pp. 99–106.
- Alkhalili, R.N., Bernfur, K., Dishisha, T., Mamo, G., Schelin, J., Canbäck, B., Emanuelsson, C. and Hatti-Kaul, R. (2016) 'Antimicrobial protein candidates from the thermophilic *Geobacillus* sp. strain ZGt-1: Production, proteomics, and bioinformatics analysis', *International Journal of Molecular Sciences*, 17, p. 1363.
- Andrade, C.M., Andrade, C.M.M.C., Nei, P. Jr. and Antranikian, G. (1999). Extremely thermophilic microorganisms and their polymer hydrolytic enzymes', *Brazilian Journal of Microbiology*, 30, pp. 287–298.
- Aro, N., Pakula, T. and Penttilä, M. (2002). Regulation of plant polysaccharide-degrading enzymes in fungi', *FEMS Microbiology Reviews*, 26(2), pp. 239–256.
- Aydar, A.Y. (2018). Utilization of response surface methodology in optimization of food science and technology processes', *Food Science and Technology*, 38(Special Issue), pp. 421–427.
- Anvir, R., Javeed, A. and R.Y. (2018) 'Fatty acids and their amide derivatives from endophytes: New therapeutic possibilities from a hidden source', *FEMS Microbiology Letters*. doi:10.1093/femsle/fny114.
- Atlee, P.B.L. and J.L. (2007). Chemotherapeutic agents, in Complications in Anesthesia. *Elsevier*, pp. 110–118. doi:10.1016/B978-1-4160-2215-2.50035-1.
- Baker-Austin, C. and Dopson, M. (2007). Life in acid: pH homeostasis in acidophiles, *Trends in Microbiology*, 15(4), pp. 165–171.
- Bakti, A.W., Nugrahani, I. and Susanti, A.D. (2012). Response surface methodology in pharmaceutical formulations', *Indonesian Journal of Chemistry*, 12(1), pp. 85–93.
- Basha, S.A.A., Yunoos, M and Ahmed, J. (2018). Pass: A computerized prediction of biological activity spectra for chemical substances. *Indo American Journal of Pharmaceutical Research*, 8(06), 1441–1445. <https://doi.org/10.1201/b10335-6>

- Berdy, J. (2005). Bioactive microbial metabolites, *Journal of Antibiotics*, 58(1), pp. 1–26.
- Bhattarai, K. (2020). Antibiotic resistance mechanisms in bacteria, *Microbiology Research Journal International*, 30(8), pp. 1–10.
- Breijyeh, Z., Jubeh, B. and Karaman, R. (2020). Resistance of Gram-Negative Bacteria to Current Antibacterial Agents and Approaches to Resolve It', *Molecules*, 25, p. 1340.
- Acar, C., Yalcın, G., Ertan-Bolelli, T., Kaynak Onurdag, F., Okten, S., Sener, F. and Y. I. (2019) 'Synthesis and molecular docking studies of some novel antimicrobial benzamides', *Bioorganic Chemistry*. doi:10.1016/j.bioorg.2019.103368.
- Calderon, C. and Sabundayo, B. (2007). Antimicrobial classifications in Antimicrobial Resistance. *Springer*, pp. 101–110.
- Cappuccino, J.G. and Sherman, N. (2013) *Microbiology: A Laboratory Manual*. 10th edn. *Pearson*.
- Carriere, J., Vaughn, N., Kraber, J., Sobczyk, P., Bronikowski, P. and Mazur, J.M. (2019) *Design-Expert*. Minneapolis, MN: Stat-Ease, Inc.
- Chen, D., Su, M., Zhu, H., Zhong, G., Wang, X., Ma, W., Wanapat, M. and Tan, Z. (2022) 'Using untargeted LC-MS metabolomics to identify the association of biomarkers in cattle feces with marbling standard Longissimus lumborum', *Animals*, 12(17), p. 2243. doi:10.3390/ani12172243.
- Chun, J., Lee, J.H., Jung, Y., Kim, M., Kim, S., Kim, B.K. and Lim, Y.W. (2007) 'EzTaxon: A web-based tool for the identification of prokaryotes based on 16S ribosomal RNA gene sequences', *International Journal of Systematic and Evolutionary Microbiology*, 57(10), pp. 2259–2261.
- Clarridge, J.E. (2004) 'Impact of 16S rRNA gene sequencing on bacterial identification', *Clinical Microbiology Reviews*, 17(4), pp. 840–862.
- Crowe, M.A., Power, J.F. and Morgan, X.C. (2014) 'Pyrinomonas methylaliphatogenes gen. nov., sp. nov., a novel group 4 thermophilic member of the phylum Acidobacteria from geothermal soils', *International Journal of Systematic and Evolutionary Microbiology*. doi:10.1099/ijs.0.055079-0.
- Zeng, D., Debatov, D., Hartsell, T.L., Cano, R.J., Schuyler, J.A., McMillan, R. and P. J.L. (2016). Approved glycopeptide antibacterial drugs: Mechanism of action and resistance, *Cold Spring Harbor Perspectives in Medicine*. doi:10.1101/cshperspect.a026989.
- Caldwell, D.E., Caldwell, S.J., Cole, J.A. and Phelps, T.J. (1976). *Thermothrix thioparus* gen. et sp. nov., a facultatively anaerobic facultative chemolithotroph living at neutral pH and high temperature', *Canadian Journal of Microbiology*, 22, doi:10.1139/m76-223.
- Diggins, F.W. (1999). The true history of the discovery of penicillin', *Biomedical Scientist*, 43, pp. 3–6.
- Domagala, J.M. (1994). Structure–activity relationships for quinolone antibacterials', *Journal of Antimicrobial Chemotherapy*, 33(4), pp. 685–706.
- Grady, E.N., MacDonald, J., Liu, L., Richman, A. and Yuan, Z. (2016) 'Current knowledge and perspectives of Paenibacillus: A review', *Microbial Cell Factories*. doi:10.1186/s12934-016-0603-7.

- Etebu, E. and Arikekpar, I. (2016). Antibiotics: Classification and mechanisms of action', *International Journal of Applied Microbiology and Biotechnology Research*, 4, pp. 90–101.
- Van Etten, J.V., Cho, C.H., Joon, H.S. and Bhattacharya, D. (2022). Extremophilic red algae as models for understanding adaptation to hostile environments and the evolution of eukaryotic life on the early Earth', *Seminars in Cell and Developmental Biology*. doi:10.1016/j.semcdb.2022.03.007.
- Eyssen, H.J., Van den Bosch, J.F., Janssen, G.A. and Vanderhaeghe, H. (1971). Specific inhibition of cholesterol absorption by sulfaguanidine', *Atherosclerosis*, 14(2), pp. 181–192.
- Fandi, K., Tawaha, M.M. and A. (2024). Diversity of bioactive metabolites produced by thermophilic *Bacillus* strains isolated from Jordanian hot springs, *Jordan Journal of Biological Sciences*, 17(2), pp. 335–345.
- Fadrian, F. (2023) 'Mekanisme resistensi antibiotik', *Jurnal Mikrobiologi Indonesia*, 18(2), pp. 101–115.
- Febriani, M.A., Suzanni, Ellenia, Rakashiwi, Nurdin, T. and Iqbalsyah, M. (2024). Polypeptide antibiotic produced by a thermo-halophilic bacterium from Pria Laot Sabang 76 isolate, *Jurnal Riset Kimia*. doi:10.25077/jrk.v15i1.634.
- Fleming, A. (1929). On the antibacterial action of cultures of *Penicillium*, *British Journal of Experimental Pathology*, 10, pp. 226–236.
- Frank, U. and Tacconelli, E. (2012). Classification of antibiotics, *Clinical Infectious Diseases*, 55(2), pp. 123–131.
- Gambo, S.B., Mukhtar, A.A., Labaran, H.B., Mustapha, A., Sani, I. and Ahmed, M. (2023). Chemistry, mode of action, bacterial resistance, classification and adverse effects of beta-lactam antibiotics: A review, *International Journal of Dermatology Research*, 5(1), pp. 11–16. doi:10.33545/26646471.2023.v5.i1a.37.
- Ge, L., Xu, H., Yu, X.J. and Yu, J. (2024). Oligopeptide self-assembly: Mechanisms, stimuli-responsiveness, and biomedical applications, *CCS Chemistry*, pp. 69–90. doi:10.31635/ccschem.023.202303209.
- Grégoire, P., Bohli, M., Cayol, J.-L., Joseph, M., Guasco, S., Dubourg, K. and Cambar, J. (2011). *Caldilinea tarbellica* sp. nov., a filamentous, thermophilic, anaerobic bacterium isolated from a deep hot aquifer in the Aquitaine Basin, *International Journal of Systematic and Evolutionary Microbiology*, 61(6), pp. 1436–1441.
- Heesemann, J. (1993). The history of penicillin, *Journal of Infectious Diseases*, 27(4), pp. 381–387.
- Djinnia, B.I., Djoudi, W., Souaguia, S., Rabiaa, F., Rahmouni, S., Mancini, I. and Kecha, M. (2018). *Streptomyces thermoviolaceus* SRC3 strain as a novel source of the antibiotic adjuvant streptazolin: A statistical approach toward the optimized production, *Journal of Microbiological Methods*, 148, pp. 161–168. doi:10.1016/j.mimet.2018.04.008.
- Jami, M., Ghanbari, M., Kneifel, W. and Domig, K.J. (2015). Phylogenetic diversity and biological activity of culturable Actinobacteria isolated from Sahara Desert', *Microbiological Research*, pp. 1–15.
- Janda, J.M. and Abbott, S.L. (2007). 16S rRNA gene sequencing for bacterial identification, *Clinical Microbiology Reviews*, 20(4), pp. 594–602.

- Junge, K., Christner, B. and Staley, J.T. (2011). Diversity of psychrophilic bacteria from sea ice and glacial ice communities', in Horikoshi, K. (ed.) *Extremophiles Handbook*. Tokyo: *Springer*. doi:10.1007/978-4-431-53898-1_39.
- Kaur, H., Onsare, J.G., Sharma, V. and Arora, D.S. (2015). Isolation, purification and characterization of novel antimicrobial compound 7-methoxy-2,2-dimethyl-4-octa-4',6'-dienyl-2H-naphthalene-1-one from *Penicillium* sp. and its cytotoxicity studies', *AMB Express*, 5(1), p. 40.
- Khalil, A. (2011). Screening and characterization of thermophilic bacteria (lipase, cellulase and amylase producers) from hot springs in Saudi Arabia, *Journal of Food, Agriculture and Environment*, 9, pp. 672–675.
- Kortam, Y.G., Abd El-Rahim, W.M., El-Naggar, A.E.-N.A.K., Rebouh, N.Y., Gurina, R.R., Barakat, O.S. and Zakaria, M.H.M. (2023). Enhancing the antibiotic production by thermophilic bacteria isolated from hot spring waters via ethyl methanesulfonate mutagenesis, *Antibiotics*. doi:10.3390/antibiotics12071095.
- Lagunin, A.A., Dubovskaja, V.I., Rudik, A.V., Pogodin, P.V., Druzhilovskiy, D.S., Glorizova, T.A., Filimonov, D.A., Sastry, N.G and Poroikov, V.V. (2018). CLC-Pred: A freely available web-service for in silico prediction of human cell line cytotoxicity for drug-like compounds. *PLoS ONE*, 13(1), 1–13. <https://doi.org/10.1371/journal.pone.0191838>
- Laila Yasein. and N., A.W. (2026). Synthesis and antimicrobial investigation of novel β -lactam derivatives', *F1000Research*. doi:10.12688/f1000research.177012.1.
- Madigan, M.T., Martinko, J.M. and Parker, J. (2000). *Brock Biology of Microorganisms*. 10th edn. Upper Saddle River, NJ: *Prentice Hall*.
- Madigan, M.T., Martinko, J.M. and Parker, J. (2011). *Brock Biology of Microorganisms*. 13th edn. Boston, MA: *Pearson*.
- Mahajan, G.B. (2016). Sources of antibiotics: Hot springs, *Biochemical Pharmacology*. doi:10.1016/j.bcp.2016.11.021.
- Mane, A. and Asama, S. (2022). Classification of thermophiles, *Journal of Thermal Biology*, 102, p. 103108.
- Martin, W. and McMin, A. (2018). Extremophile evolution, *Nature Reviews Microbiology*, 16, pp. 532–545.
- McGeer, A., Fleming, C.A., Green, K. and Low, D.E. (2001). Antimicrobial resistance in Ontario: Are we making progress?', *Laboratory Proficiency Testing Program Newsletter*, 293, pp. 1–2.
- McMurry, J. (2016). *Organic Chemistry*. 9th edn. Boston, MA: *Cengage Learning*.
- Thy, M., Timsit, J.-F. and de Montmollin, E. (2023). Aminoglycosides for the treatment of severe infection due to resistant Gram-negative pathogens, *Antibiotics*. doi:10.3390/antibiotics12050860.
- Mohd Kamal, K., Mahamad Maifiah, M.H., Abdul Rahim, N., Hashim, Y.Z.H., Abdullah Sani, M.S. and Azizan, K.A. (2022). Bacterial metabolomics: Sample preparation methods, *Biochemistry Research International*, 2022, p. 9186536. doi:10.1155/2022/9186536.
- Montgomery, D.C. (2017) *Design and Analysis of Experiments*. 9th edn. Hoboken, NJ: *Wiley*.
- Muzzazinah (2017) 'Metode Filogenetik pada Indigofera', pp. 25–40.

- Narsing Rao, M.P., Liu, L. and Jiao, J.Y. (2018). Hot springs of India: Occurrence and microbial diversity, in Egamberdieva, D., Birkeland, N.K., Panosyan, H. and Li, W.J. (eds.) *Microorganisms for Sustainability*. Vol. 8. Singapore: Springer, pp. 29–55.
- Narsing Rao, M.P., Dong, Z.Y. and Luo, Z.H. (2021). Physicochemical and microbial diversity analyses of Indian hot springs, *Frontiers in Microbiology*, 12, p. 627200. doi:10.3389/fmicb.2021.627200.
- Ningsih, T.Y., Wahyono, D.J. and S. G.N. (2018). Deteksi molekuler gen litik BRLF1 Epstein-Barr virus pada penderita karsinoma nasofaring, *Biosfera*, 35(1), pp. 29–36.
- Nuryati, A. and Salimy, D. (2008). Response surface methodology in biology, *Jurnal Bioteknologi*, 11(2), pp. 77–84.
- Nusantara, T.R. and Sastia, P. (2018). Metabolomics: Concepts and applications', *Indonesian Journal of Chemistry*, 18(3), pp. 465–478.
- Patowary, R. and Deka, H. (2020). *Paenibacillus*', in Beneficial Microbes in Agro-Ecology. doi:10.1016/B978-0-12-823414-3.00017-4.
- Peteranderl, R., Shotts, E.B. and Williams, J. (1990). Stability of antibiotics under growth conditions for thermophilic anaerobes', *Applied and Environmental Microbiology*, 56, pp. 1981–1983. doi:10.1128/AEM.56.6.1981-1983.1990.
- Pikuta, E.V., Hoover, R.B. and Tang, J. (2007). Microbial extremophiles at the limits of life', *Critical Reviews in Microbiology*.
- Qais, Y.M., Maher, A.A., Ola, A.A. and Abdullah, Y. (2016). New records of Streptomyces and non-Streptomyces actinomycetes isolated from soils surrounding Sana'a volcanic mountain', *International Journal of Research in Pharmacy and Biosciences*, 3(3), pp. 19–31.
- Rafiee, Z., Jalili Tabaii, M., M. and H., S. (2024). Unveiling antibacterial potential and physiological characteristics of thermophilic bacteria isolated from a hot spring in Iran', *Microorganisms*, 12, p. 834. doi:10.3390/microorganisms12040834.
- Rekadwad, B. and Pathak, A. (2016). Thermophilic microorganisms', *Microbial Ecology*, 72, pp. 450–462.
- Rosselló-Móra, R. and Amann, R. (2001). The species concept for prokaryotes', *Microbiology and Molecular Biology Reviews*, 65(1), pp. 52–56.
- Ruhe, J.J., Manson, T., Bradsher, R.W. and Menon, A. (2005). Use of long-acting tetracyclines for methicillin-resistant infections: Case series and review of the literature', *Clinical Infectious Diseases*, pp. 1429–1434.
- Rudolf, T. et al. (1998). Secondary metabolites in thermophiles, *Applied Microbiology and Biotechnology*, 50(2), pp. 159–166.
- Alrumman, S.A., Mostafa, Y.S., Al-Qahtani, S.T.S., Sahlabji, T. and Taha, T.H. (2018). Antimicrobial activity and GC-MS analysis of bioactive constituents of thermophilic bacteria isolated from Saudi hot springs', *Arabian Journal for Science and Engineering*. doi:10.1007/s13369-018-3597-0.
- Sabbathini, G.C., Wijanarka, S.P. and Pambudi, L. (2017). Isolasi dan identifikasi bakteri genus *Sphingomonas* dari daun padi (*Oryza sativa*) di area persawahan Cibinong', *Jurnal Biologi*, 6(1).

- Saghatelyan, A., Margaryan, A., Panosyan, H. and Birkeland, N.K. (2014). Microbial diversity of terrestrial geothermal springs in Armenia and Nagorno-Karabakh: A review', in *Springer*.
- Salano, O.A., Makonde, H.M. and Kasili, R.W. (2021). Diversity and distribution of fungal communities within the hot springs of soda lakes in the Kenyan Rift Valley', *African Journal of Microbiology Research*. doi:10.3390/microorganisms9071473.
- Sanchez, A.R., Rogers, R.S. and Sheridan, P.J. (2004). Tetracycline and other tetracycline-derivative staining of the teeth and oral cavity, *International Journal of Dermatology*, 43(10), pp. 709–715.
- Schneider, E.K., Reyes-Ortega, F., Velkov, T. and Li, J. (2017). Antibiotic–non-antibiotic combinations for combating extremely drug-resistant Gram-negative "superbugs", *Essays in Biochemistry*. doi:10.1042/EBC20160058.
- Kimani, S.W., Agarkar, V.B., Cowan, D.A., Ferreira, R.S.M. and Sewell, B.T. (2007). 'Structure of an aliphatic amidase from *Geobacillus pallidus* RAPc8', *Acta Crystallographica Section D: Biological Crystallography*.
- Singh, V., Haque, S., Niwas, R. et al. (2017). Strategies for fermentation medium optimization: An in-depth review', *Frontiers in Microbiology*, 7, p. 2087, pp. 1–16. doi:10.3389/fmicb.2016.02087.
- Singh, P., Jain, K. and Desai, C. (2019). Microbial community dynamics of extremophiles/extreme environment', in *Microbial Diversity in the Genomic Era*, pp. 323–332. doi:10.1016/B978-0-12-814849-5.00018-6.
- Mendo, S., Faustino, N.A., Sarmiento, A.C., Amado, F. and Moir, J.G. (2004). Purification and characterization of a new peptide antibiotic produced by a thermotolerant *Bacillus licheniformis* strain', *Biotechnology Letters*, 26(2), p. 115. doi:10.1023/B:BILE.0000012888.72489.3F.
- Syah, M.A. (2022). Isolasi dan karakterisasi molekul gen 16S rRNA bakteri lipolitik asal limbah kulit biji jambu mete', *Jurnal Sumberdaya Hayati*, 8(1), pp. 20–26.
- Muhammad, S.A., Ahmad, S.A., Ali, A., Hassan, H. (2009) 'Antibiotic production by thermophilic *Bacillus* species SAT-4', *Journal of Pharmaceutical Sciences*, 22, pp. 339–345.
- Talaro, K. and Chess, B. (2008). *Foundations in Microbiology*. 7th edn. New York: McGraw-Hill.
- Tamura, K., Stecher, G., Peterson, D., Filipski, A. and Kumar, S. (2013). MEGA6: Molecular Evolutionary Genetics Analysis version 6.0', *Molecular Biology and Evolution*, 30, pp. 2725–2729.
- Tan, S.Y. and Tatsumura, Y. (2015). Alexander Fleming (1881–1955)', *Singapore Medical Journal*, 56(7), pp. 366–367.
- Van Hoek, A.H.A.M., Mevius, D., Guerra, B., Mullany, P., Roberts, A.P. and Aarts, H.J.M. (2011). Acquired antibiotic resistance genes: An overview', *Frontiers in Microbiology*, 2, p. 203. doi:10.3389/fmicb.2011.00203.
- Waithaka, P.N. (2022). Effect of cultural conditions and physical factors on production of antibiotic metabolites by selected actinomycetes', *Archives of Ecotoxicology*, 4(2), pp. 67–76. doi:10.36547/ae.2022.4.2.67-76.

- Wang, S., Hou, W. and Dong, H. (2013). Control of temperature on microbial community structure in hot springs of the Tibetan Plateau', *PLoS ONE*, 8, p. e62901. doi:10.1371/journal.pone.0062901.
- Want, E.J. (2018). LC-MS untargeted analysis', in *Methods in Molecular Biology*. New York: *Springer*, pp. 99–116. doi:10.1007/978-1-4939-7643-0_7.
- Walsh, C. and Wencewicz, T. (2016). *Antibiotics: Actions, Origins, Resistance*. Washington, DC: *ASM Press*.
- Wurch, L., Giannone, R.J., Belisle, B.S., Swift, C., Utturkar, S., Reysenbach, A.L. and Podar, M. (2016). Genomics-informed isolation and characterization of a symbiotic Nanoarchaeota system from a terrestrial geothermal environment', *Nature Communications*, 9(1), pp. 1–10.
- White, R.L. and Cox, R.A. (2013). Penicillin's pharmacology', *Clinical Pharmacology*, 9(2), pp. 77–89.
- Wright, G.D. (2010). Antibiotic resistance in the environment', *Nature Reviews Microbiology*, 8(4), pp. 248–259.
- Xu, Y. (2014). Genomic flexibility in extremophiles', *Genome Biology and Evolution*, 6(1), pp. 35–45.
- Yuliati, Y. (2015). Mikroorganisme ekstrem sebagai sumber antibiotik', *Jurnal Bioteknologi Indonesia*, 14(2), pp. 88–98.
- Zgonik, V., Mulec, J. and Eleršek, T. (2021). Extremophilic microorganisms in Central Europe', *Microorganisms*, 9, p. 2326. doi:10.3390/microorganisms9112326.
- Zhang, R. and Naughton, D.P. (2010). Vitamin D in health and disease: Current perspectives', *Nutrition Journal*, 9, p. 65. doi:10.1186/1475-2891-9-65.

