

## DAFTAR PUSTAKA

1. Rápó E, Tonk S. Factors Affecting Synthetic Dye Adsorption; Desorption Studies: A Review of Results from the Last Five Years (2017–2021). *Molecules* 2021;26(17); doi: 10.3390/molecules26175419.
2. Ghibate R, Chrachmy M, Kerrou M, et al. Eco-friendly adsorption of Rhodamine B dye using *Punica granatum* peel from an aqueous medium. *Green Analytical Chemistry* 2025;12:100201; doi: 10.1016/J.GREEAC.2024.100201.
3. Abewaa M, Adino E, Mengistu A. Preparation of *Rumex abyssinicus* based biosorbent for the removal of methyl orange from aqueous solution. *Heliyon* 2023;9(12):e22447; doi: 10.1016/j.heliyon.2023.e22447.
4. Arif M. Catalytic Reduction/Degradation of Methyl Orange by Metal Nanoparticle Containing Systems: A Critical Review. *RSC Adv* 2025;15(34); doi:10.1039/d5ra04059k.
5. Iwuzor KO, Ighalo JO, Emenike EC, et al. Adsorption of methyl orange: A review on adsorbent performance. *Current Research in Green and Sustainable Chemistry* 2021;4(2):100179; doi: 10.1016/j.crgsc.2021.100179.
6. Zhang B, Wu Y, Cha L. Removal of methyl orange dye using activated biochar derived from pomelo peel wastes: performance, isotherm, and kinetic studies. *J Dispers Sci Technol* 2020;41(1); doi: 10.1080/01932691.2018.1561298.
7. Belay K, Hayelom A. Removal of Methyl Orange from Aqueous Solutions Using Thermally Treated Egg Shell (Locally Available and Low Cost Biosorbent). *Chemistry and Materials Research* 2014;6(7).
8. Fadhil OH, Eisa MY. Removal of Methyl Orange from Aqueous Solutions by Adsorption Using Corn Leaves as Adsorbent Material. *Journal of Engineering* 2019;25(4); doi: 10.31026/j.eng.2019.04.05.
9. Tigrine Z, Benhabiles O, Merabti L, et al. Sustainable Activated Carbon from Agricultural Waste: A Study on Adsorption Efficiency for Humic Acid and Methyl Orange Dyes. *Sustainability (Switzerland)* 2024;16(21); doi: 10.3390/su16219308.
10. Dutta SK, Amin MK, Ahmed J, et al. Removal of toxic methyl orange by a cost-free and eco-friendly adsorbent: Mechanism, phytotoxicity, thermodynamics, and kinetics. *S Afr J Chem Eng* 2022;40; doi: 10.1016/j.sajce.2022.03.006.
11. Diaz-Urbe C, Ortiz J, Duran F, et al. Methyl Orange Adsorption on Biochar Obtained from *Prosopis juliflora* Waste: Thermodynamic and Kinetic Study. *ChemEngineering* 2023;7(6); doi: 10.3390/chemengineering7060114.
12. Fajriyanti PN, Gunawan G, Bukhori A. Analisis Pemetaan Pemasaran Alpukat (*Persea americana* Mill.) di Kecamatan Beji Kota Depok. *Jurnal Ilmu Pertanian Tirtayasa*. 2024;6(2):393–406.
13. Dominguez MP, Mendoza J, Hechenleitner R. Continuous and batch methylene blue removal using avocado seed carbon: Performance evaluation and kinetic analysis. *Bioresour Technol Rep* 2025;29:102071; doi: 10.1016/J.BITEB.2025.102071.
14. Mustaha MA, Maharani WS, Ammatilah CS, Mayasari K. Penerapan SNI dan Potensi Usaha Alpukat. Jakarta: Balai Penerapan Standar Instrumen Pertanian Jakarta; 2023.
15. Hartati S, Yunus A, Nandariyah N, et al. Diversifikasi Tanaman Pekarangan Dengan Tanaman Alpukat Untuk Meningkatkan Gizi Keluarga. *SEMAR (Jurnal Ilmu Pengetahuan, Teknologi, dan Seni bagi Masyarakat)* 2022;11(2); doi: 10.20961/semar.v11i2.61199.
16. Mora-Sandí A, Ramírez-González A, Castillo-Henríquez L, et al. *Persea Americana* Agro-Industrial Waste Biorefinery for Sustainable High-Value-Added Products. *Polymers (Basel)* 2021;13(11); doi: 10.3390/polym13111727.
17. Ahmad T, Danish M. A review of avocado waste-derived adsorbents: Characterizations, adsorption characteristics, and surface mechanism. *Chemosphere* 2022;296:134036; doi: 10.1016/J.CHEMOSPHERE.2022.134036.
18. Fufa DD, Bekele T, Tamene A, et al. Drying kinetic models, thermodynamics, physicochemical qualities, and bioactive compounds of avocado (*Persea americana* Mill. Hass variety) seeds dried using various drying methods. *Heliyon* 2025;11(1); doi: 10.1016/j.heliyon.2024.e41058.

19. Zein R, Purnomo JS, Ramadhani P, Safni, Alif MF, Putri CN. Enhancing sorption capacity of methylene blue dye using solid waste of lemongrass biosorbent by modification method. *Arabian Journal of Chemistry* 2023;16(2):104480; doi: 10.1016/J.ARABJC.2022.104480.
20. Juliyanto J, Abram PH. The Utilization of Avocado Seed Powder (*Persea americana* Mill) as a Metal Adsorbent of Cu(II). *Jurnal Akademika Kimia* 2023;12(1); doi: 10.22487/j24775185.2023.v12.i1.pp39-43.
21. Guntama D, Mahardini I, Purnamasari R, et al. Active Charcoal From Waste Of Avocado Seeds As A Chromic (Cr) Metal Adsorbent Using Chloride Acid (HCl) And Sulfuric Acid (H<sub>2</sub>SO<sub>4</sub>) Activator. *Journal of Community Based Environmental Engineering and Management* 2020;4(2); doi: 10.23969/jcbeem.v4i2.3098.
22. Munagapati VS, Wen HY, Vijaya Y, et al. Removal of anionic (Acid Yellow 17 and Amaranth) dyes using aminated avocado (*Persea americana*) seed powder: adsorption/desorption, kinetics, isotherms, thermodynamics, and recycling studies. *Int J Phytoremediation* 2021;23(9); doi: 10.1080/15226514.2020.1866491.
23. Subbaiah MV, Kim DS. Adsorption of methyl orange from aqueous solution by aminated pumpkin seed powder: Kinetics, isotherms, and thermodynamic studies. *Ecotoxicol Environ Saf* 2016;128; doi: 10.1016/j.ecoenv.2016.02.016.
24. Wu L, Liu X, Lv G, et al. Study on the adsorption properties of methyl orange by natural one-dimensional nano-mineral materials with different structures. *Sci Rep* 2021;11(1); doi: 10.1038/s41598-021-90235-1.
25. Alghamdi AA, Al-Odayni AB, Saeed WS, et al. Adsorption of azo dye methyl orange from aqueous solutions using alkali-activated polypyrrole-based graphene oxide. *Molecules* 2019;24(20); doi: 10.3390/molecules24203685.
26. Handayani T, Emriadi, Deswati, Ramadhani P, Zein R. Modelling studies of methylene blue dye removal using activated corn husk waste: Isotherm, kinetic and thermodynamic evaluation. *S Afr J Chem Eng* 2024;47:15–27; doi: 10.1016/J.SAJCE.2023.10.003.
27. Elgarahy AM, Elwakeel KZ, Mohammad SH, et al. A critical review of biosorption of dyes, heavy metals and metalloids from wastewater as an efficient and green process. *Clean Eng Technol* 2021;4:100209; doi: 10.1016/J.CLET.2021.100209.
28. Naseem K, Arif M, Anwar A, Haider S, Akhtar MS. Investigating adsorptive potential of *Raphanus caudatus* leaves biomass for methyl orange dye: isotherm and kinetic study. *Zeitschrift für Physikalische Chemie*. 2023;237(8):1183–1205. doi:10.1515/zpch-2023-0255.
29. Lee H, Fiore S, Berruti F. Adsorption of methyl orange and methylene blue on activated biocarbon derived from birchwood pellets. *Biomass Bioenergy* 2024;191; doi: 10.1016/j.biombioe.2024.107446.
30. Lachheb H, Puzenat E, Houas A, et al. Photocatalytic degradation of various types of dyes (Alizarin S, Crocein Orange G, Methyl Red, Congo Red, Methylene Blue) in water by UV-irradiated titania. *Appl Catal B* 2002;39(1):75–90; doi: 10.1016/S0926-3373(02)00078-4.
31. Pereira MFR, Soares SF, Órfão JJM, et al. Adsorption of dyes on activated carbons: influence of surface chemical groups. *Carbon N Y* 2003;41(4):811–821; doi: 10.1016/S0008-6223(02)00406-2.
32. Dias JM, Alvim-Ferraz MCM, Almeida MF, et al. Waste materials for activated carbon preparation and its use in aqueous-phase treatment: A review. *J Environ Manage* 2007;85(4):833–846; doi: 10.1016/J.JENVMAN.2007.07.031.
33. Nayak A, Bhushan B, Kotnala S. Fundamentals and Mechanism of Adsorption. In: *Sustainable Remediation Technologies for Emerging Pollutants in Aqueous Environment* 2023; doi: 10.1016/B978-0-443-18618-9.00002-4.
34. Gutierrez-Martinez J, Martinez-Vargas DR, Vences-Alvarez E, et al. Point of zero charge, isoelectric point, and potential of zero charge on activated carbons: A comprehensive interpretation about their interrelation. *Curr Opin Solid State Mater Sci* 2026;40:101247; doi: 10.1016/J.COSSMS.2025.101247.
35. Amin NK. Removal of direct blue-106 dye from aqueous solution using new activated carbons developed from pomegranate peel: Adsorption equilibrium and kinetics. *J*



- Hazard Mater 2009;165(1–3):52–62; doi: 10.1016/J.JHAZMAT.2008.09.067.
36. Smoczyński L, Pierożyński B, Mikoł T. The Effect of Temperature on the Biosorption of Dyes from Aqueous Solutions. *Processes* 2020;8(6); doi: 10.3390/PR8060636.
  37. Bharathi KS, Ramesh ST. Removal of dyes using agricultural waste as low-cost adsorbents: a review. *Appl Water Sci* 2013;3(4); doi: 10.1007/s13201-013-0117-y.
  38. Murphy OP, Vashishtha M, Palanisamy P, et al. A Review on the Adsorption Isotherms and Design Calculations for the Optimization of Adsorbent Mass and Contact Time. *ACS Omega* 2023;8(20); doi: 10.1021/acsomega.2c08155.
  39. Abin-Bazaine A, Campos Trujillo A, Olmos-Marquez M. Adsorption Isotherms: Enlightenment of the Phenomenon of Adsorption. In: *Wastewater Treatment 2022*; doi: 10.5772/intechopen.104260.
  40. Zein R, Ramadhani P, Aziz H, Suhaili R. Biosorben cangkang pensil (*Corbicula molitkiana*) sebagai penyerap zat warna metanil yellow ditinjau dari pH dan model kesetimbangan adsorpsi. *Jurnal Litbang Industri* 2019;9(1); doi: 10.24960/jli.v9i1.4661.15-22.
  41. Pooresmaeil M, Namazi H. Application of polysaccharide-based hydrogels for water treatments. *Hydrogels Based on Natural Polymers* 2020;411–455; doi: 10.1016/B978-0-12-816421-1.00014-8.
  42. Abd Wahab Sha'arani S, Ros Saidon Khudri MAM, Othman AR, et al. Kinetic Analysis of the Adsorption of the Brominated Flame Retardant 4-bromodiphenyl Ether onto Biochar-immobilized *Sphingomonas* sp. *Bioremediation Science and Technology Research* 2019;7(1); doi: 10.54987/bstr.v7i1.457.
  43. Sangoremi AA. Adsorption Kinetic Models and Their Applications: A Critical Review. *International Journal of Research and Scientific Innovation* 2025;XII(V); doi: 10.51244/ijrsi.2025.120500019.
  44. Ali F, Ali N, Bibi I, et al. Adsorption isotherm, kinetics and thermodynamic of acid blue and basic blue dyes onto activated charcoal. *Case Studies in Chemical and Environmental Engineering* 2020;2:100040; doi: 10.1016/J.CSCEE.2020.100040.
  45. Ebelegi AN, Ayawei N, Wankasi D. Interpretation of Adsorption Thermodynamics and Kinetics. *Open J Phys Chem* 2020;10(03); doi: 10.4236/ojpc.2020.103010.
  46. Mohan C. *Buffers :A guide for the preparation and use of buffers in biological systems Advancing your life science discoveries™*. EMD, an affiliate of Merck KGaA, Darmstadt, Germany 2003.
  47. Hevira L, Zilfa, Rahmayeni, Ighalo JO, Aziz H, Zein R. Biosorption of indigo carmine from aqueous solution by *Terminalia Catappa* shell. *J Environ Chem Eng* 2020;8(5):104290; doi: 10.1016/J.JECE.2020.104290.
  48. Ramadhani P, Chaidir Z, Zilfa, Tomi ZB, Rahmiarti D, Zein R. Shrimp shell (*Metapenaeus monoceros*) waste as a low-cost adsorbent for metanil yellow dye removal in aqueous solution. *Desalination Water Treat* 2020;197:413–423; doi: 10.5004/DWT.2020.25963.
  49. Li H, Jin H, Li R, et al. Magnetic Fe<sub>3</sub>O<sub>4</sub>@SiO<sub>2</sub> study on adsorption of methyl orange on nanoparticles. *Sci Rep* 2024;14(1); doi: 10.1038/s41598-023-50368-x.
  50. Yulianti E, Mahmudah R, Khalifah SN, et al. Modification of Corn Stalk Using Citric Acid as Biosorbent for Methylene Blue and Malachite Green. In: *IOP Conference Series: Earth and Environmental Science* 2020; doi: 10.1088/1755-1315/456/1/012015.
  51. Zein R, Purnomo JS, Ramadhani P, Alif MF, Safni. Lemongrass (*Cymbopogon nardus*) leaves biowaste as an effective and low-cost adsorbent for methylene blue dyes removal: isotherms, kinetics, and thermodynamics studies. *Separation Science and Technology (Philadelphia)* 2022;57(15); doi: 10.1080/01496395.2022.2058549.
  52. Hashem MA, Sadik S, Anik MA, et al. Characterization of thermic keratin biosorbent for removal of turbidity from tannery wastewater: waste-to-waste treatment approach. *Results in Surfaces and Interfaces* 2026;23:100748; doi:10.1016/J.RSURFI.2026.100748.
  53. Al-khuder ZHA, Karam FF. Synthesis and characterization of a quaternary composite based on RGO/MWCNTs/choline chloride + malonic acid for methyl orange dye adsorption. *Results Chem* 2025;15:102133; doi: 10.1016/J.RECHEM.2025.102133.
  54. Chen G, Yin Y, Zhang X, et al. Enhanced Adsorption of Methyl Orange from Aqueous

- Phase Using Chitosan–Palmer Amaranth Biochar Composite Microspheres. *Molecules* 2024;29(8); doi: 10.3390/molecules29081836.
55. Chaidir Z, Sagita DT, Zein R, Munaf E. Bioremoval of methyl orange dye using durian fruit (*Durio zibethinus*) Murr seeds as biosorbent. *J Chem Pharm Res* 2015;7(1).
  56. Sun F, Qi J, He L, et al. Synergistic enhancement of adsorption capacity and separability in magnetic rice husk biochar for Methyl Orange remediation. *Results in Engineering* 2026;29:109294; doi: 10.1016/J.RINENG.2026.109294.
  57. Kamdod AS, Pavan Kumar M V. Adsorption of Methylene blue and Methyl orange on tamarind seed activated carbon and its composite with chitosan: equilibrium and kinetic studies. *Desalination Water Treat* 2022;252:408–419; doi: 10.5004/DWT.2022.28270.
  58. Anirudhan TS, Radhakrishnan PG, Vijayan K. Development of a First-Order Kinetics Based Model, Equilibrium Studies, and Thermodynamics for the Adsorption of Methyl Orange onto a Lignocellulosic Anion Exchanger. *Separation Science and Technology (Philadelphia)* 2013;48(6); doi: 10.1080/01496395.2012.715320.
  59. Mohammed FF. Equilibrium, Kinetic, and Thermodynamic Study of Removing Methyl Orange Dye from Aqueous Solution Using *Ziziphus spina-christi* Leaf Powder. *Baghdad Science Journal* 2023;20(2); doi: 10.21123/bsj.2022.7036.
  60. El Maguana Y, Elhadiri N, Benchanaa M, et al. Activated Carbon for Dyes Removal: Modeling and Understanding the Adsorption Process. *J Chem* 2020;2020; doi: 10.1155/2020/2096834.
  61. Abouzied AS, Kola OE, Al-Ahmary KM, et al. Isotherm, kinetic, and thermodynamic insights into textile effluent remediation using acid-treated sugarcane peel. *Sci Rep* 2026;16(1):7797; doi: 10.1038/s41598-026-39059-5.
  62. Aladeokin O, Fletcher A. A novel activated carbon material from peanut shells for the removal of methyl orange and methylene blue dyes from wastewater: kinetics, isotherms and mechanism. *Adsorption Science and Technology* 2024;42; doi: 10.1177/02636174241256843.
  63. Loc NX, Tuyen PTT, Mai LC, et al. Chitosan-Modified Biochar and Unmodified Biochar for Methyl Orange: Adsorption Characteristics and Mechanism Exploration. *Toxics* 2022;10(9); doi: 10.3390/toxics10090500.
  64. Eleryan A, Hassaan M, Nazir MA, et al. Isothermal and kinetic screening of methyl red and methyl orange dyes adsorption from water by *Delonix regia* biochar-sulfur oxide (DRB-SO). *Sci Rep* 2024;14(1); doi: 10.1038/s41598-024-63510-0.
  65. Makoś-Chelstowska P, Sikorska D, Janicka P, et al. Lignocellulosic waste biosorbents infused with deep eutectic solvents for biogas desulfurization. *Chemical Engineering Journal* 2024;493; doi: 10.1016/j.cej.2024.152639.
  66. Sánchez F, Araus K, Domínguez MP, et al. Thermochemical Transformation of Residual Avocado Seeds: Torrefaction and Carbonization. *Waste Biomass Valorization* 2017;8(7); doi: 10.1007/s12649-016-9699-6.
  67. Girish CR. Determination of Thermodynamic Parameters in Adsorption Studies: A Review. *Chemical Papers* 2025;79(9); doi: 10.1007/s11696-025-04218-x.
  68. Ahmed Alsharif M. Understanding Adsorption: Theories, Techniques, and Applications. In: *Adsorption - Fundamental Mechanisms and Applications* 2025; doi: 10.5772/intechopen.1008865.
  69. Sevim F, Demir F, LAÇIN Ö, et al. Investigation of Adsorption Capacity, Kinetics and Thermodynamics in The Removal of Textile Dye in Wastewater. 2024.; doi: 10.21203/rs.3.rs-4261649/v1.
  70. Yanne E, Noubissié E, Kada Benessoubo D, et al. Physico-chemical Study of the Adsorption of Methyl Orange from Water by Biosorbent and Activated Carbon Based on Peanut Shells. *Journal of Energy, Environmental & Chemical Engineering* 2021;6(2); doi: 10.11648/j.jeece.20210602.12.
  71. Kataya G, Issa M, Badran A, et al. Dynamic removal of methylene blue and methyl orange from water using biochar derived from kitchen waste. *Sci Rep* 2025;15(1); doi: 10.1038/s41598-025-14133-6.
  72. Hambisa AA, Regasa MB, Ejigu HG, et al. Adsorption studies of methyl orange dye removal from aqueous solution using Anchote peel-based agricultural waste adsorbent. *Appl Water Sci* 2023;13(1); doi: 10.1007/s13201-022-01832-y.