

DAFTAR PUSTAKA

- [1] F. Bray, M. Laversanne, H. Sung, J. Ferlay, R. L. Siegel, I. Soerjomataram, and A. Jemal, "Global cancer statistics 2022: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries," *CA. Cancer J. Clin.*, vol. 74, no. 3, pp. 229–263, 2024, doi: 10.3322/caac.21834.
- [2] L. Pekarek, A. S. Cedra, Y. D. Y. Jaudenes, L. R. Ospino, B. I. Pedrejón, L. Bernier, E. D. R. Cervantes, C. S. Cendra, J. Cassinello, L. Trasobares, A. Quesada-Cortes, M. A. Sáez, M. Alvarez-Mon, and M. A. Ortega, "Paradigm of biomarkers in metastatic melanoma (Review)," *Oncol. Lett.*, vol. 29, no. 2, pp. 1–12, 2025, doi: 10.3892/ol.2024.14824.
- [3] S. Waseh and J. B. Lee, "Advances in melanoma: epidemiology, diagnosis, and prognosis," *Front. Med.*, vol. Volume 10, 2023, doi: 10.3389/fmed.2023.1268479.
- [4] H. J. Kim and Y. H. Kim, "Molecular Frontiers in Melanoma: Pathogenesis, Diagnosis, and Therapeutic Advances," *Int. J. Mol. Sci.*, vol. 25, no. 5, 2024, doi: 10.3390/ijms25052984.
- [5] N. Slusher, N. Jones, and T. Nonaka, "Liquid biopsy for diagnostic and prognostic evaluation of melanoma," *Front. Cell Dev. Biol.*, vol. 12, no. August, pp. 1–14, 2024, doi: 10.3389/fcell.2024.1420360.
- [6] J. M. Jung, J. Y. Cho, W. J. Lee, S. E. Chang, M. W. Lee, and C. H. Won, "Emerging minimally invasive technologies for the detection of skin cancer," *J. Pers. Med.*, vol. 11, no. 10, 2021, doi: 10.3390/jpm11100951.
- [7] Melanoma Research Alliance, "Diagnosing Melanoma (Confirming Your Diagnosis of Melanoma Skin Cancer)", [Online]. Available: <https://www.curemelanoma.org/patient-eng/diagnosing-melanoma/confirming-the-diagnosis>
- [8] A. F. Kukk, F. Scheling, R. Panzer, S. Emmert, and B. Roth, "Non-invasive 3D imaging of human melanocytic lesions by combined ultrasound and photoacoustic tomography: a pilot study," *Sci. Rep.*, vol. 14, no. 1, pp. 1–9, 2024, doi: 10.1038/s41598-024-53220-y.
- [9] B. İsmail Mendi, K. Kose, L. Fleshner, R. Adam, B. Safai, B. Farabi, and M. F. Atak, "Artificial Intelligence in the Non-Invasive Detection of Melanoma," *Life*, vol. 14, no. 12, 2024, doi: 10.3390/life14121602.
- [10] E. Errichetti and G. Stinco, *Dermoscopy in General Dermatology: A Practical Overview*, vol. 6, no. 4. Springer Healthcare, 2016. doi: 10.1007/s13555-016-0141-6.
- [11] J. Y. Chen, K. Fernandez, R. P. Fadadu, R. Reddy, M.-O. Kim, J. Tan, and M. L. Wei, "Skin Cancer Diagnosis by Lesion, Physician, and Examination Type: A Systematic Review and Meta-Analysis.," *JAMA dermatology*, vol. 161, no. 2, pp. 135–146, Feb. 2025, doi: 10.1001/jamadermatol.2024.4382.
- [12] K. L. Hanlon, G. Wei, L. Correa-Selm, and J. M. Grichnik, "Dermoscopy and skin imaging light sources: a comparison and review of spectral power distribution and color consistency," *J. Biomed. Opt.*, vol. 27, no. 08, pp. 1–13, 2022, doi: 10.1117/1.jbo.27.8.080902.

- [13] M. Salvi, F. Branciforti, F. Veronese, E. Zavattaro, V. Tarantino, P. Savoia, and K. M. Meiburger, "DermoCC-GAN: A new approach for standardizing dermatological images using generative adversarial networks," *Comput. Methods Programs Biomed.*, vol. 225, p. 107040, 2022, doi: 10.1016/j.cmpb.2022.107040.
- [14] M. Salvi, F. Branciforti, F. Molinari, and K. M. Meiburger, "Generative models for color normalization in digital pathology and dermatology: Advancing the learning paradigm," *Expert Syst. Appl.*, vol. 245, no. December 2023, p. 123105, 2024, doi: 10.1016/j.eswa.2023.123105.
- [15] N. G. Hammouda, M. Shalaby, R. H. C. Alfilh, and N. S. S. Singh, "Hair and artifact removal in dermoscopic images using deep learning for enhanced skin cancer detection," *Sci. Rep.*, vol. 16, no. 1, 2026, doi: 10.1038/s41598-026-44545-x.
- [16] L. Alzubaidi, J. Zhang, A. J. Humaidi, A. Al-Dujaili, Y. Duan, O. Al-Shamma, J. Santamaría, M. A. Fadhel, M. Al-Amidie, and L. Farhan, *Review of deep learning: concepts, CNN architectures, challenges, applications, future directions*, vol. 8, no. 1. Springer International Publishing, 2021. doi: 10.1186/s40537-021-00444-8.
- [17] F. Filho, E. Santos, R. Mota, K. Cunha, F. Papais, A. Arruda, M. Baltazar, C. Vieira, J. G. Tavares, R. Barros, O. Souza, T. Bezerra, N. Lopes, É. Moutinho, J. Guido, S. Cruz, P. Borba, and T. I. Ren, "An analysis of data variation and bias in image-based dermatological datasets for machine learning classification," pp. 1–10, 2025, [Online]. Available: <http://arxiv.org/abs/2501.08962>
- [18] C. Barata, M. E. Celebi, and J. S. Marques, "Improving dermoscopy image classification using color constancy," *IEEE J. Biomed. Heal. Informatics*, vol. 19, no. 3, pp. 1146–1152, 2015, doi: 10.1109/JBHI.2014.2336473.
- [19] X. Shen, L. Wei, and S. Tang, "Dermoscopic Image Classification Method Using an Ensemble of Fine-Tuned Convolutional Neural Networks," *Sensors*, vol. 22, no. 11, 2022, doi: 10.3390/s22114147.
- [20] M. Ahmed, Z. Allami, M. Arabi, M. Abdulhasan, G. Kamil, and H. Al-Tmimi, "Otsu Segmentation and Deep Learning Models for the Detection of Melanoma," 2024, pp. 121–133. doi: 10.1007/978-3-031-58956-0_9.
- [21] W. D. Losquadro, "Anatomy of the Skin and the Pathogenesis of Nonmelanoma Skin Cancer.," *Facial Plast. Surg. Clin. North Am.*, vol. 25, no. 3, pp. 283–289, Aug. 2017, doi: 10.1016/j.fsc.2017.03.001.
- [22] J. S. Brown, S. R. Amend, R. H. Austin, R. A. Gatenby, E. U. Hammarlund, and K. J. Pienta, "Updating the Definition of Cancer," *Mol. Cancer Res.*, vol. 21, no. 11, pp. 1142–1147, 2023, doi: 10.1158/1541-7786.MCR-23-0411.
- [23] X. Cao, L. Yan, and L. Hong, "Ion channel mutations and cancer," *Biochem. Biophys. Reports*, vol. 42, p. 101990, 2025, doi: <https://doi.org/10.1016/j.bbrep.2025.101990>.
- [24] J. Lopes, C. M. P. Rodrigues, M. M. Gaspar, and C. P. Reis, "Melanoma Management: From Epidemiology to Treatment and Latest Advances," *Cancers (Basel)*, vol. 14, no. 19, 2022, doi: 10.3390/cancers14194652.
- [25] L. Quaranta, F. Calefato, and F. Lanubile, "KGTorrent: A dataset of python jupyter notebooks from kaggle," *Proc. - 2021 IEEE/ACM 18th Int. Conf. Min. Softw. Repos. MSR 2021*, pp. 550–554, 2021, doi:

10.1109/MSR52588.2021.00072.

- [26] M. A. Ansari and D. K. Singh, "Significance of Color Spaces and Their Selection for Image Processing: A Survey," 2022. doi: <http://dx.doi.org/10.2174/2666255814666210308152108>.
- [27] J. Wang, B. Xiong, Y. Zhou, X. Cao, and Z. Ma, "A Value Mapping Virtual Staining Framework for Large-scale Histological Imaging," pp. 1–28, 2025, [Online]. Available: <https://arxiv.org/pdf/2501.03592v1>
- [28] A. P. Binavade and H. A. S. Gangrekar, "a Compressive Review on Digital Imageprocessing," vol. 12, no. 5, pp. 453–459, 2024.
- [29] C. P. Ranjith, K. Natarajan, S. Madhuri, M. T. Ramakrishna, C. R. Bhat, and V. K. Venkatesan, "Image Processing Using Feature-Based Segmentation Techniques for the Analysis of Medical Images," 2023. doi: 10.3390/engproc2023059100.
- [30] V. M. Mohan, R. Kanaka Durga, S. Devathi, and K. Srujan Raju, "Image Processing Representation Using Binary Image; Grayscale, Color Image, and Histogram BT - Proceedings of the Second International Conference on Computer and Communication Technologies," S. C. Satapathy, K. S. Raju, J. K. Mandal, and V. Bhateja, Eds., New Delhi: Springer India, 2016, pp. 353–361.
- [31] Kusnadi and Diyaa, "Implementation of Grayscale Image Transformation and Histogram Equalization Methods in Digital Image Processing," *Sist. Kendali Jaringan) E-ISSN*, vol. 4, no. 2, pp. 2808–3520, 2025, [Online]. Available: <https://doi.org/10.58982/krisnadana.v4i2.739><https://ejournal.sidyanusa.org/index.php/jkdn/index>
- [32] S. Iqbal, W. Khan, A. Alothaim, A. Qamar, A. Alhudhaif, and S. Alsubai, "Proving Reliability of Image Processing Techniques in Digital Forensics Applications," *Secur. Commun. Networks*, vol. 2022, no. 1, p. 1322264, Jan. 2022, doi: <https://doi.org/10.1155/2022/1322264>.
- [33] N. Cao and Y. Liu, "High-Noise Grayscale Image Denoising Using an Improved Median Filter for the Adaptive Selection of a Threshold," *Appl. Sci.*, vol. 14, no. 2, 2024, doi: 10.3390/app14020635.
- [34] R. Chutia and D. J. Bora, "Enhancing rice leaf images: An overview of image denoising techniques," *Int. J. Agric. Nat. Sci. E*, vol. 18, no. 2, pp. 187–204, 2025, doi: 10.5281/zenodo.17011582.
- [35] V. Bevara and P. K. Sanki, "A new fast and efficient 2-D median filter architecture," *Sāadhanā*, vol. 45, no. 1, p. 192, 2020, doi: 10.1007/s12046-020-01431-0.
- [36] P. Podder, A. H. M. S. Parvez, M. M. Rahman, and T. Z. Khan, "Ramifications and Diminution of Image Noise in Iris Recognition System," 2020, [Online]. Available: <http://arxiv.org/abs/2002.03125>
- [37] S. Rahman, M. M. Rahman, M. Abdullah-Al-Wadud, G. D. Al-Quaderi, and M. Shoyaib, "An adaptive gamma correction for image enhancement," *Eurasip J. Image Video Process.*, vol. 2016, no. 1, pp. 1–14, 2016, doi: 10.1186/s13640-016-0138-1.
- [38] Y. Zhou, C. Shi, B. Lai, and G. Jimenez, "Contrast enhancement of medical images using a new version of the World Cup Optimization algorithm," *Quant. Imaging Med. Surg.*, vol. 9, no. 9, pp. 1528–1547, 2019, doi:

- 10.21037/qims.2019.08.19.
- [39] G. D. Finlayson and E. Trezzi, "Shades of gray and colour constancy," *Final Progr. Proc. - IS T/SID Color Imaging Conf.*, no. 1, pp. 37–41, 2004, doi: 10.2352/cic.2004.12.1.art00008.
 - [40] O. Ulucan, D. Ulucan, and M. Ebner, "A Traditional Approach for Color Constancy and Color Assimilation Illusions with Its Applications to Low-Light Image Enhancement," *Int. J. Comput. Vis.*, vol. 134, no. 1, pp. 1–20, 2026, doi: 10.1007/s11263-025-02595-0.
 - [41] A. Brasoveanu, M. Moodie, and R. Agrawal, "Textual evidence for the perfunctoriness of independent medical reviews," *CEUR Workshop Proc.*, vol. 2657, pp. 1–9, 2020, doi: 10.1145/nnnnnnnn.nnnnnnnn.
 - [42] B. Funt and L. Shi, "The effect of exposure on MaxRGB color constancy," *Hum. Vis. Electron. Imaging XV*, vol. 7527, p. 75270Y, 2010, doi: 10.1117/12.845394.
 - [43] H. Heidari-Gorji, R. Gil Rodriguez, and K. R. Gegenfurtner, "Human-aligned evaluation of a pixel-wise DNN color constancy model," *Front. Hum. Neurosci.*, vol. 20, pp. 1–32, 2026, doi: 10.3389/fnhum.2026.1809976.
 - [44] S. Muthamil Selvan and R. Kavitha, "Class-balanced dermoscopic lesion segmentation using MoG-LISA and optimized Swin-UNet via the GM-FDE framework," *iScience*, vol. 29, no. 3, p. 115012, 2026, doi: 10.1016/j.isci.2026.115012.
 - [45] S. Venkatraman, V. Pandiyaraju, A. Abeshek, S. P. Kumar, and S. A. Aravintakshan, "Leveraging Bi-Focal Perspectives and Granular Feature Integration for Accurate Reliable Early Alzheimer's Detection," *IEEE Access*, vol. 13, no. February, pp. 28678–28692, 2025, doi: 10.1109/ACCESS.2025.3540567.
 - [46] J. Xing, P. Yang, and L. Qingge, "Robust 2D Otsu's Algorithm for Uneven Illumination Image Segmentation," *Comput. Intell. Neurosci.*, vol. 2020, no. 1, p. 5047976, Jan. 2020, doi: <https://doi.org/10.1155/2020/5047976>.
 - [47] W. A. H. Jumiawi and A. El-Zaart, "Improvement in the Between-Class Variance Based on Lognormal Distribution for Accurate Image Segmentation," *Entropy*, vol. 24, no. 9, 2022, doi: 10.3390/e24091204.
 - [48] H. A. Mallot, "Edge detection," *Comput. Vis.*, pp. 73–93, 2020, doi: 10.7551/mitpress/2028.003.0007.
 - [49] S. Elmi and Z. Elmi, "A robust edge detection technique based on Matching Pursuit algorithm for natural and medical images," *Biomed. Eng. Adv.*, vol. 4, no. April, p. 100052, 2022, doi: 10.1016/j.bea.2022.100052.
 - [50] Onyedinma Ebele G., Asogwa Doris C., and Onwumbiko Joy N, "Exploring the Effectiveness of Sobel, Canny, and Prewitt Edge Detection Algorithms on Digital Images," *World J. Adv. Eng. Technol. Sci.*, vol. 15, no. 1, pp. 1722–1730, 2025, doi: 10.30574/wjaets.2025.15.1.0346.
 - [51] Z. Mirikharaji, K. Abhishek, A. Bissoto, C. Barata, S. Avila, E. Valle, M. E. Celebi, and G. Hamarneh, "A survey on deep learning for skin lesion segmentation," *Med. Image Anal.*, vol. 88, p. 102863, 2023, doi: <https://doi.org/10.1016/j.media.2023.102863>.
 - [52] P. J. Curran, *Digital Image Processing*. 2016.
 - [53] L. Maximillian, Y. F. Riti, M. Anugraha, and Y. J. Palis, "KOMPUTA : Jurnal Ilmiah Komputer dan Informatika PERBANDINGAN ALGORITMA

SOBEL DAN CANNY UNTUK DETEKSI TEPI CITRA DAUN LIDAH
BUAYA KOMPUTA : Jurnal Ilmiah Komputer dan Informatika,” vol. 12,
no. 2, 2023.

- [54] B. Green, “Canny edge detection,” *Tutorial*, p. 7, 2024.
- [55] S. Ravichandran, H. K. Su, W. K. Kuo, D. Dhanasekaran, M. Mahalingam, and J. P. Yang, “Parallel Processing of Sobel Edge Detection on FPGA: Enhancing Real-Time Image Analysis,” *Sensors*, vol. 25, no. 12, pp. 1–19, 2025, doi: 10.3390/s25123649.
- [56] Supiyandi Supiyandi, Trisatin Panggabean, Nuzul Ramadhan, Sri Ratna Dewi, and Salsabila Yusra, “Deteksi Tepi Sederhana Pada Citra Menggunakan Operator Sobel,” *Repeater Publ. Tek. Inform. dan Jar.*, vol. 2, no. 3, pp. 43–56, 2024, doi: 10.62951/repeater.v2i3.90.
- [57] S. Minaee, Y. Boykov, F. Porikli, A. Plaza, N. Kehtarnavaz, and D. Terzopoulos, “Image Segmentation Using Deep Learning: A Survey,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 44, no. 7, pp. 3523–3542, 2022, doi: 10.1109/TPAMI.2021.3059968.
- [58] T. Bezdán and N. Bačanin Džakula, “Convolutional Neural Network Layers and Architectures,” pp. 445–451, 2019, doi: 10.15308/sinteza-2019-445-451.
- [59] Z. Li, F. Liu, W. Yang, S. Peng, and J. Zhou, “A Survey of Convolutional Neural Networks: Analysis, Applications, and Prospects,” *IEEE Trans. Neural Networks Learn. Syst.*, vol. 33, no. 12, pp. 6999–7019, 2022, doi: 10.1109/TNNLS.2021.3084827.
- [60] Y. Pang and J. Cao, “Deep learning in object detection,” *Deep Learn. Object Detect. Recognit.*, pp. 19–57, 2019, doi: 10.1007/978-981-10-5152-4_2.
- [61] Purwono, A. Ma’arif, W. Rahmانيar, H. I. K. Fathurrahman, A. Z. K. Frisky, and Q. M. U. Haq, “Understanding of Convolutional Neural Network (CNN): A Review,” *Int. J. Robot. Control Syst.*, vol. 2, no. 4, pp. 739–748, 2022, doi: 10.31763/ijrcs.v2i4.888.
- [62] X. Zhao, L. Wang, Y. Zhang, X. Han, M. Deveci, and M. Parmar, *A review of convolutional neural networks in computer vision*, vol. 57, no. 4. Springer Netherlands, 2024. doi: 10.1007/s10462-024-10721-6.
- [63] K. He, X. Zhang, S. Ren, and J. Sun, “Deep residual learning for image recognition,” *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 2016-Decem, pp. 770–778, 2016, doi: 10.1109/CVPR.2016.90.
- [64] A. Fateh, “ResNet Architectures and Applications : A Practical Guide,” 2026.
- [65] N. P. Husain and M. I. Kadir, “A Multi-Branch Efficient Net-U-Net Hybrid Framework for Segmentation of Oyster Mushrooms in Cultivation Media,” *J. Embed. Syst. Secur. Intell. Syst.*, vol. 7, no. 1, pp. 78–91, 2026, doi: 10.59562/jessi.v7i1.2607.