

DAFTAR PUSTAKA

- [1] K. Holmberg and A. Erdemir, "Influence of tribology on global energy consumption, costs and emissions," Sep. 01, 2017, *Tsinghua University Press*. doi: 10.1007/s40544-017-0183-5.
- [2] B. Teslim and O. Afolabi, "The Impact of Advanced Lubricants on System Efficiency." [Online]. Available: <https://www.researchgate.net/publication/385881448>
- [3] M. H. Rahman, H. Warneke, H. Webbert, J. Rodriguez, E. Austin, K. Tokunaga, D. K. Rajak, and P. L. Menezes, "Water-based lubricants: Development, properties, and performances," *Lubricants*, vol. 9, no. 8, p. 73, 2021, doi: 10.3390/lubricants9080073..
- [4] A. Morshed, H. Wu, and Z. Jiang, "A comprehensive review of water-based nanolubricants," Sep. 01, 2021, *MDPI*. doi: 10.3390/lubricants9090089.
- [5] J. A. C. Cornelio, P. A. Cuervo, L. M. Hoyos-Palacio, J. Lara-Romero, and A. Toro, "Tribological properties of carbon nanotubes as lubricant additive in oil and water for a wheel-rail system," *Journal of Materials Research and Technology*, vol. 5, no. 1, pp. 68–76, 2016, doi: 10.1016/j.jmrt.2015.10.006.
- [6] J. U. Michaelis, S. Kiese, T. Amann, C. Folland, T. Asam, and P. Eisner, "Thickening Properties of Carboxymethyl Cellulose in Aqueous Lubrication," *Lubricants*, vol. 11, no. 3, Art. no. 112, 2023, doi: 10.3390/lubricants11030112
- [7] T. Su, K. Peng, D. Zhang, L. Sun, Y. Chen, Y. Yu, and M. Zhou, "Synergistic lubrication and anti-corrosion effects of benzotriazole and ionic liquid under current-carrying friction," *Lubricants*, vol. 13, no. 2, p. 77, Feb. 2025, doi: 10.3390/lubricants13020077

- [8] P. Mostaza, M. D. Avilés, P. M. Martínez-Rubio, M. D. Bermúdez, and F. J. Carrión-Vilches, "Novel Water-Based Biolubricants Using Choline Ionic Liquids," *Lubricants*, vol. 13, no. 3, Mar. 2025, doi: 10.3390/lubricants13030122.
- [9] S. Iijima, "Helical microtubules of graphitic carbon," *Nature*, vol. 354, no. 6348, pp. 56–58, 1991, doi: 10.1038/354056a0.
- [10] H. I. Kim, S. M. Lee, Y. S. Kim, S. M. Jang, K. H. An, Y. H. Lee, and B. J. Kim, "Tensile properties of millimeter-long multi-walled carbon nanotubes," *Scientific Reports*, vol. 7, no. 1, Art. no. 9512, 2017, doi: 10.1038/s41598-017-10279-0
- [11] J. Singh, S. S. Chatha, and R. Bhatia, "Behaviour and applications of ionic liquids as lubricants in tribology: A review," *Mater Today Proc*, vol. 56, 2022, doi: 10.1016/j.matpr.2021.09.228.
- [12] V. V. de Castro, L. M. dos Santos, L. M. Antonini, R. M. Schroeder, S. Mattedi, K. S. Souza, M. B. Pereira, S. Einloft, C. A. dos Santos, and C. F. Malfatti, "Water-based lubricant containing protic ionic liquids and talc lubricant particles: Wear and corrosion analysis," *Wear*, vol. 518–519, Art. no. 204633, 2023, doi: 10.1016/j.wear.2023.204633.
- [13] A. A. G. Choudhury and D. P. S. R. Sharma, "Wear mechanisms and wear models," *Lubricants*, vol. 9, no. 4, 2021.
- [14] I. Syafa'at, A. Nurman, and Darmanto, "Studi Eksperimental Keausan Kuningan Menggunakan Pin-On-Disc Tipe Point Contact," *Majalah Ilmiah Momentum*, vol. 16, no. 2, 2020, doi: 10.36499/jim.v16i2.3770.
- [15] A. S. Kurniawan, "Analisis Keausan Line Contact Menggunakan Permodelan Global Incremental Wear Model," *Majalah Ilmiah Momentum*, vol. 17, no. 2, 2021, doi: 10.36499/jim.v17i2.562
- [16] S. Ganeshkumar, M. Mohanraj, and S. Suresh, "Experimental study on density, thermal conductivity, specific heat and viscosity of water-based nanofluids

containing multi-walled carbon nanotubes,” *Thermal Science*, vol. 21, no. 6A, pp. 2647–2656, 2017

- [17] A. P. Abbott, E. I. Ahmed, R. C. Harris, and K. S. Ryder, “Evaluating water miscible deep eutectic solvents (DESs) and ionic liquids as potential lubricants,” *Green Chemistry*, vol. 16, pp. 4156–4161, 2014.
- [18] Thermo Fisher Scientific, *Certificate of Analysis: Water, Reagent (Deionized Water)*, ACS, Product No. 36645, Lot No. Q30E031, 2018

