

DAFTAR PUSTAKA

- Abdel Latef, A. A. H., & Chaoxing, H. (2011). Arbuscular mycorrhizal fungi improve growth, mineral nutrition, antioxidant enzyme activity and fruit yield of tomato under salinity stress. *Scientia Horticulturae*, 127(3), 228–233.
- Aini, N., & Maghfoer, M. D. (2021). *Fisiologi dan Teknologi Budidaya Tomat*. Universitas Brawijaya Press.
- Albacete, A., Cantero-Navarro, E., Balibrea, M.E., Großkinsky, D.K., González, M.C., Martínez-Andújar, C., Smigocki, A.C., Roitsch, T., & Pérez-Alfocea, F. (2014). Hormonal And Metabolic Regulation Of Tomato Fruit Sink Activity And Yield Under Salinity. *Journal of Experimental Botany*, 65(20), 6015–6029. <https://doi.org/10.1093/jxb/eru347>
- Ali, M. Y., Sina, A. A. I., Khandker, S. S., Neesa, L., Tanvir, E. M., Kabir, A., Khalil, M. I., & Gan, S. H. (2021). Nutritional Composition and Bioactive Compounds in Tomatoes and Their Impact on Human Health and Disease: A Review. *Foods*, 10(1), 45. <https://doi.org/10.3390/foods10010045>
- Ardiansyah, M., Mawarni, L., & Rahmawati, N. (2014). Respons Pertumbuhan dan Produksi Kedelai Hasil Seleksi Terhadap Pemberian Asam Askorbat dan Inokulasi Fungi Mikoriza Arbuskular Di Tanah Salin. *Jurnal Online Agroekoteknologi*. ISSN No, 2337, 6597.
- Armansyah, A., Herawati N., & Kristina N. (2019). Keanekaragaman Fungi Mikoriza Arbuskula (FMA) di Rizosfer Tanaman Bengkuang (*Pachyrizhus erosus* (L) Mrb). *Jagur Jurnal Agroteknologi*, 3(1), 8–14. <https://doi.org/10.25077/jagur.3.1.8-14.2019>
- Armansyah. (2001). Uji efektifitas beberapa jenis CMA terhadap pertumbuhan gambir (*Uncaria gambir*) [Tesis], Universitas Andalas.
- Armita, D., & Nur, A.W.A. (2020). Studi Pertumbuhan Dan Aktivitas Enzim Antioksidan Pada Kultur *In Vitro* Tomat Akibat Cekaman Salinitas. *Jurnal Plantropica: Journal of Agricultural Science*, 5(1), 64-73.
- Ashari, S. (2006). *Hortikultura Aspek Budidaya*. Jakarta: UI press. 485 hal.
- Ashraf, M., & Harris, P. J. C. (2004). Potential Biochemical Indicators Of Salinity Tolerance In Plants. *Plant Science*, 166(1), 3–16.
- Asmi, A., Subaedah, S., & Saida, S. (2021). Perbanyak Mikoriza Dengan Penggunaan Tanaman Inang Kedelai Dengan Berbagai Dosis Kompos. *AGrotekMAS Jurnal Indonesia: Jurnal Ilmu Peranian*, 2(1), 70-80.

- Atamimi, I.N., & Sugiyarto, L. (2022). Pengaruh Mikoriza Terhadap Pertumbuhan Tanaman Tomat (*Lycopersicum esculentum* Mill. var. Servo) Dalam Variasi Konsentrasi Salinitas. Kingdom: *The Journal of Biological Studies*. Universitas Negeri Yogyakarta.
- Augé, R. M. (2000). Stomatal behaviour of arbuscular mycorrhizal plants. In Y. Kapulnik & D. D. Douds (Eds.), *Arbuscular mycorrhizas: Physiology and function* (pp. 201–237). Kluwer Academic Publishers.
- Azmi, (2013). Pengaruh Naungan Terhadap Pertumbuhan Dan Produksi Enam Varietas Tomat (*Lycopersicon esculentum* Mill.). [Skripsi]. Bogor. FAPERTA. IPB. 36 hal.
- Badan Pusat Statistik (BPS). (2025). *Luas Daerah dan Jumlah Pulau Menurut Provinsi*. Diakses dari <https://www.bps.go.id/id/statisticstable>
- Badan Pusat Statistik. (2025). *Statistika Hortikultura 2020: Katalog 5204003*. Jakarta: Badan Pusat Statistik. ISBN: 2745-679X. <https://www.bps.go.id>
- Badi'ah, B. A., Syukur, M., & Kusumo, Y. W. E. (2021). Respon Morfo-fisiologi Empat Genotipe Cabai Rawit (*Capsicum frutescens* L.) terhadap Cekaman Salinitas. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 49(2), 184-191. <https://doi.org/10.24831/jai.v49i2.37006>
- Balai Penelitian Tanah. (2005). *Petunjuk Teknis Analisis Kimia Tanah, Tanaman, Air, dan Pupuk* (Sulaeman, Suparto, & Eviati, Penyusun). Bogor: Badan Penelitian dan Pengembangan Pertanian, Departemen Pertanian.
- Balai Pengkajian Teknologi Pertanian (BPTP). (2010). *Rekomendasi Pemupukan Tanaman Tomat*. Padang: BPTP Sumatera Barat.
- Balai Standardisasi Instrumen Pertanian (BSIP). (2023). *Kriteria Sifat Kimia Tanah*. Jakarta: Kementerian Pertanian Republik Indonesia.
- Balliu, A., Sallaku, G., & Rewald, B. (2015). *AMF inoculation enhances growth and improves the nutrient uptake rates of transplanted, salt-stressed tomato seedlings*. Sustainability, 7(12), 15967–15981. <https://doi.org/10.3390/su71215799>
- Bapedalda Kota Padang. (2010). *Data Potensi Kawasan Pantai Pasir Jambak Kota Padang*: Badan Pengendalian Dampak Lingkungan Daerah Kota Padang. Diakses dari https://bappeda.padang.go.id/uploads/audios/bappedadpadang_62fd097772ce8.pdf
- Barea, J.M., Pozo, M.J., López-Ráez, J.A., Aroca, R., Ruíz-Lozano, J.M., Ferrol, N., Azcón, R., & Azcón-Aguilar, C. (2013). Arbuscular Mycorrhizas And Their Significance In Promoting Soil-Plant Systems Sustainability Against Environmental Stresses. *Symbioses and Stress, Springer Netherlands*, pp. 353–387.

- Begum, N., Qin, C., Ahanger, M.A., Raza, S., Khan, M.I., Ashraf, M., Ahmed, N., & Zhang, L. (2019). Role Of Arbuscular Mycorrhizal Fungi In Plant Growth Regulation: Implications In Abiotic Stress Tolerance. *Frontiers in Plant Science*, 10, 1068. <https://doi.org/10.3389/fpls.2019.01068>
- Bernardinus T, & Wiryanta W. (2002). *Bertanam Tomat*. Jakarta: Agromedia Pustaka.
- Bhattarai, S., D. Biswas, & Y.B. Fu.B. Biliget. (2020). Morphological, Physiological, and Genetic Responses to Salt Stress in Alfalfa: A Review. *J Agronomy*. 10(577).
- Boorboori, M. R., & Lackóová, L. (2025). Arbuscular Mycorrhizal Fungi and Salinity Stress Mitigation in Plants. *Frontiers in Plant Science*, 15. <https://doi.org/10.3389/fpls.2024.15049704970>
- BPTP (2010). *Balai Pengkajian Teknologi Pertanian*. Budidaya Tomat. Departemen Pertanian, Gorontalo.
- Britz, S. J., & Sager, J. C. (1990). Photomorphogenesis And Photoassimilation In Soybean And Sorghum Grown Under Broad Spectrum Or Blue-Deficient Light Sources. *Plant Physiology*, 94(2), 448-454.
- Brundrett, M., Bougher, N., Dell, B., Grove, T., & Malajczuk, N. (1996). Working with Mycorrhizas in Forestry and Agriculture. *Canberra: Australian Centre for International Agricultural Research (ACIAR)*.
- Bryla, D. R., & Eissenstat, D. M. (2005). Carbon cost of mycorrhizal symbiosis. *Plant and Soil*, 244(1–2), 79–90.
- Busse, M. D., & Ellis, J. R. (1995). Vesicular–Arbuscular Mycorrhizal (*Glomus fasciculatum*) Influence On Soybean Drought Tolerance In High Phosphorus Soil. *Canadian Journal of Botany*, 63(12), 2290-2294.
- Cahyono, B. (2008). *Tomat: Usaha Tani dan Penanganan Pasca Panen*. Kanisius. Yogyakarta.
- Chandrasekaran, M. (2022). Arbuscular Mycorrhizal Fungi Mediated Enhanced Biomass, Root Morphological Traits and Nutrient Uptake under Drought Stress: A Meta-Analysis. *Journal of Fungi*, 8(7), 660. <https://doi.org/10.3390/jof8070660>
- Chen, J., Zhang, H., Zhang, X., & Tang, M. (2017). Arbuscular mycorrhizal symbiosis alleviates salt stress in black locust through improved photosynthesis, water status, and K⁺/Na⁺ homeostasis. *Frontiers in Plant Science*, 8, 1739. <https://doi.org/10.3389/fpls.2017.01739>
- Cuartero, J. & Fernández-Muñoz, R. (1999). Tomato and salinity. *Scientia Horticulturae*, 78(1–4), 83–125. [https://doi.org/10.1016/S0304-4238\(98\)00191-5](https://doi.org/10.1016/S0304-4238(98)00191-5)

- Dar, M. H., Razvi, S. M., Singh, N., Mushtaq, A., Dar, S., & Hussain, S. (2023). Arbuscular Mycorrhizal Fungi for Salinity Stress: Anti-Stress Role and Mechanisms. *Pedosphere*, 33(1), 212–224. <https://doi.org/10.1016/j.pedobi.2022.11.005>
- Dastogeer, K. M. G., Zahan, M. I., Tahjib-Ul-Arif, M., Akter, M., & Okazaki, S. (2020). Plant Salinity Tolerance Conferred by Arbuscular Mycorrhizal Fungi and Associated Mechanisms: A Meta-Analysis. *Frontiers In Plant Science*, 11, 588550. <https://doi.org/10.3389/fpls.2020.58550>
- Day, R. A., & Underwood, A. L. (2002). *Analisis Kimia Kuantitatif* (Edisi VI, terjemahan Iis Sopyan). Jakarta: Erlangga.
- Dimiyati, A. (2012). Uji Daya Hasil 9 Genotipe Tomat (*Lycopersicum esculentum* Mill.) Pada Budidaya Dataran Rendah (Tajur, Bogor). [Skripsi]. Bogor. FAPERTA. IPB. 42 hal.
- Eliyani, E., Shulichantini, S., & Anggraini, S. (2022). Uji Efektivitas Pupuk Hayati Mikoriza Terhadap Pertumbuhan Dan Hasil Tanaman Tomat (*Lycopersicum esculentum* Mill). *Jurnal Agroekoteknologi Tropika Lembab*, 5(1), 56–64.
- Evelin, H., Devi, T.S., Gupta, S., & Kapoor, R. (2019). Mitigation Of Salinity Stress In Plants By Arbuscular Mycorrhizal Symbiosis: Current Understanding And New Challenges. *Frontiers in Plant Science*, 10, 1–21.
- Evelin, H., Kapoor, R., & Giri, B. (2009). Arbuscular mycorrhizal fungi in alleviation of salt stress: A review. *Annals of Botany*, 104(7), 1263–1280. <https://doi.org/10.1093/aob/mcp251>
- Felföldi, Z., Vidican, R., Stoian, V., Roman, I.A., Sestras, A.F., Rusu, T., & Sestras, R.E. (2022). Arbuscular Mycorrhizal Fungi and Fertilization Influence Yield, Growth and Root Colonization of Different Tomato Genotype. *Plants*, 11(13), 1743. <https://doi.org/10.3390/plants11131743>
- Firda Ramadini, Abdul Hasyim Sodiq, Endang Sulistyorini, & Putra Utama. (2024). Pengaruh Salinitas Dan Pupuk Hayati Mikoriza Terhadap Pertumbuhan Dan Hasil Tanaman Tomat (*Solanum lycopersicum* L.). *Jurnal Ilmiah Agribisnis*, 9(3), 192–203.
- Gardner, F.P., Brent, P. & Roger, L. M. (1991). *Physiology of Crop Plants*. Diterjemahkan oleh H.Susilo. Universitas Indonesia Press. 428 hal.
- Ghafoor A, Qadir M, & Murtaza G. (2004). *Salt-Affected Soils: Principles of Management*. 1ed. Allied Book Centre. Lahore. p304.
- Gianinazzi-Pearson, V., & Gianinazzi, S. (1983). The Physiology Of Vesicular-Arbuscular Mycorrhizal Roots. *Plant and Soil*, 71, 197-209.
- Giovannetti, M., Avio, L., Barale, R., Ceccarelli, N., Cristofani, R., Iezzi, A., Mignolli, F., Picciarelli, P., Pinto, B., Reali, D., Sbrana, C., & Scarpato, R.

- (2015). Nutraceutical Value And Safety Of Tomato Fruits Produced By Mycorrhizal Plants. *British Journal of Nutrition*, 107, 242–251.
- Giri, B., Kapoor, R., & Mukerji, K. G. (2007). Improved tolerance of *Acacia nilotica* to salt stress by arbuscular mycorrhiza, *Glomus fasciculatum*, may be partly related to elevated K/Na ratios in root and shoot tissues. *Microbial Ecology*, 54(4), 753–760. <https://doi.org/10.1007/s00248-007-9239-9>
- Hajiboland, R., Aliasgharzadeh, N., Laiegh, S. F., & Poschenrieder, C. (2010). Colonization with Arbuscular Mycorrhizal Fungi Improves Salinity Tolerance of Tomato (*Solanum lycopersicum* L.) Plants. *Plant and Soil*, 331(1–2), 313–327. <https://doi.org/10.1007/s11104-009-0255-z>
- Hajoeningtjas. O. D. (2012). *Mikrobiologi Pertanian*. Edisi Pertama Graha Ilmu Yogyakarta.
- Hazra, F., Istiqomah, F. N., & Agus, H. N. (2022). Aplikasi Mikoriza Granul Dan Powder Menggunakan Teknik Coating Pada Jagung Manis (*Zea mays saccharata* L.) Di Tanah Latosol dan Regosol. *Jurnal Tanah dan Sumberdaya Lahan*, 9(2), 311–320.
- Hazzoumi, Z., Moustakime, Y., Khalid, A., & Amrani Joutei, K. (2015). Effect Of Arbuscular Mycorrhizal Fungi (AMF) and Water Stress On Growth, Phenolic Compounds, Glandular Hairs, And Yield Of Essential Oil In *Ocimum gratissimum* L. *Chemical and Biological Technologies in Agriculture* 2: 1–12.
- Indrawati, A.E., & Sugiyarto, L. (2023). Pengaruh Pemberian Mikoriza Terhadap Kualitas Buah Tomat (*Lycopersicum esculentum* Mill. var. Servo) dalam Beberapa Variasi Konsentrasi Cekaman Salinitas. *Kingdom: The Journal of Biological Studies*, 9(1), 1-10.
- Jalil, M., Sakdiah, H., Deviana, E., & Akbar, I. (2018). Pertumbuhan dan Produksi Beberapa Varietas Padi (*Oryza sativa* L.) pada Berbagai Tingkat Salinitas. *Jurnal Agrotek Lestari*, 2(2). <https://doi.org/10.35308/jal.v2i2.597>
- Joner, E. J., Briones, R., & Leyval, C. (2000). Metal-Binding Capacity Of Arbuscular Mycorrhizal Mycelium. *J Plant and soil*, 226, 227-234.
- Jones, J.B. (2008). *Tomato Plant Culture in the Field, Green House, and Home Garden*. CRC Press: Taylor and Francis Group. 400 p.
- Karolinoerita, V., & Yusuf, W. A. (2020). Salinisasi lahan dan permasalahannya di Indonesia. *Jurnal Sumberdaya Lahan*, 14(2), 91–99. <https://doi.org/10.21082/jsdl.v14n2.2020.91-99>
- Kementerian Kesehatan Republik Indonesia. (2018). *Tabel Komposisi Pangan Indonesia (TKPI)*. Direktorat Jenderal Kesehatan Masyarakat, Direktorat Gizi Masyarakat.

- Kementerian Koordinator Bidang Kemaritiman dan Investasi Republik Indonesia. (2025). *Menuju Puncak Pengintegrasian Rencana Tata Ruang Darat dan Laut*. Jakarta: Kementerian Koordinator Bidang Kemaritiman dan Investasi Republik Indonesia. Diakses dari <https://maritim.go.id/detail>
- Kementerian Pertanian Republik Indonesia. 2013. *Keputusan Menteri Pertanian Republik Indonesia Nomor 093/Kpts/SR.120/D.2.7/9/2013 tentang Pemberian Tanda Daftar Varietas Tanaman Hortikultura Varietas Tomat Servo*. Jakarta: Kementerian Pertanian Republik Indonesia.
- Khairuna, K., Syafruddin, S., & Marlina, M. (2015). Pengaruh Fungi Mikoriza Arbuskular dan Kompos pada Tanaman Kedelai terhadap Sifat Kimia Tanah. *Jurnal Floratek*, 10(1), 1–9.
- Kusmiyati, F., Purbajanti, E. D., & Kristanto, B. A. (2009). Karakter Fisiologis, Pertumbuhan Dan Produksi Legum Pakan Pada Kondisi Salin (*Physiology, growth, and production of leguminosae for feed on saline condition*). In *Prosiding Seminar Nasional Kebangkitan Peternakan–Semarang* (pp. 302–309). Fakultas Peternakan UNDIP Semarang.
- Lakitan, B. (2011). *Dasar-Dasar Fisiologi Tumbuhan*. Jakarta: Rajawali Pers.
- Latef, A.A.A.H. & Chaoxing, H. (2011). Effect Of Arbuscular Mycorrhizal Fungi On Growth, Mineral Nutrition, Antioxidant Enzymes Activity And Fruit Yield Of Tomato Grown Under Salinity Stress. *Scientia Horticulturae*, 127, 228–233. <https://doi.org/10.1016/j.scienta.2010.09.020>
- Mahati, E., & Maharani, N. (2019). Ekstrak Tomat (*Lycopersicon esculentum* Mill.) Menurunkan Kadar Glutation Darah Tikus Wistar Hiperurisemia. *Jurnal Kedokteran Diponegoro*, 8(2), 1–10.
- Marro, N., Grilli, G., Soteras, F., Caccia, M., Longo, S., Cofré, N., & Urcelay, C. (2022). The Effects Of Arbuscular Mycorrhizal Fungal Species And Taxonomic Groups On Stressed And Unstressed Plants: A Global Meta-Analysis. *Science of the Total Environment*, 832, 155Arte.
- Marschner, P. (Ed.). (2012). *Marschner's Mineral Nutrition of Higher Plants* (3rd ed.). Academic Press.
- Mekkaoui, F., Ait-El-Mokhtar, M., Zaari Jabri, N., Amghar, I., Essadssi, S., dan Hmyene, A. (2024). The Use Of Compost And Arbuscular Mycorrhizal Fungi And Their Combination To Improve Tomato Tolerance To Salt Stress. *Plants*, 13(16): 2225–2243.
- Mindari, W. (2009). *Cekaman Garam Dan Dampaknya Pada Kesuburan Tanah Dan Pertumbuhan Tanaman*. UPN Veteran Jawa Timur, Surabaya.
- Muis, A., Indrawati, A., & Hadiastono, T. (2013). Pengaruh Inokulasi Mikoriza Arbuskula Terhadap Pertumbuhan Tanaman Jagung Dan Intensitas Penyakit Bulai. *Jurnal HPT (Hama Penyakit Tumbuhan)*, 1(1), 1–10..

- Munns, R. & Tester, M. (2008). Mechanisms Of Salinity Tolerance. *Annual Review of Plant Biology*, 59, 651–681
- Musfal. (2010). Potensi Cendawan Mikoriza Arbuskula Untuk Meningkatkan Hasil Tanaman Jagung. *Jurnal Litbang Pertanian*, 29(4), 154–158.
- Naika, S., van Lidt de Jeude, J., de Goffau, M., Hilmi, M., & van Dam, B. (2005). Cultivation of Tomato: *Production, Processing and Marketing (Agrodok 17, edisi revisi)*. Agromisa Foundation & CTA, Wageningen. <https://www.agromisa.org/wp-content/uploads/Agrodok-17-Cultivation-of-tomato.pdf>
- Ndolu, M. D. W., & Puling, Y. M. (2022). Efektifitas Air Garam (Nacl) Terhadap Pertumbuhan Tanaman Tomat (*Solanum lycopersicum* L.). *Journal Science of Biodiversity*, 3(1), 14-21.
- Nurhalimah S, & Nurhatika S, M. A. (2014). Eksplorasi Mikoriza Vesikular Arbuskular (MVA) Indigenous pada Tanah Regosol di Pamekasan, Madura. *Jurnal Sains Dan Seni Pomits*, 3(1), 2337-3520.
- Nusantara, A. D., Bertham, Y. H., & Mansur, I. (2012). *Bekerja Dengan Fungi Mikoriza Arbuskula*. Bogor : Seameo Biotrop.
- Octavianti, E. N., dan Ermavitalini, D. (2014). Identifikasi Mikoriza dari LahanDesa Poteran, Pulau Poteran, Sumenep Madura. *Jurnal Sains POMITS*, 3(2), 53–57.
- Parida, A.K. & Das, A.B. (2005). Salt Tolerance And Salinity Effects On Plants: a review. *Ecotoxicology and Environmental Safety*, 60, 324–349.
- Phillips, J. M., & Hayman, D. S. (1970). Improved Procedures For Clearing Roots And Staining Parasitic And Vesicular-Arbuscular Mycorrhizal Fungi For Rapid Assessment Of Infection. *Transactions of the British Mycological Society*, 55(1), 158–161.
- Pitet, M., Camprubi, A., Calvet, C., & Estaun V. (2009). A Modified Staining Technique For Arbuscular Mycorrhiza Compatible With Molecular Probes. *Mycorrhiza*, 19, 125–13.
- Poorter, H., Niklas, K.J., Reich, P.B., Oleksyn, J., Poot, P., & Mommer, L. (2012). Biomass Allocation To Leaves, Stems And Roots: Meta-Analyses Of Interspecific Variation And Environmental Control. *New Phytologist* 193: 30–50.
- Porcel, R., Aroca, R., & Ruiz-Lozano, J. M. (2012). Salinity Stress Alleviation Using Arbuscular Mycorrhizal Fungi: *A Review*. *Agronomy for Sustainable Development*, 32(1), 181–200. <https://doi.org/10.1007/s13593-011-0029-x>
- Pracaya. (1998). *Bertanam Tomat*. Yogyakarta: Kanisius

- Prihantoro, I., Karti, P. D., Aditia, E. L., & Nisabillah, S. (2023). Kualitas Fungi Mikoriza Arbuskula (FMA) yang Diproduksi dengan Teknik Fortifikasi dan Fertigasi Berbeda pada Pertumbuhan *Indigofera zollingeriana*. *Jurnal Ilmu Pertanian Indonesia*, 28(3), 377-385
- Purwaningrahayu, R. D. (2016). Karakter Morfofisiologi dan Agronomi Kedelai Toleran Salinitas. *Iptek Tanaman Pangan*, 11(1), 35–48.
- Rachman, A., Dariah, A., & Sutono. (2018). *Pengelolaan sawah salin berkadar garam tinggi*. IAARD Press. ISBN: 978-602-344-2324.
- Rahim, N. A., Jais, H. M., & Hassan, H. M. (2016). Environment and Host Affects Arbuscular Mycorrhiza Fungi (AMF) Population. *Tropical Life Sciences Research*. 27(1): 9-13
- Rahmawati, H., Sulistyaningsih, E., & Putra, E.T.S. (2013). Pengaruh kadar NaCl terhadap hasil dan mutu buah tomat (*Lycopersicum esculentum* Mill.). *Vegetalika*, 2(1), 1–12. DOI: 10.22146/veg.1595
- Rao, N. S. (1994). *Mikroorganisme Tanah dan Pertumbuhan Tanaman* (Edisi Kedua). UI Press. Jakarta.
- Rich MK, Nouri E, Courty P-E, Reinhardt D. (2017). Diet of arbuscular mycorrhizal fungi: Bread and butter? *Trends Plant Sci*;22:652–60.
- Salisbury, F.B., & Ross, C.W. (1995). *Fisiologi Tumbuhan Jilid 3* (Terjemahan Diah R. Lukman dan Sumaryono). Bandung: Penerbit ITB.
- Satria, B., Martinsyah, R. H., Armansyah, Erona, M., & Warnita. (2023). The influence of arbuscular mycorrhizal fungi (FMA) dosage and Yomari liquid organic fertilizer on the growth of seedlings of agarwood-producing plants (*Aquilaria malacensis* Lamk.) on former gold mining soil. *International Journal of Environment, Agriculture and Biotechnology*, 8(6), 73–84.
- Schüßler, A., & Walker, C. (2010). The Glomeromycota: A species list with new families and new genera. The Royal Botanic Garden Kew.
- Schüßler, A., Schwarzott, D., & Walker, C. (2001). A new fungal phylum, the Glomeromycota: Phylogeny and evolution. *Mycological Research*, 105(12), 1413–1421.
- Smith, S. E. & Read, D. J. (2010). *Mycorrhizal symbiosis*. Academic press.
- Smith, S.E. & D.J. Read. (2008). *Mycorrhizal Symbiosis*. Third Edition. Academic Press. London.
- Smith, S.E., & Smith, F.A. (2011). Roles of arbuscular mycorrhizas in plant nutrition and growth: New paradigms from cellular to ecosystem scales. *Annual Review of Plant Biology*, 62, 227–250. <https://doi.org/10.1146/annurev-arplant-042110-103846>

- Sugito, Y. (1995). *Ekologi Tanaman: Pengaruh Faktor Lingkungan terhadap Pertumbuhan Tanaman*. Fakultas Pertanian Universitas Brawijaya.
- Sugiyono. (2019). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: Alfabeta.
- Suhardjadinata, Iskandar, T., & Dewi, Y. (2020). Pengaruh Inokulasi Cendawan Mikoriza Arbuskular Terhadap Serapan Hara Dan Pertumbuhan Tanaman Tomat. *Media Pertanian*, 5(1), 20–30.
- Sujitno, E., et al. (2016). *Usahatani tumpang sari tanaman tomat dan cabai di dataran tinggi Kabupaten Garut*. Inovasi Hortikultura, 1, 59–61
- Supriati, Y. (2010). *Bertanam 15 Sayuran Organik dalam Pot*. Penebar Swadaya. Jakarta.
- Syamsuddin, Marlia, A., & Hayati, M. (2020). Pengaruh Salinitas terhadap Translokasi Asimilat dan Kualitas Buah Tomat Varietas Unggul. *Jurnal Ilmu Pertanian Indonesia*. 25(4): 312–320.
- Talanca, H. (2010). Status Cendawan Mikoriza Vesikular Arbuskular (MVA) Pada Tanaman, *Prosiding Pekan Serealia Nasional*. Balai Penelitian Tanaman Serealia, Sulawesi Selatan.
- Tavakkoli, E., Fatehi, F., Coventry, S., Rengasamy, P., & McDonald, G. K. (2011). Additive effects of Na⁺ and Cl⁻ ions on barley growth under salinity stress. *Journal of Experimental Botany*, 62(6), 2189–2203. <https://doi.org/10.1093/jxb/erq422>
- Tesar, M. B. (Ed.). (1984). *Physiological Basis of Crop Growth and Development*. American Society of Agronomy & Crop Science Society of America.
- Tugiyono. (2005). *Tanaman Tomat*. Agromedia Pustaka. Jakarta.
- Turjaman, M., Saito. H., Santoso. E., Susanto. A., Sampang. G., Limin. S.H., Shibuya. M., Takahashi. K., Tamai. Y., O. M. & T. K. (2007). Effect Of Ectomycorrhizal Fungi Inoculated On Shorea Balangeran Under Field Condition In Peat-Swamp Forest. Dalam *Proceeding International Symposium and Workshop on Tropical Peatland*. Carbon-Climate-Human Interaction- Carbon Pools, Fire, Mitigation, Resto.
- Wahyudi, I., Tohari, & Kastono, D. (2021). Penurunan Diameter dan Bobot Buah Tomat akibat Cekaman Salinitas pada Berbagai Tingkat Konsentrasi NaCl. *Jurnal Vegetalika*. 10(2): 88–98.
- Wahyuni, M., Saragih, R. E., & Sembiring, M. (2020). Interaksi Perlakuan Mikoriza dan Inokulum Rhizobium sp Terhadap Pertumbuhan dan Pembentukan Bintil Akar *Mucuna bracteata*. *Jurnal Penelitian Pertanian Terapan*, 20(2), 90–97. <https://doi.org/10.25181/jppt.v20i2.1408>

- Wardhani, T.K., Aini, N., & Maghfoer, M.D. (2021). Dinamika Laju Tumbuh Relatif Tanaman Tomat (*Solanum lycopersicum* L.) pada Transisi Fase Vegetatif ke Generatif. *Jurnal Produksi Tanaman*. 9(3): 178–186.
- Wasnowati, C. (2011). Meningkatkan Pertumbuhan Tanaman Tomat (*Lycopersicum Esculentum* Mill) Dengan Sistem Budidaya Hidroponik. *Jurnal Agrovigor*. Vol 4 Hal: 60.65.
- Wetterauer, D. G., & Killorn, R. (1996). Fallow- and flooded-soil syndromes: Effects on crop production. *Journal of Production Agriculture*, 9(1), 39–41 ACSESS Digital Library.
- Widyastuti, S.M., & Rahayuningsih, S.A. (2013). Pengaruh Salinitas Terhadap Pertumbuhan Dan Rasio Tajuk Akar Beberapa Jenis Tanaman. *Jurnal Ilmu Pertanian Indonesia*, 18(2), 90–97.
- Wirawan, I.G.P., Khalimi, K., & Sudantha, I.M. (2022). Kolonisasi Fungi Mikoriza Arbuskula Pada Akar Tanaman Kacang Ruji. *Jurnal Ilmiah Mahasiswa Agrokomplek*, 4(2), 345–354.
- Wright, S., & Upadhyaya, A. (1998). A Survey Of Soils For Aggregate Stability And Glomalin, A Glycoprotein Produced By Hyphae Of Arbuscular Mycorrhizal Fungi. *Plant and Soil*. 198, 97–107. <https://doi.org/10.1023/A:1004347701584>
- Wulandari, A., Solichatun, & Anggarwulan, E. (2014). Pertumbuhan Dan Produksi Tomat (*Lycopersicon esculentum* Mill.) pada Berbagai Konsentrasi Pupuk Organik Cair. *Jurnal Bioteknologi*, 11(1), 1–8.
- Yang, R., Qin, Z., Wang, J., Xu, S., Zhao, W., Zhang, X., & Huang, Z. (2020). Salinity Changes Root Occupancy by Arbuscular Mycorrhizal Fungal Species. *Pedobiologia*, 81–82, 150665. <https://doi.org/10.1016/j.pedobi.2020.1506>
- Zorb C, Geilfus CM, dan Dietz KJ, (2019). Salinity and crop yield. *Plant Biol*; (21): 31-38.