

DAFTAR PUSTAKA

1. Leonard MD, Michaelides EE, Michaelides DN. Energy storage needs for the substitution of fossil fuel power plants with renewables. *Renew Energy*. 2020;145:951–62. doi:10.1016/j.renene.2019.06.066
2. Kumar S, Dugani R, Kumar A, Parida S, Kumar S. Activated carbon derived from Subabul Sawdust via one-step KOH activation for supercapacitor electrode application. *J Energy Storage*. 2026;153(PC):121012. doi:10.1016/j.est.2026.121012
3. Praburaj M. Overview of Supercapacitors: A Comprehensive Review. *Preprints.org* [Internet]. 2023. Available from: <https://www.preprints.org/manuscript/202405.1509>
4. Breitenbach S, Duchoslav J, Mardare AI, Unterweger C, Stifter D, Hassel AW, et al. Comparative Behavior of Viscose-Based Supercapacitor Electrodes Activated by KOH, H₂O, and CO₂. *Nanomaterials*. 2022;12(4):677. doi:10.3390/nano12040677
5. Kamber D. Sustainable energy storage: Mangifera indica leaf waste-derived activated carbon for long-life, high-performance supercapacitors. *RSC Adv* [Internet]. 2024. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10918766/>
6. Dalimunthe KRA, Hasfita F, - M, Sylvia N, Dewi R, Safrwardy F. Efektifitas Kulit Buah Kolang Kaling (Arenga Pinnata) Sebagai Biosorben Logam Berat (Cr⁶⁺) Dalam Limbah Artifisial. *Chem Eng J Storage*. 2025;5(2):200–2017. doi:10.29103/cejs.v5i2.20680
7. Chen X. Biomass Derived N-Doped Porous Carbon Made from Reed Straw for an Enhanced Supercapacitor. *Molecules*. 2023;28(12):4633. doi:10.3390/molecules28124633
8. Nazhipkyzy M, Yeleuov M, Sultakhan ST, Maltay AB, Zhaparova AA, Assylkhanova DD, et al. Electrochemical Performance of Chemically Activated Carbons from Sawdust as Supercapacitor Electrodes. *Nanomaterials*. 2022;12(19):3391. doi:10.3390/nano12193391
9. Rajivgandhi P, Thirumal V, Sekar A, Kim J. Sustainable Sugarcane Bagasse-Derived Activated Carbon for High-Performance Symmetric Supercapacitor Devices Applications. *Nanomaterials*. 2025;15(13). doi:10.3390/nano15131028
10. Manimekala T, Sivasubramanian R, Dar MA, Dharmalingam G. Crafting the architecture of biomass-derived activated carbon via electrochemical insights for supercapacitors: a review. *RSC Adv*. 2025;15(4):2490–522. doi:10.1039/d4ra07682f
11. Peng X. N-doped hierarchical porous carbon from camellia pollen using urea and KOH for supercapacitors. *Crafting Archit Biomass-derived AC Rev* [Internet]. 2023. Available from: <https://pmc.ncbi.nlm.nih.gov/articles/PMC11758807/>
12. Ratnaningsih N, Arovah NI. Structural, physicochemical properties, and resistant starch content of autoclaved Arenga starch (Arenga pinnata (Wurmb) Merr). *Food Chem Adv*. 2025;8(August):101090. doi:10.1016/j.focha.2025.101090
13. Imraan M, Ilyas RA, Norfarhana AS, Bangar SP, Knight VF, Norrahim MNF. Sugar palm (Arenga pinnata) fibers: new emerging natural fibre and its relevant properties, treatments and potential applications. *J Mater Res Technol*. 2023;24:4551–72. doi:10.1016/j.jmrt.2023.04.056
14. He Y, Yang Y, Zhou Z, Li Y, Zhang W. Arenga pinnata flour/starch, fruit and fiber: compositional variability, functionality, and emerging industrial applications. *Trends Food Sci Technol*. 2026;173(April):105761. doi:10.1016/j.tifs.2026.105761
15. Ilyas RA, Sapuan SM, Ibrahim R, Abrol H, Ishak MR, Zainudin ES, et al. Sugar palm (Arenga pinnata (Wurmb.) Merr) cellulosic fibre hierarchy: A comprehensive approach from macro to nano scale. *J Mater Res Technol*. 2019;8(3):2753–66. doi:10.1016/j.jmrt.2019.04.011
16. Farma R, Sitinjak PE, Apriyani I, Chitriningrum N, Fauzi AAB, Fudholi A. Sustainable supercapacitor electrodes from mahogany seed shells-derived activated carbon modified with carbon nanotubes. *Ionics (Kiel)*. 2025;31(11):12167–83. doi:10.1007/s11581-025-06716-0
17. Hamid M, Dayana I, Satria H, Ramdan D, Junaidi, Siregar MF, et al. Porous hard carbon derived from coconut biomass waste as electrode material for supercapacitor. *JCIS Open*. 2025;19(August):100147. doi:10.1016/j.jciso.2025.100147
18. Shirvani M, Nasr Esfahani D, Baradari S. Sustainable synthesis of hierarchical porous

- activated carbon from lemon tree pruning biomass for high-performance symmetric supercapacitors. *Biomass and Bioenergy*. 2026;212(March):109190. doi:10.1016/j.biombioe.2026.109190
19. Jiang C, Yakaboylu GA, Yumak T, Zondlo JW, Sabolsky EM, Wang J. Activated carbons prepared by indirect and direct CO₂ activation of lignocellulosic biomass for supercapacitor electrodes. *Renew Energy*. 2020;155:38–52. doi:10.1016/j.renene.2020.03.111
 20. Kanjana K, Harding P, Kwamman T, Kingkam W, Chutimasakul T. Biomass-derived activated carbons with extremely narrow pore size distribution via eco-friendly synthesis for supercapacitor application. *Biomass and Bioenergy*. 2021;153(May):106206. doi:10.1016/j.biombioe.2021.106206
 21. Singh K, Kaur A. Biomass derived porous carbon based cathode for low cost and high-performing quasi-solid-state zinc-ion hybrid supercapacitor. *Diam Relat Mater*. 2025;158(July):112652. doi:10.1016/j.diamond.2025.112652
 22. Shaku B, Mofokeng TP, Coville NJ, Ozoemena KI, Maubane-Nkadimeng MS. Biomass valorisation of marula nutshell waste into nitrogen-doped activated carbon for use in high performance supercapacitors. *Electrochim Acta*. 2023;442(September 2022):141828. doi:10.1016/j.electacta.2023.141828
 23. Nume P, Sangtawesin T, Channule J, Föttinger K, Kanjana K. Controlled nitrogen functionality and microporosity in biomass-derived carbon/polyaniline composites via solvent-regulated gamma surface engineering for supercapacitors. *Biomass and Bioenergy*. 2026;214(December 2025). doi:10.1016/j.biombioe.2026.109512
 24. Isahak WNRW, Hisham MWM, Yarmo MA. Highly porous carbon materials from biomass by chemical and carbonization method: A comparison study. *J Chem*. 2013;2013(1). doi:10.1155/2013/620346
 25. Sapitri RA. Ekstraksi dan Karakterisasi Selulosa dari Kulit Buah Aren (*Arenga pinnata*) Untuk Penyerapan Ion Logam Cr(VI). 2021;(Vi):1–75.
 26. Vinayagam M, Babu RS, Sivasamy A, de Barros ALF. Improved capacitive performance of conducting polymer with incorporation of biomass derived activated carbon for supercapacitors. *Diam Relat Mater*. 2025;154(December 2024):112165. doi:10.1016/j.diamond.2025.112165
 27. Kumar Y, Sharma S. Electrochemical Characterizations of Electrode Materials for Supercapacitors. Vol. 7. 2025;7(1).
 28. Technology S, Names C. Testing Super-Capacitors Part 1 – CV , EIS and Leakage Current. *Current*. 1999.
 29. K. MP, Jaganathan VM, Nithya C, Meetrajsingh S, Kumaravelu TA, Dong CL. Electrochemical characterization of biochar-based supercapacitor electrodes produced from gasification of cashew nut shells. *Biomass and Bioenergy*. 2026;209(December 2025):108922. doi:10.1016/j.biombioe.2025.108922
 30. Yang Q, Guo J, Zhang S, Wang W, Zhang X, He J, et al. Utilizing waste pomelo peel to develop activated-doped porous biomass carbon as electrode materials: Study of activation mechanism, evaluation of electrochemical properties and assembly of symmetric supercapacitors. *Ind Crops Prod*. 2024;209(January). doi:10.1016/j.indcrop.2024.118060
 31. Jain A, Ghosh M, Krajewski M, Kurungot S, Michalska M. Biomass-derived activated carbon material from native European deciduous trees as an inexpensive and sustainable energy material for supercapacitor application. *J Energy Storage*. 2021;34(December 2020):102178. doi:10.1016/j.est.2020.102178
 32. Genel İ, Yardım Y, Saka C. Green synthesis of hierarchical nitrogen-doped porous activated carbon material based on biomass waste for high-performance energy storage as supercapacitor. *Biomass and Bioenergy*. 2025;197(December 2024). doi:10.1016/j.biombioe.2025.107818
 33. Rustamaji H, Prakoso T, Devianto H, Widiatmoko P, Kurnia KA. Facile synthesis of N, S-modified activated carbon from biomass residue for promising supercapacitor electrode applications. *Bioresour Technol Reports*. 2023;21(December 2022):101301. doi:10.1016/j.biteb.2022.101301
 34. Tetra ON, Aulia RH, Deswati D. Sintesis Karbon Aktif dari Tongkol Jagung (*Zea mays*

- L.) dengan Metoda Dehidrasi sebagai Elektroda Supercapacitor. *ALCHEMY J Penelit Kim.* 2025;21(2):358. doi:10.20961/alchemy.21.2.96235.358-368
35. Selvaraj M, Balamoorthy E, Manivasagam TG. Biomass derived nitrogen-doped activated carbon and novel biocompatible gel electrolytes for solid-state supercapacitor applications. *J Energy Storage.* 2023;72(PD):108543. doi:10.1016/j.est.2023.108543
 36. Norita Tetra O, Aziz H, Arifin B. Karbon Aktif Berpori Dari Kulit Jeruk (*Citrus sinensis* (L.) Osbeck) Melalui Metoda Dehidrasi Untuk Kapasitor Elektrokimia. *J Zarah.* 2024;12(1):25–32.
 37. Bandara TMWJ, Alahakoon AMBS, Mellander BE, Albinsson I. Activated carbon synthesized from Jack wood biochar for high performing biomass derived composite double layer supercapacitors. *Carbon Trends.* 2024;15(February):100359. doi:10.1016/j.cartre.2024.100359
 38. Cao L, Li H, Xu Z, Zhang H, Ding L, Wang S, et al. Comparison of the heteroatoms-doped biomass-derived carbon prepared by one-step nitrogen-containing activator for high performance supercapacitor. *Diam Relat Mater.* 2021;114(January):108316. doi:10.1016/j.diamond.2021.108316
 39. Sonkawade AR, Shelake AR, Patil AD, Waikar MR, Dongale TD. Biomass-to-energy storage: *Ficus religiosa* leaves-based hard carbon for high-performance supercapacitor devices. *Biomass and Bioenergy.* 2026;210(February):109020. doi:10.1016/j.biombioe.2026.109020
 40. Ding D, Ma L, Li X, Liu Z, Hui L, Zhang F, et al. Porous Carbon Material Derived from Steam-Exploded Poplar for Supercapacitor: Insights into Synergistic Effect of KOH and Urea on the Structure and Electrochemical Properties. *Materials (Basel).* 2022;15(8). doi:10.3390/ma15082741
 41. Kim S, Lee SE. Recovery of reactive potassium compounds as chemical agents in wastewaters from KOH-activated carbon production. *Carbon Lett.* 2025;35(5):2147–56. doi:10.1007/s42823-025-00911-9
 42. Boonnun S, Chaison P, Meekati T, Poochai C, Pon-On W, Amornsakchai T, et al. Biomass nanoarchitectonics of microporous activated carbon derived from gelatinized pineapple stem starch foam for high-performance supercapacitors. *J Energy Storage.* 2025;137(May):118554. doi:10.1016/j.est.2025.118554
 43. Diantoro M, Muthi Aturroifah NI, Luthfiyah I, Utomo J, Hamidah I, Yulianto B, et al. 3D-porous activated carbon morphological modification of *Manihot esculenta* tuber and *Bambusa blumeana* stem for high-power density supercapacitor: Biomass waste to sustainable energy. *Carbon Resour Convers.* 2025;(January). doi:10.1016/j.crcon.2025.100313
 44. Luo Y, Gong J, Yang Z, Liu Z, Chen Y, Huang S. The impact of neglected potassium in KOH-activated porous carbon on CO₂ capture and CO₂/N₂ selectivity: Experimental and molecular simulation studies. *Appl Surf Sci.* 2025;681:161571. doi:10.1016/j.apsusc.2024.161571
 45. Liu A, Yan L, Zhang Y, Ma R, Guo N, Wang L, et al. Nitrogen-doped coal-based microporous carbon material co-activated by HCOOK and urea for high performance supercapacitors. *Surf Interfaces.* 2024;44:103754. doi:10.1016/j.surfin.2023.103754
 46. Zhan C, Zhang Y, Cummings PT, Jiang DE. Enhancing graphene capacitance by nitrogen: effects of doping configuration and concentration. *Phys Chem Chem Phys.* 2016;18:4668–74. doi:10.1039/C5CP06952A
 47. Liu Y, Xu H, Yu H, Yang H, Chen T. Synthesis of lignin-derived nitrogen-doped carbon as a novel catalyst for 4-NP reduction evaluation. *Sci Rep.* 2020;10(1):1–14. doi:10.1038/s41598-020-76039-9 PubMed PMID: 33208798.
 48. Zhang Y, Jia J, Sun Y, Xu B, Jiang Z, Qu X, et al. An Effective Strategy to Synthesize Well-Designed Activated Carbon Derived from Coal-Based Carbon Dots via Oxidation before Activation with a Low KOH Content as Supercapacitor Electrodes. *Nanomaterials.* 2023;13(22):2909. doi:10.3390/nano13222909
 49. Yang J, Jo MR, Kang M, Huh YS, Jung H, Kang YM. Rapid and controllable synthesis of nitrogen doped reduced graphene oxide using microwave-assisted hydrothermal reaction for high power-density supercapacitors. *Carbon N Y.* 2014;73:106–13.
 50. Li R, Li X, Chen J, Wang J, He H, Huang B, et al. Pyridinic-nitrogen highly doped

- nanotubular carbon arrays grown on a carbon cloth for high-performance and flexible supercapacitors. *Nanoscale*. 2018;10(8):3981–9. doi:10.1039/C7NR07414J
51. Biemolt J, Denekamp IM, Slot TK, Rothenberg G. Boosting the supercapacitance of nitrogen-doped carbon by tuning surface functionalities. *ChemSusChem*. 2017;10(20):4018–24. doi:10.1002/cssc.201700902
 52. Li Y, Xu X, He Y, Jiang Y, Lin K. Nitrogen Doped Macroporous Carbon as Electrode Materials for High Capacity of Supercapacitor. *Polymers (Basel)*. 2017;9(1):2. doi:10.3390/polym9010002
 53. Yola Azli Perdana, Rahma Joni E dan HA. Pengaruh Aktivator KOH Terhadap Kinerja Karbon Aktif Dari Cangkang Kelapa Sawit Sebagai Bahan Elektroda Superkapasitor. *J Aceh Phys Soc*. 2020;9:13–9.
 54. Yuan Y, Sun Y, Feng Z, Li X, Wang K, Zhang J. Nitrogen-Doped Hierarchical Porous Activated Carbon Derived from Paddy for High-Performance Supercapacitors. *Materials (Basel)*. 2021;14(2):318. doi:10.3390/ma14020318
 55. Liyanaarachchi H, Thambiliyagodage C, Lokuge H, Vigneswaran S. Kinetics and Thermodynamics Study of Methylene Blue Adsorption to Sucrose- and Urea-Derived Nitrogen-Enriched, Hierarchically Porous Carbon Activated by KOH and H₃PO₄. *ACS Omega*. 2023;8(18):16158–73. doi:10.1021/acsomega.3c00339
 56. Zou K, Deng Y, Chen J, Qian Y, Yang Y, Li Y, et al. Hierarchically porous nitrogen-doped carbon derived from the activation of agriculture waste by potassium hydroxide and urea for high-performance supercapacitors. *J Power Sources*. 2018;378(December 2017):579–88. doi:10.1016/j.jpowsour.2017.12.081
 57. Song M, Zhou Y, Ren X, Wan J, Du Y, Wu G, et al. Biowaste-based porous carbon for supercapacitor: the influence of preparation processes on structure and performance. *J Colloid Interface Sci*. 2018. doi:10.1016/j.jcis.2018.09.055
 58. Wang Y, Li X, Zhang H, Chen L. Nitrogen-doped porous carbon materials for high-performance supercapacitors. *Materials (Basel)*. 2021;14(19):5807. doi:10.3390/ma14195807
 59. Zhang Q, Li H, Zhou Y, Chen X. Recent advances in nitrogen-doped carbon electrodes for electrochemical energy storage. *ACS Omega*. 2023;8(15):13421–35. doi:10.1021/acsomega.3c01234
 60. Dubey P, Shrivastav V, Gupta B, Hołdyński M, Nogala W, Sundriyal S. Diffusion and surface charge studies of waste cow dung derived highly porous carbon as a facile electrode for solid-state supercapacitors. *Diam Relat Mater*. 2022;130:109529. doi:10.1016/j.diamond.2022.109529
 61. Liu Z, Zhao Y, Wang X, Sun J. Enhanced electrochemical performance of nitrogen-doped porous carbon for supercapacitor applications. *Mater Today Energy*. 2022;24:100938. doi:10.1016/j.mtener.2022.100938
 62. Gao Y, Cui P, Liu J, Sun W. Fluorine/Nitrogen Co-Doped Porous Carbons Derived from Covalent Triazine Frameworks for High-Performance Supercapacitors. *ACS Appl Energy Mater*. 2021;4(5):4519–29. doi:10.1021/acsaem.1c00155
 63. Jang SJ, Lee JH, Kang SH, Kang YC, Roh KC. Nitrogen-Doped and Carbon-Coated Activated Carbon as a Conductivity Additive-Free Electrode for Supercapacitors. *Energies*. 2021;14(22):7629. doi:10.3390/en14227629
 64. Li Z, Liu Q, Sun L, Li N, Wang X, Wang Q, et al. Nitrogen and Oxygen Co-doped Porous Carbon Derived from Yam Waste for High-Performance Supercapacitors. *RSC Adv*. 2021;11(53):33208–18. doi:10.1039/D1RA06154B
 65. Chen H, Xu C, Duan H, Zhang W, Li J, Zhao Y. Recent advances in heteroatom-doped carbon materials for supercapacitor applications. *Carbon N Y*. 2024;220:118864. doi:10.1016/j.carbon.2023.118864
 66. Wang J, Chen Y, Li Z, Liu H, Zhang X, Huang Y. Enhanced electrochemical performance of nitrogen-doped activated carbon for supercapacitor electrodes. *J Energy Storage*. 2022;52:104836. doi:10.1016/j.est.2022.104836
 67. Wei K, Zhang F, Yang Y, Zhai B, Wang X, Song Y. Oxygenated N-doped porous carbon derived from ammonium alginate: Facile synthesis and superior electrochemical performance for supercapacitor. *J Energy Storage*. 2022;51(March):104342. doi:10.1016/j.est.2022.104342

68. Li W, Zhang W, Xu Y, Wang G, Sui W, Xu T, et al. Heteroatom-doped lignin derived carbon materials with improved electrochemical performance for advanced supercapacitors. *Chem Eng J.* 2024;497:154829. doi:10.1016/j.cej.2024.154829
69. Li Q, Zhao S, Sun L, Wang Y, Chen X. Influence of nitrogen heteroatoms on charge transfer and capacitive behavior of porous carbon electrodes. *Electrochim Acta.* 2023;442:141950. doi:10.1016/j.electacta.2023.141950
70. Fu Y, Yuan Y, Shen Q, Xu H, Ye Z, Guo L, et al. Acid-modified biomass-based N-doped O-rich hierarchical porous carbon as a high-performance electrode for supercapacitors. *Phys Chem Chem Phys.* 2024;26:20365–75. doi:10.1039/D4CP01914H

