

DAFTAR PUSTAKA

- Abadassi, J. (2015). Maize agronomic traits needed in tropical zone. *International Journal of Science, Environment*, 4(2), 371–392.
- Abuali, A. I., Abdelmulla, A. A., Khalafalla, M. M., Idris, A. E., & Osman, A. M. (2012). Combining ability and heterosis for yield and yield components in maize (*Zea mays* L.). *Australian Journal of Basic and Applied Sciences*, 6(10), 36–41.
- Acquaah, G. (2012). *Principles of Plant Genetics and Breeding* (Second Edi). Wiley-Blackwell.
- Agustin, E., & Sugiharto, A. N. (2017). Uji daya hasil pendahuluan 20 calon varietas jagung hibrida hasil top cross. *Jurnal Produksi Tanaman*, 5(12), 1988–1997.
- Allard, R. (1999). *Principle of Plant Breeding*. John Wiley & Sons, Inc.
- Amalia, L. (2017). Pengujian efektivitas waktu pemangkasan bunga jantan terhadap peningkatan komponen hasil dan hasil jagung manis (*Zea mays* L.). *Paspalum*, 5(1), 27–32.
- Andiman, & Murti, R. H. (2020). Seleksi jagung manis (*Zea mays* L. var. *saccharata*) hibrida berdasarkan umur, komponen hasil, dan kadar gula pasca panen. *Jurnal Vegetalika*, 9(3), 437–448. <https://doi.org/10.22146/veg.44329>
- Atlin, G. N., Cairns, J. E., & Das, B. (2017). Rapid breeding and varietal replacement are critical to adaptation of cropping systems in the developing world to climate change. *Global Food Security*, 12(1), 31–37. <https://doi.org/10.1016/j.gfs.2017.01.008>
- Azrai, M. (2013). Jagung hibrida genjah: prospek pengembangan menghadapi perubahan iklim. *Jurnal Iptek Tanaman Pangan*, 8(2), 5–7.
- Azrai, M., Efendi, R., Suwarti, S., & Praptana, R. H. (2016). Keragaman genetik dan penampilan jagung hibrida silang puncak pada kondisi cekaman kekeringan. *Jurnal Penelitian Pertanian Tanaman Pangan*, 35(3), 199. <https://doi.org/10.21082/jpptp.v35n3.2016.p199-208>
- Bahtiar, Salman, D., Arsyad, M., & Azrai, M. (2022). Synergy of innovation between hybrid corn seed production and seed companies: A Review. *Agrivita*, 44(3), 604–615. <https://doi.org/10.17503/agrivita.v44i3.3907>
- Begna, T. (2021). Combining ability and heterosis in plant improvement. *Journal of Plant Science*, 6(1), 108–117. <https://doi.org/10.17352/ojps.000043>
- Belay, N. (2022). Combining ability studies from line x tester mating design for grain yield and its related traits of mid-altitude maize inbred lines. *International Journal of Food Science and Agriculture*, 6(1), 64–75. <https://doi.org/10.26855/ijfsa.2022.03.009>

- Brown, J., & Caigari, P. (2008). *An Introduction to Plant Breeding*. Blackwell.
- Budaraga, I. K., Fitria, E. A., & Saadaturrifni, N. (2023). Maize Nugget Making in Nagari Ladang Panjang, Pasaman. *Dinamisia: Jurnal Pengabdian Kepada Masyarakat*, 7(4), 1184–1189. <https://doi.org/10.31849/dinamisia.v7i4.15336>
- Cao, W., Yu, Z., Shi, Y., Zhang, Z., & Zhang, Y. (2026). Photosynthetic performance of spring maize leaves and the development and formation of superior and inferior grains. *Frontiers in Plant Science*, 16(1), 1–18. <https://doi.org/10.3389/fpls.2025.1732666>
- Cheng, Y., Gu, M., Cong, Y., Zou, C., Zhang, X., & Wang, H. (2010). Combining ability and genetic effects of germination traits of *Brassica napus* L. under waterlogging stress condition. *Agricultural Sciences in China*, 9(7), 951–957.
- Chhabra, R., Muthusamy, V., Baveja, A., Katral, A., Mehta, B., Zunjare, R. U., & Hossain, F. (2022). Allelic variation in *shrunk2* gene affecting kernel sweetness in exotic and indigenous maize inbreds. *PLoS ONE*, 22, 1–23. <https://doi.org/10.1371/journal.pone.0274732>
- Chivasa, W., Worku, M., Teklewold, A., Setimela, P., Gethi, J., Magorokosho, C., Davis, N. J., & Prasanna, B. M. (2022). Maize varietal replacement in eastern and Southern Africa: Bottlenecks, drivers and strategies for improvement. *Global Food Security*, 32(2), 100589. <https://doi.org/10.1016/j.gfs.2021.100589>
- Craufurd, P. Q., & Wheeler, T. R. (2009). Climate change and the flowering time of annual crops. *Journal of Experimental Botany*, 60(9), 2529–2539. <https://doi.org/10.1093/jxb/erp196>
- Crossa, J., Perez-Rodriguez, Cuevas, J., Montesinos-Lopez, O Jarquin, D., De los Campos, G Rutkoski, J., & Varshney, R. K. (2017). Genomic selection in plant breeding: Methods, models, and perspectives. *Trends in Plant Science*, 22(11), 961–975. <https://doi.org/10.1016/j.tplants.2017.08.011>
- Cui, J., Cui, Z., Lu, Y., Lv, X., Cao, Q., Hou, Y., Yang, X., & Gu, Y. (2022). Maize grain yield enhancement in modern hybrids associated with greater stalk lodging resistance at a high planting density: A case study in northeast China. *Scientific Reports*, 12(1), 1–12. <https://doi.org/10.1038/s41598-022-18908-z>
- D’Andrea, K. E., Parco, M., & Maddonni, G. Á. (2022). Maize prolificacy under contrasting plant densities and N supplies: II. Growth per plant, biomass partitioning to apical and sub-apical ears during the critical period and kernel setting. *Field Crops Research*, 284(108557). <https://doi.org/10.1016/j.fcr.2022.108557>
- Dewanti, D., Basunanda, P., & Purwantoro, A. (2015). Variabilitas karakter fenotipe dua populasi jagung manis (*Zea mays* L . kelompok *Saccharata*). *Vegetika*, 4(4), 35–47.
- Dong, Z., Wang, Y., Bao, J., Li, Y., Yin, Z., Long, Y., & Wan, X. (2023). The genetic structures and molecular mechanisms underlying ear traits in maize (*Zea mays* L.). *Cells*, 12(14), 1900. <https://doi.org/10.3390/cells12141900>

- Efendi, R., M., A. T., & Azrai, M. (2017). Daya gabung inbrida jagung toleran cekaman kekeringan dan nitrogen rendah pada pembentukan varietas hibrida. *Jurnal Penelitian Pertanian Tanaman Pangan*, 1(2), 83–96. <https://doi.org/10.21082/jpntp.v1n2.2017.p83-96>
- Elmyhun, M., Liyew, C., Shita, A., & Andualem, M. (2020). Combining ability performance and heterotic grouping of maize (*Zea mays*) inbred lines in testcross formation in Western Amhara, North West Ethiopia. *Cogent Food & Agriculture*, 6(1), 1–13. <https://doi.org/10.1080/23311932.2020.1727625>
- Farhan, M., Syafi'i, M., & Pirngadi, K. (2025). Uji sinkronisasi (*nickling period*) waktu penyerbukan bunga jantan dan betina pada galur jagung manis MS UNSIKA terhadap hasil dan komponen Hasil. *Agriprima: Journal of Applied Agricultural Sciences*, 9(1), 61–73. <https://doi.org/10.25047/agriprima.v9i1.695>
- Fasahat, P., Rajabi, A., Rad, J. M., & Derera, J. (2016). Principles and utilization of combining ability in plant breeding. *Biometrics & Biostatistics International Journal*, 4(1), 1–22. <https://doi.org/10.15406/bbij.2016.04.00085>
- Firdausi, Wahyu, Y., Syukur, M., & Ritonga, A. W. (2025). Combining ability analysis for yield-related traits in sweet corn across the diverse environments. *Sabrao Journal of Breeding and Genetics*, 57(4), 1411–1421. <https://doi.org/10.54910/sabrao2025.57.4.7>
- Flint-Garcia, S. A., Buckler, E. S., Tiffin, P., Ersoz, E., & Springer, N. M. (2009). Heterosis is prevalent for multiple traits in diverse maize germplasm. *PLoS ONE*, 4(10), 7433. <https://doi.org/10.1371/journal.pone.0007433>
- Forrest, J. R. K. (2014). Plant size, sexual selection, and the evolution of protandry in dioecious plants. *The American Naturalist*, 184(3), 338–351. <https://doi.org/10.1086/677295>
- Fujimoto, R., Uezono, K., Ishikura, W., Osabe, K., Peacock, W. J., & Dennis, E. S. (2018). Recent research on the mechanism of heterosis is important for crop and vegetable breeding systems. *Breeding Science*, 68(2), 145–158. <https://doi.org/10.1270/jsbbs.17155>
- Galal, A. A., Safhi, F. A., Al Aboud, N. M., Aljabri, M., Kucher, D. E., Kamara, M. M., El-Mogy, M. M., Ibrahim, O. M., El-Moneim, D. A., Hassanin, A. A., El-Soda, M., Mansour, E., & Ali, A. M. (2025). Molecular diversity and genetic potential of new maize inbred lines across varying sowing conditions in arid environment. *Scientific Reports*, 15(1), 1–17. <https://doi.org/10.1038/s41598-025-87021-8>
- GBIF, S. (2023). *GBIF Backbone Taxonomy*. Global Biodiversity Information Facility (GBIF). <https://doi.org/10.15468/39omei>
- Grewer, U., Kim, D. H., & Waha, K. (2024). Too much, too soon? Early-maturing maize varieties as drought escape strategy in Malawi. *Food Policy*, 129(102766). <https://doi.org/10.1016/j.foodpol.2024.102766>

- Griffing, B. (1956). Concept of general and specific combining ability in relation to diallel crossing systems. *Australian Journal of Biological Sciences*, 9(4), 463–493.
- Halidu, J., Abubakar, L., Izge, A. U., Ado, S. G., Yakubu, H., & Haliru, B. S. (2015). Correlation analysis for maize grain yield, other agronomic parameters and Striga affected traits under Striga infested/free environment. *Journal of Plant Breeding and Crop Science*, 7(1), 9–17. <https://doi.org/10.5897/jpbcs2013.0410>
- Hallauer, A. R., Carena, M. J., & Miranda Filho, J. B. (2010). *Quantitative Genetics in Maize Breeding* (Third Edit). Springer.
- Hallauer, A. R., & Miranda Filho, J. B. (1981). *Quantitative Genetics in Maize Breeding*. Iowa State University Press.
- Hanifah, N. F., Amien, S., & Ruswandi, D. (2018). Variabilitas fenotipik komponen hasil galur jagung manis Padjadjaran SR generasi S3 di Arjasar. *Jurnal Agrotek Indonesia*, 3(1), 39–43. <https://doi.org/10.16383/j.aas.2018.cxxxxxx>
- Hayati, P. K. D. (2018). *Analisis rancangan dalam pemuliaan tanaman: Penerapan Statistika dalam Penelitian Pemuliaan Tanaman*. In Andalas University Press (Vol. 1).
- Hayati, P. K. D. (2019). Teknologi Perakitan Varietas dan Peningkatan Jagung di Lahan Masam. In T. Habazar, B. Rusman, & A. Anwar (Eds.), *Perspektif Pertanian Tropika Basah: Potensi dan Tantangannya Dalam Rangka Pertanian Berkelanjutan* (pp. 207–236). Penerbit Erka.
- Hayati, P. K. D., Prasetyo, T., & Syarif, A. (2014). Evaluasi hibrida dan kemampuan daya gabung beberapa galur inbred jagung di lahan masam. *Jurnal Agroteknologi*, 4(2), 39–43.
- Hayati, P. K. D., Saleh, G., & Shsmshuddin, J. (2015). *Breeding of Maize for Acid Soil Tolerance: Heterosis, Combining Ability And Prediction of Hybrid Based on SSR Markers*. Scholar Press
- Hayati, P. K. D., & Sutoyo. (2024). *Penuntun Praktikum Dasar-Dasar Pemuliaan Tanaman*. LPTIK. Universitas Andalas
- Hayati, P. K. D., Sutoyo, & Prasetyo, T. B. (2016). Penampilan jagung hibrida hasil silang-tunggal dari berbagai kombinasi persilangan galur inbrida. *Prosiding Seminar Nasional Masyarakat Biodiversiti Indonesia*, 2, 165–168. <https://doi.org/10.13057/psnmbi/m020208>
- Hu, Y., Colantonio, V., Müller, B. S. F., Leach, K. A., Nanni, A., Finegan, C., Wang, B., Baseggio, M., Newton, C. J., Juhl, E. M., Hislop, L., Gonzalez, J. M., Rios, E. F., Hannah, L. C., Swarts, K., Gore, M. A., Hennen-Bierwagen, T. A., Myers, A. M., Settles, A. M., & Resende, M. F. R. (2021). Genome assembly and population genomic analysis provide insights into the evolution of modern sweet corn. *Nature Communications*, 12(1), 1227. <https://doi.org/10.1038/s41467-021-21380-4>

- Hutasoit, R. I., Setyowati, N., & Chozin, M. (2020). Pertumbuhan dan hasil delapan genotipe jagung manis yang dibudidayakan secara organik di lahan Rawa Lebak. *Jurnal Ilmu-Ilmu Pertanian Indonesia*, 22(1), 45–51. <https://doi.org/10.31186/jipi.22.1.45-51>
- Hutauruk, J. N., & Sugiharto, A. N. (2017). Uji daya hasil pendahuluan 9 galur jagung (*Zea mays* L.). *Jurnal Produksi Tanaman*, 5(12), 2070–2078.
- Iriany, R. N., Sujiprihati, S., Syukur, M., Koswara, J., & Yunus, M. (2011). Evaluasi daya gabung dan heterosis lima galur jagung manis (*Zea mays* var. *saccharata*) hasil persilangan dialel. *Jurnal Agronomi Indonesia*, 39(2), 103–111.
- Ishfaq, S., Ding, Y., Liang, X., & Guo, W. (2025). Advancing lodging resistance in maize: Integrating genetic, hormonal, and agronomic insights for sustainable crop productivity. *Plant Stress*, 15(1), 100777. <https://doi.org/10.1016/j.stress.2025.100777>
- Isnaini, J. L., Imran, A. N., Yusuf, M., Usman, U., & Amaliah, N. (2020). Penampilan fenotipik 12 genotip jagung (*Zea mays* L.) hibrida di lahan kering. *Agroplanta: Jurnal Ilmiah Terapan Budidaya dan Pengelolaan Tanaman Pertanian dan Perkebunan*, 9(2), 60–71.
- Jiang, F., Yin, X. F., Li, Z. W., Guo, R., Wang, J., Fan, J., Zhang, Y., Kang, M. S., & Fan, X. (2023). Predicting heterosis via genetic distance and the number of SNPs in selected segments of chromosomes in maize. *Frontiers in Plant Science*, 14(1), 1–9. <https://doi.org/10.3389/fpls.2023.1111961>
- Jogdande, P., Amolic, V., Dhonde, S., Kute, N., Shinde, S., & Waghmare, P. (2024). Combining ability effects of maize inbred lines in different seasons at Rahuri. *International Journal of Advanced Biochemistry Research*, 8(8), 42–54. <https://doi.org/10.33545/26174693.2024.v8.i8a.1736>
- Karim, A. N. M. S., Ahmed, S., Akhi, A. H., Talukder, M. Z. A., & Karim, A. (2018). Combining ability and heterosis study in maize inbreds through diallel mating design. *Bangladesh Journal Agri Research*, 70(4), 518–519. https://doi.org/10.4200/jjhg.70.04_518
- Kartina, K., Laila, A., Natawijaya, A., & Susilawati, R. (2023). Response of flowering synchrony and seed quality of several sweet corn lines (*Zea mays* subsp. *mays* L.) under boron fertilizer application. *Jurnal AGRO*, 10(1), 137–148.
- Khanday, D. M., Singh, P., & Kapoor, A. (2026). Genetic architecture of yield and adaptive traits in maize under rainfed conditions using diallel analysis. *Plant Science Journal*, 13(1), 1–12. <https://doi.org/10.14719/pst.13917>
- Khomphet, T. (2025). Genetic variability, correlation and path analysis of agronomic traits and yield components of thai sweet corn. *Indian Journal of Agricultural Research*, 59(2), 198–205. <https://doi.org/10.18805/IJARE.AF-886>

- Laosatit, K., Amkul, K., Somta, P., Tanadul, O. U. M., Kerd Sri, C., Mongkol, W., Jitlaka, C., Suriharn, K., & Jompuk, C. (2022). Genetic diversity of sweet corn inbred lines of public sectors in thailand revealed by SSR markers. *Crop Breeding and Applied Biotechnology*, 22(4), 1–8. <https://doi.org/10.1590/1984-70332022v22n4a45>
- Larièpe, A., Moreau, L., Laborde, J., Bauland, C., Mezmouk, S., Décousset, L., Mary-Huard, T., Fiévet, J. B., Gallais, A., Dubreuil, P., & Charcosset, A. (2017). General and specific combining abilities in a maize (*Zea mays* L.) test-cross hybrid panel: relative importance of population structure and genetic divergence between parents. *Theoretical and Applied Genetics*, 130(2), 403–417. <https://doi.org/10.1007/s00122-016-2822-z>
- Lindsey, A. J., Carter, P. R., & Thomison, P. R. (2021). Impact of imposed root lodging on corn growth and yield. *Agronomy Journal*, 113(6), 5054–5062. <https://doi.org/10.1002/agj2.20848>
- Liu, X., Hu, X., Li, K., Liu, Z., Wu, Y., Feng, G., Huang, C., & Wang, H. (2021). Identifying quantitative trait loci for the general combining ability of yield-relevant traits in maize. *Breeding Science*, 71(2), 217–228. <https://doi.org/10.1270/jsbbs.20008>
- Madhunapantula, V. P., Talekar, S. C., Kachapur, R. M., Salakinkop, S. R., Lal, M., & Naidu, G. (2023). Frequency of heterotic hybrids in relation to general combining ability of parents in sweet corn. *PeerJ*, 11, e16134. <https://doi.org/10.7717/peerj.16134>
- Mangoendidjojo, W. (2007). *Dasar-Dasar Pemuliaan Tanaman* (Cetakan ke). Penerbit Kanisius.
- Marwan, A. P., Satria, B., & Hayati, P. K. D. (2018). Penampilan Galur-Galur Selfing Generasi 1 Jagung Manis (*Zea may* var. *saccharata* sturt). *Prosiding Seminar Nasional*, 171–180.
- Mehta, B., Hossain, F., Muthusamy, V., Baveja, A., & Sweet, S. Á. (2017). Microsatellite-based genetic diversity analyses of sugary1- , shrunken2- and double mutant- sweet corn inbreds for their utilization in breeding programme. *Physiology and Molecular Biology of Plants*, 23(2), 411–426. <https://doi.org/10.1007/s12298-017-0431-1>
- Mejaya, M. J., Yasin, M., & Ishartati, E. (2017). *Perakitan dan Teknologi Produksi Benih Varietas Unggul Jagung Hibrida* (B. Sutaryo & S. Juli, Eds.; Cetakan 1). IAARD Press.
- Muluk, J. S. (2025). *Penampilan Fenotipik Agronomis Galur Inbred Jagung Manis (Zea mays var. saccharata Sturt.) Generasi S4*. Universitas Andalas.
- Muluk, J. S., Hayati, P. K. D., Herawati, N., Munandar, A., Marwan, A.P., & Warnita (2026). Evaluasi Agronomis dan Seleksi Multikarakter Galur Inbred Jagung Manis Generasi S4 Menggunakan Indeks MGIDI. *Vegetalika*, [Accepted].

- Mustafa, N. R., Saleh, G. Bin, & Kashiani, P. (2021). Genetic potential of tropical sweet corn hybrids and combining ability among parental inbred lines. *Australian Journal of Crop Science*, 15(10), 1279–1288. <https://doi.org/10.21475/ajcs.21.15.10.p3189>
- Mutimaamba, C., MacRobert, J., Cairns, J. E., Magorokosho, C., Ndhlela, T., Mukungurutse, C., Minnaar-Ontong, A., & Labuschagne, M. (2020). Line × tester analysis of maize grain yield under acid and non-acid soil conditions. *Crop Science*, 60(2), 991–1003. <https://doi.org/10.1002/csc2.20009>
- Ngaboyisonga, C., Nizeyimana, F., Gafishi, M. K., Ndayishimiye, T., Mbrarushimana, J. D., Nyirabashyitsi, J., Mutanyagwa, P., & Nyombayire, A. (2019). Combining ability for grain yield and silking of maize inbred lines derived from three open pollinated varieties released for mid altitudes of Rwanda: Comparison of diallel and North Carolina design II. *African Crop Science Journal*, 27(1), 59–75. <https://dx.doi.org/10.4314/acsj.v27i1.5>
- Nuranisa, Amiruddin, M., Dwiyanto, D., Jusriadi, & Karim, S. A. (2022). Peningkatan produksi tanaman jagung pada perlakuan pupuk Npk mutiara dalam meningkatkan perekonomian petani di Kelurahan Malotong. *Jurnal Abdi Masyarakat Multidisiplin*, 1(3), 35–42. <https://doi.org/10.56127/jammu.v1i3.352>
- Nurhana, N., Kusmiyati, F., & Anwar, S. (2020). Evaluasi kesesuaian lahan dan stabilisasi karakter pertumbuhan dan produksi 12 galur calon varietas jagung hibrida. *Jurnal Agrotek*, 5(2), 59–69.
- Oktakia, D. (2024). *Evaluasi Daya Gabung Dan Heterosis Pada Hibrida Silang Tunggal Jagung (zea mays l.) Melalui Analisis Diallel*. Universitas Andalas.
- Oktakia, D., Hayati, P. K. D., Sutoyo, & Harnas, H. (2025). Daya gabung galur inbred, penampilan dan heterosis hibrida silang tunggal jagung (*Zea mays* L.). *Agrosaintek*, 9(2), 56–67.
- Ona, A. D., Muntean, L., Has, V. V., & Varga, A. (2019). Combining ability for yield of single-cross hybrids derived from maize composites (*Zea mays* L.). *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 47(2), 465–469. <https://doi.org/10.15835/nbha47111358>
- Parco, M., Ciampitti, I. A., D'Andrea, K. E., & Maddonni, G. Á. (2020). Prolificacy and nitrogen internal efficiency in maize crops. *Field Crops Research*, 256(107912). <https://doi.org/https://doi.org/10.1016/j.fcr.2020.107912>
- Poehlman, J. M., & Sleper, D. A. (2006). *Breeding Field Crops* (5th Editio). Blackwell Publishing.
- Prai-anun, K., Jirakiattikul, Y., Suriharn, K., & Harakotr, B. (2024). The combining ability and heterosis analysis of sweet–waxy corn hybrids for yield-related traits and carotenoids. *Plants*, 13(296), 1–17. <https://doi.org/10.3390/plants13020296>

- Priyanto, S. B., Efendi, R., & Zainuddin, B. (2023). Genetic variability, heritability, and path analysis for agronomic characters in hybrid maize. *Kultivasi*, 22(1), 26–35. <https://doi.org/10.24198/kultivasi.v22i1.38807>
- Putra, R. K., & Sugiharto, N. A. (2021). Korelasi hasil produksi benih beberapa galur jagung (*Zea mays* L.) terhadap pengaruh waktu penyerbukan di kabupaten Gresik. *Jurnal Produksi Tanaman*, 9(8), 523–530.
- Qadri, A., Subaedah, S., & Sabahanur, S. (2022). Respon pertumbuhan dan produksi tanaman jagung manis (*Zea mays saccharata*) terhadap pemberian mikoriza dan pupuk NPK. *Jurnal AGrotekMAS*, 5(3), 339–348.
- Qun, W., Jun, X., Jiang lu, C., Ying hu, F., Guo qiang, Z., Rui zhi, X., Bo, M., Peng, H., Ke-ru, W., & Shaokun, L. (2020). Key indicators affecting maize stalk lodging resistance of different growth periods under different sowing dates. *Journal of Integrative Agriculture*, 19(10), 2419–2428. [https://doi.org/10.1016/S2095-3119\(20\)63259-2](https://doi.org/10.1016/S2095-3119(20)63259-2)
- Rajasekar, Kumar, A., Narayan, A., Nilanjaya, & Singh, S. K. (2024). Combining ability studies for grain yield and its component traits in sweet corn (*Zea mays* var. *saccharata*). *Journal of Advances in Biology & Biotechnology*, 27(7), 1070–1082. <https://doi.org/10.9734/jabb/2024/v27i71066>
- Ren, H., Zhou, P., Zhou, B., Li, X., Wang, X., Ge, J., Ding, Z., Zhao, M., & Li, C. (2023). Understanding the physiological mechanisms of canopy light interception and nitrogen distribution characteristics of different maize varieties at varying nitrogen application levels. *Agronomy*, 13(4), 1–17. <https://doi.org/10.3390/agronomy13041146>
- Revilla, P., Anibas, C. M., & Tracy, W. F. (2021). Sweet Corn Research around the World 2015–2020. *MDPI: Agronomy Review*, 11, 1–49. <https://doi.org/10.3390/agronomy11030>
- Riwandi, Handajaningsih, M., & Hasanudin. (2014). *Teknik Budidaya Jagung dengan Sistem Organik di Lahan Marjinal* (Cetakan ke-1). UNIB Press.
- Ruanjaichon, V., Khammona, K., Thunnom, B., Suriharn, K., Kerdsri, C., Aesomnuk, W., Yonsuwan, A., Chaomueang, N., Thammapichai, P., Arikitt, S., Wanchana, S., & Toojinda, T. (2021). Identification of gene associated with sweetness in corn (*Zea mays* l.) by genome-wide association study (GWAS) and development of a functional SNP marker for predicting sweet corn. *Plants*, 10(1239), 1–11. <https://doi.org/10.3390/plants10061239>
- Ruswandi, D., Ismail, A., Persada, G. S., Fauzan, M. R., Syihab, F. N., & Yuwariah, Y. (2026). Integrating line × tester analysis and GGE biplot to identify superior sweet corn hybrids in tropical environments. *PeerJ*, 14, 1–14. <https://doi.org/10.7717/peerj.20966>
- Ruswandi, D., Supriatna, J., Suryadi, E., Indriani, N. P., Wicaksana, N., & Syafii, M. (2021). Evaluasi kegenjahan dan daya hasil jagung manis hibrida Indonesia menggunakan analisis GGE biplot pada lingkungan yang berbeda. *Jurnal Kultivasi*, 20(2), 120–128. <https://doi.org/10.24198/kultivasi.v20i2.32748>

- Russell, W.A. & A.R. Hallauer. (1980). Corn. In W.R. Fehr and H.H. Hadley (eds.). Hybridization of Crop Plants. Madison, WI, USA. *American Society of Agronomy and Crop Sci.* 299-312 p.
- Sari, A. P., Sinaga, & Sugiharto, N. (2018). Keragaman 10 galur jagung ungu (*Zea mays* L. var. *amylacea*) pada generasi keempat (S4). *Jurnal Produksi Tanaman*, 6(3), 479–487.
- Sari, E. N., & Sugiharto, A. N. (2018). Keragaan beberapa galur jagung pakan (*zea mays* l.) generasi s7. *Jurnal Produksi Tanaman*, 6(1), 56–65.
- Sasastri, U., Yuniswati, Marwan, A. P., & Hayati, P. K. D. (2021). Evaluasi galur-galur penyerbukan sendiri generasi S2 jagung manis (*Zea mays* var. *saccharata* Sturt.). *Seminar Nasional Dalam Rangka Dies Natalis Ke-45 UNS*, 5(1), 245–252.
- Sethi, M., Saini, D. K., Devi, V., Kaur, C., Singh, M. P., Singh, J., Pruthi, G., Kaur, A., Singh, A., & Chaudhary, D. P. (2023). Unravelling the genetic framework associated with grain quality and yield-related traits in maize (*Zea mays* L.). *Frontiers in Genetics*, (8), 1–15. <https://doi.org/10.3389/fgene.2023.1248697>
- Setyawan, Y., & Darwanto, S. (2018). Pengaruh dosis pupuk NPK Phonska dan pupuk hayati Sinarbio terhadap pertumbuhan dan produksi tanaman jagung manis (*Zea mays saccharata* L) varietas F1 Talenta. *Jurnal Ilmiah Hijau Cendekia Volume*, 3(1), 83–88.
- Setyowidianto, E. P., Basuki, N., & Damanhuri, D. (2017). Daya gabung dan heterosis galur jagung (*Zea mays* L.) pada karakter hasil dan komponen hasil. *Jurnal Agronomi Indonesia*, 45(2), 124. <https://doi.org/10.24831/jai.v45i2.11650>
- Shankar, R. S., Priya, P. B., Bhadru, D., & Vanisri, S. (2023). Assessment of genetic variation and character association among yield and yield attributing traits in sweet corn (*Zea mays* L. *saccharata*) inbred lines. *International Journal of Environment and Climate Change*, 13(10), 1146–1154. <https://doi.org/10.9734/ijecc/2023/v13i102764>
- Sidahmed, H., Vad, A., & Nagy, J. (2025). Advances in sweet corn (*Zea mays* L. *saccharata*) research from 2010 to 2025: Genetics, agronomy, and sustainable production. *Agronomy*, 15(1260): 1–51. <https://doi.org/10.3390/agronomy15051260>
- Singh, R. & Chaundary, R. D. (1979). *Biometrical Methods in Quantitative Genetic Analysis*. Kalyani Publishers.
- Sipi, S., Subiadi, Ernawati, D., & Meitasari, D. (2024). Performa agronomi tanaman jagung yang berasal dari benih hibrida regenerasi. *Jurnal Agrotek Tropika*, 12(3), 512–528. <http://dx.doi.org/10.23960/jat.v12i3.7319>
- Sprague, G. F., & Tatum, L. A. (1942). General vs. specific combining ability in single crosses of corn. *Agronomy Journal*, 34(10), 923–932. <https://doi.org/10.2134/agronj1942.00021962003400100008x>

- Subaedah, S., Nirwana, & Suriyanti. (2014). Improvement of yield maize in the dry land who experience drought stress with use of organic matter. *Advances in Environmental Biology*, 8(22), 930–934.
- Subaedah, S., Numba, S., & Saida. (2018). Penampilan pertumbuhan dan hasil beberapa genotipe jagung calon hibrida umur genjah di lahan kering. *Jurnal Agronomi Indonesia*, 46(2), 169–174. <https://doi.org/10.24831/jai.v46i2.16400>
- Sudika, I. W., Fetindah, S. P., Aryana, I. G. P. M., & Fauzi, M. T. (2025). Depresi silang pada galur S2 tanaman jagung (*Zea mays* L.) di lahan kering. *Jurnal Ilmiah Mahasiswa Agrokomplek*, 4(1), 138–145. <https://doi.org/10.29303/jima.v4i1.5333>
- Sujiprihati, S., Syukur, M., Makkulawu, A. T., & Iriany, R. N. (2012). Perakitan varietas hibrida jagung manis berdaya hasil tinggi dan tahan terhadap penyakit bulai. *Jurnal Ilmu Pertanian Indonesia*, 17(3), 159–165.
- Supriyanta, B., Pratama, M. S., & Nabila, N. (2023). Pendugaan daya gabung umum dan daya gabung khusus jagung manis dengan persilangan dialel metode Griffing-1. *Vegetalika*, 12(2), 146. <https://jurnal.ugm.ac.id/jbp/article/view/77955>
- Surtinah, & Lindar, S. (2017). Pertumbuhan vegetatif dan kadar gula biji jagung manis (*Zea mays saccharata* Sturt.) di Pekanbaru. *Jurnal Ilmiah Pertanian*, 13(2), 73–78.
- Swapna, G., Jadesha, G., & Mahadevu, P. (2020). Sweet Corn: A future healthy human nutrition food. *International Journal of Current Microbiology and Applied Sciences*, 9(7), 3859–3865. <https://doi.org/10.20546/ijcmas.2020.907.452>
- Syafruddin. (2018). Optimalisasi pemupukan, jarak tanam, dan populasi tanaman untuk peningkatan produktivitas jagung di Kabupaten Bone, Sulawesi Selatan. *Pangan*, 27(3), 165–178.
- Syihab, F. N., Karuniawan, A., Ismail, A., Yuwariah, Y., & Ruswandi, D. (2024). Estimasi daya gabung galur jagung manis (*Zea mays*) pada karakter kegenjahan dan hasil dengan menggunakan genotipe-genotipe x environment (GGE) biplot. *Jurnal Agristan*, 11(2), 61–73. <https://doi.org/10.15575/37280>
- Syukur, M., & Rifianto, A. (2013). *Jagung Manis* (Febriani Ai N., Ed.). Penebar Swadaya.
- Syukur, M., Sujiprihati, S., & Yunianti, R. (2018). *Teknik pemuliaan tanaman*. Penebar Swadaya.
- Tingjie, W., Liang, Z., Qiong, H., Fengxia, Z., Tianqi, W., Nana, F., & Taxia, W. (2015). Effects of stalk cell wall and tissue on the compressive strength of maize. *Plant Science Journal*, 33(1): 109-115. DOI: 10.11913/PSJ.2095-0837.2015.10109

- USDA. (2019). *National Nutrient Database for Food Data Central Sweet Corn*. United States Departement of Agriculture.
- Wang, M., Zhang, R., Zhao, Y., Yao, J., Li, W., Yang, Z., Sun, F., & Yang, X. (2023). Identifying QTL and candidate genes for prolificacy in maize. *Crop Journal*, 11(2), 531–539. <https://doi.org/10.1016/j.cj.2022.08.007>
- Wasuwatthanakool, W., Harakotr, B., Jirakiattikul, Y., Lomthaisong, K., & Suriharn, K. (2022). Combining ability and testcross performance for carotenoid content of S2 super sweet corn lines derived from temperate germplasm. *Agriculture (Switzerland)*, 12(10), 1561. <https://doi.org/10.3390/agriculture12101561>
- Wulan, P. N., Yulianah, I., & Damanhuri. (2017). Penurunan ketegaran (*inbreeding depression*) pada generasi F1, S1, dan S2 populasi tanaman jagung (*Zea mays* L.). *Jurnal Produksi Tanaman*, 5(3), 521–530.
- Xavier, L. F. S., Pestana, J. K., Sekiya, A., Krause, M. D., Moreira, R. M. P., & Ferreira, J. M. (2019). Partial diallel and potential of super sweet corn inbred lines bt2 to obtain hybrids. *Horticultura Brasileira*, 37(3), 278–284. <https://doi.org/10.1590/s0102-053620190305>
- Yan, Y., Duan, F., Li, X., Zhao, R., Hou, P., Zhao, M., Li, S., Wang, Y., Dai, T., & Zhou, W. (2024). Photosynthetic capacity and assimilate transport of the lower canopy influence maize yield under high planting density. *Plant Physiology*, 195(4), 2652–2667. <https://doi.org/10.1093/plphys/kiae204>
- Yu, S. B., Li, J. X., Xu, C. G., Tan, Y. F., Gao, Y. J., Li, X. H., Zhang, Q., & Saghai Maroof, M. A. (1997). Importance of epistasis as the genetic basis of heterosis in an elite rice hybrid. *Proceedings of the National Academy of Sciences of the United States of America*, 94(17), 9226–9231. <https://doi.org/10.1073/pnas.94.17.9226>
- Yuwariah, Y., Putri, D. N., Ruswandi, D., Wicaksono, F. Y., & Esperanza, D. (2022). Karakter agronomi beberapa jagung hibrida Padjadjaran dan hubungannya dengan hasil di dataran medium. *Jurnal Kultivasi*, 21(2), 231–238. <https://doi.org/10.24198/kultivasi.v21i2.34955>
- Zhang, X., Lu, M., Xia, A., Xu, T., Cui, Z., Zhang, R., Liu, W., & He, Y. (2021). Genetic analysis of three maize husk traits by QTL mapping in a maize-teosinte population. *BMC Genomics*, 22(1), 1–9. <https://doi.org/10.1186/s12864-021-07723-x>
- Zhang, X., Mogel, K. J. H. von, Lor, V. S., Hirsch, C. N., Vries, B. De, Kaeppler, H. F., Tracy, W. F., & Kaeppler, S. M. (2019). Maize sugary enhancer1 (se1) is a gene affecting endosperm starch metabolism. *Proceedings of the National Academy of Sciences*, 116(41), 20776–20785. <https://doi.org/10.1073/pnas.1902747116>

- Zhou, W. Q., Zhang, H. T., He, H. J., Gong, D. M., Yang, Y. Z., Liu, Z. X., Li, Y. S., Wang, X. J., Lian, X. R., Zhou, Y. Q., & Qiu, F. Z. (2023). Candidate gene localization of *zmdle1* gene regulating plant height and ear height in maize. *Scientia Agricultura Sinica*, 56(5), 821–833. <https://doi.org/10.3864/j.issn.0578-1752.2023.05.002>
- Zhou, Z., Zhang, C., Lu, X., Wang, L., Hao, Z., Li, M., Zhang, D., Yong, H., Zhu, H., Weng, J., & Li, X. (2018). Dissecting the genetic basis underlying combining ability of plant height related traits in maize. *Frontiers in Plant Science*, 9(August), 1–13. <https://doi.org/10.3389/fpls.2018.01117>