

DAFTAR PUSTAKA

- Aadrean, A. (2015) 'Diet composition of Asian small-clawed otters in altered habitats', *Journal of Wildlife Management*, 79(5), pp. 792–800.
- Aadrean, A., W. Novarino and J. Nurdin (2011) 'A record of small-clawed otters (*Aonyx cinereus*) foraging on golden apple snails (*Pomacea canaliculata*) in a West Sumatra rice field', *IUCN Otter Specialist Group Bulletin*, 28(1), pp. 34–38.
- Aadrean, A., S. Salmah, A. Salsabila, Rizaldi and M.N. Janra (2010) 'Track and other signs of otter in rice fields in Padang Pariaman, West Sumatra: A preliminary study', *IUCN Otter Specialist Group Bulletin*, 27(1), pp. 6–11.
- Abdullah, M., S. Ali and U.H. Ar Rasyid (2015) 'Habitat characteristic of small-clawed otter (*Aonyx cinereus*) in West Aceh', *Natural*, 15(1), pp. 5–9.
- Abdul-Patah, P., N. Nur-Syuhada, S. Md-Nor, H. Sasaki and B.M. Md-Zain (2014) 'Habitat and food resources of otters (Mustelidae) in Peninsular Malaysia', *AIP Conference Proceedings*, 1614, pp. 693–699. doi: 10.1063/1.4895286.
- Algriw, M.A., N.T. Zraba and S. Al-Muntaser (2017) 'Effects of storage temperature on the quantity and integrity of genomic DNA extracted from mice tissues', *International Journal of Science and Research*, 6(8), pp. 974–979.
- Aristizábal Duque, S.L., T. Diosa Mejía, C. Zapata Escobar and L.Y. Orozco Jiménez (2025) 'Molecular sexing and sex ratio of the neotropical otter (*Lontra longicaudis annectens*) using non-invasive samples', *THERYA*, 16(2), pp. 305–312. doi: 10.12933/therya-25-6172.
- Butler, E. and R. Li (2014) 'Genetic markers for sex identification in forensic DNA analysis', *Journal of Forensic Investigation*, 2(3), pp. 1–10. Available at: <https://www.avensonline.org/wp-content/uploads/JFI-2330-0396-02-0013.pdf>
- Dallas, J.F., D.N. Carss, M. Freda, K.-P. Koepfli, H. Kruuk, S.B. Pieltney and P.J. Bacon (2000) 'Sex identification of Eurasian otter (*Lutra lutra*) by PCR typing of spraints', *Conservation Genetics*, 1, pp. 181–183.
- De Barba, M., L.P. Waits, E.O. Garton, P. Genovesi, E. Randi, A. Mustoni and C. Groff (2017) 'The power of genetic monitoring for studying demography, ecology and genetics of a reintroduced brown bear population', *Molecular Ecology*, 26(9), pp. 2319–2335.
- De Silva, P.K. (2011) 'Status of otter species in the Asian region', *IUCN Otter Specialist Group Bulletin*, 28(A), pp. 97–107.

- Don, R.H., P.T. Cox, B.J. Wainwright, K. Baker and J.S. Mattick (1991) ‘‘Touchdown’’ PCR to circumvent spurious priming during gene amplification’, *Nucleic Acids Research*, 19(14), p. 4008. doi: 10.1093/nar/19.14.4008.
- Donald, P.F. (2007) ‘Adult sex ratios in wild bird populations’, *Ibis*, 149(4), pp. 671–692.
- Drobnič, K. (2006) ‘A new primer set in a SRY gene for sex identification’, *International Congress Series*, 1288, pp. 268–270.
- Duplaix, N. and M. Savage (2018) *The global otter conservation strategy*. Salem, Oregon: IUCN/SSC Otter Specialist Group.
- Forgacs, D., R.L. Wallen, A.L. Boedeker and J.N. Deer (2019) ‘Evaluation of fecal samples as a valid source of DNA by comparing paired blood and fecal samples from American bison (*Bison bison*)’, Texas A&M University.
- Frankham, R., J.D. Ballou and D.A. Briscoe (2010) *Introduction to conservation genetics*. Cambridge: Cambridge University Press.
- Gomez, L. (2018) *Illegal otter trade in Southeast Asia*. TRAFFIC Report. Available at: <https://www.traffic.org/publications/>
- Gupta, V., G. Dorsey, A.E. Hubbard, P.J. Rosenthal and B. Greenhouse (2010) ‘Gel versus capillary electrophoresis genotyping for categorizing treatment outcomes’, *Malaria Journal*, 9, p. 19. doi: 10.1186/1475-2875-9-19.
- Hájková, P., B. Zemanová, K. Roche and B. Hájek (2011) ‘Conservation genetics and non-invasive sampling of Eurasian otters’, *IUCN Otter Specialist Group Bulletin*, 28(A), pp. 127–138.
- Harley, V.R. and P.N. Goodfellow (1994) ‘The biochemical role of SRY in sex determination’, *Molecular Reproduction and Development*, 39(2), pp. 184–193. doi: 10.1002/mrd.1080390211.
- Hawkes, L.A., A.C. Broderick, M.H. Godfrey and B.J. Godley (2009) ‘Climate change and marine turtles’, *Endangered Species Research*, 7(2), pp. 137–154. doi: 10.3354/esr00198.
- Hernández-Romero, P.C., J.A. Guerrero and C. Valdespino (2015) ‘Morphological variability of *Lontra longicaudis*’, *Zoological Studies*, 54, pp. 1–12. doi: 10.1186/s40555-015-0127-6.
- Hussain, S.A., S.K. Gupta and P.K. De Silva (2011) ‘Biology and ecology of Asian small-clawed otter (*Aonyx cinereus*)’, *IUCN Otter Specialist Group Bulletin*, 28(2), pp. 63–75.
- Ijzerman, M.M., D.R. Dahling and G.S. Fout (1997) ‘A method to remove environmental inhibitors prior to the detection of waterborne enteric

- viruses by reverse transcription-polymerase chain reaction', *Journal of Virological Methods*, 63, pp. 145–153.
- IOSF (2013) *Indonesia training workshop report*. Broadford, Skye: IOSF.
- IUCN (2021) *The IUCN Red List of Threatened Species*. Available at: <https://www.iucnredlist.org> (Accessed: 25 April 2023).
- IUCN/SSC Otter Specialist Group (2009) *Caring for Asian small-clawed, Cape clawless, Nearctic, and spotted-necked otters*. Available at: https://www.otterspecialistgroup.org/Library/TaskForces/OCT/OCT_version_of_otter_care_manual_V3_Dec09.pdf (Accessed: 26 March 2021).
- Joshi, B.D., A. Aryal, R. Rauniyar, P.R. Regmi, R. Dhakal, R. Gautam and T.K. Shrestha (2019) 'Utility and applicability of a universal set of primers in low-cost gel-based sex identification of mammals', *PeerJ*, 7, e7849. doi: 10.7717/peerj.7849.
- Kardos, M., E.E. Armstrong, S.W. Fitzpatrick, S. Hauser, P.W. Hedrick, J.M. Miller, D.A. Tallmon and W. Chris Funk (2021) 'The crucial role of genome-wide genetic variation in conservation', *Proceedings of the National Academy of Sciences*, 118(48), e2104642118. doi: 10.1073/pnas.2104642118..
- Kemp, B.M., B. Bingham, R. Frome, M. Labonte, E. Palmer, E.S. Parsons, K.W. Gobalet and J. Rosenthal (2020) 'Subduing the influence of PCR inhibitors on amplifying aged, degraded, and low copy number DNA: PCR enhancer cocktail-p and rescue PCR', *PLoS ONE*, 15(6), e0234745.
- Korbie, D.J. and J.S. Mattick (2008) 'Touchdown PCR for increased specificity and sensitivity in PCR amplification', *Nature Protocols*, 3(9), pp. 1452–1456. doi: 10.1038/nprot.2008.133.
- Lampa, S., K. Henle, R. Klenke, M. Hoehn and B. Gruber (2013) 'How to overcome genotyping errors in non-invasive genetic mark-recapture population size estimation', *Journal of Wildlife Management*, 77(8), pp. 1490–1511. doi: 10.1002/jwmg.604.
- Lukas, D. and T.H. Clutton-Brock (2013) 'The evolution of social monogamy in mammals', *Science*, 341(6145), pp. 526–530.
- Maharani, S. (2024) *DNA barcode of small-clawed otter (Aonyx cinereus Illiger, 1815) at Kayu Tanam District in West Sumatra*. Skripsi. Universitas Andalas, Padang.
- Molbert, N., H. Ghanavi and B. Hansson (2023) 'An evaluation of DNA extraction methods on historical and roadkill mammalian specimens', *ZooKeys*, 1171, pp. 197–214.

- Mucci, N. and E. Randi (2007) 'Sex identification of Eurasian otter (*Lutra lutra*) non-invasive DNA samples using ZFX/ZFY sequences', *Conservation Genetics*, 8, pp. 1479–1482. doi: 10.1007/s10592-007-9303-5.
- Murphy, M.A., L.P. Waits, K.C. Kendall, S.K. Wasser, J.A. Higbee and R. Bogden (2002) 'Evaluation of long-term preservation methods for brown bear faecal DNA samples', *Conservation Genetics*, 3(4), pp. 435–440.
- Murphy, S.M., J.R. Adams, L.P. Waits and J.J. Cox (2021) 'Evaluating otter reintroduction outcomes using genetic spatial capture–recapture', *Ecology and Evolution*, 11, pp. 15047–15061. doi: 10.1002/ece3.8187.
- Nechvatal, J.M., J.L. Ram, M.D. Basson, P. Namprachan, S.R. Niec, K.Z. Badsha, L.H. Matherly, A.P.N. Majumdar and I. Kato (2008) 'Fecal collection, ambient preservation, and DNA extraction for PCR amplification of bacterial and human markers from human feces', *Journal of Microbiological Methods*, 72(2), pp. 124–132. doi: 10.1016/j.mimet.2007.11.007.
- Nichols, J.D. and D.P. Armstrong (2012) 'Monitoring for reintroductions', in J.G. Ewen *et al.* (eds.) *Reintroduction biology: Integrating science and management*. Chichester: Wiley-Blackwell, pp. 223–255. doi: 10.1002/9781444355833.ch7.
- Opel, K.L., D. Chung and B.R. McCord (2010) 'A study of PCR inhibition mechanisms using real-time PCR', *Journal of Forensic Sciences*, 55(1), pp. 25–33. doi: 10.1111/j.1556-4029.2009.01245.x.
- Palmer, M.S., P. Berta, A.H. Sinclair, B. Pym and P.N. Goodfellow (1990) 'Comparison of human ZFY and ZFX transcripts', *Proceedings of the National Academy of Sciences*, 87(5), pp. 1681–1685. doi: 10.1073/pnas.87.5.1681.
- Panasci, M., W.B. Ballard, S. Breck, D. Rodriguez, L.D. Densmore III, D.B. Wester and R.J. Baker (2011) 'Evaluation of fecal DNA preservation techniques and effects of sample age and diet on genotyping success', *Journal of Wildlife Management*, 75(7), pp. 1616–1624. doi: 10.1002/jwmg.221.
- Park, H.C., T.Y. Han, D.C. Kim, M.S. Min, S.Y. Han, K.S. Kim and H. Lee (2011) 'Individual identification and sex determination of Eurasian otters', *Genes and Genomics*, 33, pp. 653–657.

- Peñafiel, A., M. Villanueva, A. Castillo, P. Celi and S. Jijón (2019) 'A cost-effective protocol for DNA isolation', *Veterinary Medicine and Science*, 6(1), pp. 59–65.
- Piggott, M.P. (2004) 'Effect of sample age on microsatellite genotyping reliability', *Wildlife Research*, 31, pp. 485–493.
- Pocock, R.I. (1941) *The fauna of British India including Ceylon and Burma*. Vol. II. London: Taylor and Francis.
- Pokorska, J., B. Kuczyńska, K. Puppel and M. Gołębiewski (2016) 'Rapid method of DNA isolation from milk somatic cells', *Journal of Applied Genetics*, 57, pp. 275–280.
- QIAGEN (2010) *QIAamp DNA stool handbook*. Chatsworth, CA: QIAGEN Inc.
- Quaglietta, L., V.C. Fonseca, P. Hájková, A. Mira and L. Boitani (2013) 'Fine scale population genetic structure of *Lutra lutra*', *Journal of Mammalogy*, 94(3), pp. 561–571. doi: 10.1644/12-MAMM-A-171.1.
- Raha, A. and S.A. Hussain (2016) 'Factors affecting habitat selection by three sympatric otter species in the southern Western Ghats, India', *Acta Ecologica Sinica*, 36, pp. 45–49.
- Ramón-Laca, A., L. Soriano, D. Gleeson and M.E. Hauber (2015) 'A simple and effective method for obtaining mammal DNA from faeces', *Wildlife Biology*, 21(4), pp. 195–203.
- Rock, C., A. Alum and M. Abbaszadegan (2010) 'PCR inhibitor levels in biosolid samples predicted by excitation-emission matrix spectroscopy', *Applied and Environmental Microbiology*, 76, pp. 8102–8109.
- Ruiz-González, A., M.J. Madeira, E. Randi, F. Urrea and B.J. Gómez-Moliner (2013) 'Non-invasive genetic sampling of sympatric marten species (*Martes martes* and *Martes foina*): assessing species and individual identification success rates on faecal DNA genotyping', *European Journal of Wildlife Research*, 59, pp. 371–386. doi: 10.1007/s10344-012-0683-6.
- Ryazanov, D.A. and M.K. Maminov (1996) 'Age and sex determination from canine teeth in sea otter', *Zoologicheskii Zhurnal*, 75, pp. 593–601.
- Sánchez Velásquez, J.J., L.E. Reyes Flores, C. Yzásiga Barrera and E. Zelada Mázmela (2021) 'Performance comparison of gel and capillary

electrophoresis microsatellite genotyping', *BMC Research Notes*, 14, p. 444. doi: 10.1186/s13104-021-05861-9

Sanes, I.A.P. (2024) *Seleksi dan optimasi primer mikrosatelit pada berang-berang cakar kecil (Aonyx cinereus) di Lubuk Alung, Sumatera Barat*. Skripsi. Universitas Andalas.

Schrader, C., A. Schielke, L. Ellerbroek and R. Johne (2012) 'PCR inhibitors: occurrence, properties and removal', *Journal of Applied Microbiology*, 113(5), pp. 1014–1026.

Setyawati, R. and S. Zubaidah (2021) 'Optimasi konsentrasi primer dan suhu annealing dalam mendeteksi gen leptin pada sapi peranakan ongole (PO) menggunakan polymerase chain reaction (PCR)', *Indonesian Journal of Laboratory*, 4(1), pp. 36–40.

Sharma, S., W. Chee-Yoong, A. Kannan, S. Rama Rao, P. Abdul-Patah and S. Ratnayeke (2022) 'Identification of three Asian otter species using non-invasive PCR-RFLP', *Ecology and Evolution*, 12, e9585. doi: 10.1002/ece3.9585.

Shaw, C.N., P.J. Wilson and B.N. White (2003) 'A reliable molecular method of gender determination for mammals', *Journal of Mammalogy*, 84(1), pp. 123–128.

Shieh, Y.S., D. Wait, L. Tai and M.D. Sobsey (1995) 'Methods to remove inhibitors in sewage for enterovirus detection by PCR', *Journal of Virological Methods*, 54, pp. 51–66.

Sidik, M.R., A. Aadrean, J. Nurdin, D.I. Roesma and N. Usio (2025) 'Distribution and sign of otter presence across rice fields in West Sumatra', *Jurnal Biologi Tropis*, 25(4), pp. 6034–6042. doi: 10.29303/jbt.v25i4.9602.

Sidstedt, M., P. Rådström and J. Hedman (2020) 'PCR inhibition in qPCR, dPCR and MPS—mechanisms and solutions', *Analytical and Bioanalytical Chemistry*, 412(9), pp. 2009–2023.

Sinclair, A.H., P. Berta, M.S. Palmer, J.R. Hawkins, B.L. Griffiths, M.J. Smith, J.W. Foster, A.M. Frischauf, R. Lovell-Badge and P.N. Goodfellow (1990) 'A gene from the human sex-determining region encodes a protein with homology to a conserved DNA-binding motif', *Nature*, 346(6281), pp. 240–244. doi: 10.1038/346240a0.

- Smith, D.A., K. Ralls, A. Hurt, B. Adams, M. Parker and J.E. Maldonado (2006) 'Assessing reliability of microsatellite genotypes from kit fox faecal samples', *Molecular Ecology*, 15, pp. 387–406.
- Statham, M.J., P.D. Turner and C.O. Reilly (2007) 'Molecular sex identification in five mustelid species', *Zoological Studies*, 46, pp. 600–608. Available at: <https://zoolstud.sinica.edu.tw/Journals/46.5/600.pdf>
- Steinlechner, M., B. Berger, H. Niederstätter and W. Parson (2002) 'Rare failures in the amelogenin sex test', *International Journal of Legal Medicine*, 116, pp. 117–120.
- Taberlet, P., S. Griffin, B. Goossens, S. Questiau, V. Manceau, N. Escaravage, L.P. Waits and J. Bouvet (1996) 'Reliable genotyping of samples with very low DNA quantities using PCR', *Nucleic Acids Research*, 24(16), pp. 3189–3194. doi: 10.1093/nar/24.16.3189.
- Taberlet, P., J.-J. Camarra, S. Griffin, E. Uhres, O. Hanotte, L.P. Waits, C. Dubois-Paganon, T. Burke and J. Bouvet (1997) 'Noninvasive genetic tracking of the endangered Pyrenean brown bear population', *Molecular Ecology*, 6(9), pp. 869–876. doi: 10.1111/j.1365-294X.1997.tb00141.x.
- Taberlet, P., L.P. Waits and G. Luikart (1999) 'Non-invasive genetic sampling: look before you leap', *Trends in Ecology & Evolution*, 14(8), pp. 323–327. doi: 10.1016/S0169-5347(99)01629-9.
- Thermo Fisher Scientific (2019) *Optimizing PCR primer Tm and annealing temperatures*. Available at: <https://www.thermofisher.com/sa/en/home/brands/thermo-scientific/molecular-biology.html>
- Thermo Fisher Scientific (2020) *PCR cycling parameters: six key considerations for success*. Available at: <https://www.thermofisher.com/content/dam/LifeTech/global/protocols/PCR%20Cycling%20Parameters%20Six%20Key%20Considerations.pdf>
- Tjong, D.H., D.I. Roesma, N.T. Agustina, S. Maharani and I.A.P. Sanes (2024) 'Phylogenetics of Asian small-clawed otters in West Sumatra', *Pakistan Journal of Biological Sciences*, 27(7), pp. 373–379. doi: 10.3923/pjbs.2024.373.379.
- Tozzo, P., A. Giuliadori, S. Corato, E. Ponzano, D. Rodriguez and L. Caenazzo (2013) 'Deletion of amelogenin Y-locus in forensics: Literature revision and description of a novel method for sex confirmation',

Journal of Forensic and Legal Medicine, 20(5), pp. 387–391. doi: 10.1016/j.jflm.2013.03.012.

Trumbo, D.R., P.L. Kamath, S.M. George, M.E.F. LaCava, H.B. Ernest and L.L. Wolfe (2023) 'Effects of hunting on genetic diversity in puma', *Molecular Ecology*, 32(6), pp. 1355–1370. doi: 10.1111/mec.16288.

Wright, L., P.K. de Silva, B. Chan, I.R. Lubis and S. Basak (2021) '*Aonyx cinereus*', *The IUCN Red List of Threatened Species 2021*, e.T44166A164580923. doi: 10.2305/IUCN.UK.2021-3.RLTS.T44166A164580923.en (Accessed: 22 May 2025).

Yamada, C. and R. Masuda (2010) 'Molecular phylogeny and evolution of sex-chromosomal genes and SINE sequences in the family Mustelidae', *Mammal Study*, 35(1), pp. 17–30. doi: 10.3106/041.035.0102.

Zhu, Y., H. Liu, H. Yang, Y. Li and H. Zhang (2017) 'Factors affecting genotyping success in giant panda fecal samples', *PeerJ*, 5, e3358.

