



**FAKTOR YANG BERHUBUNGAN DENGAN KEPATUHAN IBU TERHADAP
PROGRAM IMUNISASI KEJAR ZERO DOSE DPT
DI WILAYAH KERJA PUSKESMAS LUBUK SIKAPING 2026**

Oleh:

ARIN ESA RIAN

NIM. 2211212027

Dosen Pembimbing 1 : Shelvey Haria Roza SKM.,M.Kes

Dosen pembimbing 2 : Rizalia Wardiah SKM.,MKM

FAKULTAS KESEHATAN MASYARAKAT

UNIVERSITAS ANDALAS

PADANG, 2026

**FAKULTAS KESEHATAN MASYARAKAT
UNIVERSITAS ANDALAS**

Skripsi, 22 Juli 2026

ARIN ESA RIAN, NIM. 2211212027

**FAKTOR YANG BERHUBUNGAN DENGAN KEPATUHAN IBU TERHADAP
PROGRAM IMUNISASI KEJAR ZERO DOSE DPT DI WILAYAH KERJA PUSKESMAS
LUBUK SIKAPING 2026**

XIV + 138 halaman, 40 tabel, 4 gambar, 9 lampiran

ABSTRAK

Tujuan Penelitian:

Indonesia menduduki peringkat keenam dunia dengan jumlah anak kategori *zero dose* terbanyak. Di wilayah kerja Puskesmas Lubuk Sikaping, cakupan imunisasi kejar *zero dose* baru mencapai 79%, dibawah target *herd immunity* sebesar 95%. Penelitian ini bertujuan mengetahui faktor yang berhubungan dengan kepatuhan ibu terhadap program imunisasi kejar *zero dose* DPT.

Metode:

Penelitian kuantitatif dengan desain *cross-sectional* dilaksanakan pada November 2025–Juni 2026. Populasi penelitian berjumlah 341 ibu dari anak *zero dose* DPT, dengan sampel 147 responden yang dipilih menggunakan teknik *proportional random sampling*. Analisis data meliputi analisis univariat dengan distribusi frekuensi, analisis bivariat menggunakan uji *Chi-Square*, dan analisis multivariat menggunakan regresi logistik dengan bantuan SPSS.

Hasil:

Sebanyak 27,9% ibu tidak patuh melaksanakan imunisasi kejar *zero dose* DPT. Terdapat hubungan antara pengetahuan ($p=0,050$), sikap ($p=0,000$), persepsi ($p<0,000$), akses pelayanan kesehatan ($p=0,039$), dukungan keluarga ($p<0,000$), dan keterpaparan media sosial ($p=0,000$) dengan kepatuhan ibu, sedangkan dukungan tenaga kesehatan tidak berhubungan ($p=1,000$). Dukungan keluarga merupakan faktor paling dominan berhubungan dengan kepatuhan ibu dengan (POR:9,769 ; 95% CI=2,568–37,168)

Kesimpulan:

Pengetahuan, sikap, persepsi, akses pelayanan kesehatan, dukungan keluarga, dan keterpaparan media sosial berhubungan dengan kepatuhan ibu terhadap program imunisasi kejar *zero dose* DPT. Puskesmas diharapkan memperkuat strategi penjangkauan terhadap anak *zero dose* DPT.

Daftar Pustaka : 66 (2002–2026)

Kata kunci : Kepatuhan, Imunisasi, Kejar, Zero Dose, DPT

**FACULTY OF PUBLIC HEALTH
ANDALAS UNIVERSITY**

Undergraduate Thesis, July 22, 2026

ARIN ESA RIAN, NIM. 2211212027

**FACTORS RELATED TO MOTHERS' COMPLIANCE WITH THE ZERO DOSE DPT
CARE-UP IMMUNIZATION PROGRAM IN THE WORKING AREA OF THE LUBUK
SIKAPING COMMUNITY HEALTH CENTER IN 2026**

XIV + 138 pages, 40 tables, 4 figures, 9 appendices

ABSTRACT

Research Objective:

Indonesia ranks sixth in the world for the number of children receiving zero doses. In the Lubuk Sikaping Community Health Center (Puskesmas) coverage, the zero-dose catch-up immunization program has only reached 79%, below the herd immunity target of 95%. This study aims to determine factors associated with maternal compliance with the DPT zero-dose catch-up immunization program.

Methods:

A quantitative study with a cross-sectional design was conducted from November 2025 to June 2026. The study population consisted of 341 mothers of children who received zero doses of DPT, with a sample of 147 respondents selected using proportional random sampling. Data analysis included univariate analysis with frequency distribution, bivariate analysis using the Chi-Square test, and multivariate analysis using logistic regression with SPSS.

Results:

A total of 27.9% of mothers were non-compliant with the zero-dose DPT catch-up immunization. There was a relationship between knowledge ($p=0.050$), attitude ($p=0.000$), perception ($p<0.000$), access to health services ($p=0.039$), family support ($p<0.000$), and social media exposure ($p=0.000$) with maternal compliance, while support from health workers was not related ($p=1.000$). Family support was the most dominant factor related to maternal compliance with (POR: 9.769; 95% CI=2.568–37.168).

Conclusion:

Knowledge, attitudes, perceptions, access to health services, family support, and social media exposure are associated with maternal compliance with the zero-dose DPT catch-up immunization program. Community health centers are expected to strengthen outreach strategies for children with zero doses of DPT.

References : 66 (2002–2026)

Keywords : Compliance, Catch-up, Immunization, Zero Dose, DPT