

DAFTAR PUSTAKA

- Ali, J., & Wani, S. H. (2021). *Rice Improvement: Physiological, Molecular Breeding and Genetic Perspectives* (J. Ali & S. H. Wani (eds.)). Springer International Publishing.
- Ardi, A. (2024). *Uji Tingkat Ketahanan Beberapa Varietas Padi Lokal Kabupaten Tanah Datar terhadap Serangan Wereng Batang Coklat (Nilaparvata lugens Stal.)* (Skripsi sarjana, Universitas Andalas).
- Astrid, M., Winasa, I. W., & Ali, N. (2024). Statistik demografi *Menochilus sexmaculatus* (Fabricius) (Coleoptera: Coccinellidae) pada *Aphis craccivora* Koch (Homoptera: Aphididae): Demographic statistic of *Menochilus sexmaculatus* (Fabricius) (Coleoptera: Coccinellidae) on *Aphis craccivora* Koch (Homoptera). *Jurnal Entomologi Indonesia*, 2(3), 213–233.
- Baehaki, S. E., Iswanto, E. H., & Munawar, D. (2016). Laju Pertumbuhan Intrinsik dan Neraca Hidup Wereng Cokelat pada Tanaman Padi Akibat Perubahan Iklim Global. *Jurnal Penelitian Pertanian Tanaman Pangan*, 35(1), 9.
- Baehaki, S. E. (2011). Strategi Fundamental Pengendalian Hama Wereng Batang Coklat Dalam Pengamanan. *Pengembangan Inovasi Pertanian*, 4 (1), 15–16.
- Baehaki, S. E., & Widiarta, I. N. (2009). *Hama Wereng dan Cara Pengendaliannya Pada Tanaman Padi*. Balai Besar Penelitian Tanaman Padi.
- Balai Perlindungan Tanaman Pangan dan Hortikultura Provinsi Sumatera Barat (BPTPH), (2023). *Laporan Evaluasi Serangan OPT Utama Pada Tanaman Padi di Sumatera Barat 2019–2022*.
- Carey, & James, R. (1993). *Applied Demography for Biologists: Special Emphasis on Insects*. Oxford University Press.
- Chaerani, C., Utami, D. W., Hidayatun, N., Abdullah, B., & Suprihantno, B. (2015). Asosiasi antara marka SSR dengan ketahanan terhadap wereng batang coklat pada varietas dan calon galur harapan padi. *Jurnal Entomologi Indonesia*, 11(1), 43.
- Chi, H., & Su, H. Y. (2006). Age-stage, two-sex life tables of *Aphidius gifuensis* (Ashmead) (Hymenoptera: Braconidae) and its host *Myzus persicae* (Sulzer) (Homoptera: Aphididae) with mathematical proof of the relationship between female fecundity and the net reproductive rate. *Environmental Entomology*, 35(1), 10–21.
- Deng, Z., Lai, C., Zhang, J., Sun, F., Li, D., Hao, P., Shentu, X., Pang, K., & Yu, X. (2024). Effects of Secondary Metabolites of Rice on Brown Planthopper

and Its Symbionts. *International Journal of Molecular Sciences*, 25(1), 1–15.

Dobermann, A., & Fairhurst, T. (2000). *Rice: Nutrient Disorders & Nutrient Management*. Potash & Phosphate Institute (PPI), Potash & Phosphate Institute of Canada (PPIC), and International Rice Research Institute (IRRI).

Fageria, N. K. (2007). Yield Physiology of Rice. *Journal of Plant Nutrition*, 30(6), 843–879.

Fitri, U. (2019). *Biologi dan Statistika Demografi Wereng Batang Coklat (Nilaparvata lugens Stål 1854) (Hemiptera: Delphacidae) pada Varietas IR 42 dan Batang Piaman di Laboratorium*. (Skripsi sarjana, Universitas Andalas).

Horgan, F. G., de Freitas, T. F. S., Crisol-Martínez, E., Mundaca, E. A., & Bernal, C. C. (2021). Nitrogenous fertilizer reduces resistance but enhances tolerance to the brown planthopper in fast-growing, moderately resistant rice. *Insects*, 12(11).

Horgan, F. G., Ramal, A. F., Bentur, J. S., Kumar, R., Bhanu, K. V., Sarao, P. S., Iswanto, E. H., Van Chien, H., Phyu, M. H., Bernal, C. C., Almazan, M. L. P., Alam, M. Z., Lu, Z., & Huang, S. H. (2015). Virulence of brown planthopper (*Nilaparvata lugens*) populations from South and South East Asia against resistant rice varieties. *Crop Protection*, 78, 222–231.

Huang, Y.-B., & Chi, H. (2012). Life Tables of *Bactrocera cucurbitae* (Coquillett) (Diptera: Tephritidae): with a Mathematical Invalidation for Applying the Jackknife Technique to the Net Reproductive Rate. *Nature Precedings*.

Hutasoit, R. T., Triwidodo, H., & Anwar, R. (2017). Biologi dan statistik demografi *Thrips parvispinus* Karny (Thysanoptera: Thripidae) pada tanaman cabai (*Capsicum annuum* Linnaeus). *Jurnal Entomologi Indonesia*, 14(3), 107–116.

Irawan, R., Ezward, C., & Seprido. (2020). Karakteristik Morfologi Batang dan Daun pada 14 Genotipe Padi Lokal (*Oryza sativa* L.) Kabupaten Kuantan Singingi. *Jurnal Agroqua*, 18(2), 157–167.

Ishwarya, V. G. L., Sreedhar, M., JhansiLakshmi, V., Gireesh, C., Rathod, S., Bohar, R., Deshpande, S., Laavanya, R., Kiranmayee, K. N. S. U., Siddi, S., & Vanisri, S. (2022). Development and Validation of Diagnostic KASP Markers for Brown Planthopper Resistance in Rice. *Frontiers in Genetics*, 13(July), 1–17.

Kang, K., Zhang, M., Yue, L., Chen, W., Dai, Y., Lin, K., Liu, K., Lv, J., Guan, Z., Xiao, S., & Zhang, W. (2023). Oxalic Acid Inhibits Feeding Behavior of the Brown Planthopper via Binding to Gustatory Receptor Gr23a. *Cells*, 12(5), 1–16.

Knape, J., Paquet, M., Arlt, D., Kačergytė, I., & Pärt, T. (2023). Partitioning

- variance in population growth for models with environmental and demographic stochasticity. *Journal of Animal Ecology*, 92(10), 1979–1991.
- Kushartanti, E., Lestari, F., Riza, H. H., & Fitriana, N. (2023). *Teknik Semai Padi Sistem Kering*. BSIP Jawa Tengah.
- Li, J., Li, S., Li, J., Tan, X., Zhao, Z., Jiang, L., & Hoffman, A. A. (2024). Egg-associated secretions from the brown planthopper (*Nilaparvata lugens*) activate rice immune responses. *Insect Science*, 31(4), 1135–1149.
- Li, Z., Xue, Y., Zhou, H., Li, Y., Usman, B., Jiao, X., Wang, X., Liu, F., Qin, B., Li, R., & Qiu, Y. (2019). High-resolution mapping and breeding application of a novel brown planthopper resistance gene derived from wild rice (*Oryza rufipogon* Griff). *Rice*, 12(1).
- Liu, Y. H., & Tsai, J. H. (2000). Effects of temperature on biology and life table parameters of the Asian citrus psyllid, *Diaphorina citri* Kuwayama (Homoptera: Psyllidae). *Annals of Applied Biology*, 137(3), 201–206.
- Makarim, A. K., & Suhartatik, E. (2009). *Morfologi dan Fisiologi Tanaman Padi*. Balai Besar Penelitian Tanaman Padi.
- Manuwoto, S., & Adijuwana, H. (2016). Mekanisme dan Faktor Kimia yang Mendasari Resistensi Beberapa Varietas Padi Terhadap Wereng Batang Coklat *Nilaparvata lugens* Stal (Homoptera: Delphacidae). *Jurnal Ilmu Pertanian Indonesia*, 1(1), 5–13.
- Mawan, A., & Amalia, H. (2011). Statistika Demografi *Riptortus linearis* F. (Hemiptera: Alydidae) pada Kacang Panjang (*Vigna sinensis* L.). *Jurnal Entomologi Indonesia*, 8(1), 8.
- Nurbaeti, B., Diratmaja, I. A., & Putra, S. (2010). Hama Wereng Coklat (*Nilaparvata lugens* Stal) dan Pengendaliannya. In *Balai Pengkajian Teknologi Pertanian*. Balai Pengkajian Teknologi Pertanian Jawa Barat.
- Panibe, J. P., Wang, L., Lee, Y. C., Wang, C. S., & Li, W. H. (2022). Identifying mutations in sd1, Pi54 and Pi-ta, and positively selected genes of TN1, the first semidwarf rice in Green Revolution. *Botanical Studies*, 63(1).
- Permatasari, I., Putri, N. A., Putri, N. A., Pratiwi, M. D., & Falahudin, I. (2022). Cara Kerja Standarisasi Mutu Benih Padi (*Oryza sativa*) Pada Varietas Ciherang Di Laboratorium UPTD Balai Pengawasan Dan Sertifikasi Benih Tanaman Pangan Dan Hortikultura Provinsi Sumatera Selatan. *Prosiding Seminar Nasional Biologi (SEMNAS BIO)*, 201–209.
- Phatthalung, T. N., & Tangkananond, W. (2022). Interactive effects of rice ragged stunt virus infection in rice and insect vector *Nilaparvata lugens*. *Asia-Pacific Journal of Science and Technology*, 27(5), 1–13.
- Piyaphongkul, J. (2013). *Effects of Thermal Stress on the Brown Planthopper*

Nilaparvata Lugens (Stal). (Thesis University of Birmingham).

Prada, D. M., & Martinius. (2020). Biologi dan Neraca Kehidupan Wereng Batang Coklat (*Nilaparvata Lugens*) pada Padi Varietas Cisokan dan Kahayan. *Jurnal Proteksi Tanaman*, 4(2), 73–81.

Prasetyo, O. R., & Astuti, K. (2025). Luas Panen dan Produksi Padi di Indonesia. In *Badan Pusat Statistik* (Vol. 7, Issue 16). Badan Pusat Statistik.

Putra, S. N. (2022). *Praktek Usahatani Padi Sawah Berkelanjutan (Kasus Usahatani Padi Varietas Lokal)*. (Skripsi sarjana, Universitas Andalas).

Rockwood, L. (2006). *Introduction to Population Ecology* (2nd ed.). Blackwell Publishing.

Roh, N., Sumarna, P., & Dwimartina, F. (2024). Kepadatan Populasi dan Intensitas Serangan Hama Wereng Batang Coklat (*Nilaparvata lugens* Stal.) pada Uji Adaptasi Beberapa Galur Harapan Tanaman Padi (*Oryza sativa* L.) pada Sawah Tadah Hujan Di Desa Kendayakan Kecamatan Terisi Indramayu. *Agro Tatanen: Jurnal Ilmiah Pertanian*, 6(1), 8–12.

Russianzi, W., Anwar, R., & Triwidodo, H. (2021). Biostatistics of fall armyworm *Spodoptera frugiperda* in maize plants in bogor, west java, indonesia. *Biodiversitas*, 22(6), 3463–3469.

Safitri, D., Nelly, N., & Arneti. (2025). Resistance of Local Rice Varieties from South Pesisir Regency to Brown Planthopper, *Nilaparvata lugens* Stal. *Jurnal Proteksi Tanaman(Journal of Plant Protection)*, 9(2), 72–82.

Sai, H. A., Sai, K. S., Padma, B., Richa, S., Ayyapa, D. M., & Vinay, S. (2013). Evaluation of rice genotypes for brown planthopper (BPH) resistance using molecular markers and phenotypic methods. *African Journal of Biotechnology*, 12(19), 2515–2525.

Shi, S., Wang, H., Zha, W., Wu, Y., Liu, K., Xu, D., He, G., Zhou, L., & You, A. (2023). Recent Advances in the Genetic and Biochemical Mechanisms of Rice Resistance to Brown Planthoppers (*Nilaparvata lugens* Stål). *International Journal of Molecular Sciences*, 24(23).

Sianipar, M. S., Purnama, A., Santosa, E., Soesilohadi, R. C. H., Natawigena, W. D., Susniahti, N., & Primasongko, A. (2017). Populasi Hama Wereng Batang Coklat (*Nilaparvata lugens* Stal.), Keragaman Musuh Alami Predator Serta Parasitoidnya Pada Lahan Sawah Di Dataran Rendah Kabupaten Indramayu. *Agrologia*, 6(1), 44–53.

Simon, E. V., Hechanova, S. Lou, Hernandez, J. E., Li, C. P., Tülek, A., Ahn, E. K., Jairin, J., Choi, I. R., Sundaram, R. M., Jena, K. K., & Kim, S. R. (2023). Available cloned genes and markers for genetic improvement of biotic stress resistance in rice. *Frontiers in Plant Science*, 14(September), 1–18.

- Siregar, M., & Sulardi. (2018). *Agribisnis Budidaya Padi* (Vol. 2). Fakultas Ekonomi Universitas Pembangunan Panca Budi.
- Sitairesmi, T., Wening, R. H., Rakhmi, A. T., Yunani, N., & Susanto, U. (2013). Pemanfaatan Plasma Nutfah Padi Varietas Lokal dalam Perakitan Varietas Unggul. *Iptek Tanaan Pangan*, 8(1), 22–30.
- Smith, C. M., & Clement, S. L. (2012). Molecular bases of plant resistance to arthropods. *Annual Review of Entomology*, 57(September), 309–328.
- Sofyan, D. A., Koesmaryono, Y., & Hidayati, R. (2019). Analisis pengaruh faktor cuaca terhadap dinamika populasi wereng batang coklat (*Nilaparvata lugens* Stal) yang tertangkap lampu perangkap. *Jurnal Entomologi Indonesia*, 16(1), 1–12.
- Southwood, T. R. ., & Henderson, P. (2000). Ecological methods. In *Nature* (Vol. 278, Issue 5705). Blackwell Science Ltd.
- Sumiati, A. (2011). *Pengendalian Hama Wereng Batang Coklat pada Tanaman Padi*. Balai Pengkajian Teknologi Pertanian Jambi.
- Syahrawati, M., Putra, O. A., Rusli, R., & Sulyanti, E. (2019). Population structure of brown planthopper (*Nilaparvata lugens*, Hemiptera: Delphacidae) and attack level in endemic area of Padang city, Indonesia. *Asian Journal of Agriculture and Biology, Special Issue*, 271–276.
- Syamsuarlis, A. A. (2023). *Biologi dan Statistik Demografi Wereng Batang Coklat (Nilaparvata lugens Stal.) (Hemiptera : Delphacidae) Pada Padi Varietas Bujang Marantau dan Anak Daro*. (Skripsi sarjana, Universitas Andalas).
- Yang, J., Kong, X., Zhu-Salzman, K., Qin, Q., & Cai, Q. (2021). The key glutathione s-transferase family genes involved in the detoxification of rice gramine in brown planthopper *Nilaparvata lugens*. *Insects*, 12(12).