

DAFTAR PUSTAKA

- Adedokun, S.A. and Adeola, O. (2021) 'True digestibility of nutrients in feed ingredients for monogastric animals', *Animal Feed Science and Technology*, 273, p. 114823. doi: 10.1016/j.anifeedsci.2020.114823.
- Afriani, D.T. and Aried, S. (2025) *Inovasi pakan ikan berkelanjutan: akuakultur dalam perspektif biologi dan ekonomi*. Jakarta: LITNUS.
- Afriani, Y., Rahayu, R. and Santoso, P. (2023) 'Fatty acid and hematology profile of BSF (*Hermetia illucens* L.) larva oil in wound healing', *International Journal of Progressive Science and Technologies*, 39(2), pp. 429–433.
- Agustiningsih, D. (2025) *Perlakuan aktivitas fisik pada hewan coba tikus dalam penelitian biomedis*. Yogyakarta: Gadjah Mada University Press.
- Ahmad, N.F. and Ernawati (2025) 'Pengaruh komposisi nutrisi pakan terhadap kualitas sperma mencit (*Mus musculus*)', *Jurnal Biomedika dan Kesehatan*, 8(1), pp. 12–20.
- Akintan, O., Gebremedhin, K.G. and Uyeh, D.D. (2024) 'Animal feed formulation: connecting technologies to nutritional adequacy', *Animal Feed Science and Technology*, 312, pp. 115–127.
- Alawiyah, K. (2026) *Bioteknologi kesehatan modern: dari gen ke terapi*. Jakarta: PT Bukuloka Literasi Bangsa.
- Alhotan, R.A. (2016) *Strategies to improve poultry feed formulation for maximum performance and profitability*. [Place of publication not identified]: [publisher not identified].
- Amahorseja, A.L., Rahael, K.P., Akerina, F.O., Kour, F., Sudirjo, F., Erbably, N.Y. et al. (2025) *Buku ajar bahan baku hasil perikanan*. [S.l.]: Kamiya Jaya Aquatic.
- Amalyadi, R., Maslami, V., Widiastuti, L.K., Pertiwi, E.A., Singgili, H., Fadhlurrohman, I., Karni, I., Forhamsah, I., Andita, A.S., Nurjanah, L.L., Noersidiq, A. and Pratama, I.W. (2025) *Integrasi ilmu dalam sistem peternakan modern*. [S.l.]: Azzia Karya Bersama.
- Amann, R.P. and Waberski, D. (2014) 'Computer-assisted sperm analysis (CASA): capabilities and potential developments', *Theriogenology*, 81(1), pp. 5–17.

- Araina, E., Sulistyaningrum, T.W. and Firlianty, F. (2020) 'Edukasi mengenai peranan makhluk hidup dan kandungan nilai gizinya terhadap tumbuh kembang anak usia dini', *GERVASI: Jurnal Pengabdian kepada Masyarakat*, 4(1), pp. 141–149.
- AuBuchon, J.P. and Pickard, C. (1993) 'White cell reduction and bacterial proliferation', *Transfusion*, 33(6), pp. 533–535.
- Ayuningtyas, G., Rayani, T.F., Priyambodo, D., Purwanto, B.P., Sembada, A., Nurfitriani, D., Afgani, N.N. and Khairunisa, L. (2025) 'Komposisi nutrisi larva BSF yang ditumbuhkan pada media ekskreta burung puyuh dan potensinya sebagai pakan ternak', *Journal of Tropical Animal Production*, 26(1), pp. 20–36. doi: 10.21776/ub.jtapro.2025.026.01.3.
- Azzahra, M., Merta, I.W. and Kusmiyati, K. (2023) 'The effect of Kepel fruit extract on the number of spermatogenic cells in mice (*Mus musculus*)', *Jurnal Biologi Tropis*, 23(4), pp. 522–529.
- Bárdos, B., Kovács, B., István, N. and Altbäcker, V. (2022) 'In vivo classification of two closely related species of mice, mound-building mouse (*Mus spicilegus*) and house mouse (*Mus musculus*)', *Acta Agraria Kaposváriensis*, 26(1), pp. 27–35.
- Barragán-Fonseca, K.B., Dicke, M. and van Loon, J.J.A. (2017) 'Nutritional value of the Black Soldier Fly (*Hermetia illucens* L.) and its suitability as animal feed: a review', *Journal of Insects as Food and Feed*, 3(2), pp. 105–120. doi: 10.3920/JIFF2016.0055.
- Benić, A., Mikašinović, S., Wensveen, F.M. and Polić, B. (2023) 'Activation of granulocytes in response to a high-protein diet leads to the formation of necrotic lesions in the liver', *Metabolites*, 13(2), p. 153. doi: 10.3390/metabo13020153.
- Berger, J.S. et al. (2022) 'Effect of P2Y₁₂ inhibitors on survival free of organ support among non-critically ill hospitalized patients with COVID-19: a randomized clinical trial', *JAMA*, 327(3), pp. 227–236.
- Bertelloni, F., Bresciani, F., Cagnoli, G., Scotti, B., Lazzerini, L., Marcucci, M. et al. (2023) 'House flies (*Musca domestica*) from swine and poultry farms carrying antimicrobial-resistant Enterobacteriaceae and Salmonella', *Veterinary Sciences*, 10(2), p. 118.
- Bio-Serv (2015) *Mouse diet specifications: F4031 standard rodent diet*. Flemington, NJ: Bio-Serv Inc.

- Caipang, C.M.A., Brinchmann, M.F. and Kiron, V. (2010) 'Antagonistic activity of bacterial isolates from intestinal microbiota of Atlantic cod (*Gadus morhua*) and an investigation of their immunomodulatory capabilities', *Aquaculture Research*, 41(2), pp. 249–256.
- Oktiansyah, R. (2019) 'Behavior of male mice (*Mus musculus* L.) in laboratory', *Jurnal Biota*, 5(2), pp. 80–87.
- Cecyn, M.N. and Abrahao, K.P. (2023) 'Where do you measure the bregma for rodent stereotaxic surgery?', *IBRO Neuroscience Reports*, 15, pp. 143–148. doi: 10.1016/j.ibneur.2023.07.003.
- Cesta, M.F. (2006) 'Normal structure, function, and histology of the spleen', *Toxicologic Pathology*, 34(5), pp. 455–465. doi: 10.1080/01926230600867743.
- Cheng, V., Shoveller, A.K., Huber, L.A. and Kiarie, E.G. (2022) 'Comparative evaluation of Black Soldier Fly larval meal and soybean meal as protein sources for broiler chickens: growth performance and protein efficiency ratio assessment', *Poultry Science*, 101(8), p. 102089. doi: 10.1016/j.psj.2022.102089.
- Chesworth, R. et al. (2021) 'Statistical approaches in behavioral neuroscience: from ANOVA to linear mixed models', *Behavioural Brain Research*, 401, p. 113098. doi: 10.1016/j.bbr.2021.113098.
- Chia, R., Achilli, F., Festing, M.F.W. and Fisher, E.M. (2005) 'The origins and uses of mouse outbred stocks', *Nature Genetics*, 37(11), pp. 1181–1186.
- Chiofalo, B. (2021) 'BSF larvae meal as an alternative to fish meal for aquaculture feed', *Sustainability* [Preprint].
- Čičková, H., Newton, G.L., Lacy, R.C. and Kozánek, M. (2015) 'The use of fly larvae for organic waste treatment', *Waste Management*, 35, pp. 68–80. doi: 10.1016/j.wasman.2014.09.026.
- Cook, S. (2022) 'Increased mean cell hemoglobin concentration', *Clinical Chemistry*, 68(6), pp. 861–862.
- Crean, A.J., Shepherd, A., Raubenheimer, D. and Simpson, S.J. (2023) 'Male reproductive traits are differentially affected by dietary macronutrient balance but unrelated to adiposity', *Nature Communications*, 14, p. 38314. doi: 10.1038/s41467-023-38314-x.
- da Silva, W.C., Alves, M.V., Teixeira, J.P.F. and Dias, A.J.S. (2024) 'Nutritional value of Black Soldier Fly (*Hermetia illucens*) larval meal: a

- comprehensive review', *Insects*, 15(2), pp. 121–135. doi: 10.3390/insects15020121.
- de Oliveira, P.L. et al. (2020) 'Effect of food intake on complete blood count of healthy dogs', *Hemoglobin*, 18(2), pp. 12–18.
- Dilaga, S.H., Sofyan, S., Amin, M., Yanuarianto, O. and Dahlanudin (2022) 'Pengamatan organoleptik, homogenitas dan daya simpan pakan konsentrat yang diproses dengan teknik pencampuran berbeda', *Prosiding SAINTEK*, 4, pp. 185–190.
- Dutta, S., Sengupta, P. and Muhamad, S. (2019) 'Male reproductive hormones and semen quality', *Asian Pacific Journal of Reproduction*, 8(5), pp. 189–194.
- European Food Safety Authority (EFSA) (2021) 'EFSA statement on the requirements for whole genome sequence analysis of microorganisms intentionally used in the food chain', *EFSA Journal*, 19(7), p. e06506.
- Fatirah, N., Gama, S.I. and Rusli, R. (2019) 'Pengujian toksisitas produk herbal secara in vivo', *Proceeding of Mulawarman Pharmaceuticals Conferences*, 9(1), pp. 14–21. doi: 10.25026/mpc.v9i1.341.
- Fatmawati, S.K.M. et al. (2023) *Survei konsumsi gizi*. [S.l.]: CV Eureka Media Aksara.
- Ferramosca, A. and Zara, V. (2022) 'Diet and male fertility: the impact of nutrients and antioxidants on sperm energetic metabolism', *International Journal of Molecular Sciences*, 23(5), p. 2542. doi: 10.3390/ijms23052542.
- Fukuda, T., Asou, E., Nogi, K. and Goto, K. (2017) 'Evaluation of mouse red blood cell and platelet counting with an automated hematology analyzer', *Journal of Veterinary Medical Science*, 79(10), pp. 1707–1711.
- Gasco, L., Finke, M. and Van Huis, A. (2018) 'Can diets containing insects promote animal health?', *Journal of Insects as Food and Feed*, 4(1), pp. 1–4.
- Gaskill, B.N. and Pritchett-Corning, K.R. (2016) 'Environmental and social factors influencing the behaviour and welfare of laboratory mice', *Lab Animal*, 45(7), pp. 287–295. doi: 10.1038/labon.827.

- German, J.B., Hammock, B.D. and Watkins, S.M. (2018) 'Metabolomics: building on a century of biochemistry to guide human nutrition', *Journal of Nutrition*, 149(3), pp. 188–197. doi: 10.1093/jn/nxy275.
- Gibbs, V.K., Cook, D.R. and Yan, L.-J. (2016) 'Nutrition and energetics in rodent longevity research', *Aging Cell*, 15(4), pp. 614–623. doi: 10.1111/accel.12479.
- Gizzi, G. and Givens, D.I. (2004) 'Variability in feed composition and its impact on animal production', *FAO Animal Production and Health Paper*, pp. 39–54.
- Gold, M. et al. (2018) 'Biowaste treatment via BSF larvae: increasing performance through optimization strategies', *Waste Management*, 82, pp. 1–7. doi: 10.1016/j.wasman.2018.10.022.
- Herman, M.A., Peroni, O.D., Villoria, J. et al. (2012) 'A novel ChREBP isoform in adipose tissue regulates systemic glucose metabolism', *Nature*, 484, pp. 333–338. doi: 10.1038/nature10986.
- Idris, M., Rismayani, D., Aulia, A., Nopiyanti, T. and Rahayu, R. (2024) 'Biology of BSF (*Hermetia illucens*) and utilization of its waste (larva frass) for plant growth: a literature review', *Jurnal Biologi Tropis*, 24(3), pp. 273–291.
- Islam, M.M., Farag, E., Mahmoudi, A., Hassan, M.M., Atta, M., Mostafavi, E. and Mkhize-Kwitshana, Z. (2021) 'Morphometric study of *Mus musculus*, *Rattus norvegicus*, and *Rattus rattus* in Qatar', *Animals*, 11(8), p. 2162.
- Jaworski, K., Sarkadi-Nagy, E., Duncan, R.E., Ahmadian, M. and Sul, H.S. (2007) 'Regulation of triglyceride metabolism. IV. Hormonal regulation of lipolysis in adipose tissue', *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 293(1), pp. G1–G4. doi: 10.1152/ajpgi.00554.2006.
- Kalpakathika, M., Mahoney, A., Whittaker, P. and Hendricks, D. (1991) 'Incorporation of absorbed iron from different dietary sources into hemoglobin', *Nutrition Research*, 11(2–3), pp. 185–195.
- Kappel, S., Hawkins, P. and Mendl, M.T. (2017) 'To group or not to group? Good practice for housing male laboratory mice', *Animals*, 7(12), p. 88. doi: 10.3390/ani7120088.
- Kasri, K. (2021) *Uji aktivitas antibakteri kombinasi larva BSF, kunyit, dan Indigofera zollingeriana terhadap bakteri Escherichia coli dan*

Salmonella pullorum sebagai feed additive alternatif. Disertasi doktoral. Universitas Hasanuddin.

- Khairani, D., Ilyas, S. and Midoen, Y.H. (2024) *Prinsip dan praktik hewan percobaan mencit (Mus musculus)*. Medan: USU Press.
- Knobil, E. and Neill, J.D. (2015) *Knobil and Neill's physiology of reproduction*. 4th edn. London: Academic Press.
- Kurtz, D.M. and Coe, C.L. (2019) 'The influence of feed and drinking water on terrestrial laboratory animal models', *ILAR Journal*, 60(2), pp. 175–184. doi: 10.1093/ilar/ilaa012.
- Leriche, C., Molinier, C., Caillé, S., Razungles, A., Symoneaux, R. and Coulon-Leroy, C. (2020) 'Development of a methodology to study typicity of PDO wines with professionals of the wine sector', *Journal of the Science of Food and Agriculture*, 100(10), pp. 3866–3877.
- Lin, Y., Wang, K., Che, L., Fang, Z., Xu, S., Feng, B. and Wu, D. (2022) 'The improvement of semen quality by dietary fiber intake is positively related with gut microbiota and SCFA in a boar model', *Frontiers in Microbiology*, 13, p. 863315.
- Ling, S.L.Y., Shafiee, M., Longworth, Z., Vatanparast, H., Tabatabaei, M. and Liew, H.J. (2025) 'BSF larvae meal (BSFLM) as an alternative protein source in sustainable aquaculture production: a scoping review of its comprehensive impact on shrimp and prawn farming', *Animal Feed Science and Technology*, 319, p. 116174.
- Luthfi, N., Ardiansyah, A., Anjani, F.M., Safitri, A. and Badriah, C. (2024) *Buku ajar teknologi dan industri pakan ternak*. Bandung: PT. Sonpedia Publishing Indonesia.
- Luthfi, M.J.F. and Noor, M.M. (2015) 'Analisis kualitas sperma tikus percobaan (jumlah, motilitas, dan morfologi)', *Publikasi Ilmiah*, Universitas Gadjah Mada.
- Madyaningrana, K., Prakasita, V.C. and Wuni, P.M. (2022) 'Efek ekstrak daun bayam brasil (*Alternanthera sissoo* Hort) terhadap jumlah limfosit dan indeks organ timus dan limpa mencit jantan', *Metamorfosa: Journal of Biological Sciences*, 9(2), pp. 397–406.
- Majeed, T.I., Ghani, Q.J. and Jassim, J.M. (2025) 'Assessing the potential of BSF larvae meal to replace commercial protein concentrates in broiler diets: effects on efficiency, economic values, and internal organs', *Acta Scientiarum. Animal Sciences*, 47, p. e72338.

- Makkar, H.P.S., Tran, G., Heuzé, V. and Ankers, P. (2014) 'State-of-the-art on use of insects as animal feed', *Animal Feed Science and Technology*, 197, pp. 1–33. doi: 10.1016/j.anifeedsci.2014.07.008.
- Mancuso, P. (2010) 'Obesity and lung inflammation', *Journal of Applied Physiology*, 108(3), pp. 722–728. doi: 10.1152/jappphysiol.00781.2009.
- Mardiana, E., Suprayudi, M.A. and Alimuddin, A. (2023) 'Pengaruh substitusi tepung ikan dengan tepung larva BSF (*Hermetia illucens*) terhadap pertumbuhan dan kelangsungan hidup benih ikan mas (*Cyprinus carpio*)', *Jurnal Akuakultur Indonesia*, 22(2), pp. 156–165. doi: 10.19027/jai.22.2.156-165.
- Marono, S. et al. (2017) 'Productive performance and blood profiles of laying hens fed *Hermetia illucens* larvae meal as total replacement of soybean meal from 24 to 45 weeks of age', *Poultry Science*, 96(6), pp. 1783–1790.
- Martinez, G. (2022) 'First-line evaluation of sperm parameters in mice (*Mus musculus*)', *Scientific Reports*, 12, pp. 1–12.
- Mashur, I. and Agustin, D.N. (2023) *Ilmu pakan dan nutrisi hewan: teori dan praktik*. Jepara: UNISNU Press.
- Masir, U. and Fausiah, A. (2022) 'Pengaruh pemberian pakan tambahan larva BSF terhadap kualitas spermatozoa ayam kampung', *Jurnal Agroterpadu*, 1(1), pp. 42–45.
- McDonald, P., Edwards, R.A., Greenhalgh, J.F.D., Morgan, C.A., Sinclair, L.A. and Wilkinson, R.G. (2011) *Animal nutrition*. 7th edn. Harlow: Pearson Education.
- McPherson, N.O., Shehadeh, H., Fullston, T., Zander-Fox, D.L. and Lane, M. (2019) 'Dietary micronutrient supplementation for 12 days in obese male mice restores sperm oxidative stress', *Nutrients*, 11(9), p. 2196.
- Mellado, M., Pastor, F., Lopez, R. and Rios, F. (2006) 'Relation between semen quality and rangeland diets of mixed-breed male goats', *Journal of Arid Environments*, 66(4), pp. 727–737.
- Melville, K.M., Robling, A.G. and van der Meulen, M.C.H. (2015) 'In vivo axial loading of the mouse tibia', *Methods in Molecular Biology*, 1226, pp. 99–115. doi: 10.1007/978-1-4939-1619-1_9.
- Modlinska, K., Chrzanowska, A. and Pisula, W. (2020) 'Variability of enriched environment does not enhance the enrichment effect on food neophobia

- in rats (*Rattus norvegicus*)', *Behavioural Processes*, 180, p. 104221. doi: 10.1016/j.beproc.2020.104221.
- Muliani, M. (2011) 'Penggunaan mencit sebagai hewan coba dalam penelitian biomedis', *Jurnal Kesehatan*, 4(2), pp. 56–62.
- National Research Council (NRC) (1995) *Nutrient requirements of laboratory animals*. 4th rev. edn. Washington, DC: National Academies Press.
- National Research Council (NRC) (2011) *Guide for the care and use of laboratory animals*. 8th edn. Washington, DC: National Academies Press. doi: 10.17226/12910.
- Ndun, A.N., Mulik, S.E., Nguru, D.A. and Menoh, Y.R. (2025) 'Effect of adding BSF larvae flour to rations on broiler chicken performance', *Jurnal Ilmiah Peternakan Terpadu*, 13(1), pp. 205–215.
- Nengsih, W. (2025) *Pengaruh serum ekstrak mulberry (Morus alba L.) terhadap kadar endothelin-1 dan tirosinase*. Disertasi doctoral. Universitas Islam Sultan Agung Semarang.
- Nisa, K., Widodo, E. and Sjoefjan, O. (2023) 'Pengaruh pemberian tepung larva BSF (*Hermetia illucens*) dalam pakan terhadap kualitas telur burung puyuh (*Coturnix coturnix japonica*)', *Jurnal Ilmu dan Teknologi Peternakan Tropis*, 10(1), pp. 89–97. doi: 10.33772/jitro.v10i1.23456.
- Noriko, N., Puspitasari, R.L. and Doeana, A.S. (2017) 'Pengaruh pakan tepung cannalina terhadap pertumbuhan *Mus musculus*', *Jurnal Al-Azhar Indonesia Seri Sains dan Teknologi*, 3(1), pp. 54–63.
- Nugroho, W.S. (2018) *Teknik manajemen dan pengelolaan hewan percobaan*. Yogyakarta: Fakultas Kedokteran Hewan, Universitas Gadjah Mada.
- Nurhayati, A., Setiawan, B. and Pratama, R. (2025) 'Kualitas sperma mencit sebagai indikator kesuburan: tinjauan terhadap faktor nutrisi dan stres oksidatif', *Jurnal Reproduksi Hewan*, 12(1), pp. 45–53.
- Oonincx, D.G.A.B. and de Boer, I.J.M. (2015) 'Environmental impact of the production of mealworms as a protein source for humans – a life cycle assessment', *PLOS ONE*, 10(12). doi: 10.1371/journal.pone.0144601.
- Pellizzon, M.A. and Ricci, M.R. (2020) 'Choice of laboratory rodent diet may confound data interpretation and reproducibility', *Frontiers in Nutrition*, 7, p. 79. doi: 10.3389/fnut.2020.00079.

- Pezzali, J.G. and Shoveller, A.K. (2021) 'The effects of a semi-synthetic diet with inclusion of BSF larvae meal on health parameters of healthy adult cats', *Journal of Animal Science*, 99(10), p. skab290.
- Purnamasari, D.K., Syamsuhaidi, Sumiati, Erwan and Putra, R.A. (2020) 'Evaluasi kualitas protein tepung larva BSF sebagai sumber protein alternatif untuk hewan laboratorium', *Jurnal Ilmu Nutrisi dan Teknologi Pakan*, 18(3), pp. 78–85. doi: 10.29244/jintp.18.3.78-85.
- Purnamasari, D.K., Wiryawan, I.K.G. and Maslami, V. (2023) 'Kandungan nutrisi setiap fase siklus BSF yang dibudidayakan menggunakan sampah organik', *Jurnal Ilmu dan Teknologi Peternakan Indonesia*, 9(2), pp. 111–121.
- Putri, A.N. (2024) 'Formulasi dan karakterisasi pakan mencit tinggi lemak berbentuk pelet untuk penelitian metabolisme', *Indonesian Journal of Laboratory Animal Science*, 2(1), pp. 45–53. doi: 10.15294/ijlas.v2i1.45678.
- Rangkuti, R.F.A., Herlina, C., Nada, A.F., Khanifah, M., Anjaini, J. and A'yunin, Q. (2026) *Inovasi imunostimulan berbasis larva Black Soldier Fly (Hermetia illucens) untuk peningkatan imunitas dan ketahanan penyakit pada akuakultur*. [S.l.]: Media Nusa Creative (MNC Publishing).
- Reeves, P.G. (2017) 'Components of the AIN-93 diets as improvements in the AIN-76A diet', *Journal of Nutrition*, 147(5), pp. 860–865. doi: 10.3945/jn.117.248864.
- Restrepo, S., Schwartz, S.L., Kennedy, M.J. and Aoto, J. (2020) 'Measuring transcellular interactions through protein aggregation in a heterologous cell system', *JoVE (Journal of Visualized Experiments)*, (159), p. e61237.
- Safarinejad, M.R., Hosseini, S.Y., Dadkhah, F. and Asgari, M.A. (2010) 'Relationship of omega-3 and omega-6 fatty acids with semen characteristics, and anti-oxidant status of seminal plasma: a comparison between fertile and infertile men', *Clinical Nutrition*, 29, pp. 100–105. doi: 10.1016/j.clnu.2009.07.008.
- Saputri, V. (2024) *Gambaran hasil pemeriksaan profil hematologi pada pasien gagal ginjal kronik dengan hasil pemeriksaan anti-HCV di RSUD Dr. H. Abdul Moeloek Provinsi Lampung tahun 2023*. Skripsi. Poltekkes Kemenkes Tanjungkarang.

- Schiavone, A. (2017) 'BSF meal as a protein source in animal feed: digestibility, palatability, and performance', *Animal Feed Science and Technology*, 231, pp. 251–259. doi: 10.1016/j.anifeedsci.2017.07.005.
- Schoch, C.L. et al. (2020) 'NCBI Taxonomy: a comprehensive update on curation, resources and tools', *Database*, 2020, p. baaa062. doi: 10.1093/database/baaa062.
- Siddiqui, S.A., Süfer, Ö., Çalışkan Koç, G., Lutuf, H., Rahayu, T., Castro-Muñoz, R. and Fernando, I. (2025) 'Enhancing the bioconversion rate and end products of BSF treatment – a comprehensive review', *Environment, Development and Sustainability*, 27(5), pp. 9673–9741.
- Singh, I.K., Kumar, S., Singh, S. and Singh, A. (2017) 'Expression profiling of mitogen-activated protein kinase genes from chickpea (*Cicer arietinum* L.) in response to *Helicoverpa armigera*, wounding and signaling compounds', *Journal of Asia-Pacific Entomology*, 20(3), pp. 942–948.
- Singh, S.K. and Bharadwaj, S. (2019) 'Mouse models in male reproductive biology and toxicology', *International Journal of Molecular Sciences*, 20(3), p. 562.
- Solon-Biet, S.M. et al. (2015) 'Macronutrient balance, reproductive function, and lifespan in aging mice', *Proceedings of the National Academy of Sciences*, 112(11), pp. 3481–3486.
- Sorge, R.E. et al. (2014) 'Olfactory exposure to males, including men, causes stress and related analgesia in rodents', *Nature Methods*, 11(6), pp. 629–632.
- Speciality Feeds (2023) *SF00-100 standard rodent diet: nutritional specifications*. Glen Forrest, WA: Speciality Feeds Australia.
- Sprangers, T. et al. (2017) 'Nutritional composition of BSF (*Hermetia illucens*) prepupae reared on different organic waste substrates', *Journal of the Science of Food and Agriculture*, 97(8), pp. 2594–2600.
- Sumiati, S., Mutia, R. and Astuti, D.A. (2020) 'Pengaruh penggunaan tepung larva BSF (*Hermetia illucens*) dalam ransum terhadap produktivitas ayam petelur', *Jurnal Ilmu Produksi dan Teknologi Hasil Peternakan*, 8(2), pp. 98–104. doi: 10.29244/jipthp.8.2.98-104.
- Surendra, K.C., Olivier, R., Tomberlin, J.K., Jha, R. and Khanal, S.K. (2016) 'Bioconversion of organic wastes into biodiesel and animal feed via insect farming', *Renewable Energy*, 98, pp. 197–202.

- Tafonao, I. (2025) *Pengaruh penambahan minyak ikan dalam pengencer semen terhadap kualitas spermatozoa babi*. Skripsi.
- Tamanna, N. and Khan, M.I. (2015) 'Food processing and Maillard reaction products: effect on human health and nutrition', *International Journal of Food Science*, 2015, pp. 1–6. doi: 10.1155/2015/526762.
- Tang, P. and Puri, V.M. (2007) 'Segregation quantification of two-component particulate mixtures: effect of particle size, density, shape, and surface texture', *Particulate Science and Technology*, 25(6), pp. 571–588.
- Thissen, J.P., Ketelslegers, J.M. and Underwood, L.E. (1994) 'Nutritional regulation of the insulin-like growth factors', *Endocrine Reviews*, 15(1), pp. 80–101. doi: 10.1210/edrv-15-1-80.
- Utari, S.D., Rahayu, R. and Santoso, P. (2023) 'Fatty acid as an anti-inflammatory component from BSF (*Hermetia illucens*) prepupa oil', *International Journal of Progressive Science and Technologies*, 40(2), pp. 105–110.
- Van Emon, M. (2023) *Feed formulation basics and the Pearson Square method*. Bozeman, MT: Montana State University Extension.
- Vickram, S. et al. (2021) 'Role of zinc (Zn) in human reproduction: a journey from initial spermatogenesis to childbirth', *International Journal of Molecular Sciences*, 22(4), p. 2188.
- Widianingrum, D.C., Krismaputri, M.E. and Purnamasari, L. (2021) 'Potensi larva BSF sebagai alternatif pakan dan imunomodulator', *Jurnal Sain Veteriner*, 39(2), pp. 167–175. doi: 10.22146/jsv.53347.
- World Health Organization (2010) *WHO laboratory manual for the examination and processing of human semen*. 5th edn. Geneva: World Health Organization.
- Wu, G., Bazer, F.W., Davis, T.A., Kim, S.W., Li, P., Rhoads, J.M. et al. (2009) 'Arginine metabolism and nutrition in growth, health and disease', *Amino Acids*, 37(1), pp. 153–168. doi: 10.1007/s00726-008-0210-y.
- Yuan, C., Wang, J. and Lu, W. (2023) 'Regulation of semen quality by fatty acids in diets, extender, and semen', *Frontiers in Veterinary Science*, 10, p. 1119153.