

REFERENCE

- Abhyankar, V., Kaduskar, B., Kamat, S. S., Deobagkar, D., & Ratnaparkhi, G. S. (2018). *Drosophila* DNA/RNA methyltransferase contributes to robust host defense in aging animals by regulating sphingolipid metabolism. *Journal of Experimental Biology*, 221(22), 1–10. <https://doi.org/10.1242/jeb.187989>
- Baloch, M. K., & Bibi, F. (2012). Effect of harvesting and storage conditions on the post harvest quality and shelf life of mango (*Mangifera indica* L.) fruit. *South African Journal of Botany*, 83, 109–116. <https://doi.org/10.1016/j.sajb.2012.08.001>
- Barrero-Sicilia, C., Silvestre, S., Haslam, R. P., & Michaelson, L. V. (2017). Lipid remodelling: Unravelling the response to cold stress in *Arabidopsis* and its extremophile relative *Eutrema salsugineum*. *Plant Science*, 263(April), 194–200. <https://doi.org/10.1016/j.plantsci.2017.07.017>
- Barrett, D. M., Beaulieu, J. C., & Shewfelt, R. (2010). Color, flavor, texture, and nutritional quality of fresh-cut fruits and vegetables: Desirable levels, instrumental and sensory measurement, and the effects of processing. *Critical Reviews in Food Science and Nutrition*, 50(5), 369–389. <https://doi.org/10.1080/10408391003626322>
- Barry, C. S., & Giovannoni, J. J. (2007). Ethylene and fruit ripening. In *Journal of Plant Growth Regulation* (Vol. 26, Number 2, pp. 143–159). <https://doi.org/10.1007/s00344-007-9002-y>
- Batista-Silva, W., Nascimento, V. L., Medeiros, D. B., Nunes-Nesi, A., Ribeiro, D. M., Zsögön, A., & Araújo, W. L. (2018). Modifications in organic acid profiles during fruit development and ripening: Correlation or causation? In *Frontiers in Plant Science* (Vol. 871). Frontiers Media S.A. <https://doi.org/10.3389/fpls.2018.01689>
- Brash, D. W., Charles, C. M., Wright, S., & Bycroft, B. L. (1995). Shelf-life of stored asparagus is strongly related to postharvest respiratory activity. *Postharvest Biology and Technology*, 5(1–2), 77–81. [https://doi.org/10.1016/0925-5214\(94\)00017-M](https://doi.org/10.1016/0925-5214(94)00017-M)
- Cardello, A. V., & Schutz, H. G. (2002). The concept of food freshness: Uncovering its meaning and importance to consumers. *ACS Symposium Series*, 836, 22–41. <https://doi.org/10.1021/bk-2003-0836.ch002>
- Chen, D., Yan, X., Xu, J., Su, X., & Li, L. (2013). Lipidomic profiling and discovery of lipid biomarkers in *Stephanodiscus* sp. under cold stress. *Metabolomics*, 9(5), 949–959. <https://doi.org/10.1007/s11306-013-0515-z>
- Cong, H., Huo, T., Huang, X., Chen, Y., Bai, Y., Luo, H., Fu, X., Wang, R., Seleiman, M. F., Ahmad, T., Guan, P., Bashir, M., Asif, M., & Qiao, F. (2025). Transcriptome and metabolome analysis of low-temperature storage on fruit quality deterioration of mangoes. *Turkish Journal of Agriculture and Forestry*, 49(1), 141–152. <https://doi.org/10.55730/1300-011X.3254>
- del Aguila, J. S., Sasaki, F. F., Heiffig, L. S., Ortega, E. M. M., Jacomino, A. P., & Kluge, R. A. (2006). Fresh-cut radish using different cut types and storage temperatures. *Postharvest Biology and Technology*, 40(2), 149–154. <https://doi.org/10.1016/j.postharvbio.2005.12.010>
- Ding, Y., Chang, J., Ma, Q., Chen, L., Liu, S., Jin, S., Han, J., Xu, R., Zhu, A., Guo, J., Luo, Y., Xu, J., Xu, Q., Zeng, Y., Deng, X., & Cheng, Y. (2015). Network analysis of postharvest senescence process in citrus fruits revealed by transcriptomic and metabolomic profiling. *Plant Physiology*, 168(1), 357–376. <https://doi.org/10.1104/pp.114.255711>
- Ding, Z. S., Tian, S. P., Zheng, X. L., Zhou, Z. W., & Xu, Y. (2007). Responses of reactive oxygen metabolism and quality in mango fruit to exogenous oxalic acid or salicylic acid under chilling temperature stress. *Physiologia Plantarum*, 130(1), 112–121. <https://doi.org/10.1111/j.1399-3054.2007.00893.x>

- Dunn, W. B., Wilson, I. D., Nicholls, A. W., & Broadhurst, D. (2012). The importance of experimental design and QC samples in large-scale and MS-driven untargeted metabolomic studies of humans. *Bioanalysis*, 4(18), 2249–2264. <https://doi.org/10.4155/bio.12.204>
- Durán-Soria, S., Pott, D. M., Osorio, S., & Vallarino, J. G. (2020). Sugar Signaling During Fruit Ripening. In *Frontiers in Plant Science* (Vol. 11). Frontiers Media S.A. <https://doi.org/10.3389/fpls.2020.564917>
- ElManawy, A. I., Maratab, A., Ghazal, A. F., Li, F., Li, X., & Zhang, X. (2025). Shelf-life assessment techniques for fruit and vegetables: Recent trends and future prospects. In *Postharvest Biology and Technology* (Vol. 226). Elsevier B.V. <https://doi.org/10.1016/j.postharvbio.2025.113521>
- Fahy, E., Cotter, D., Sud, M., & Subramaniam, S. (2011). Lipid classification, structures and tools. *Biochimica et Biophysica Acta - Molecular and Cell Biology of Lipids*, 1811(11), 637–647. <https://doi.org/10.1016/j.bbalip.2011.06.009>
- Fahy, E., Subramaniam, S., Brown, H. A., Glass, C. K., Merrill, A. H., Murphy, R. C., Raetz, C. R. H., Russell, D. W., Seyama, Y., Shaw, W., Shimizu, T., Spener, F., van Meer, G., VanNieuwenhze, M. S., White, S. H., Witztum, J. L., & Dennis, E. A. (2005). A comprehensive classification system for lipids. *European Journal of Lipid Science and Technology*, 107(5), 337–364. <https://doi.org/10.1002/ejlt.200405001>
- Faisal, M., Arshad, N., Wang, H., Li, C., Ma, J., Kong, X., Luo, H., & Yu, L. (2025). Recent Advances in Technologies for Preserving Fresh-Cut Fruits and Vegetables. In *Foods* (Vol. 14, Number 16). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/foods14162769>
- Fava, J., Hodara, K., Nieto, A., Guerrero, S., Alzamora, S. M., & Castro, M. A. (2011). Structure (micro, ultra, nano), color and mechanical properties of Vitis labrusca L. (grape berry) fruits treated by hydrogen peroxide, UV-C irradiation and ultrasound. *Food Research International*, 44(9), 2938–2948. <https://doi.org/10.1016/j.foodres.2011.06.053>
- Fonseca, S. C., Oliveira, F. A. R., & Brecht, J. K. (2002). Modelling respiration rate of fresh fruits and vegetables for modified atmosphere packages: A review. *Journal of Food Engineering*, 52(2), 99–119. [https://doi.org/10.1016/S0260-8774\(01\)00106-6](https://doi.org/10.1016/S0260-8774(01)00106-6)
- Gan, S. S. (2022). Recent progresses in molecular postharvest biology. In *Molecular Horticulture* (Vol. 2, Number 1). BioMed Central Ltd. <https://doi.org/10.1186/s43897-022-00040-1>
- Giannakourou, M. C., & Taoukis, P. S. (2021). Effect of alternative preservation steps and storage on vitamin c stability in fruit and vegetable products: Critical review and kinetic modelling approaches. In *Foods* (Vol. 10, Number 11). MDPI. <https://doi.org/10.3390/foods10112630>
- Gigon, A., Matos, A. R., Laffray, D., Zuily-Fodil, Y., & Pham-Thi, A. T. (2004). Effect of drought stress on lipid metabolism in the leaves of Arabidopsis thaliana (Ecotype Columbia). *Annals of Botany*, 94(3), 345–351. <https://doi.org/10.1093/aob/mch150>
- Gill, S. S., & Tuteja, N. (2010). Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. *Plant Physiology and Biochemistry*, 48(12), 909–930. <https://doi.org/10.1016/j.plaphy.2010.08.016>
- Giovannoni, J. J. (2004). Genetic Regulation of Fruit Development and Ripening. *THE PLANT CELL ONLINE*, 16(suppl_1), S170–S180. <https://doi.org/10.1105/tpc.019158>
- Gross, Jeana. (2012). *Pigments in Vegetables*. Springer New York, NY.
- Han, X., & Gross, R. W. (2022). The foundations and development of lipidomics. *Journal of Lipid Research*, 63(2), 100164. <https://doi.org/10.1016/j.jlr.2021.100164>
- Henschel, J. M., Andrade, A. N. de, dos Santos, J. B. L., da Silva, R. R., da Mata, D. A., Souza, T., & Batista, D. S. (2024). Lipidomics in Plants Under Abiotic Stress Conditions: An Overview. In *Agronomy* (Vol. 14, Number 8). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/agronomy14081670>

- Higashi, Y., & Saito, K. (2019). Lipidomic studies of membrane glycerolipids in plant leaves under heat stress. *Progress in Lipid Research*, 75(August), 100990. <https://doi.org/10.1016/j.plipres.2019.100990>
- Hodges, D. M., Lester, G. E., Munro, K. D., & Toivonen, P. M. A. (2004). Oxidative stress: Importance for postharvest quality. *HortScience*, 39(5), 924–929. <https://doi.org/10.21273/hortsci.39.5.924>
- Kader, A. A. (2002a). *Post Harvest Technology of Horticultural Crops - Adel A.* (April), 1–515. <https://doi.org/10.13140/RG.2.2.28507.98089>
- Kader, A. A. (2002b). Postharvest biology and technology: An overview. In *Postharvest Technology of Horticultural Crops* (In A. A. K, pp. 39–48). University of California, Division of Agriculture and Natural Resources.
- Klee, H. J., & Giovannoni, J. J. (2011). Genetics and Control of Tomato Fruit Ripening and Quality Attributes. *Annual Review of Genetics*, 45(1), 41–59. <https://doi.org/10.1146/annurev-genet-110410-132507>
- Koseki, S., & Itoh, K. (2001). Prediction of microbial growth in fresh-cut vegetables treated with acidic electrolyzed water during storage under various temperature conditions. *Journal of Food Protection*, 64(12), 1935–1942. <https://doi.org/10.4315/0362-028X-64.12.1935>
- Kumar, M. S. S., Ali, K., Dahuja, A., & Tyagi, A. (2015). Role of phytosterols in drought stress tolerance in rice. *Plant Physiology and Biochemistry*, 96, 83–89. <https://doi.org/10.1016/j.plaphy.2015.07.014>
- Li, Y., Wang, X., Li, C., Huang, W., Gu, K., Wang, Y., Yang, B., & Li, Y. (2020). Exploration of chemical markers using a metabolomics strategy and machine learning to study the different origins of *Ixeris denticulata* (Houtt.) Stebb. *Food Chemistry*, 330(June), 127232. <https://doi.org/10.1016/j.foodchem.2020.127232>
- Li-Beisson, Y., Shorrosh, B., Beisson, F., Andersson, M. X., Arondel, V., Bates, P. D., Baud, S., Bird, D., DeBono, A., Durrett, T. P., Franke, R. B., Graham, I. A., Katayama, K., Kelly, A. A., Larson, T., Markham, J. E., Miquel, M., Molina, I., Nishida, I., ... Ohlrogge, J. (2013). Acyl-Lipid Metabolism. *The Arabidopsis Book*, 11, e0161. <https://doi.org/10.1199/tab.0161>
- Lim, P. O., Kim, H. J., & Gil Nam, H. (2007). Leaf Senescence. *Annual Review of Plant Biology*, 58(1), 115–136. <https://doi.org/10.1146/annurev.arplant.57.032905.105316>
- Liu, B., Xin, Q., Zhang, M., Chen, J., Lu, Q., Zhou, X., Li, X., Zhang, W., Feng, W., Pei, H., & Sun, J. (2023). Research Progress on Mango Post-Harvest Ripening Physiology and the Regulatory Technologies. In *Foods* (Vol. 12, Number 1). MDPI. <https://doi.org/10.3390/foods12010173>
- Liu, H. Z., Li, Y. K., Chen, Y. L., Zhou, Y., Sahu, S. K., Liu, N., Wu, H., Shui, G., Chen, Q., & Yao, N. (2024). Exploring the plant lipidome: techniques, challenges, and prospects. In *Advanced Biotechnology* (Vol. 2, Number 1). Springer. <https://doi.org/10.1007/s44307-024-00017-9>
- Liu, S., Lin, J., Jiang, J., Di, Y., Liu, X., & Li, Z. (2026). Lipid Remodeling and Membrane Stability Contribute to Differential Chilling Tolerance in Two *Dichondra* (*Dichondra repens*) Genotypes. *International Journal of Molecular Sciences*, 27(2), 1009. <https://doi.org/10.3390/ijms27021009>
- Løkke, M. M., Seefeldt, H. F., & Edelenbos, M. (2012). Freshness and sensory quality of packaged wild rocket. *Postharvest Biology and Technology*, 73, 99–106. <https://doi.org/10.1016/j.postharvbio.2012.06.004>
- Lurie, S., & Crisosto, C. H. (2005). Chilling injury in peach and nectarine. *Postharvest Biology and Technology*, 37(3), 195–208. <https://doi.org/10.1016/j.postharvbio.2005.04.012>
- Lyons, J. M. (1973). Chilling Injury in Plants. *Annual Review of Plant Physiology*, 24(1), 445–466. <https://doi.org/10.1146/annurev.pp.24.060173.002305>

- Manolopoulou, E., & Varzakas, T. (2011). Effect of Storage Conditions on the Sensory Quality, Colour and Texture of Fresh-Cut Minimally Processed Cabbage with the Addition of Ascorbic Acid, Citric Acid and Calcium Chloride. *Food and Nutrition Sciences*, 02(09), 956–963. <https://doi.org/10.4236/fns.2011.29130>
- Marangoni, A. G., Palma, T., & Stanley, D. W. (1996). Membrane effects in postharvest physiology. *Postharvest Biology and Technology*, 7(3), 193–217. [https://doi.org/10.1016/0925-5214\(95\)00042-9](https://doi.org/10.1016/0925-5214(95)00042-9)
- Mazurek, A., & Pankiewicz, U. (2012). Changes of dehydroascorbic acid content in relation to total content of vitamin C in selected fruits and vegetables. *Acta Scientiarum Polonorum, Hortorum Cultus*, 11(6), 169–177.
- Mendez, K. M., Reinke, S. N., & Broadhurst, D. I. (2019). A comparative evaluation of the generalised predictive ability of eight machine learning algorithms across ten clinical metabolomics data sets for binary classification. *Metabolomics*, 15(12), 1–15. <https://doi.org/10.1007/s11306-019-1612-4>
- More, A. S., Ranadheera, C. S., Fang, Z., Zhang, P., Warner, R., & Ajlouni, S. (2022). Using biological metabolites as biomarkers to predict safety and quality of whole and minimally processed spinach. *Food Chemistry*, 375(December 2021), 131870. <https://doi.org/10.1016/j.foodchem.2021.131870>
- Morris, L. L. (1982). Chilling Injury of Horticultural Crops: an Overview. *HortScience*, 17(2), 161–162. <https://doi.org/10.21273/HORTSCI.17.2.161>
- Mueller, S. P., Krause, D. M., Mueller, M. J., & Fekete, A. (2015). Accumulation of extra-chloroplastic triacylglycerols in Arabidopsis seedlings during heat acclimation. *Journal of Experimental Botany*, 66(15), 4517–4526. <https://doi.org/10.1093/jxb/erv226>
- Mueller, S. P., Unger, M., Guender, L., Fekete, A., & Mueller, M. J. (2017). Phospholipid: Diacylglycerol acyltransferase-mediated triacylglycerol synthesis augments basal thermotolerance. *Plant Physiology*, 175(1), 486–497. <https://doi.org/10.1104/pp.17.00861>
- Narayanan, S., Zoong-Lwe, Z. S., Gandhi, N., Welte, R., Fallen, B., Smith, J. R., & Rustgi, S. (2020). Comparative lipidomic analysis reveals heat stress responses of two soybean genotypes differing in temperature sensitivity. *Plants*, 9(4), 1–17. <https://doi.org/10.3390/plants9040457>
- Palumbo, M., Attolico, G., Capozzi, V., Cozzolino, R., Corvino, A., de Chiara, M. L. V., Pace, B., Pelosi, S., Ricci, I., Romaniello, R., & Cefola, M. (2022). Emerging Postharvest Technologies to Enhance the Shelf-Life of Fruit and Vegetables: An Overview. In *Foods* (Vol. 11, Number 23). MDPI. <https://doi.org/10.3390/foods11233925>
- Pang, Z., Zhou, G., Ewald, J., Chang, L., Hacariz, O., Basu, N., & Xia, J. (2022). Using MetaboAnalyst 5.0 for LC–HRMS spectra processing, multi-omics integration and covariate adjustment of global metabolomics data. *Nature Protocols*. <https://doi.org/10.1038/s41596-022-00710-w>
- Parijadi, A. A. R., Putri, S. P., Ridwani, S., Dwivany, F. M., & Fukusaki, E. (2018). Metabolic profiling of Garcinia mangostana (mangosteen) based on ripening stages. *Journal of Bioscience and Bioengineering*, 125(2), 238–244. <https://doi.org/10.1016/j.jbiosc.2017.08.013>
- Parkin, K. L., Marangoni, A., Jackman, R. L., Yada, R. Y., & Stanley, D. W. (1989). Chilling Injury. a Review of Possible Mechanisms. *Journal of Food Biochemistry*, 13(2), 127–153. <https://doi.org/10.1111/j.1745-4514.1989.tb00389.x>
- Paull, R. E., & Jung Chen, N. (2000). Heat treatment and fruit ripening. *Postharvest Biology and Technology*, 21(1), 21–37. [https://doi.org/10.1016/S0925-5214\(00\)00162-9](https://doi.org/10.1016/S0925-5214(00)00162-9)
- Péneau, S., Linke, A., Escher, F., & Nuessli, J. (2009). Freshness of fruits and vegetables: Consumer language and perception. *British Food Journal*, 111(3), 243–256. <https://doi.org/10.1108/00070700910941453>

- Prasanna, V., Prabha, T. N., & Tharanathan, R. N. (2007). Fruit Ripening Phenomena—An Overview. *Critical Reviews in Food Science and Nutrition*, 47(1), 1–19. <https://doi.org/10.1080/10408390600976841>
- Ragaert, P., Devlieghere, F., & Debevere, J. (2007). Role of microbiological and physiological spoilage mechanisms during storage of minimally processed vegetables. *Postharvest Biology and Technology*, 44(3), 185–194. <https://doi.org/10.1016/j.postharvbio.2007.01.001>
- Saltveit, M. E. (2002). The rate of ion leakage from chilling-sensitive tissue does not immediately increase upon exposure to chilling temperatures. *Postharvest Biology and Technology*, 26(3), 295–304. [https://doi.org/10.1016/S0925-5214\(02\)00049-2](https://doi.org/10.1016/S0925-5214(02)00049-2)
- Saltveit, M. E. (2005). Influence of heat shocks on the kinetics of chilling-induced ion leakage from tomato pericarp discs. *Postharvest Biology and Technology*, 36(1), 87–92. <https://doi.org/10.1016/j.postharvbio.2004.10.007>
- Sevillano, L., Sanchez-Ballest, M. T., Romojaro, F., & Flores, F. B. (2009). Physiological, hormonal and molecular mechanisms regulating chilling injury in horticultural species. Postharvest technologies applied to reduce its impact. *Journal of the Science of Food and Agriculture*, 89(4), 555–573. <https://doi.org/10.1002/jsfa.3468>
- Shiva, S., Samarakoon, T., Lowe, K. A., Roach, C., Vu, H. S., Colter, M., Porras, H., Hwang, C., Roth, M. R., Tamura, P., Li, M., Schrick, K., Shah, J., Wang, X., Wang, H., & Welti, R. (2020). Leaf lipid alterations in response to heat stress of *Arabidopsis thaliana*. *Plants*, 9(7), 1–22. <https://doi.org/10.3390/plants9070845>
- Sutliff, A. K., Saint-Cyr, M., Hendricks, A. E., Chen, S. S., Doenges, K. A., Quinn, K., Westcott, J., Tang, M., Borengasser, S. J., Reisdorph, R. M., Campbell, W. W., Krebs, N. F., & Reisdorph, N. A. (2021). Lipidomics-based comparison of molecular compositions of green, yellow, and red bell peppers. *Metabolites*, 11(4), 1–16. <https://doi.org/10.3390/metabo11040241>
- Syukri, D., Thammawong, M., Naznin, H. A., Kuroki, S., Tsuta, M., Yoshida, M., & Nakano, K. (2018). Identification of a freshness marker metabolite in stored soybean sprouts by comprehensive mass-spectrometric analysis of carbonyl compounds. *Food Chemistry*, 269(April), 588–594. <https://doi.org/10.1016/j.foodchem.2018.07.036>
- Taiz, L., Møller, I. M., Murphy, A., & Zeiger, E. (2023). *Plant Physiology and Development*. Oxford University Press. <https://doi.org/10.1093/hesc/9780197614204.001.0001>
- Tarazona, P., Feussner, K., & Feussner, I. (2015). An enhanced plant lipidomics method based on multiplexed liquid chromatography-mass spectrometry reveals additional insights into cold- and drought-induced membrane remodeling. *Plant Journal*, 84(3), 621–633. <https://doi.org/10.1111/tpj.13013>
- Techavuthiporn, C., Nakano, K., & Maezawa, S. (2008). Prediction of ascorbic acid content in broccoli using a model equation of respiration. *Postharvest Biology and Technology*, 47(3), 373–381. <https://doi.org/10.1016/j.postharvbio.2007.07.007>
- Thompson, A. K. (2014). *Fruit and Vegetables* (Vol. 91). John Wiley & Sons, Ltd. <https://doi.org/10.1002/9781118653975>
- Toivonen, P. M. A., & Brummell, D. A. (2008). Biochemical bases of appearance and texture changes in fresh-cut fruit and vegetables. *Postharvest Biology and Technology*, 48(1), 1–14. <https://doi.org/10.1016/j.postharvbio.2007.09.004>
- Toledo, M. E. A., Ueda, Y., Imahori, Y., & Ayaki, M. (2003). L-ascorbic acid metabolism in spinach (*Spinacia oleracea* L.) during postharvest storage in light and dark. *Postharvest Biology and Technology*, 28(1), 47–57. [https://doi.org/10.1016/S0925-5214\(02\)00121-7](https://doi.org/10.1016/S0925-5214(02)00121-7)
- Torres-Franklin, M. L., Gigon, A., De Melo, D. F., Zuily-Fodil, Y., & Pham-Thi, A. T. (2007). Drought stress and rehydration affect the balance between MGDG and DGDG synthesis in cowpea leaves. *Physiologia Plantarum*, 131(2), 201–210. <https://doi.org/10.1111/j.1399-3054.2007.00943.x>

- Uemura, M., & Joseph, R. A. (1994). 1995 - *Cold Acclimation of Arabidopsis thaliana (Effect on Plasma Membrane Lipid Composition and Freeze-Induced Lesions).pdf*. (1995), 15–30.
- Uemura, M., & Steponkus, P. L. (1997). Effect of cold acclimation on the lipid composition of the inner and outer membrane of the chloroplast envelope isolated from rye leaves. *Plant Physiology*, 114(4), 1493–1500. <https://doi.org/10.1104/pp.114.4.1493>
- United States Department of Agriculture (USDA). (1991). *United States Standards for Grades of Fresh Tomatoes*.
- Upchurch, R. G. (2008). Fatty acid unsaturation, mobilization, and regulation in the response of plants to stress. *Biotechnology Letters*, 30(6), 967–977. <https://doi.org/10.1007/s10529-008-9639-z>
- Valenzuela, J. L. (2023). Advances in Postharvest Preservation and Quality of Fruits and Vegetables. In *Foods* (Vol. 12, Number 9). MDPI. <https://doi.org/10.3390/foods12091830>
- Wang, C. Y. (2019). Chilling Injury of Tropical Horticultural Commodities. *HortScience*, 29(9), 986–988. <https://doi.org/10.21273/hortsci.29.9.986>
- Wang, Q., He, H., Liu, C., Wang, C., Chen, B., Wang, X., Niu, Q., Wang, K., Zhu, W., Qiao, Y., & Liu, H. (2025). Insights of freshness phenotype detection for postharvest fruit and vegetables. In *Plant Phenomics* (Vol. 7, Number 2). Elsevier B.V. <https://doi.org/10.1016/j.plaphe.2025.100042>
- Watanabe, T., Nakamura, N., Shiina, T., & Nagata, M. (2020). Relationships among expression of six representative genes, bacterial multiplication, color changes of fresh cut cabbages during storage with focus on accumulated storage temperature. *Food Control*, 113(January), 107190. <https://doi.org/10.1016/j.foodcont.2020.107190>
- Welti, R., & Wang, X. (2004). Lipid species profiling: A high-throughput approach to identify lipid compositional changes and determine the function of genes involved in lipid metabolism and signaling. *Current Opinion in Plant Biology*, 7(3), 337–344. <https://doi.org/10.1016/j.pbi.2004.03.011>
- Wewer, V., Dombrink, I., Vom Dorp, K., & Dörmann, P. (2011). Quantification of sterol lipids in plants by quadrupole time-of-flight mass spectrometry. *Journal of Lipid Research*, 52(5), 1039–1054. <https://doi.org/10.1194/jlr.D013987>
- Whitaker, B. D. (2012). Membrane lipid metabolism and oxidative stress involved in postharvest ripening, senescence, and storage disorders of fruits. *Acta Horticulturae*, 945(April 2012), 269–282. <https://doi.org/10.17660/ActaHortic.2012.945.36>
- Wills, R. B. H., & Golding, J. Brett. (2016a). *Postharvest : an introduction to the physiology and handling of fruit and vegetables* (6th ed.). UNSW Press ; CABI.
- Wills, R. B. H., & Golding, J. B. (2016b). Advances in Postharvest Fruit and Vegetable Technology. *Advances in Postharvest Fruit and Vegetable Technology*. <https://doi.org/10.1201/b18489>
- Worley, B., & Powers, R. (2012). Multivariate Analysis in Metabolomics. *Current Metabolomics*, 1(1), 92–107. <https://doi.org/10.2174/2213235X11301010092>
- Xiao, Y., Wu, Y., Huang, Z., Guo, M., Zhang, L., Luo, X., Xia, H., Zhang, X., Liang, D., Lv, X., Wang, J., & Lin, L. (2024). Mechanism of induced soluble sugar accumulation and organic acid reduction in plum fruits by application of melatonin. *BMC Plant Biology*, 24(1). <https://doi.org/10.1186/s12870-024-05949-x>
- Yahia, E. M. (2018). Postharvest physiology and biochemistry of fruits and vegetables. *Postharvest Physiology and Biochemistry of Fruits and Vegetables*, (December), 1–476. <https://doi.org/10.1016/C2016-0-04653-3>
- Yahia, E. M., García-Solís, P., & Celis, M. E. M. (2019). Contribution of Fruits and Vegetables to Human Nutrition and Health. In *Postharvest Physiology and Biochemistry of Fruits and Vegetables*. Elsevier Inc. <https://doi.org/10.1016/b978-0-12-813278-4.00002-6>

- Yu, L., Long, X., Chen, Y., Shi, Y., Zhuge, Z., Nie, K., Zhao, T., Zheng, Z., Ai, N., Geng, S., Wang, L., & Guan, X. (2026). Lipidomic profiles reveal the membrane lipid phase transition pattern in chilling-shocked cotton seedlings. *Industrial Crops and Products*, 241. <https://doi.org/10.1016/j.indcrop.2026.122789>
- Zainal, P. W., Syukri, D., Fahmy, K., Imaizumi, T., Thammawong, M., Tsuta, M., Nagata, M., & Nakano, K. (2022). Lipidomic Profiling to Assess the Freshness of Stored Cabbage. *Food Analytical Methods*, (0123456789). <https://doi.org/10.1007/s12161-022-02422-z>
- Zainal, P. W., Syukri, D., Fahmy, K., Imaizumi, T., Thammawong, M., Tsuta, M., Nagata, M., & Nakano, K. (2023). Lipidomic Profiling to Assess the Freshness of Stored Cabbage. *Food Analytical Methods*, 16(2). <https://doi.org/10.1007/s12161-022-02422-z>
- Zhang, J., Zhang, J., Zhang, L., Xue, Y., & Zhang, K. (2025). Mechanistic Insights into Vegetable Color Stability: Discoloration Pathways and Emerging Protective Strategies. In *Foods* (Vol. 14, Number 13). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/foods14132222>
- Zhang, X. D., Wang, R. P., Zhang, F. J., Tao, F. Q., & Li, W. Q. (2013). Lipid profiling and tolerance to low-temperature stress in *Thellungiella salsuginea* in comparison with *Arabidopsis thaliana*. *Biologia Plantarum*, 57(1), 149–153. <https://doi.org/10.1007/s10535-012-0137-8>
- Züllig, T., Trötz Müller, M., & Köfeler, H. C. (2020). Lipidomics from sample preparation to data analysis: a primer. *Analytical and Bioanalytical Chemistry*, 412(10), 2191–2209. <https://doi.org/10.1007/s00216-019-02241-y>



