

DAFTAR PUSTAKA

- [1] K. L. L. K. R. Indonesia, “Data Kecelakaan Lalu Lintas Nasional Tahun 2024,” 2024, *Korlantas POLRI, Jakarta*.
- [2] B. P. Statistik, “Statistik Transportasi Darat 2024,” 2024, *BPS, Jakarta*. [Online]. Available: <https://www.bps.go.id>
- [3] M. Mulianingsih, “KNKT Catat 60% Kecelakaan Kendaraan Darat karena Pengemudi Kelelahan,” *detikNews*, Aug. 27, 2024.
- [4] N. S. Foundation, “Drowsy driving,” Mar. 21, 2025. [Online]. Available: <https://www.thensf.org/drowsy-driving-prevention/>
- [5] A. Abidi, K. Ben Khalifa, R. Ben Cheikh, C. A. Valderrama Sakuyama, and M. H. Bedoui, “Automatic Detection of Drowsiness in EEG Records Based on Machine Learning Approaches,” *Neural Process. Lett.*, vol. 54, no. 6, pp. 5225–5249, 2022, doi: 10.1007/s11063-022-10858-x.
- [6] J. Kande, “Drowsiness of Detection using Face Recognition and Deep Learning,” 2025, pp. 1–14. doi: 10.34293/icetcs2024.ch001.
- [7] A. Ghourabi, H. Ghazouani, and W. Barhoumi, “Driver Drowsiness Detection Based on Joint Monitoring of Yawning, Blinking and Nodding,” in *Proceedings - 2020 IEEE 16th International Conference on Intelligent Computer Communication and Processing, ICCP 2020*, Sep. 2020: Institute of Electrical and Electronics Engineers Inc., pp. 407–414. doi: 10.1109/ICCP51029.2020.9266160.
- [8] N. Wu and J. Sun, “Fatigue detection of air traffic controllers based on radiotelephony communications and self-adaption quantum genetic algorithm optimization ensemble learning,” *Appl. Sci.*, vol. 12, no. 20, p. 10252, 2022, doi: 10.3390/app122010252.
- [9] P. Inkeaw, P. Srikummoon, J. Chaijaruwanich, P. Traisathit, S. Awiphan, R. Worasuthaneewan, and T. Theerakittikul, “Automatic Driver Drowsiness Detection Using Artificial Neural Network Based on Visual Facial Descriptors: Pilot Study,” *Nat. Sci. Sleep*, vol. 14, pp. 1641–1649, 2022, doi: 10.2147/NSS.S376755.
- [10] T. Vesselenyi, S. Moca, A. Rus, T. Mitran, and B. Tătaru, “Driver

- drowsiness detection using ANN image processing,” 2017. doi: 10.1088/1757-899X/252/1/012097.
- [11] C. Jacobé de Naurois, C. Bourdin, A. Stratulat, E. Diaz, and J.-L. Vercher, “Detection and prediction of driver drowsiness using artificial neural network models,” *Accid. Anal. Prev.*, vol. 126, pp. 95–104, 2019, doi: <https://doi.org/10.1016/j.aap.2017.11.038>.
- [12] K. B. Naidu and K. S. Rekha, “Evaluating PERCLOS for drowsiness detection using novel artificial neural network over support vector machine,” *AIP Conf. Proc.*, vol. 3300, no. 1, p. 20178, Jul. 2025, doi: 10.1063/5.0277298.
- [13] Y. Albadawi, M. Takruri, and M. Awad, “A Review of Recent Developments in Driver Drowsiness Detection Systems,” *Sensors (MDPI)*, 2022, doi: 10.3390/s22052069.
- [14] G. V Narayana, “Vision-Based Driver Fatigue Detection Using Eye and Mouth Aspect Ratios with Machine Learning,” *ResearchGate*, 2025.
- [15] R. C. Chang, C.-Y. Wang, W.-T. Chen, and C.-D. Chiu, “Drowsiness Detection System Based on PERCLOS and Facial Physiological Signal,” 2022. doi: 10.3390/s22145380.
- [16] A. Bamidele, K. Kamardin, N. Syazarin, S. Mohd, I. Shafi, A. Azizan, N. Aini, and H. Mad, “Non-intrusive driver drowsiness detection based on face and eye tracking,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 10, pp. 549–569, 2019.
- [17] A. Moujahid, F. Dornaika, I. Arganda-Carreras, and J. Reta, “Efficient and compact face descriptor for driver drowsiness detection,” *Expert Syst. Appl.*, vol. 168, p. 114334, 2021.
- [18] D. Kim, H. Park, T. Kim, W. Kim, and J. Paik, “Real-time driver monitoring system with facial landmark-based eye closure detection and head pose recognition,” *Sci. Rep.*, vol. 13, no. 1, p. 18264, Oct. 2023, doi: 10.1038/s41598-023-44955-1.
- [19] C. Dewi, R.-C. Chen, C.-W. Chang, S.-H. Wu, X. Jiang, and H. Yu, “Eye Aspect Ratio for Real-Time Drowsiness Detection to Improve Driver Safety,” *Electronics*, vol. 11, no. 19, p. 3183, 2022, doi: 10.3390/electronics11193183.

- [20] T. Soukupová and J. Čech, “Real-Time Eye Blink Detection using Facial Landmarks,” in *Proceedings of the 21st Computer Vision Winter Workshop (CVWW)*, Rimske Toplice, Slovenia, 2016, pp. 1–8.
- [21] K. Rahul, G. R. Suriyan, S. Rajesh, and G. Udhayakumar, “Driver’s Drowsiness Detection by Analyzing Yawning and Eye Closure,” *Int. Res. J. Eng. Technol.*, vol. 9, no. 5, pp. 1077–1082, 2022.
- [22] C. Dewi, R. Chen, X. Jiang, and H. Yu, “Adjusting eye aspect ratio for strong eye blink detection based on facial landmarks,” no. 2020, pp. 1–21, 2022, doi: 10.7717/peerj-cs.943.
- [23] I. A. Fouad, “A robust and efficient EEG-based drowsiness detection system using different machine learning algorithms,” *Ain Shams Eng. J.*, vol. 14, no. 3, 2023, doi: 10.1016/j.asej.2022.101895.
- [24] R. Florez, F. Palomino-Quispe, A. B. Alvarez, R. J. Coaquira-Castillo, and J. C. Herrera-Levano, “A Real-Time Embedded System for Driver Drowsiness Detection Based on Visual Analysis of the Eyes and Mouth Using Convolutional Neural Network and Mouth Aspect Ratio,” *Sensors*, vol. 24, no. 19, p. 6261, 2024, doi: 10.3390/s24196261.
- [25] Y. Hao, X. Sun, H. Liu, and D. Wang, “A fatigue driving detection method based on driver posture and facial state analysis,” *Sci. Rep.*, vol. 16, no. 1, p. 15159, 2026, doi: 10.1038/s41598-026-44994-4.
- [26] Google, “MediaPipe Framework,” 2025.
- [27] V. Bazarevsky, Y. Kartynnik, A. Vakunov, K. Raveendran, and M. Grundmann, “BlazeFace: Sub-millisecond Neural Face Detection on Mobile GPUs,” 2019. [Online]. Available: <http://arxiv.org/abs/1907.05047>
- [28] M. S. Chandak and V. K. Pachghare, “Face Detection for Real World Application,” 2021, *Tamil Nadu, India*. doi: 10.1109/ICAIS50930.2021.9445287.
- [29] N. Buhl, “Google’s MediaPipe Framework: Deploy Computer Vision Pipelines with Ease,” 2024. [Online]. Available: <https://encord.com/blog/google-mediapipe/>
- [30] A. Shaw, “Introduction to MediaPipe,” Sep. 16, 2021. [Online]. Available: <https://learnopencv.com/introduction-to-mediapipe/>

- [31] M. Abadi, A. Agarwal, P. Barham, E. Brevdo, Z. Chen, C. Citro, G. S. . Corrado, A. Davis, J. Dean, M. Devin, I. Ghemawat, Sanjay; Goodfellow, A. Harp, G. Irving, M. Isard, Y. Jia, R. Jozefowicz, L. Kaiser, J. Kudlur, Manjunath; Levenberg, D. Mané, R. Monga, S. Moore, D. Murray, C. Olah, M. Schuster, J. Shlens, B. Steiner, I. Sutskever, K. Talwar, P. Tucker, V. Vanhoucke, Vincent; Vasudevan, F. Viégas, O. Vinyals, P. Warden, M. Wattenberg, M. Wicke, Y. Yu, and X. Zheng, “TensorFlow: Large-scale machine learning on heterogeneous systems,” 2016.
- [32] Y. Panagakis, J. Kossaifi, G. G. Chrysos, J. Oldfield, M. A. Nicolaou, A. Anandkumar, and S. Zafeiriou, “Tensor methods in computer vision and deep learning,” *Proc. IEEE*, vol. 109, no. 5, pp. 863–890, 2021, doi: 10.1109/JPROC.2021.3074329.
- [33] J. Deng, J. Guo, Y. Zhou, J. Yu, I. Kotsia, and S. Zafeiriou, “RetinaFace: Single-Stage Dense Face Localisation in the Wild,” 2020. doi: 10.1109/CVPR42600.2020.00525.
- [34] Google, “Face Mesh Detection | ML Kit,” Nov. 22, 2025. [Online]. Available: <https://developers.google.com/ml-kit/vision/face-mesh-detection>
- [35] Google, “TensorsToFaceLandmarks: MediaPipe graph to transform model tensors into 468 facial landmarks,” 2024.
- [36] MediaPipe, “Face Mesh,” Nov. 22, 2025. [Online]. Available: https://chuoling.github.io/MediaPipe/solutions/face_mesh.html
- [37] I. Norscia, A. Zanolli, M. Gamba, and E. Palagi, “Auditory Contagious Yawning Is Highest Between Friends and Family Members: Support to the Emotional Bias Hypothesis,” *Front. Psychol.*, vol. Volume 11, 2020, doi: 10.3389/fpsyg.2020.00442.
- [38] A. M. Ma’ruf, A. Aranta, and F. Bimantoro, “Verifikasi Suara Mahasiswa Sebagai Alternatif Presensi Kehadiran Menggunakan Ekstraksi Fitur MFCC Dan Klasifikasi LVQ,” *J. Teknol. Informasi, Komput. dan Apl.*, vol. 4, no. 2, pp. 171–181, 2022, [Online]. Available: <http://jtika.if.unram.ac.id/index.php/JTIKA/>
- [39] N. Kehtarnavaz, A. Sehgal, and S. Parris, “Analog-to-Digital Signal Conversion,” in *Smartphone-Based Real-Time Digital Signal Processing*

- (*Synthesis Lectures on Signal Processing*), Springer, 2019, pp. 51–79. doi: 10.1007/978-3-031-02540-2_4.
- [40] H. Dalmia and S. K. Sinha, “Analog to Digital Converters (ADC): A Literature Review,” in *E3S Web of Conferences*, Hyderabad, India: EDP Sciences, 2020, p. 1025. doi: 10.1051/e3sconf/202018401025.
- [41] Superkogito, “Signal Framing,” Sep. 16, 2020. [Online]. Available: https://superkogito.github.io/blog/2020/01/25/signal_framing.html
- [42] P. Wani, S. S. B. V, N. K. Behera, A. Radhika, and S. Shanthini, “Review On Speech Recognition and Machine Learning,” *J. Inf. Syst. Eng. Manag.*, 2025, doi: <https://doi.org/10.52783/jisem.v10i46s.9912>.
- [43] Siemens, “Window Correction Factors,” Sep. 16, 2025. [Online]. Available: https://community.sw.siemens.com/articles/en_US/Knowledge/window-correction-factors
- [44] J.-S. Sheu and C.-W. Chen, “Voice Recognition and Marking Using Mel-frequency Cepstral Coefficients,” *Sensors Mater.*, vol. 32, no. 10, p. 3209, 2020, doi: 10.18494/sam.2020.2860.
- [45] S. M. A. Sasongko, S. Tsauray, S. Ariessaputra, and S. Ch, “Mel Frequency Cepstral Coefficients (MFCC) Method and Multiple Adaline Neural Network Model for Speaker Identification,” *Int. J. Informatics Vis.*, vol. 7, no. 4, pp. 2306–2312, 2023.
- [46] A. Revathi, C. Ravichandran, P. Saisiddarth, and G. S. R. Prasad, “Isolated Command Recognition Using MFCC and Clustering Algorithm,” *SN Comput. Sci.*, vol. 1, no. 2, 2020, doi: 10.1007/s42979-020-0093-x.
- [47] S. M. Qaisar, S. Bahanshal, and H. Alwazani, “A Cloud Assisted Hybrid Model Based Speaker Recognition and Resource Sharing,” *Procedia Comput. Sci.*, vol. 163, pp. 410–416, 2019, doi: 10.1016/j.procs.2019.12.123.
- [48] I. Pires and et al., “Recognition of Activities of Daily Living Based on Environmental Analyses Using Audio Fingerprinting Techniques: A Systematic Review,” *Sensors*, vol. 18, no. 2, p. 160, 2018, doi: 10.3390/s18010160.
- [49] W. contributors, “Discrete cosine transform,” Jan. 2025, *Wikipedia*.

- [Online]. Available: https://en.wikipedia.org/wiki/Discrete_cosine_transform
- [50] Y. A. Christobel and R. J. Suji, "A Comprehensive Review on Neural Network Architectures," *J. Comput. Anal. Appl.*, vol. VOL. 33, N, pp. 1443–1448, 2024.
- [51] dan G. K. R. Kiyani, M. M. Sabaresh, F. S. Shahin, M. S. Raja, S. I. Yaqoob, S. K. Sharma, A. S. Ranabhat, "Deep learning based Glaucoma Network Classification (GNC) using retinal images," *Int. Res. J. Multidiscip. Technovation*, vol. vol.7, p. hlm. 108–120, 2023.
- [52] S. R. Dubey, S. K. Singh, and B. B. Chaudhuri, "Activation functions in deep learning: A comprehensive survey and benchmark," *Neurocomputing*, vol. 503, pp. 92–108, 2022, doi: <https://doi.org/10.1016/j.neucom.2022.06.111>.
- [53] A. D. Jagtap and G. E. Karniadakis, "How important are activation functions in regression and classification? A survey, performance comparison, and future directions," *J. Mach. Learn. Model. Comput.*, vol. 4, no. 1, pp. 21–75, 2023, doi: [10.1615/JMachLearnModelComput.2023047367](https://doi.org/10.1615/JMachLearnModelComput.2023047367).
- [54] Y. Kumar, L. Singh, V. S. Sharanagat, and A. Tarafdar, "Artificial neural network (ANNs) and mathematical modelling of hydration of green chickpea," 2020.
- [55] W. contributors, "Fuzzy logic," 2026, *Wikipedia, The Free Encyclopedia*. [Online]. Available: https://en.wikipedia.org/wiki/Fuzzy_logic
- [56] R. Saatchi, "Fuzzy Logic Concepts, Developments and Implementation," 2024. doi: [10.3390/info15100656](https://doi.org/10.3390/info15100656).
- [57] R. H. P. Sejati and R. Mardhiyyah, "Deteksi Wajah Berbasis Facial Landmark," *J. Teknol. Inf.*, vol. 5, no. 2, pp. 144–148, 2021.
- [58] Elsevier, "Neural network training," Nov. 23, 2025. [Online]. Available: <https://www.sciencedirect.com/topics/engineering/neural-network-training>
- [59] L. AI, "What is Accuracy, Precision, Recall and F1 Score?," Sep. 17, 2025. [Online]. Available: <https://www.labelf.ai/blog/what-is-accuracy-precision-recall-and-f1-score>
- [60] W. contributors, "Precision and recall," Sep. 17, 2025. [Online]. Available: https://en.wikipedia.org/wiki/Precision_and_recall