

Daftar Pustaka

- Agarwal, A., Virk, G., Ong, C., & du Plessis, S. S. (2014). Effect of Oxidative Stress on Male Reproduction. *The World Journal of Men's Health*, 32(1), 1. <https://doi.org/10.5534/wjmh.2014.32.1.1>
- Akhlaghi, M., & Bandy, B. (2009). Mechanisms of flavonoid protection against myocardial ischemia-reperfusion injury. *Journal of Molecular and Cellular Cardiology*, 46 (3), 309–317. <https://doi.org/10.1016/j.yjmcc.2008.12.003>
- Akinmoladun, F. O., Akinrinlola, B. L., Komolafe, T. R., Olaleye, T. M., Farombi, E. O., & Oyedapo, O. O. (2020). *Moringa oleifera* mitigates oxidative stress and inflammatory responses in diabetic complications. *Journal of Food Biochemistry*, 44(7), e13220. <https://doi.org/10.1111/jfbc.13220>
- Alethea, T., & Ramadhian, M. R. (2015). Efek Antidiabetik pada Daun Kelor. *Jurnal Majority*, Vol 4(No 9), Hal 118-122.
- American Diabetes Association. American Diabetes Association Professional Practice Committee. *Diabetes Care* [Internet]. 2022 Jan 1 [cited 2025Mar8];45(1). Available from: https://diabetesjournals.org/care/article/45/Supplement_1/S3/138918/Professional-Practice-CommitteeStandards
- Anwar, F., Latif, S., Ashraf, M., & Gilani, A. H. (2007). *Moringa oleifera*: a food plant with multiple medicinal uses. *Phytotherapy Research*, 21(1), 17–25. <https://doi.org/10.1002/ptr.2023>
- Ardha, P. W., & Khairun, B. N. (2015). Empat Pilar Penatalaksanaan Pasien Diabetes Mellitus Tipe 2. *Majority*, 4(9), 8–12.
- Asti Marian, Eti Yerizel, Hudila Rifa (2023). *Moringa Oleifera* Leaf Extract as an Antioxidant on Malondialdehyde (MDA) and Glutathione Peroxidase (GSH-Px) Levels in Rats with Hyperglycemia: A Systematic Literature Review. DOI: <https://doi.org/10.52403/ijrr.20231104>. *IJJR* volume 11, Issue 11
- Ávila-Escalante, M. L., Coop-Gamas, F., Cervantes-Rodríguez, M., Méndez-Iturbide, D., & Aranda-González, I. I. (2020). The effect of diet on oxidative stress and metabolic diseases—Clinically controlled trials. *Journal of Food Biochemistry*, 44(5), 1–16. <https://doi.org/10.1111/jfbc.13191>
- Ayala, A., Muñoz, M. F., & Argüelles, S. (2014). Lipid peroxidation: Production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxidative Medicine and Cellular Longevity*.

- Boiteux, S., & Radicella, J. P. (2000). The human OGG1 gene: structure, functions, and its implication in the process of carcinogenesis. *Archives of Biochemistry and Biophysics*, 377 (1), 1–8. <https://doi.org/10.1006/abbi.2000.1730>.
- Boiteux, S., & Radicella, J. P. (2000). Base excision repair of 8-hydroxyguanine protects DNA from endogenous oxidative stress. *Biochimie*, 82(1), 59–64. [https://doi.org/10.1016/S0300-9084\(00\)00224-6](https://doi.org/10.1016/S0300-9084(00)00224-6)
- Boldogh, I., Hajas, G., Aguilera-Aguirre, L., Hegde, M. L., Radak, Z., Bacsı, A., Sur, S., Hazra, T. K., & Mitra, S. (2010). Activation of Ras signaling pathway by 8-oxoguanine DNA glycosylase bound to its excision product, 8-oxoguanine. *Journal of Biological Chemistry*, 285(47), <https://doi.org/10.1074/jbc.M110.161020>
- Bouayed J, Bohn T. Exogenous antioxidants Double edged swords in cellular redox state. *Oxid Med Cell Longev*. 2010;3(4):228–237.
- Brownlee, M. (2001). Biochemistry and molecular cell biology of diabetic complications. *Nature*, 414(6865), 813–820. <https://doi.org/10.1038/414813a>
- Care, D., & Suppl, S. S. (2022). Classification and Diagnosis of Diabetes : Standards of Medical Care in Diabetes -2022. 45(January), 17–38.
- Cooke, M. S., Evans, M. D., Dizdaroglu, M., & Lunec, J. (2003). Oxidative DNA damage: Mechanisms, mutation, and disease. *FASEB Journal*, 17(10), 1195–1214. <https://doi.org/10.1096/fj.02-0752rev>
- Dachi, V. N. O., Rayyan, T. A., Utami, S. P., (2022). Pengaruh variasi pemberian dosis aloksan terhadap angka kadar gula darah hewan coba. *Jurnal Prima Medika Sains*, 4(1), 32–36. <https://doi.org/10.34012/jpms.v4i1.2460>
- Del Rio, D., Stewart, A. J., & Pellegrini, N. (2005). A review of recent studies on malondialdehyde as toxic molecule and biological marker of oxidative stress. *Nutrition, Metabolism and Cardiovascular Diseases*, 15 (4), 316–328. <https://doi.org/10.1016/j.numecd.2005.05.003>
- Deslo, J., Ismy, J., & Dasrul, D. (2019). Hubungan Kadar Malondialdehyde (MDA) Testis dengan Kualitas Spermatozoa pada Tikus Putih Strain Wistar (*Rattus novergicus*) Diabetes Tipe I. *Jurnal Ilmu Bedah Indonesia*, 47(2), 82–113. <https://doi.org/10.46800/jibi-ikabi.v47i2.49>
- Dizdaroglu, M. (2012). Oxidatively induced DNA damage and its repair in cancer. *Mutation Research/Reviews in Mutation Research*, 736(1–2), 1–5. <https://doi.org/10.1016/j.mrrev.2012.03.002>

- Evans, M. D., Dizdaroglu, M., & Cooke, M. S. *et al* (2004). Oxidative DNA damage and disease: Induction, repair and significance. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, 567(1), 1–61. <https://doi.org/10.1016/j.mrfmmm.2003.11.025>
- Fahey, J. W. (2005). *Moringa oleifera*: A review of the medical evidence for its nutritional, therapeutic, and prophylactic properties. Part 1. *Trees for Life Journal*, 1(5), 1–15. <https://www.researchgate.net/publication/265889998>
- Feng, A. Y. T., & Himsworth, C. G. (2014). The secret life of the city rat: A review of the ecology of urban Norway and black rats (*Rattus norvegicus* and *Rattus rattus*). *Urban Ecosystems*, 17(1), 149–162. <https://doi.org/10.1007/s11252-013-0305-4>
- Goodman & Gilman's (2023). *The Pharmacological Basis of Therapeutics*. Brunton LL, Hilal-Dandan R, Knollmann BC. 14th ed. McGraw-Hill.
- Graille, M., Wild, P., Sauvain, J. J., Hemmendinger, M., Canu, I. G., & Hopf, N. B. (2020). Urinary 8-OHDG as a biomarker for oxidative stress: A systematic literature review and meta-analysis. *International Journal of Molecular Sciences*, 21(11), 1–24. <https://doi.org/10.3390/ijms21113743>
- Halliwell B. Biochemistry of oxidative stress (2007). *Biochem Soc Trans.*;35(5):1147–1150.
- Halliwell, B., & Gutteridge, J. (1999). *Free Radicals In Biology And Medicine* (3rd ed.). Oxford University Press.
- Halliwell, B., & Gutteridge, J. M. (2015). *Free Radicals in Biology and Medicine* (5th ed.). Oxford: Oxford University Press. <https://doi.org/10.1093/acprof:oso/9780198717478.001.0001>
- Ighodaro OM, Adeosun AM, Akinloye OA (2017). Alloxan-Induced Diabetes, a Common Model for Evaluating the Glycemic-Control Potential of Therapeutic Compounds and Plants Extracts in Experimental Studies. Vol. 53, *Medicina (Lithuania)*. Elsevier B.V.; p. 365–374.
- International Diabetes Federation. (2025). *IDF Diabetes Atlas* (11th ed.). Brussels, Belgium: International Diabetes Federation. <https://idf.org/about-diabetes/resources/idf-diabetes-atlas-11th-edition-2025/>
- Isnaini, N & Ratnasari, R. (2018). Faktor risiko mempengaruhi kejadian Diabetes mellitus tipe dua. *Jurnal Kebidanan Dan Keperawatan Aisyiyah*, 14(1), 59–68. <https://doi.org/10.31101/jkk.550>

- Isyraqi, N. A., Rahmawati, D., & Sastyarina, Y. (2020). Studi Literatur: Skrining Fitokimia dan Aktivitas Farmakologi Tanaman Kelor (*Moringa oleifera* Lam). *Mulawarman Pharmaceuticals Conferences*, 9.
- Jaiswal, D., Kumar Rai, P., Kumar, A., Mehta, S., & Watal, G. (2013). Effect of *Moringa oleifera* Lam. leaves aqueous extract therapy on hyperglycemic rats. *Journal of Ethnopharmacology*, 123(3), 392–396. <https://doi.org/10.1016/j.jep.2009.03.036>
- Kementerian Kesehatan RI. (2020). Infodatin tetap produktif, cegah, dan atasi Diabetes Melitus 2020. In Pusat Data dan Informasi Kementerian Kesehatan RI (pp. 1–10).
- Khoubnasabjafari M, Ansarin K, Jouyban A (2015) . Reliability of malondialdehyde as a biomarker of oxidative stress in psychological disorders. *BioImpacts*. ;5(3):123–127.
- Laoung-On, J., Saenphet, K., Jaikang, C., & Sudwan, P. (2021). Effect of *moringa oleifera* lam. Leaf tea on sexual behavior and reproductive function in male rats. *Plants*, 10(10), 1–17. <https://doi.org/10.3390/plants10102019>.
- Lenzen, S. (2008). The mechanisms of alloxan- and streptozotocin-induced diabetes. *Diabetologia*, 51(2), 216–226. <https://doi.org/10.1007/s00125-007-0886-7>.
- Leone, A., Spada, A., Battezzati, A., Schiraldi, A., Aristil, J., & Bertoli, S. (2015). *Moringa oleifera* seeds and oil: Characteristics and uses for human health. *International Journal of Molecular Sciences*, 16(12), 12791–12835. <https://doi.org/10.3390/ijms160612791>.
- Luh N, Wulandari WE, Nyoman N, Udayani W, Arman K, Dewi A, et al. Artikel Review: Pengaruh Pemberian Induksi Aloksan Terhadap Gula Darah Tikus. *Indonesian Journal of Pharmaceutical Education (e-Journal)*. 2024;4(3):2775–3670
- Mbikay, M. (2012). Therapeutic potential of *Moringa oleifera* leaves in chronic hyperglycemia and dyslipidemia: A review. *Frontiers in Pharmacology*, 3 MAR(March), 1–12. <https://doi.org/10.3389/fphar.2012.00024>
- Melanie G, Pascal W, Jean J, Maud et al (2020). Urinary 8-OHdG as a Biomarker for oxidative stress : systematic literatur review and meta-analysis. vol 21, issue 11. doi 10.3390/ijms21113743
- Moyo, B., Masika, P. J., Hugo, A., & Muchenje, V. (2011). Nutritional characterization of *Moringa* (*Moringa oleifera* Lam.) leaves. *African Journal of Biotechnology*, 10(60), 12925–12933. <https://doi.org/10.5897/ajb10.1599>

- Nandhini, D. U., Devaraj, S. N., & Devaraj, H. (2018). Therapeutic effect of *Moringa oleifera* leaves on oxidative stress in experimental diabetes. *Phytotherapy Research*, 32(1), 1–7. <https://doi.org/10.1002/ptr.5948>
- Newsholme, P., Cruzat, V. F., Keane, K. N., Carlessi, R., & de Bittencourt, P. I. H. J. (2016). Molecular mechanisms of ROS production and oxidative stress in diabetes. *The Biochemical Journal*, 473(24), 4527–4550. <https://doi.org/10.1042/BCJ20160503C>
- Nita, M., & Grzybowski, A. (2016). The Role of the Reactive Oxygen Species and Oxidative Stress in the Pathomechanism of the Age-Related Ocular Diseases and Other Pathologies of the Anterior and Posterior Eye Segments in Adults. *Oxidative Medicine and Cellular Longevity*, 2016. <https://doi.org/10.1155/2016/3164734>.
- Nugroho AE. Review : Animal Models Of Diabetes Mellitus : Pathology And Mechanism Of Some Diabetogenics. *Biodiversitas*. Available from: <https://smujo.id/biodiv/article/view/502/518>
- Nurmalasari, Y., Rafie, R., Putri, D. F., & Rahma, S. A. (2021). Pengaruh Pemberian Ekstrak Daun Kelor (*Moringa Olifera*) Terhadap Kadar Glukosa Darah Tikus Putih (*Rattus Novergicus*) Galur Wistar Jantan Yang Diinduksi Aloksan Sebagai Upaya Preventif Hiperglikemia. *Jurnal Kesehatan Masyarakat*, 5(1), 472–483. <https://doi.org/10.31004/prepotif.v5i1.1595>
- Ogbunugafor, H., Igwo-Ezikpe, M., Igwilo, I., Ozumba, N., Adenekan, S., Ugochukwu, C., *et al.* (2012). In vitro and in vivo evaluation of antioxidant properties of *Moringa Oleifera* ethanolic leaves extract and effect on serum lipid indices in rat. *Macedonian Journal of Medical Sciences*, 5(4), 397–403. <https://doi.org/10.3889/MJMS.1857-5773.2012.0240>.
- Paganelli A, V. Gnazzo, H. Acosta, S.L. Lopes, A.E. Carroasco. (2010). Glyphosate-Based Herbicides Produce Teratogenic Effects on Vertebrates by Impairing Retinoic Acid Signalling. *Chemistry Research Toxicology*.
- Panda, P., Verma, H. K., Lakkakula, S., Merchant, N., Kadir, F., Rahman, S., *et al.* (2022). Biomarkers of Oxidative Stress Tethered to Cardiovascular Diseases. *Oxidative Medicine and Cellular Longevity*, 2022. <https://doi.org/10.1155/2022/9154295>.
- Prawitasari, D. S. (2019). Diabetes Melitus dan Antioksidan. *Keluwih: Jurnal Kesehatan Dan Kedokteran*, (1), 48–52. <https://doi.org/10.24123/kesdok.v1i12496>.

- Prastyo Wati D, Ilyas S, Yurnadi (2024). Prinsip Dasar Tikus Sebagai Model Penelitian. Medan;
- Priyanto Y, Christijanti W, Marianti A, Biologi J, Matematika dan Ilmu Pengetahuan F. Aktivitas Antioksidan Daun Kelor (*Moringa oleifera*) pada Tikus Diabetik Induksi Aloksan (2023). Available from: <http://journal.unnes.ac.id/sju/index.php/LifeSci>.
- Purba, E. C. (2020). Kelor (*Moringa Oleifera* Lam.): Pemanfaatan Dan Bioaktivitas. Pro-Life, 7(1), 1–12.
<https://doi.org/10.33541/jpvol6iss2pp102>.
- Ratna, S., & Sarjadi, A. J. (2015). Effect of Ethanol Extract of *Moringa oleifera* Leaves on Insulin Expression and Insulitis in Diabetes Mellitus Rats. Majalah Kedokteran Bandung(Bandung Medical Journal), 47(2), 69–76.
<https://doi.org/10.15395/mkb.v47n2.456>.
- Rachek, L. I., Thornley, N. P., Grishko, V. I., LeDoux, S. P., & Wilson, G. L. (2006). Protection of INS-1 cells from free fatty acid-induced apoptosis by targeting OGG1 to mitochondria. *Diabetes*, 55(4), 1022–1028.
<https://doi.org/10.2337/diabetes.55.04.06.db05-1148>
- Reo Nishi, (2025). Quantitative Measurement of 8-Hydroxy-2'-Deoxyguanosine in Serum/Plasma and Urine Using an Enzyme-Linked Immunosorbent Assay. doi.10.1007/978-1-0716-4574-1_3
<https://pubmed.ncbi.nlm.nih.gov/40418469/>
- Rolo, A. P., & Palmeira, C. M. (2006). Diabetes and mitochondrial function: Role of hyperglycemia and oxidative stress. Toxicology and Applied Pharmacology, 212(2), 167–178.
<https://doi.org/10.1016/j.taap.2006.01.003>.
- Sakai, K., Matsumura, T., Minami, T., & Shimizu, K. (2015). Oxidative stress-induced DNA damage and repair in pancreatic β -cells. *Journal of Diabetes Investigation*, 6(4), 378–386. <https://doi.org/10.1111/jdi.12312>.
- Sampath, H., McCullough, A. K., & Lloyd, R. S. (2012). Regulation of DNA glycosylases and their role in oxidative stress response. *Cellular and Molecular Life Sciences*, 69(12), 1917–1930.
<https://doi.org/10.1007/s00018-011-0915-6>.
- Sari, R. M., Rita, R. S., & Anas, E. (2018). Pengaruh Pemberian Isolat Katekin Gambir (*Uncaria gambir* Roxb) Terhadap Kadar Hormon Testosteron Dan Jumlah Spermatozoa Tikus Rattus Norvegicus Jantan Hiperglikemi Artikel Penelitian. Jurnal Kesehatan Andalas, 7(Supplement 3), 6–9.
- Sreelatha S, Padma PR. (2009). Antioxidant activity of *Moringa oleifera* leaves. Plant Foods Hum Nutr. ;64(4):303–311.

- Singh Bhupendra, Anwesha Chatterjee, Amruta M Ronghe, Nimee K Bhat, Hari K Bhat, (2013). Antioxidant-mediated up-regulation of OGG1 via NRF2 induction is associated with inhibition of oxidative DNA damage in estrogen-induced breast cancer. *BMC Cancer* <http://www.biomedcentral.com/1471-2407/13/253>.
- Skyler, J. S., Bakris, G. L., Bonifacio, E., Darsow, T., Eckel, R. H., Groop, L., *et al* (2017). Differentiation of diabetes by pathophysiology, natural history, and prognosis. *Diabetes*, 66(2), 241–255. <https://doi.org/10.2337/db16-0806>.
- Sri Rejeki P, Arum Cahyaning Putri E, Eka Prasetya R., (2018). *Ovariektomi Pada Tikus Dan Mencit*. 1, editor. Surabaya: Airlangga University Press.
- Susanty, S., Yudistirani, S. A., & Islam, M. B. (2019). Metode ekstraksi untuk perolehan kandungan flavanoid tertinggi dari ekstrak daun kelor (*Moringa oleifera* Lam). *Jurnal Konversi*, 8(2), 31–36. <https://jurnal.umj.ac.id/index.php/konversi/article/view/6140>.
- Syafni AP, Yanti N. Relaksasi Autogenik Pada Pasien Diabetes Mellitus Type 2 Dengan Ketidakstabilan Kadar Glukosa Darah. *Jurnal PPNI Sumbar*[Internet].2024Apr [cited2025 Mar 8]; 01(01): 07–14 Available from:<https://jurnalppnisumbar.com/index.php/PPNIS/article/view/21/9>.
- Tjong, A., Assa, Y. A., & Purwanto, D. S. (2021). Kandungan Antioksidan Pada Daun Kelor (*Moringa Oleifera*) dan Potensi Sebagai Penurun Kadar Kolesterol Darah. *Jurnal E-Biomedik*, 9(2), 248–254. <https://doi.org/10.35790/ebm.v9i2.33452>.
- Umayya LI, Wardani IS. Hubungan Antara Diabetes Melitus Dengan Glaukoma. *Jurnal Medika Hutama* [Internet]. 2023 Jan;4(2). Available from: <http://jurnalmedikahutama.com>
- Urbaniak, S. K., Boguszevska, K., Szewczuk, M., Kázmierczak-Barańska, J., & Karwowski, B. T. (2020). 8-Oxo-7,8-dihydro-2'-deoxyguanosine (8-oxodG) and 8-hydroxy-2'-deoxyguanosine (8-OHdG) as a potential biomarker for gestational diabetes mellitus (GDM) development. *Molecules*, 25(1). <https://doi.org/10.3390/molecules25010202>.
- Valavanidis, A., Vlachogianni, T., & Fiotakis, C. (2009). 8-hydroxy-2'-deoxyguanosine (8-OHdG): A critical biomarker of oxidative stress and carcinogenesis. *Journal of Environmental Science and Health, Part C*, 27(2), 120–139. <https://doi.org/10.1080/10590500902885684>.
- Verma, A. R., Vijayakumar, M., Mathela, C. S., & Rao, C. V. (2021). In vitro and in vivo antioxidant properties of different fractions of *Moringa oleifera* leaves. *Food and Chemical Toxicology*, 49(9), 2196–2201. <https://doi.org/10.1016/j.fct.2011.06.013>.

- Vieira, R., Souto, S. B., Elena, S., Ana, L., Severino, P., Jose, S., Santini, A., *et al.* (2019). Sugar-Lowering Drugs for Type 2 Diabetes Mellitus and Metabolic Syndrome — Strategies for In Vivo Administration : Part-II. 1–20.
- Wang Jing, Chunshuang Li, Jinling Han, Yaoyao Xue, Xu Zheng, Ruoxi Wang, *et al* (2025). Reassessing the roles of oxidative DNA base lesion 8-oxoGua and repair enzyme OGG1 in tumorigenesis. *Journal of Biomedical Science* (2025) 32:1 <https://doi.org/10.1186/s12929-024-01093-8>
- Wang, R., Hao, W., Pan, L., Boldogh, I., & Ba, X. (2018). *The roles of base excision repair enzyme OGG1 in gene expression*. *Cellular and Molecular Life Sciences*, 75(20), 3741–3750. <https://doi.org/10.1007/s00018-018-2887-8>
- Xue, Y., Li, C., Deng, S., Chen, X., Han, J., Zheng, X., Tian, M., *et al.* (2023). 8-Oxoguanine DNA glycosylase 1 selectively modulates ROS-responsive NF- κ B targets through recruitment of MSK1 and phosphorylation of RelA/p65 at Ser276. *Journal of Biological Chemistry*, 299(11), 105308. <https://doi.org/10.1016/j.jbc.2023.105308>.
- Yang Li, Wenying Zhang, Bo Wang, Fujun Wu (2025). Unveiling the vital role of OGG1 in inflammation, vascular endothelial damage, and cell death in obstetric and gynecological diseases. *Human Cell* (2025) 38:143 <https://doi.org/10.1007/s13577-025-01268-x>
- Yasaroh S, Christijanti W, Lisdiana L, Iswari RS (2021) . Efek ekstrak daun kelor (*Moringa oleifera*) terhadap kadar glukosa darah tikus diabetes induksi aloksan. *Prosiding Seminar Nasional Biologi*.
- Yin., W., Robyn., B., Alycia., N., & Siegfired., H. (2018). Superoxide dismutases: Dual roles in controlling ROS damage and regulating ROS signaling. *Journal of Cell Biology* ,217(6) ,1915–1928. <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L622496320%0Ahttp://dx.doi.org/10.1083/jcb.201708007>.
- Zhang W, Zhong R, Qu X, *et al*, (2023). Effect of 8-Hydroxyguanine DNA Glycosylase 1 on the function of immune cells. *Antioxidants (Basel)*.;12(6):1300. <https://www.mdpi.com/2076-3921/12/6/1300>
- Zaetun, S., Kusuma Dewi, L. B., & Rai Wiyadna, I. B. (2019). Profil Kadar Mda (Malondialdehyde) Sebagai Penanda Kerusakan Seluler Akibat Radikal Bebas Pada Tikus Yang Diberikan Air Beroksigen. *Jurnal Analis Medika Biosains (JAMBS)*, 5(2), 79. <https://doi.org/10.32807/jambs.v5i2.109>.