

DAFTAR PUSTAKA

- Aazami, M. A., Torabi, M., & Jalili, E. (2010). *In vitro* response of promising tomato genotypes for tolerance to osmotic stress. *African Journal of Biotechnology*, 9(26), 4014–4017. <https://doi.org/10.5897/AJB2010.000-3279>
- Abbas, A. H. (2017). *Uji aktivitas antioksidan dan antibakteri ekstrak etil asetat kapang endofit dari akar tanaman kayu jawa (Lannea coromandelica (Houtt.) Merr.)*. Skripsi. Fakultas Kedokteran dan Ilmu Kesehatan, UIN Syarif Hidayatullah Jakarta.
- Adawiyah, A., Supriyatna, A., Amalia, N. N., Muhsin, M. E., Annisa, R., & Solihah, S. F. (2021). Optimasi sterilisasi eksplan umbi dan bulbil porang (*Amorphophallus muelleri* Blume.) pada kultur *in vitro*. *AGROSCRIPT: Journal of Applied Agricultural Sciences*, 3(2), 121–131.
- Ahmad, M. A., Javed, R., Adeel, M., Rizwan, M., & Yang, Y. (2020). PEG 6000-stimulated drought stress improves the attributes of *in vitro* growth, steviol glycosides production, and antioxidant activities in *Stevia rebaudiana* Bertoni. *Plants*, 9(11), Article 1552. <https://doi.org/10.3390/plants9111552>
- Akula, R., & Ravishankar, G. A. (2011). Influence of abiotic stress signals on secondary metabolites in plants. *Plant Signaling & Behavior*, 6(11), 1720–1731.
- Anand, S. (2010). Various approaches for secondary metabolite production through plant tissue culture. *Pharmacia*, 1(1), 1–7.
- Annisia, P. (2021). *Performa katekin (Uncaria gambir (Hunter) Roxb). dan propolis pada mencit dalam titer antibodi dengan vaksin H5N1*. Skripsi. Universitas Andalas, Padang.
- Ariati, S. N., Waeniati, W., Muslimin, M., & Suwastika, I. N. (2012). Induksi kalus tanaman kakao (*Theobroma cacao* L.) pada media MS dengan penambahan 2,4-D, BAP dan air kelapa. *Jurnal Natural Science*, 1(1), 74–84. <https://doi.org/10.22487/25411969.2012.v1.i1.1022>
- Ariyanti, P. R., & Aditya, M. A. (2016). Manfaat gambir (*Uncaria gambir* (Hunter) Roxb) sebagai antioksidan. *Medical Journal of Lampung University [MAJORITY]*, 5(3), 129–133.
- Ashar, J. R., Farhanah, A., Hamzah, P., Ismayanti, R., Tuhuteru, S., Yusuf, R., Yulianti, R., & Mardaleni, M. (2023). *Pengantar kultur jaringan tanaman*. Penerbit Widina.
- Azizah, I. S. (2010). *Respon kalus kedelai (Glycine max L. Merr) pada media B5 dengan penambahan PEG (Polyethylene Glycol) 6000 sebagai simulasi cekaman kekeringan*. Skripsi. Universitas Islam Negeri Maulana Malik Ibrahim, Malang.
- Babich, O., Sukhikh, S., Pungin, A., Ivanova, S., Asyakina, L., & Prosekov, A.

- (2020). Modern trends in the *in vitro* production and use of callus, suspension cells and root cultures of medicinal plants. *Molecules*, 25(24), 5805.
- Berutu, M. (2022). *Pengaruh pemberian jenis zat pengatur tumbuh (ZPT) alami terhadap stimulasi pertumbuhan stek tanaman gambir (Uncaria gambir (Hunter) Roxb)*. Skripsi. Universitas Medan Area, Medan.
- Budiarti, A., Ulfah, M., & Oktania, F. A. (2014). Aktivitas antioksidan fraksi kloroform ekstrak etanol daun sirsak (*Annona muricata L.*) dan identifikasi kandungan senyawa kimianya. *Prosiding SNST Fakultas Teknik*, 1(1), 1-6.
- Campbell, N. A., & Reece, J. B. (2002). *Biology*. Benjamin-Cummings Publishing Company.
- Cardoso, J. C., Oliveira, M. E. B. S. de, & Cardoso, F. de C. I. (2019). Advances and challenges on the *in vitro* production of secondary metabolites from medicinal plants. *Horticultura Brasileira*, 37(2), 124–132.
- Chawla, H. S. (2004). *Plant biotechnology laboratory manual for plant biotechnology*. Oxford & IBH Publishing Company Pvt. Ltd.
- De Klerck, K., Vander Heyden, Y., & Mangelings, D. (2014). Generic chiral method development in supercritical fluid chromatography and ultra-performance supercritical fluid chromatography. *Journal of Chromatography A*, 1363, 311–322. <https://doi.org/10.1016/j.chroma.2014.06.011>
- Deem, M. C., & Hein, J. E. (2023). A method for converting HPLC peak area from online reaction monitoring to concentration using nonlinear regression. *The Journal of Organic Chemistry*, 88(2), 1292–1297.
- Dewi, S. R., Argo, B. D., & Ulya, N. (2018). Kandungan flavonoid dan aktivitas antioksidan ekstrak *Pleurotus ostreatus*. *Rona Teknik Pertanian*, 11(1), 1–10.
- Dias, U. H., Zainal, A., & Yusniwati. (2025). The effect of various Ca²⁺ elicitor concentrations on catechin content in gambir (*Uncaria gambir* (Hunter) Roxb.) callus *in vitro* . *International Journal of Progressive Sciences and Technologies (IJPSAT)*, 50(2), 129–140.
- Direktorat Jenderal Perkebunan. (2026). *Buku statistik perkebunan 2024–2026 (Jilid II)*. Sekretariat Direktorat Jenderal Perkebunan, Kementerian Pertanian, Jakarta.
- Djarot, P., & Lestari, E. G. (2014). *Aplikasi teknik kultur in vitro* . CV Penulis Profesional Indonesia, Bandung.
- Djazuli, M. (2010). Pengaruh cekaman kekeringan terhadap pertumbuhan dan beberapa karakter morfo-fisiologis tanaman nilam. *Buletin Littro*, 21(1), 8–17.
- Ekawati, Y., Anggraeni, A., Prawestri, A. D., & Nurtjahya, E. (2022). Induksi kalus sisik umbi *Lilium longiflorum Thunb.* oleh auksin dan sitokinin, serta respons pertumbuhannya secara *in vitro* . *Agrosainstek: Jurnal Ilmu dan Teknologi Pertanian*, 6(2), 28–37.

- Eliane, M. T., Modeste, K. K., André, S. B., Edmond, K. K., & Mongomaké, K. (2019). Effect of water stress induced by *polyethylene glycol* 6000 on somatic embryogenesis in cocoa (*Theobroma cacao* L.). *Agricultural Sciences*, 10(9), 1240–1254.
- Ermianti, A. F., & Rosmeilisa, P. (2001). Analisis usahatani gambir di Sumatera Barat (studi kasus Kecamatan Harau, Kabupaten 50 Kota). *Jurnal Penelitian Tanaman Industri*, 7(3), 67–73. <https://doi.org/10.21082/jlitri.v7n3.2001.67-73>
- Espinosa-Leal, C. A., Puente-Garza, C. A., & García-Lara, S. (2018). *In vitro* plant tissue culture: means for production of biological active compounds. *Planta*, 248(1), 1–18. <https://doi.org/10.1007/s00425-018-2910-1>
- Fakhri, A. (2010). *Kultur in vitro tanaman Theobroma cacao dengan variasi polietilen glikol 6000 dan potensinya untuk produksi metabolit sekunder katekin*. Skripsi. Universitas Andalas, Padang.
- Farrant, J. M. (2000). A comparison of mechanisms of desiccation tolerance among three angiosperm resurrection plant species. *Plant Ecology*, 151(1), 29–39.
- Fazili, M. A., Bashir, I., Ahmad, M., Yaqoob, U., & Geelani, S. N. (2022). *In vitro* strategies for the enhancement of secondary metabolite production in plants: a review. *Bulletin of the National Research Centre*, 46(1), Article 35. <https://doi.org/10.1186/s42269-022-00717-z>
- Fiah, R. L., Taryono, & Toekidjo. (2014). Kemampuan regenerasi kalus empat klon tebu (*Saccharum officinarum* L.). *Vegetalika*, 3(1), 91–101. <https://doi.org/10.22146/veg.4018>
- Floegel, A., Kim, D.-O., Chung, S.-J., Koo, S. I., & Chun, O. K. (2011). Comparison of ABTS/DPPH assays to measure antioxidant capacity in popular antioxidant-rich US foods. *Journal of Food Composition and Analysis*, 24(7), 1043–1048.
- Godlewska, K., Pacyga, P., Najda, A., & Michalak, I. (2023). Investigation of chemical constituents and antioxidant activity of biologically active plant-derived natural products. *Molecules*, 28(14), Article 5572. <https://doi.org/10.3390/molecules28145572>
- Guérin, H. P., Delaveau, P. G., & Paris, R. R. (1971). Localisations histochimiques. II: Procédés simples de localisation de pigments flavoniques. Application à quelques phanérogames. *Bulletin de la Société Botanique de France*, 118(1–2), 29–36.
- Gultom, D. K., Saraswati, I., & Sasikirana, W. (2021). Penetapan kandungan fenolik total dan uji aktivitas antioksidan dengan metode DPPH (2,2-difenil-1-pikrilhidrazil) fraksi etil asetat ekstrak etanolik kubis ungu (*Brassica oleraceae* var. capitata L). *Generics: Journal of Research in Pharmacy*, 1(2), 79–87.
- Gurav, S. S., Gurav, N. S., Patil, A. T., & Duragkar, N. J. (2020). Effect of explant source, culture media, and growth regulators on callogenesis and expression of secondary metabolites of *Curcuma longa*. *Journal of Herbs, Spices &*

- Medicinal Plants*, 26(2), 172–190.
<https://doi.org/10.1080/10496475.2019.1689542>
- Gusmalawati, D., Indriyani, S., & Azrianingsih, R. (2013). Anatomi dan histokimia organ generatif *Amorphophallus muelleri*. *Floribunda*, 4(7), 175–181.
<https://doi.org/10.32556/floribunda.v4i7.2013.110>
- Habibah, N. A., Rahayu, E. S., & Anggraito, Y. U. (2021). *Buku ajar kultur jaringan tumbuhan*. Deepublish, Yogyakarta.
- Halder, M., Sarkar, S., & Jha, S. (2019). Elicitation: a biotechnological tool for enhanced production of secondary metabolites in hairy root cultures. *Engineering in Life Sciences*, 19(12), 880–895.
<https://doi.org/10.1002/elsc.201900058>
- Hanani, E. (2016). *Analisis fitokimia*. Penerbit Buku Kedokteran EGC, Jakarta.
- Hapsari, B. W., Martin, A. F., Rudiyanto, R., & Ermayanti, T. M. (2017). Perlakuan *polyethylene glycol* secara *in vitro* terhadap pertumbuhan tunas mutan taka untuk seleksi toleran kekeringan. *Prosiding Seminar Nasional 2017 Fakultas Pertanian UMJ*, 262–271.
- Hapsoro, D., Setiawan, D., Hamiranti, R., & Yusnita, Y. (2019). Pengaruh 2-iP, BA, 2,4-D, dan TDZ pada embriogenesis somatik *in vitro* kopi robusta unggul Lampung. *Jurnal Agrotek Tropika*, 7(3), 527–537.
- Harnis, Z. E., Barus, B. R., & Tarigan, P. (2021). Penyuluhan tentang manfaat daun gambir (*Uncaria gambir* (Hunter) Roxb.) sebagai obat kumur di Desa Patumbak. *Jurnal Pengabdian Masyarakat Putri Hijau*, 2(1), 34–37.
- He, F., Pan, Q.-H., Shi, Y., & Duan, C.-Q. (2008). Biosynthesis and genetic regulation of proanthocyanidins in plants. *Molecules*, 13(10), 2674–2703.
<https://doi.org/10.3390/molecules13102674>
- Herwin, H. (2017). Aktivitas antimikroba ekstrak daun teh hijau (*Camellia sinensis*) dan jati belanda (*Guazuma ulmifolia* Lamk.) terhadap mikroba patogen secara bioautography-TLC. *As-Syifaa Jurnal Farmasi*, 9(1), 92–98.
- Hidayat, F. (2022). *Pengolahan lahan gambir untuk pengelolaan DAS berkelanjutan*. UMSB Press, Padang.
- Hidayat, T., Jacoeb, A. M., & Putera, B. A. (2020). Aktivitas antioksidan *Caulerpa* sp. segar dan rebus. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 23(3), 566–575.
- Hidayati, M. D., & Rahmatulloh, A. (2022). Antioxidant activity of *Uncaria gambir* (Hunter) Roxb extracts. *Tropical Journal of Natural Product Research*, 6(8), 1215–1218.
- Hosseini, N. S., Ghasimi Hagh, Z., & Khoshghalb, H. (2020). Morphological, antioxidant enzyme activity and secondary metabolites accumulation in response of *polyethylene glycol*-induced osmotic stress in embryo-derived plantlets and callus cultures of *Salvia leriifolia*. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 140(1), 143–155.
- Hou, Y., Wang, Y., Liu, X., Ahmad, N., Wang, N., Jin, L., Yao, N., & Liu, X. (2023).

- A cinnamate 4-hydroxylase1 from safflower promotes flavonoids accumulation and stimulates antioxidant defense system in Arabidopsis. *International Journal of Molecular Sciences*, 24(6), Article 5393. <https://doi.org/10.3390/ijms24065393>
- Indah, P. N., & Ermavitalini, D. (2013). Induksi kalus daun nyamplung (*Calophyllum inophyllum* Linn.) pada beberapa kombinasi konsentrasi 6-Benzylaminopurine (BAP) dan 2,4-Dichlorophenoxyacetic Acid (2,4-D). *Jurnal Sains dan Seni ITS*, 2(1). <https://doi.org/10.12962/j23373520.v2i1.2571>
- Irianti, T. T., & Nuranto, S. (2021). *Antioksidan dan kesehatan*. UGM Press, Yogyakarta.
- Jannah, R., Suwirman, & Noli, Z. A. (2016). The effect of Cu²⁺ as an elicitor to *Artemisia vulgaris* callus in the provision of artemisinin as antimalarial. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*, 2(2), 155–158. <https://doi.org/10.13057/psnmbi/m020206>
- Jirna, I. N., & Ratih, G. A. M. (2021). Antimicrobial potential of kepok banana sheaths extract (*Musa paradisiaca formatypica*) on the growth of *Staphylococcus aureus* bacteria. *International Conference on Medical Laboratory Technology*, 1(1), 49–54.
- Johansen, D. A. (1940). *Plant microtechnique*. McGraw-Hill, New York.
- Kadapi, M., Sunarso, C., Erizon, M. S., Maharani, N. D., Hakim, M. S., & Zahra, I. H. A. (2024). Teknologi kultur *in vitro* untuk meningkatkan produksi metabolit sekunder pada berbagai tanaman obat. *Jurnal Agrosains dan Teknologi*, 9(1), 18–29.
- Katja, D. G., Farabi, K., Nurlelasari, Harneti, D., Mayanti, T., Supratman, U., Awang, K., & Hayashi, H. (2017). Cytotoxic constituents from the bark of *Chisocheton cumingianus* (Meliaceae). *Journal of Asian Natural Products Research*, 19(2), 194–200.
- Kedare, S. B., & Singh, R. P. (2011). Genesis and development of DPPH method of antioxidant assay. *Journal of Food Science and Technology*, 48(4), 412–422
- Kholifah, N., Shofiyani, A., Purnawanto, A. M., & Puspawiningtiyas, E. (2022). Pengaruh konsentrasi NAA dan TDZ (Thidiazuron) terhadap organogenesis kalus kencur (*Kaempferia galangal* L.). *Agritech*, 24(2), 1063–1411.
- Koche, D. K. (2014). Role of secondary metabolites in plants' defense mechanism. In K. H. Makde (Ed.), *A glimpse of current vistas in plant science research* (1–16). Hislop College Publication Cell, Nagpur.
- Laila, F. N. (2014). Produksi metabolit sekunder steviosida pada kultur kalus stevia (*Stevia rebaudiana* Bert. M.) dengan penambahan ZPT 2,4-D dan PEG (Polyethylene Glycol) 6000 pada media MS (Murashige & Skoog). *El-Hayah: Jurnal Biologi*, 4(2), 57–65.
- Lambert, J. D., & Elias, R. J. (2010). The antioxidant and pro-oxidant activities of green tea polyphenols: a role in cancer prevention. *Archives of Biochemistry*

and *Biophysics*, 501(1), 65–72.

- Li, X., & Zhang, L. (2012). SA and PEG-induced priming for water stress tolerance in rice seedling. In E. Zhu & S. Sambath (Eds.), *Information technology and agricultural engineering* (Vol. 134, 881–887). Springer, Berlin. https://doi.org/10.1007/978-3-642-27537-1_104
- Lokhande, V. H., Nikam, T. D., & Penna, S. (2010). Differential osmotic adjustment to iso-osmotic NaCl and PEG stress in the *in vitro* cultures of *Sesuvium portulacastrum* (L.) L. *Journal of Crop Science and Biotechnology*, 13(4), 251–256.
- Ma, Y., Ding, S., Fei, Y., Liu, G., Jang, H., & Fang, J. (2019). Antimicrobial activity of anthocyanins and catechins against foodborne pathogens *Escherichia coli* and *Salmonella*. *Food Control*, 106, Article 106712. <https://doi.org/10.1016/j.foodcont.2019.106712>
- Maghfiroh, L., Rahayu, T., & Hayati, A. (2018). Profil histokimia dan analisis *in silico* senyawa metabolit sekunder pada daun zaitun (*Olea europaea* L.). *Jurnal SAINS ALAMI (Known Nature)*, 1(1), 74–86. <https://doi.org/10.33474/j.sa.v1i1.1132>
- Maligan, J. M., Lestary, M., & Wani, Y. A. (2017). Perbedaan aktivitas antioksidan kecambah beras coklat (*Oryza sativa* L.) berdasarkan lama proses elisitasi dan waktu perkecambahan. *Indonesian Journal of Human Nutrition*, 4(2), 108–116.
- Manjula, R., & Mythili, T. (2012). Improved phytochemical production using biotic and abiotic elicitors in *Marsilea quadrifolia*. *International Journal of Current Science*, 2(1), 98–101.
- Martínez-Santos, E., Cruz-Cruz, C. A., Spinoso-Castillo, J. L., & Bello-Bello, J. J. (2021). *In vitro* response of vanilla (*Vanilla planifolia* Jacks. ex Andrews) to PEG-induced osmotic stress. *Scientific Reports*, 11, Article 22611. <https://doi.org/10.1038/s41598-021-02207-0>
- Mechchate, H., Es-Safi, I., Haddad, H., Bekkari, H., Grafov, A., & Bousta, D. (2021). Combination of catechin, epicatechin, and rutin: optimization of a novel complete antidiabetic formulation using a mixture design approach. *The Journal of Nutritional Biochemistry*, 88, Article 108520. <https://doi.org/10.1016/j.jnutbio.2020.108520>
- Min, B., & Kwon, T. K. (2014). Catechins as potential anti-cancer agents. *Journal of Biochemical and Molecular Toxicology*, 28(7), 315–320.
- Mishra, N., Tripathi, M. K., Tiwari, S., Tripathi, N., Sapre, S., Ahuja, A., & Tiwari, S. (2021). Cell suspension culture and *in vitro* screening for drought tolerance in soybean using poly-ethylene glycol. *Plants*, 10(3), Article 517. <https://doi.org/10.3390/plants10030517>
- Molyneux, P. (2004). The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin Journal of Science and Technology*, 26(2), 211–219.
- Morton, J. F. (1992). Widespread tannin intake via stimulants and masticatories,

- especially guarana, kola nut, betel vine, and accessories. In *Plant polyphenols: synthesis, properties, significance* (739–765). Plenum Press, New York.
- Muliyah, E. (2017). *Analisis struktur sekretori, histokimia, fitokimia, dan potensi antibakteri tumbuhan obat antiinfeksi di Taman Nasional Bukit Duabelas, Jambi*. Tesis. Institut Pertanian Bogor, Bogor.
- Muscolo, A., Sidari, M., Anastasi, U., Santonoceto, C., & Maggio, A. (2014). Effect of PEG-induced drought stress on seed germination of four lentil genotypes. *Journal of Plant Interactions*, 9(1), 354–363. <https://doi.org/10.1080/17429145.2014.905801>
- Mustika Aria, Y. (2015). *Eksplorasi dan identifikasi plasma nutfah gambir (Uncaria gambir (Hunter) Roxb). pada bekas perladangan gambir di Padang*. Skripsi. Universitas Andalas, Padang.
- Namdeo, A. G. (2007). Plant cell elicitation for production of secondary metabolites: A review. *Pharmacognosy Reviews*, 1(1), 69–79.
- Narayani, M., & Srivastava, S. (2017). Elicitation: a stimulation of stress in *in vitro* plant cell/tissue cultures for enhancement of secondary metabolite production. *Phytochemistry Reviews*, 16(6), 1227–1252. <https://doi.org/10.1007/s11101-017-9534-0>
- Nasution, N. H., & Nasution, I. W. (2022). *Induksi kalus manggis (Garcinia mangostana L.): sebuah teknik dalam kultur jaringan tanaman*. Penerbit NEM, Pekalongan.
- Ndruru, H. S., Telambanua, P. H., Nazara, R. V., & Gulo, S. D. (2024). Elicitor utilization in plants. *Jurnal Sapta Agrica*, 3(1), 39–51.
- Novelina, S., Satyaningtijas, A. S., Agungpriyono, S., Setijanto, H., & Sigit, K. (2010). Morfologi dan histokimia kelenjar mandibularis walet linchi (*Collocalia linchi*) selama satu musim berbiak dan bersarang. *Jurnal Kedokteran Hewan*, 4(1), 194–202. <https://doi.org/10.21157/j.ked.hewan.v4i1.3803>
- Novitasari, L., Nurokhman, A., Habisukan, U. H., Metalisa, E., Haniawasniati, N., Rahayu, S. C., & Abdullah, A. R. (2022). Respon tangkai daun duku terhadap kultur jaringan pada media MS (Murashige and Skoog). *Prosiding Seminar Nasional Pendidikan Biologi*, 5(1), 214–220.
- Nurlelarsi, N., Muflihah, L. F., Wardoyo, M. M., Harneti, D., Puspa, H., & Awang, K. (2014). Senyawa 7-hidroksi-6-metoksi kumarin yang bersifat sitotoksik dari kulit batang *Chisocheton macrophyllus* (Meliaceae). *Bionatura: Jurnal Ilmu-ilmu Hayati dan Fisik*, 16(1), 59–61.
- Oktavia, N. S., & Darwanto, D. (2019). *Analisis faktor-faktor yang mempengaruhi produksi komoditas gambir (kasus: Kecamatan Kapur IX, Kabupaten Lima Puluh Kota, Provinsi Sumatera Barat)*. Skripsi. Universitas Diponegoro, Semarang.
- Omer, R. A., Ali, A. M., Matheka, J. M., & Machuka, J. (2008). Regeneration of Sudanese maize inbred lines and open pollinated varieties. *African Journal*

of Biotechnology, 7(11), 1759–1764.

- Pachipala, G., Vemula, R., Reddy, P. V. B., S. Karuppusamy, K., & Chadipiralla, K. (2009). A review on trends in production of secondary metabolites from higher plants by in vitro tissue, organ and cell cultures. *Journal of Medicinal Plants Research*, 17(3), 959–967.
- Pandiangan, S., & Nainggolan, T. (2006). Pengaruh pemberian giberelin (GA3) dan air kelapa terhadap pertumbuhan planlet tanaman anggrek (*Dendrobium* sp.) secara *in vitro*. *Jurnal Komunikasi Penelitian*, 18(2), 30–33.
- Panjaitan, E. (2005). Respon pertumbuhan tanaman anggrek (*Dendrobium* sp.) terhadap pemberian BAP dan NAA secara *in vitro*. *Jurnal Penelitian Bidang Ilmu Pertanian*, 3(3), 45–51.
- Phongmaykin, J., Kumamoto, T., Ishikawa, T., Suttisri, R., & Saifah, E. (2008). A new sesquiterpene and other terpenoid constituents of *Chisocheton penduliflorus*. *Archives of Pharmacal Research*, 31(1), 21–27. <https://doi.org/10.1007/s12272-008-1115-8>
- Pratama, A. W., Lestari, S. R., Gofur, A., & Rakhmawati, Y. (2022). Skrining fitokimia, total fenol, dan aktivitas antioksidan ekstrak metanol tangkai sisir buah pisang agung. *Jurnal Pangan dan Gizi*, 12(2), 14–21.
- Purnawanto, A. M., & Carmelita, V. (2021). Respon kalus kencur (*Kaempferia galanga* L.) terhadap cekaman kekeringan dengan perlakuan polyethylene glycol 6000 dan naphthanele acetic acid. *Agrotech: Jurnal Fakultas Pertanian Universitas Muhammadiyah Purwokerto*, 23(2), 137–143.
- Putri, Y. A., Zainal, A., & Warnita, W. (2025). Pengaruh pemberian beberapa konsentrasi elisitor Cu²⁺ terhadap kandungan katekin pada kalus tanaman gambir (*Uncaria gambir* (Hunter) Roxb) secara *in vitro*. *Agroteknika*, 8(3), 628–641.
- Rahardiyan, D. (2019). Antibacterial potential of catechin of tea (*Camellia sinensis*) and its applications. *Food Research*, 3(1), 1–6.
- Rahayu, N. (2016). *Uji aktivitas gel isolat katekin gambir (Uncaria gambir (Hunter) Roxb). terhadap penyembuhan luka bakar pada tikus putih (Rattus norvegicus) jantan galur Sprague Dawley*. Skripsi. UIN Syarif Hidayatullah, Jakarta.
- Rahmah, M. (2023). Pemanfaatan gambir. Dalam *Gambir: Sejarah, budidaya, dan pemanfaatannya*. Padang: CV Gita Lentera.
- Ramadhan, T. R., & Habibah, N. A. (2023). Induksi kalus dari eksplan umbi bawang merah (*Allium ascalonicum* L var. Bima Brebes) dengan penambahan BAP dan Pikloram. *Indonesian Journal of Mathematics and Natural Sciences*, 46(2), 53–60.
- Rao, S., & Ftz, J. (2013). *In vitro* selection and characterization of polyethylene glycol (PEG) tolerant callus lines and regeneration of plantlets from the selected callus lines in sugarcane (*Saccharum officinarum* L.). *Physiology and Molecular Biology of Plants*, 19(2), 261–268.
- Rasud, Y., Basri, Z., & Sahiri, N. (2019). Induksi kalus cengkeh dari eksplan daun

- menggunakan 2,4-D secara *in vitro*. *J-PEN Borneo: Jurnal Ilmu Pertanian*, 2(2), 52–59. <https://doi.org/10.35334/jpen.v2i3.1533>
- Ratih, G. A. M., & Habibah, N. (2022). Formulation and analysis of alcohol content in pineapple infused arak Bali with gas chromatography. *International Journal of Natural Science and Engineering*, 6(3), 91–98.
- Redha, A. (2010). Flavonoid: struktur, sifat antioksidatif dan peranannya dalam sistem biologis. *Jurnal Belian*, 9(2), 196–202.
- Retnaningati, D., Hermanto, H., Purwijantiningsih, E., & Solle, H. R. L. (2021). Pertumbuhan kalus dan produksi katekin pada kultur *in vitro* kalus teh (*Camelia sinensis* L.) dengan penambahan elisitor Ca²⁺ dan Cu²⁺. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 6(3), 192–202.
- Robles-Martínez, M., Barba-de La Rosa, A. P., Guéraud, F., Negre-Salvayre, A., Rossignol, M., & Santos-Díaz, M. del S. (2016). Establishment of callus and cell suspensions of wild and domesticated *Opuntia* species: study on their potential as a source of metabolite production. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 124(1), 181–189.
- Sa'diyah, U. (2019). *Peningkatan kandungan flavonoid kalus delima hitam (Punica granatum l.) dengan penambahan polyethylene glycol (PEG) 6000 melalui teknik in vitro*. Skripsi. Universitas Islam Negeri Maulana Malik Ibrahim, Malang.
- Sahoo, M. R., Devi, T. R., Dasgupta, M., Nongdam, P., & Prakash, N. (2020). Reactive oxygen species scavenging mechanisms associated with polyethylene glycol mediated osmotic stress tolerance in Chinese potato. *Scientific Reports*, 10, Article 5404. <https://doi.org/10.1038/s41598-020-62317-z>
- Šamec, D., Karalija, E., Šola, I., Vujčić Bok, V., & Salopek-Sondi, B. (2021). The role of polyphenols in abiotic stress response: The influence of molecular structure. *Plants*, 10(1), Article 118. <https://doi.org/10.3390/plants10010118>
- Samiun, A., De Queljoe, E., & Antasionasti, I. (2020). Uji efektivitas senyawa flavonoid dari ekstrak etanol daun sawilangit (*Vernonia cinerea* (L.) Less) sebagai antipiretik pada tikus putih jantan galur wistar (*Rattus norvegicus*) yang diinduksi vaksin DPT. *Pharmakon*, 9(4), 572–580.
- Santoso, B. A. D. (2022). *Teknologi pengolahan gambir* (N. A. Wulandari, Ed.). CV. Amerta Media, Purwokerto.
- Sebayang, L. (2013). *Budidaya dan pengolahan gambir*. Balai Pengkajian Teknologi Pertanian Sumatera Utara, Medan.
- Sebayang, L. (2014). *Inovasi teknologi gambir di Kabupaten Pakpak Barat*. Balai Pengkajian Teknologi Pertanian Sumatera Utara, Medan.
- Sharma, A., Shahzad, B., Rehman, A., Bhardwaj, R., Landi, M., & Zheng, B. (2019). Response of phenylpropanoid pathway and the role of polyphenols in plants under abiotic stress. *Molecules*, 24(13), Article 2452. <https://doi.org/10.3390/molecules24132452>

- Shilpa, K., Varun, K., & Lakshmi, B. S. (2010). An alternate method of natural drug production: eliciting secondary metabolite production using plant cell culture. *Journal of Plant Sciences*, 5(3), 222–247.
- Shimizu, M., Shirakami, Y., & Moriwaki, H. (2015). Anticarcinogenic and chemopreventive effects of green tea catechins. *Current Molecular Medicine*, 15(3), 165–177.
- Sinta, M. M., Riyadi, I., & Sumaryono. (2014). Identifikasi dan pencegahan kontaminasi pada kultur cair sistem perendaman sesaat. *Menara Perkebunan*, 82(2), 64–69. <https://doi.org/10.22302/iribb.jur.mp.v82i2.21>
- Sugito, K. (2017). *Kemampuan daya hambat sediaan gambir (Uncaria gambir (Hunter) Roxb). terpurifikasi dengan kandungan katekin > 90% terhadap Candida albicans*. Skripsi. Universitas Hasanuddin, Makassar.
- Sulichantini, E. D. (2015). Produksi metabolit sekunder melalui kultur jaringan. *Proceeding of Mulawarman Pharmaceuticals Conferences*, 1, 205–212. <https://doi.org/10.25026/mpc.v1i1.27>
- Sultana, S., Hossain, M. L., Sostaric, T., Lim, L. Y., Foster, K. J., & Locher, C. (2024). Investigating flavonoids by HPTLC analysis using aluminium chloride as derivatization reagent. *Molecules*, 29(21), Article 5161.
- Supratman, U., Naibaho, W., Salam, S., Maharani, R., Hidayat, A. T., Harneti, D., & Shiono, Y. (2019). Cytotoxic triterpenoids from the bark of *Chisocheton patens* Blume (Meliaceae). *Phytochemistry Letters*, 30, 81–87. <https://doi.org/10.1016/j.phytol.2019.01.034>
- Sutini, Widiwujani, N. Augustien, Guniarti, D. H. Pribadi, D. A. Purwanto, & W. Muslihatin. (2020). Teknologi kultur *in vitro* untuk produksi metabolit sekunder dan pengembangan tanaman yang tahan terhadap perubahan iklim. *Seminar Nasional Magister Agroteknologi Fakultas Pertanian UPN “Veteran” Jawa Timur (NST Proceedings)*, 30–36. <https://doi.org/10.11594/nstp.2020.0604>
- Swadiyasa, K., Puspawati, N. M., & Asih, I. (2019). Potensi ekstrak daun cendana (*Santalum album* L.) sebagai senyawa penghambat jamur *Candida albicans*. *Jurnal Kimia (Journal of Chemistry)*, 13(2), 159–165.
- Syam, N., Numba, S., & Imaniar, M. (2024). Increasing flavonoid compounds through the use of elicitors in callus culture *Catharanthus roseus* L. *Jurnal Penelitian Pertanian Terapan*, 24(3), 366–374.
- Tabiyeh, D. T., Bernard, F., & Shacker, H. (2005). Investigation of glutathione, salicylic acid and GA3 effects on browning in *Pistacia vera* shoot tips culture. *IV International Symposium on Pistachios and Almonds*, 726, 201–204.
- Tanner, G. J., Francki, K. T., Abrahams, S., Watson, J. M., Larkin, P. J., & Ashton, A. R. (2003). Proanthocyanidin biosynthesis in plants: purification of legume leucoanthocyanidin reductase and molecular cloning of its cDNA. *Journal of Biological Chemistry*, 278(34), 31647–31656. <https://doi.org/10.1074/jbc.M302783200>

- Udarno, L., & Setiyono, R. T. (2013). Biologi bunga dua varietas gambir (*Uncaria gambir* (Hunter) Roxb.) di kebun Pakuwon. *Jurnal Sirinov*, 1(2), 83–88.
- Utomo, A. T. G., Zainal, A., & Yusniwati, Y. (2024). Induksi kalus tanaman gambir (*Uncaria gambir* (Hunter) Roxb.) pada beberapa konsentrasi 2,4-D secara *in vitro*. *Agroteknika*, 7(2), 264–274.
- Utomo, S. D., Hidayat, K. F., Edy, A., Sa'diyah, N., Indriyani, R., Halimatusosidah, E., & Yustina, H. (2021). Hibridisasi buatan kacang tanah dan fenotipe karakter tipe pertumbuhan, ukuran polong, dan jumlah biji per polong tanaman F1 hasil hibridisasi. *Jurnal Agrotropika*, 20(1), 49. <https://doi.org/10.23960/ja.v20i1.4886>
- Vashisth, D., Kumar, R., Rastogi, S., Patel, V. K., Kalra, A., Gupta, M. M., Gupta, A. K., & Shasany, A. K. (2018). Transcriptome changes induced by abiotic stresses in *Artemisia annua*. *Scientific Reports*, 8(1), Article 3423. <https://doi.org/10.1038/s41598-018-21598-1>
- Verslues, P. E., Agarwal, M., Katiyar-Agarwal, S., Zhu, J., & Zhu, J.-K. (2006). Methods and concepts in quantifying resistance to drought, salt and freezing, abiotic stresses that affect plant water status. *The Plant Journal*, 45(4), 523–539. <https://doi.org/10.1111/j.1365-3113X.2005.02593.x>
- W Caldwell, G., Yan, Z., Lang, W., & A Masucci, J. (2012). The IC50 concept revisited. *Current Topics in Medicinal Chemistry*, 12(11), 1282–1290.
- Wahyuni, A., Satria, B., & Zainal, A. (2020). Induksi kalus gaharu dengan NAA dan BAP secara *in vitro*. *Agrosains: Jurnal Penelitian Agronomi*, 22(1), 39–44.
- Wang, T., Li, Q., & Bi, K. (2018). Bioactive flavonoids in medicinal plants: structure, activity and biological fate. *Asian Journal of Pharmaceutical Sciences*, 13(1), 12–23. <https://doi.org/10.1016/j.ajps.2017.08.004>
- Wawrosch, C., & Zotchev, S. B. (2021). Production of bioactive plant secondary metabolites through *in vitro* technologies—status and outlook. *Applied Microbiology and Biotechnology*, 105(18), 6649–6668. <https://doi.org/10.1007/s00253-021-11539-w>
- Weisshaar, B., & Jenkins, G. I. (1998). Phenylpropanoid biosynthesis and its regulation. *Current Opinion in Plant Biology*, 1(3), 251–257. [https://doi.org/10.1016/S1369-5266\(98\)80113-1](https://doi.org/10.1016/S1369-5266(98)80113-1)
- Widoretno, W., & Arumningtyas, E. L. (2003). Metode induksi pembentukan embrio somatik dari kotiledon dan regenerasi plantlet kedelai secara *in vitro*. *Hayati*, 10(1), 19–24.
- Wijaya, B. E., Dwiyani, R., & Mayadewi, N. N. A. (2023). Induksi dan multiplikasi kalus *Eucalyptus sp.* pada berbagai media Callus Induction Medium (CIM) secara *in vitro*. *Agrotrop: Journal on Agriculture Science*, 13(1), 76–84.
- Wulansari, C., & Chairul, C. (2011). Penapisan aktivitas antioksidan dari beberapa tumbuhan obat Indonesia menggunakan radikal 2,2-diphenyl-1-picrylhydrazyl (DPPH). *Majalah Obat Tradisional*, 16(1), 22–25.
- Xu, A., & Wei, C. (2020). Comprehensive comparison and applications of different

sections in investigating the microstructure and histochemistry of cereal kernels. *Plant Methods*, 16(1), 8.

- Yuliana, Y., & Fatmawati, S. (2018). Senyawa metabolit sekunder dan aspek farmakologi dari *Alocasia macrorrhizos*. *Akta Kimia Indonesia*, 3(1), 141–158.
- Yuliarti, N. (2024). *Kultur jaringan tanaman skala rumah tangga*. Penerbit Andi, Yogyakarta.
- Yuliasti, Nilahayati, Tiffani, & Harsanti, L. (2026). Screening of gamma-irradiated soybean mutants for drought tolerance through *in vitro* PEG selection and field performance. *Agricultural Science Digest - A Research Journal*. <https://doi.org/10.18805/ag.df-810>
- Yulinda, E. (2010). *Kultur in vitro tanaman Centella asiatica dengan beberapa konsentrasi polietilen glikol (PEG) 6000 dan potensinya untuk produksi metabolit sekunder triterpenoid*. Skripsi. Universitas Andalas, Padang.
- Yuniardi, F. (2019). Aplikasi dimmer switch pada rak kultur sebagai pengatur kebutuhan intensitas cahaya optimum bagi tanaman *in vitro*. *Indonesian Journal of Laboratory*, 1(4), 8–13.
- Yuniarti, R., Nadia, S., Alamanda, A., Zubir, M., Syahputra, R. A., & Nizam, M. (2020). Characterization, phytochemical screenings and antioxidant activity test of kratom leaf ethanol extract (*Mitragyna speciosa* Korth) using DPPH method. *Journal of Physics: Conference Series*, 1462(1), Article 012026.
- Yunita, O., Sukweenadhi, J., Krisnawan, A. H., & Azminah, A. (2024). *Bioproses dan kontrol kualitas kultur jaringan tanaman*. Deepublish Publisher, Yogyakarta.
- Zainal, A., Ferita, Istino, G., & Warnita. (2022). *Kajian karakterisasi terkait potensi kadar katekin pada tanaman gambir (Uncaria gambir (Hunter) Roxb)*. Media Sains Indonesia, Bandung.
- Zhang, C., & Shi, S. (2018). Physiological and proteomic responses of contrasting alfalfa (*Medicago sativa* L.) varieties to PEG-induced osmotic stress. *Frontiers in Plant Science*, 9, 242.
- Zhao, D., Tao, J., Han, C., & Ge, J. (2012). Flower color diversity revealed by differential expression of flavonoid biosynthetic genes and flavonoid accumulation in herbaceous peony (*Paeonia lactiflora* Pall.). *Molecular Biology Reports*, 39(12), 11263–11275.
- Zulhilmi, Suwirmen, & Surya, N. W. (2012). Pertumbuhan dan uji kualitatif kandungan metabolit sekunder kalus gatang (*Spilanthes acmella* Murr.) dengan penambahan PEG untuk menginduksi cekaman kekeringan. *Jurnal Biologi UNAND*, 1(1), 1–8. <https://doi.org/10.25077/jbioua.1.1.%25p.2012>
- Zulkarnain. (2024). *Kultur jaringan tanaman: Solusi perbanyak tanaman budi daya*. Jakarta: Bumi Aksara.