

DAFTAR PUSTAKA

- Abd-Elghany, S. E., Moustafa, A. A., Gomaa, N. H., & Hamed, B. A. (2021). Mycorrhizal impact on ocimum basilicum grown under drought stress. *Beni-Suef University Journal of Basic and Applied Sciences*, 10, 1–13.
- Abdullaev, F., Pirogova, P., Vodeneev, V., & Sherstneva, O. (2024). Chlorophyll fluorescence in wheat breeding for heat. *Plants*, 13, 1–19.
- Advinda, L. (2018). *Dasar-dasar fisiologi tumbuhan*. Yogyakarta: Deepublish.
- Ajit, V., Ram, P., & Narendra, T. (2018). *Mycorrhiza - Nutrient uptake, biocontrol, ecorestoration*. Cham Switzerland: Springer International Publishing.
- Alemu, S. T. (2020). Photosynthesis limiting stresses under climate change scenarios and role of chlorophyll fluorescence: a review article. *Cogent Food & Agriculture* (2020), 6, 1–18.
- Ali, M., Pratiwi, Y. I., & Huda, N. (2022). *Budidaya tanaman sayur-sayuran*. Malang: Rena Cipta Mandiri.
- Anshar, M., Tohari, Sunarminto, B. H., & Sulistyaningsih, E. (2013). Tanggapan fisiologi dan hasil bawang merah (*Allium cepa* L. kelompok Ageratum) terhadap lengas tanah dan ketinggian tempat berbeda. *Biota*, 18(1), 1–10.
- Ardi, E. (2021). *Bawang Merah: Teknik budidaya dan peluang usahanya*. Yogyakarta: Trans Idea Publishing.
- Arifah, S. M., Irawan, C., Septia, E. D., Zakia, A., & Pangestika, P. (2025). Evaluating soil improvers for enhancing soil quality in shallot production. *BIO Web of Conferences*, 201, 1–9.
- Arini, N., Anwar, K., & Abdillah, A. Y. (2025). Respon pertumbuhan dan hasil tanaman bawang merah (*Allium ascalonicum*) terhadap pemberian mikoriza dan biochar padi di lahan pasir. *Jurnal Pertanian Terpadu*, 13(1), 77–84.
- Arnon, D. I. (1949). Copper enzymes in isolated chloroplasts. Polyphenoloxidase in *Beta vulgaris*. *Plant Physiology*, 24(1), 1–15.
- Arrijani, & Kamaluddin. (2022). *Buku ajar taksonomi tumbuhan 1*. Grobogan: CV. Sarnu Untung.
- Aryanta, I. W. R. (2019). Bawang merah dan manfaatnya bagi kesehatan. *Widya Kesehatan*, 1(1), 1–7.
- Badan Meteorologi, Klimatologi dan Geofisika. (2025). *Prediksi musim kemarau tahun 2025 di Indonesia*.

- Badan Pusat Statistik. (2026). *Produksi tanaman sayuran dan buah-buahan semusim menurut provinsi dan jenis tanaman, 2025*.
- Bharath, P., Gahir, S., & Raghavendra, A. S. (2021). Absciscic acid-induced stomatal closure: an important component of plant defense against abiotic and biotic stress. *Frontiers in Plant Science*, 12, 1–18.
- Bitterlich, M., Jansa, J., Graefe, J., Pauwels, R., Sudov'a, R., Rydlov, J., & Püschel, D. (2024). Drought accentuates the role of mycorrhiza in phosphorus uptake, part II – The intraradical enzymatic response. *Soil Biology and Biochemistry*, 193, 1–8.
- Brundrett, M. (2004). Diversity and classification of mycorrhizal associations. *Biological Reviews*, 79, 473–495.
- Chen, S., Zhao, H., Zou, C., Li, Y., Chen, Y., Wang, Z., Jiang, Y., Liu, A., Zhao, P., Wang, M., & Ahammed, G. J. (2017). Combined inoculation with multiple arbuscular mycorrhizal fungi improves growth, nutrient uptake and photosynthesis in cucumber seedlings. *Frontiers in Microbiology*, 8, 1–11.
- Cheng, S., Zou, Y.-N., Kuca, K., Hashem, A., Abd Allah, E. F., & Wu, Q.-S. (2021). Elucidating the mechanisms underlying enhanced drought tolerance in plants mediated by arbuscular mycorrhizal fungi. *Frontiers in Microbiology*, 12, 1–16.
- Direktorat Sayuran dan Tanaman Obat. (2017). *Pedoman budidaya bawang merah menggunakan benih biji*. Kementerian Pertanian.
- Farid, H. A., Lestari, U., Kisman, Martia, D. S., & Tufaila, H. (2025). Performance of shallot local landraces planted in several tuber sizes under drought stress conditions: a study in the Indonesia. *Russian Journal of Agricultural and Socio-Economic Sciences*, 1, 106–116.
- Faridah, S. N. (2024). *Irigasi permukaan*. Makassar: CV.Idebuku.
- Fau, M. B., Rai, I. N., Wiraatmaja, I. W., & Mayadewi, N. N. A. (2024). Pengaruh kadar air tanah dan jumlah tanaman inang berbeda. *Plumula: Berkala Ilmiah Agroteknologi*, 12(2), 77–86.
- Fibrianty, Afriani, R., Pujiastuti, E., & Purwaningsih. (2022). Perbandingan produksi bawang merah varietas Bima Brebes pada dua jenis tanah dengan perbedaan tingkat kemasaman. *Prosiding Seminar Nasional Fakultas Pertanian dan Perikanan*, 1–3.
- Foth, H. D. (1990). *Fundamentals of soil sciences*. New York: John Wiley & Sons.
- Gedam, P. A., Thangasamy, A., Shirsat, D. V, Ghosh, S., Bhagat, K. ., Sogam, O. A., Gupta, A. ., Mahajen, V., Sourmia, P. ., Salunkhe, V. N., Khade, Y. P., Gawande, S. J., Hanjagi, P. S., Ramakrishnan, R. S., & Singh, M. (2021).

Screening of onion (*Allium cepa* L.) genotypes for drought tolerance using physiological and yield based indices through multivariate analysis. *Frontiers in Plant Science*, 12, 1–16.

Ginting, T. H. U., Ginting, J., & Damanik, R. I. M. (2024). Morfologi bawang merah (*Allium ascalonicum* L.) pada cekaman kekeringan terhadap aplikasi asam salisilat. *Jurnal Budidaya Pertanian*, 20(1), 90–98.

Gorgues, L., Li, X., Maurel, C., Martinière, A., & Nacry, P. (2022). Root osmotic sensing from local perception to systemic responses. *Stress Biology*, 2(36), 1–21.

Hadiawati, L., Suriadi, A., & Irianty, F. (2017). Penurunan hasil bawang merah akibat kekeringan pada beberapa fase pertumbuhan. *Seminar Nasional : Mewujudkan Kedaulatan Pangan Melalui Penerapan Inovasi Teknologi Pertanian Spesifik Lokasi Pada Kawasan Pertanian*, 287–292.

Handayanto, E., & Hairiah, K. (2009). *Biologi tanah: landasan pengelolaan tanah sehat*. Yogyakarta: Pustaka Adipura.

Haryanti, S. (2010). Jumlah dan distribusi stomata pada daun beberapa spesies tanaman dikotil dan monokotil. *Buletin Anatomi Dan Fisiologi*, 18(2), 21–28.

Hasanuzzaman, M., Hakeem, K. R., Nahar, K., & Alharby, H. F. (2019). *Plant abiotic stress tolerance*. Cham Switzerland: Springer Nature Switzerland AG.

Hasanuzzaman, M., Zhou, M., & Shabala, S. (2023). How does stomatal density and residual transpiration contribute to osmotic stress tolerance? *Plants*, 12, 1–19.

Hu, X., Gu, T., Khan, I., Zada, A., & Jia, T. (2021). Research progress in the interconversion, turnover and degradation of chlorophyll. *Cells*, 10, 1–14.

Ilmiyah, A. (2024). Peran mikoriza dalam meningkatkan produktivitas tanaman pertanian di daerah tropis. *Maliki Interdisciplinary Journal*, 2(11), 1–6.

Jaleel, C. A., Paramasivam, M., Wahid, A., Farooq, M., AL-Juburi, H. J., Samasundaram, R., & Panneerselvam, R. (2009). Drought stress in plants: a review on morphological characteristics and pigments composition. *International Journal Of Agriculture & Biology*, 11(1), 100–105.

Johnson, N. C., Graham, J. H., & Smith, F. A. (1997). Functioning of mycorrhizal associations along the mutualism – parasitism continuum. *New Phytol*, 135, 575–585.

Kementerian Pertanian. (2023). *Petunjuk teknis edisi 3 analisis kimia tanah, tanaman, air, dan pupuk*. Bogor: Kementerian Pertanian 2023.

- Kementerian Pertanian. (2026). *Buletin konsumsi pangan: volume 17 nomor 1 tahun 2026*. Bogor: Pusat Data dan Sistem Informasi Pertanian.
- Kinoshita, T., Hayashi, T., Yamauchi, D., & Yamamoto, T. (2024). Quantitative analysis of factors affecting bulb yield in terms of dry matter production across different planting dates and cultivars in spring-sown onions. *Scientia Horticulturae*, 338, 113726.
- Kormanik, P. P., & McGraw, A.-C. (1982). Quantification of vesicular-arbuscular mycorrhizae in plant roots. In *methods and principles of mycorrhizal research* (pp. 37–45). Minnesota: American Phytopathological Society.
- Krishnamoorthy, M., Kamaruzali, A., Toh, L. S., Sahud, N. A. M., Khairulazlan, K. N., Jusoh, M., Mujaib, A. A. M., Khalid, K., Fleming, A., & Yaapar, N. (2025). Prospect for vegetative bulbs productions and enlargement of rose onion (*Allium cepa* L.) via agro-physiological optimization in tropical climate. *Caraka Tani: Journal of Sustainable Agriculture*, 40(3), 404–424.
- Kurnia, U., Agus, F., Adimihardja, A., & Dariah, A. (2006). *Sifat fisik tanah dan metode analisisnya*. Bogor: Balai Besar Penelitian dan Pengembangan Sumberdaya Lahan Pertanian.
- Lapanjang, I. M., Purwoko, B. S., Hariyadi, Wilarso, S., & Melati, M. (2011). Efektivitas Fungi Mikoriza Arbuskular dengan provenan jarak pagar pada cekaman kekeringan. *Jurnal Agrotropika*, 16(1), 29–37.
- Li, X., Li, R., Wang, K., Kong, Y., Lv, Y., Cao, B., Gao, S., Xu, K., Chen, Z., & Xu, K. (2025). Physiological mechanism of welsh onion (*Allium fistulosum* L.) in response to high temperature and waterlogging stress. *Agronomy*, 15, 1–15.
- Ma, Y., Dias, M. C., & Freitas, H. (2020). Drought and salinity stress responses and microbe-induced tolerance in plants. *Frontiers in Plant Science*, 11, 1–18.
- Madouh, T. A., & Quoreshi, A. M. (2023). The function of arbuscular mycorrhizal fungi associated with drought stress resistance in native plants of arid desert ecosystems: a review. *Diversity*, 15, 1–17.
- Mardiana, L., & Siswanti, D. U. (2024). Biofertilizers improve growth rate, nitrate reductase activity, and productivity of shallot (*Allium cepa* L.) under drought stress. *Biogenesis: Journal Ilmiah Biologi*, 12(2), 28–39.
- Marzec, M., Muszynska, A., & Gruszka, D. (2013). The role of strigolactones in nutrient-stress responses in plants. *International Journal of Molecular Sciences*, 14, 9286–9304.
- Matniyazova, H., Nabiev, S., Kholikova, M., & Mavlonova, G. (2023). Physiological and biochemical parameters of soybean genotypes. *SABRAO: Journal of Breeding and Genetics*, 55(4), 1094–1108.

- Menteri Pertanian. (1984). Surat keputusan menteri pertanian pemberian tanda daftar varietas tanaman hortikultura bawang merah Bima Brebes. No. 594/Kpts/TP 290/8/1984.
- Munawaroh, U., Susilowati, Yulianto, M. R., Rosyida, D. R., Setyaningsih, A. D., & Ayuningtyas. (2025). Robustness of soil phosphorus availability, nutrient dynamics, and shallot vegetative growth through Arbuscular Mycorrhizal Fungi (AMF) inoculation. *Engineering and Technology*, 4(1), 111–118.
- Nikirahayu, M., Syafi'i, M., Agustini, R. Y., & Soedomo, P. (2021). Keragaman karakter morfologi bawang merah (*Allium ascalonicum* L.) varietas katumi dan violetta 3 agrihorti di Lembang. *Jurnal Agrotek Indonesia*, 61(6), 55–61.
- Orcutt, D. M., & Nilsen, E. T. (2000). *Physiology of plants under stress: soil and biotic factors*. John Wiley & Sons, Inc.
- Ortolá, M. P., & Knox, J. W. (2014). Water relations and irrigation requirements of onion (*Allium cepa* L.): a review of yield and quality impacts. *Experimental Agriculture*, 51, 1–22.
- Phillips, J. M., & Hayman, D. S. (1970). Improved procedures for clearing roots and staining parasitic and vesicular-arbuscular mycorrhizal fungi for rapid assessment of infection. *Transactions of the British Mycological Society*, 55(1), 158–161.
- Pracaya. (2011). *Bertanam sayur organik*. Jakarta: Penebar Swadaya.
- Pradana, M. R. (2018). Pengaruh tingkat kekeringan tanah terhadap pertumbuhan dan hasil bawang merah varietas Tiron (*Allium ascalonicum* L.). *Skripsi*. Universitas Muhammadiyah Yogyakarta.
- Pratiwi, A., Maghfoer, M. D., Widaryanto, E., & Aini, N. (2024). Effects of different timings of drought stress and plant growth-promoting rhizobacteria inoculation on the photosynthetic characteristics of shallot (*Allium ascalonicum* L.). *Journal of Ecological Engineering*, 25(5), 230–243.
- Purbajanti, E. D., & Bintang, A. S. (2023). Yield and component yield of onion (*Allium cepa* L.) effect of salicylic acid under drought stress in Indonesia. *Journal of Applied and Natural Science*, 15(2), 505–511.
- Pusparani, S., Ristiyana, A., Wijayanto, Y., Purnamasari, I., Saputra, T. W., & Rachmandhika, Y. (2025). Adaptasi varietas bawang merah terhadap cekaman lengas: kajian respons pertumbuhan dan produktivitas. *Media Pertanian*, 10(1), 30–38.
- Rahayu, E., & Berlian, N. (2004). *Bawang merah*. Depok: Penebar Swadaya.
- Rahayu, Y., Isnaeni, S., & Nasrudin. (2024). Respons pertumbuhan dan hasil bawang merah (*Allium ascalonicum* L.) terhadap pemberian pupuk NPK

dengan berbagai media tanam. *AGROSCRIPT Journal of Applied Agricultural Sciences*, 6(2), 208–222.

Rahman, M. M., Saidy, A. R., & Nisa, C. (2019). Aplikasi mikoriza arbuskula untuk meningkatkan serapan fosfat, pertumbuhan dan produksi tanaman bawang merah (*Allium ascalonicum* L.). *EnviroScienteeae*, 15(1), 59–70.

Rajapakse, S., & Miller, J. C. (1992). Methods for studying vesicular-arbuscular mycorrhizal root colonization and related root physical properties. *Methods in Microbiology*, 24(1), 301–316.

Rokhminarsi, E., Utami, D. S., & Begananda. (2020). Pengaruh aplikasi pupuk mikotricho pada budidaya bawang merah dengan pengurangan dosis pupuk NPK. *Jurnal Hortikultura*, 30(1), 47–56.

Rop, D. K., Kipkorir, E. C., & Taragon, J. K. (2016). Effects of deficit irrigation on yield and quality of onion crop. *Journal of Agricultural Science*, 8(3), 112–126.

Rukmana, R., & Yudirachman, H. (2018). *Sukses budi daya bawang merah*. Pekalongan: Lily Publisher.

Safitri, A., Susilowati, L. E., Mulyati, & Suwardji. (2025). Dampak perubahan iklim terhadap komunitas mikroba tanah dan implikasinya pada pertumbuhan dan produksi tanaman. *Jurnal Ilmiah Mahasiswa agrokomplek*, 4(3), 804–813.

Salsabila, N. P. (2024). Pertumbuhan dan hasil tanaman bawang merah (*Allium ascalonicum* L.) pada beberapa dosis Fungi Mikoriza Arbuskula (FMA) di ultisol. *Skripsi*. Universitas Andalas.

Saputra, H., Soleh, M. A., Hamdani, J. S., & Saryoko, A. (2025). The potential and differences between mulch and organic matter in reducing drought stress in plants—a review. *Cogent Food & Agriculture*, 11(1), 1–21.

Sastrahidayat, R. I. (2011). *Rekayasa pupuk hayati mikoriza dalam meningkatkan produksi pertanian*. Malang: Universitas Brawijaya Press.

Sintasari, D., Ritawati, S., Muztahidin, N. I., & Roidelindho, K. (2025). Respons pertumbuhan bibit bawang merah (*Allium ascalonicum* L.) terhadap penggunaan komposisi media tanam dan interval penyiraman. *Jurnal Agrium*, 22(1), 38–47.

Smith, S. E., & Read, D. J. (1997). *Mycorrhizal symbiosis*, 2nd ed. San Diego: Academic Press.

Soeharno, Tanjung, R. H. R., & Sufaati, S. (2020). *Fungi mikoriza arbuskula mempercepat rehabilitasi lahan tambang*. Yogyakarta: Gadjah Mada University Press.

- Song, F., Yang, Q., Huang, J., Guo, Z., Li, Y., & Deng, W. (2026). Plant drought stress: physiological, biochemical and molecular mechanisms. *Plant Stress*, 19, 1–12.
- Souza, T. (2015). *Handbook of arbuscular mycorrhizal fungi*. Cham Switzerland: Springer Nature Switzerland AG.
- Sugiartini, E., Mayasari, K., & Ikrarwati. (2018). *Budidaya bawang merah di lahan dan di dalam pot/polybag*. Jakarta: Balai Pengkajian teknologi Pertanian (BPTP) Jakarta.
- Suhaili. (2023). *Budi daya tanaman bawang merah organik*. Pekalongan: Penerbit NEM.
- Sukmawaty, E., Hafsan, & Asriani. (2016). Identifikasi cendawan mikoriza arbuskula dari perakaran tanaman pertanian. *Biogenesis: Journal Ilmiah Biologi*, 4(1), 16–20.
- Suleria, H. A. R., Butt, M. S., Anjum, F. M., Saeed, F., & Khalid, N. (2013). Onion: nature protection against physiological threats. *Critical Reviews in Food Science and Nutrition*, 1, 1–17.
- Sumarianti, A., Jayanti, K. D., & Tanari, Y. (2022). Pengaruh frekuensi penyiraman terhadap pertumbuhan dan hasil bawang merah (*Allium cepa* L.). *Agrovigor: Jurnal Agroekoteknologi*, 15(1), 39–43.
- Sumarni, N., & Hidayat, A. (2005). *Budidaya bawang merah*. Jakarta: Balai Penelitian Tanaman Sayuran.
- Sunarjono, H., & Nurrohmah, F. A. (2018). *Bertanam sayuran daun dan umbi*. Jakarta: Penebar Swadaya.
- Suparman. (2007). *Bercocok tanam bawang merah*. Bandung: Azka Press.
- Suryani, R., Gafur, S., & Tatang, A. (2017). Respon tanaman bawang merah terhadap Cendawan Mikoriza Arbuskula (CMA) pada cekaman kekeringan di tanah gambut. *Jurnal Pedon Tropika*, 3(1), 69–78.
- Susila, E., Maulina, F., Anwar, A., Syarif, A., & Agustian. (2023). The effect of indigenous amf applications on the morpho-physiological characteristics of two varieties. *Journal of Applied Agricultural Science and Technology*, 7(2), 186–196.
- Taryono, Indarti, S., & Sayekti, R. S. (2024). *Pelestarian sumber daya genetik tanaman*. Yogyakarta: Deepublish Digital.
- Tegenu, G. (2020). Regulated deficit irrigation and onion (*Allium cepa* L.) yield response on water productivity. *Journal of Resources Development and Management*, 71, 14–25.

- Tome, V. D., Pandjaitan, C., & Neunufa, N. (2016). Kajian beberapa tingkat cekaman kekeringan terhadap pertumbuhan dan hasil bawang merah lokal NTT. *Partner*, 21(2), 311-316.
- Topp, G. C., & Ferré, P. A. (2002). Water content. in methods of soil analysis, part 4: physical methods (pp. 417–545). Madison, Wisconsin, USA: Soil Science Society of America.
- Triadiawarman, D., Aryanto, D., & Krisbiyantoro, J. (2022). Peran unsur hara makro terhadap pertumbuhan dan hasil bawang merah (*Allium cepa* L.). *AGRIFOR*, 21(1), 27–32.
- Tribowo, H. (2021). *Rahasia sukses bertanam bawang*. Bandung: Penerbit Nuansa Aulia.
- Venâncio, J. B., Dias, N. da S., Medeiros, J. F. de, Morais, P. L. D. de, Nascimento, C. W. A. do, & S'a, F. V. da S. (2022). Yield and morphophysiology of onion grown under salinity and fertilization with silicon. *Scientia Horticulturae*, 301, 1-15.
- Vennam, R. R., Ramamoorthy, P., Poudel, S., Reddy, K. R., Henry, W. B., & Bheemanahalli, R. (2023). Developing functional relationships between soil moisture content and corn early-season physiology, growth, and development. *Plants*, 12, 1–14.
- Wakchaure, G. C., Khapte, P. S., Kumar, S., Kumar, P. S., Sabatino, L., & Kumar, P. (2023). Exogenous growth regulators and water stress enhance long-term storage quality characteristics of onion. *Agronomy*, 13, 1–16.
- Wibawa, F. S., Rokhminarsi, E., & Leana, N. W. A. (2023). Pengaruh pemberian campuran mikoriza-trichoderma sp. dan pengurangan dosis NPK terhadap penyimpanan umbi bawang merah. *Jurnal AGRO*, 10(1), 149–163.
- Wibowo, S. (2009). *Budi daya bawang*. Depok: Penebar Swadaya.
- Wiliodorus, Sasli, I., & Syahputra, E. (2020). Respons tanaman bawang merah terhadap Fungi Mikoriza Arbuskula (FMA) dan pemotongan umbi pada gambut. *Jurnal Pertanian dan Pangan*, 2(2), 29–41.
- Willmer, C., & Fricker, M. (1996). *Stomata (second edition)*. London: Chapman & Hall.
- Wu, Q.-S. (2017). *Arbuscular mycorrhizas and stress tolerance of plants*. Singapore: Springer Nature Singapore Pte Ltd.
- Yavas, I., Jamal, M. A., Din, K. U., Ali, S., Hussain, S., & Farooq, M. (2024). Drought-induced changes in leaf morphology and anatomy: overview, implications and perspectives. *Polish Journal of Environmental Studies*, 33(2), 1517–1530.

Yusriadi, Pata'dungan, Y. S., & Hasanah, U. (2018). Kepadatan dan keragaman spora fungi mikoriza pada daerah perakaran beberapa tanaman pangan di lahan pertanian Desa Sidera. *Agroland*, 25(1), 64–73.

Yustikasari, E. D., & Sumeru, A. (2022). Respon pertumbuhan 4 varietas bawang merah (*Allium ascalonicum* L.) terhadap cekaman kekeringan. *Jurnal Produksi Tanaman*, 10(4), 260–267.

Zulkarnain. (2013). *Budidaya sayuran tropis*. Jakarta: PT Bumi Aksara.

