

DAFTAR PUSTAKA

- Abdullah, A., Nurjanah, N., & Nasution, A. I. S. (2021). Karakteristik Fraksi Aktif Biopigmen Fukosantin Rumput Laut Cokelat sebagai Antioksidan dan UV-protector. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 24(1), 131-147. <https://doi.org/10.17844/jphpi.v24i1.35411>
- Abideen, Z.; Hanif, M.; Munir, N.; Nielsen, B.L. (2022). Impact of Nanomaterials on the Regulation of Gene Expression and Metabolomics of Plants under Salt Stress. *Plants*, 11, 691.
- Acharya, P., Jayaprakasha, G.K., Crosby, K.M. (2020). Nanoparticle-Mediated Seed Priming Improves Germination, Growth, Yield, and Quality of Watermelons (*Citrullus lanatus*) at multi-locations in Texas. *Sci Rep* 10, 5037. <https://doi.org/10.1038/s41598-020-61696-7>
- Agustiansyah, A., Timotiwu, P. B., Pramono, E., & Maryeta, M. (2021). Pengaruh priming pada vigor benih cabai (*Capsicum annuum* L.) yang dikecambahkan pada kondisi cekaman aluminium. *Jurnal Penelitian Pertanian Terapan*, 21(3) 204-211. <http://dx.doi.org/10.25181/jppt.v21i3.2133>
- Ahmed, A. A., & El-Mahdy, A. (2022). Improving seed germination and seedling growth of maize (*Zea mays*, L.) seed by soaking in water and *Moringa oleifera* leaf extract. *Curr. Chem. Lett.*, 11(2), 147-156. <http://dx.doi.org/10.5267/j.ccl.2022.2.005>
- Ajar, S. (2015). Pengaruh Konsentrasi Air Kelapa dan Lama Perendaman Terhadap Perkecambahan Benih Padi (*Oryza sativa* L.) Kadaluaarsa *Skripsi*. Universitas Teuku Umar, Aceh Barat.
- Ali, M., Hayat, S., Ahmad, H., Ghani, M. I., Amin, B., Atif, M. J., & Cheng, Z. (2019). Priming of *Solanum melongena* L. seeds enhances germination, alters antioxidant enzymes, modulates ROS, and improves early seedling growth: indicating aqueous garlic extract as seed-priming bio-stimulant for eggplant production. *Applied Sciences*, 9(11), 2203.
- Ali, M., Javed, T., Mauro, R.P., Shabbir, R., Afzal, I., & Yousef, A. F. (2020). Effect of Seed Priming with Potassium Nitrate on the Performance of Tomato. *Agriculture*, 10(11), 498. <https://doi.org/10.3390/agriculture10110498>
- Ali, L.G., Nulit, R., Ibrahim, M.H. (2021). Efficacy of KNO₃, SiO₂ and SA priming for improving emergence, seedling growth and antioxidant enzymes of rice (*Oryza sativa*), under drought. *Sci Rep* 11, 3864. <https://doi.org/10.1038/s41598-021-83434-3>

- Anand, K. V., Anugraha, A. R., Kannan, M., Singaravelu, G., & Govindaraju, K. (2020). Bio-engineered magnesium oxide nanoparticles as nano-priming agent for enhancing seed germination and seedling vigour of green gram (*Vigna radiata* L.). *Materials Letters*, 271, 127792. <https://doi.org/10.1016/j.matlet.2020.127792>
- Anggun. (2016). Pengaruh Waktu Pelembaban pada Vigor Benih Kedelai (*Glycine max* [L.] Merrill) Pascasimpan Tujuh Bulan Asal Pemupukan NPK Susulan Saat R1. *Skripsi*. Universitas Lampung. Lampung. 50 hlm
- Armita, D., & Alawiyatun, N. A. W. (2020). Studi pertumbuhan dan aktivitas enzim antioksidan pada kultur in vitro tomat akibat cekaman salinitas. *Plantropica: Journal of Agricultural Science*, 5(1), 64-73. <https://doi.org/10.21776/ub.jpt.2020.005.1.8>
- Azani, F. K., Hakimi, R., & Hidayat, R. (2024). Trading Analysis Of The Kopay Chili. *Jurnal Agribisains*, 10(1), 73-8. <https://doi.org/10.30997/jagi.v10i1.10218>.
- Badan Pangan Nasional. (2024). *Outlook Komoditas Cabai Tahun 2024*. Jakarta: Badan Pangan Nasional.
- Badan Pusat Statistik. (2025). *Statistik Hortikultura Indonesia 2025*. Jakarta: Badan Pusat Statistik.
- Badriyah, L., & Manggara, A. B. (2017). Penetapan Kadar Vitamin C Pada Cabai Merah (*Capsicum annum* L.) Menggunakan Metode Spektrofotometri UV- VIS. *Jurnal Wiyata*, 2(1), 25-28. <http://dx.doi.org/10.56710/wiyata.v2i1.31>
- Bai, Y., Kissoudis, C., Yan, Z., Visser, R. G., & van der Linden, G. (2018). Plant behaviour under combined stress: tomato responses to combined salinity and pathogen stress. *The plant journal*, 93(4), 781-793. <https://doi.org/10.1111/tpj.13800>
- Battacharyya, D., Babgohari, M. Z., Rathor, P., & Prithviraj, B. (2015). Seaweed extracts as biostimulants in horticulture. *Scientia horticulturae*, 196, 39-48. <https://doi.org/10.1016/j.scienta.2015.09.012>
- Chen, P., & Lott, J. N. (1992). Studies of *Capsicum annum* seeds: structure, storage reserves, and mineral nutrients. *Canadian journal of botany*, 70(3), 518-529
- Chen, K., Fessehaie, A., & Arora, R. (2013). Aquaporin expression during seed osmopriming and post-priming germination in spinach. *Biologia Plantarum*, 57, 193-198. DOI: 10.1007/s10535-012-0266-0

- Chen, Z., Halford, N. G., & Liu, C. (2023). Real-Time Quantitative PCR: Primer Design, Reference Gene Selection, Calculations and Statistics. *Metabolites*, 13(7), 806. <https://doi.org/10.3390/metabo13070806>
- Cho, B. O., Ryu, H. W., Jin, C. H., Choi, D. S., Kang, S. Y., Kim, D. S., & Jeong, I. Y. (2020). Capsaicin inhibits the expression of melanogenic proteins in melanocyte via activation of TRPV1 channel. *Journal of Agricultural and Food Chemistry*, 68(50), 14863–14873. <https://doi.org/10.1021/acs.jafc.0c06321>
- Choi, J.Y., Ju, Y.H., Nakamichi, A., Cho, S.W., Woo, S.H., & Sakagami, J.I. (2024). Effect of Seed Hydropriming on the Elongation of Plumule and Radicle During the Germination Process and Changes in Enzyme Activity Under Water-Deficient Conditions. *Plants*, 13(24), 3537. <https://doi.org/10.3390/plants13243537>
- Chougala, L. D., MS, H., & Siddaraju, R. (2024). Seed Polymer Coating with ZnO, SiO₂ and TiO₂ Nanoparticles: An Innovative Seed Quality Enhancement Technique in Sweet Pepper. *Seed Research*, 52(2), 124-129. <https://doi.org/10.56093/sr.v52i2.163014>
- Daniati, W. (2024). *Pengaruh berbagai jenis priming terhadap perkecambahan dan pertumbuhan Capsicum annuum L. pada cekaman kekeringan*. Departemen Biologi, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Andalas. <https://doi.org/10.5281/zenodo.12594098>
- Darmawan, A.C., Respatijarti., & Soetopo, L. (2014). Pengaruh tingkat kemasakan benih terhadap pertumbuhan dan produksi cabai rawit (*Capsicum frutescent* L.) Varietas Comexio. *Jurnal Produksi Tanaman* 2(4): 339-346.
- Debta, H., Kunhamu, T. K., Petrik, P., Fleischer Jr, P., & Jisha, K. C. (2023). Effect of hydropriming and osmopriming on the germination and seedling vigor of the East Indian Sandalwood (*Santalum album* L.). *Forests*, 14(6), 1076. <https://doi.org/10.3390/f14061076>.
- Deyab M, Elkatony T, Ward F. (2016). Qualitative and quantitative analysis of phytochemical studies on brown seaweed *Dictyota dichotoma*. *IJEDR*, 4(2):674-8
- Direktorat Perbenihan Hortikultura, Direktorat Jendral Hortikultura Kementrian Pertanian. (2016). Teknis Sertifikasi Benih Hortikultura.
- Ediwirman, E., Salfiati, S., & Putra, O. (2023). West Sumatra local chili genotype appearance test. *Jurnal Agrotek Ummat*, 10(3), 251-260. <http://dx.doi.org/10.31764/jau.v10i3.15982>

- Ejaz, S., Anjum, M. A., Hussain, S., Azam, M., Ali, S., & Ahmad, S. (2019). Pretreatment of Seedlings with Exogenous Protectants for Abiotic Stress Tolerance. Priming and Pretreatment of Seeds and Seedlings: *Implication in Plant Stress Tolerance and Enhancing Productivity in Crop Plants*, 573-593. https://doi.org/10.1007/978-981-13-8625-1_28.
- Erniati, Zakaria FR, Prangdimurti E, Adawiyah DR. (2016). Seaweed potential: bioactive compounds studies and its utilization as a functional food product. *Aquatic Sciences Journal*, 3(1): 12-17
- Fadhillah, Z., Hasanuddin, H., & Harnelly, E. (2022). Pengaruh Ekstrak Kecambah Kacang Hijau (*Vigna radiata* L.) dan Lama Perendaman Terhadap Viabilitas Benih Tomat (*Solanum lycopersicum* L.) Kadaluarsa. *Jurnal Bioleuser*, 6(2). <https://doi.org/10.24815/bioleuser.v6i2.40953>
- Farida, F. (2018). Respon Perkecambah Benih Kopi Pada Berbagai Tingkat Kemasakan Buah Dengan Aplikasi Zat Pengatur Tumbuh. *Ziraa'ah Majalah Ilmiah Pertanian*, 43(2), 166-172. <http://dx.doi.org/10.31602/zmip.v43i2.1286>
- Farooq, T., Akram, M. N., Hameed, A., Ahmed, T., & Hameed, A. (2022). Nanopriming-mediated memory imprints reduce salt toxicity in wheat seedlings by modulating physiobiochemical attributes. *BMC Plant Biology*, 22(1), 540. <https://doi.org/10.1186/s12870-022-03912-2>
- Farooq, M., Wahid, A., Kobayashi, N., Fujita, D., & Basra, S. M. A. (2009). Plant drought stress: Effects, mechanisms and management. *Agronomy for Sustainable Development*, 29(1), 185–212. <https://doi.org/10.1051/agro:2008021>
- Febriani, W. D., Noli, Z. A., & Mansyurdin. (2023). Effect Of Biopriming With Padina Minor Seaweed Extract With Amino Acid Addition On Germination Of Several Varieties Of Rice (*Oryza Sativa* L.). *IJPSAT: International Journal of Progressive Sciences and Technologies*, 36(2): 322-326. <http://dx.doi.org/10.52155/ijpsat.v36.2.4950>
- Fernandes, T. (2018). Karakterisasi dan Identifikasi Senyawa Aktif Pigmen *Sargassum polycystum* dan *Padina minor*. *Skripsi Fakultas Perikanan dan Ilmu Kelautan, Intitut Pertanian Bogor*
- Fitri, F., & Alang, H. (2020). Analisis Aktivitas Enzim Antioksidan Katalase dan Peroksida. *Celebes Biodiversitas*, 3(1), 12-16.
- Fuwa, H. (1954). A new method for micro determination of amylase activity by the use of amylase as the substrate. *J. Biochem* 41: 583-603.

- Gianella, M., Pucciariello, C., Santaniello, A., Perata, P., & Perata, P. (2020). A biostimulant seed treatment improved heat stress tolerance during cucumber seed germination by acting on the antioxidant system and glyoxylate cycle. *Frontiers in Plant Science*, 11, 836. <https://doi.org/10.3389/fpls.2020.00836>
- Guiry, M.D. & Guiry, G.M. (2022). AlgaeBase. World-wide electronic publication, National University of Ireland, Galway. <https://www.algaebase.org>;
- Hadi, S., (2024). Kandungan Nutrien dan Fitohormon Rumput Laut Cokelat. *Journal IPB*.
- Haerani, N., Sofyan, B., Giono, R. W. Herwati, A., dan Haerul. (2022). Uji Efektifitas Halopriming NaCl terhadap Perbaikan Viabilitas Benih dan Toleransi Kacang Hijau pada Cekaman Salinitas. *Agrovital: Jurnal Ilmu Pertanian*, 7 (2).
- Hamidah, K., Syahni, R., & Sari, R. (2024). Analisis Permintaan Cabai Merah Besar Di Kota Padang, Sumatra Barat Analysis of Demand for Large Red Chilli in Padang City, West Sumatra. *Journal of Extension and Development* ISSN 02(01):62–68. <https://doi.org/10.23960/jsp.Vol2.No1.2020.49>.
- Hamouda, M. M., Saad-Allah, K. M., & Gad, D. (2022). Potential of seaweed extract on growth, physiological, cytological and biochemical parameters of wheat (*Triticum aestivum* L.) seedlings. *Journal of Soil Science and Plant Nutrition*, 22(2), 1818-1831. <https://doi.org/10.1007/s42729-022-00774-3>
- Handayani, W., Tanadi, R. O., & Umar, A. (2025). The Effect of Silver Nanoparticles Stabilized with Tannic Acid for Nano-Priming on *Zea mays* L. Seeds Germination. *Caraka Tani: Journal of Sustainable Agriculture*, 40(1), 1-17. <https://doi.org/10.20961/carakatani.v40i1.85977>
- Hernández-Herrera, R. M., González-González, M. F., Velasco-Ramírez, A. P., Velasco-Ramírez, S. F., Santacruz-Ruvalcaba, F., & Zamora-Natera, J. F. (2023). Seaweed extract components are correlated with the seeds germination and growth of tomato seedlings. *Seeds*, 2(4), 436-448. <http://dx.doi.org/10.3390/seeds2040033>
- Hussain, S., Ahmad, A., Aslam, Z., Javed, T., Raza, A., Shabbir, R., Mora-Poblete, F., Saeed, T., Zulfiqar, F., & Ali, M. M. (2022). Penyaringan Genotipe Gandum (*Triticum aestivum* L.) untuk Toleransi Kekeringan melalui Respons Agronomi dan Fisiologis. *Agronomi*. 12 :287. <https://doi.org/10.3390/agronomy12020287>
- Ibrahim, E.A. (2016). Seed priming to alleviate salinity stress in germinating seeds. *J. Plant Physiol*, 192, 38–46. <https://doi.org/10.1016/j.jplph.2015.12.011>

- Ikasari, Y. A., Suhartanto, M. R., & Ilyas, S. (2025). Inducing drought stress tolerance during germination by micronutrient seed priming and coating of maize (*Zea mays* L.). *Journal of Tropical Crop Science*, 12(3), 492–505. <https://doi.org/10.29244/jtcs.12.03.492-505>
- Ilyas, S. (2012). Ilmu dan Teknologi Benih: Teori dan Hasil-hasil Penelitian. IPB Press, Bogor.
- ISTA. (2007). International Rule for Seed Testing Edition 2007. *International Seed*
- International Seed Testing Association (ISTA). (2010). *Seed Science and Technology. International rules for seed testing*. Zurich: International Seed Testing Association.
- Itrotwar, P. D., Govindaraju, K., Tamilselvan, S., Kannan, M., Raja, K., & Subramanian, K. S. (2019). Seaweed-based biogenic ZnO nanoparticles for improving agro-morphological characteristics of rice (*Oryza sativa* L.). *Journal of plant growth regulation*, 39, 717-728. <https://doi.org/10.1007/s00344-019-10012-3>
- Juhanda, Yayuk Nurmiaty & Ermawati. (2013). Pengaruh skarifikasi pada pola imbibisi dan perkecambahan benih saga manis (*Abrus precatorius* L.). *J. Agrotek Tropika*. Vol. 1, No. 1.
- Junaidi, J., Lapanjang, I., & Bahrudin, B. (2018). Invigorasi Benih Tomat (*Lycopersicon esculentum* Mill) Kadalua Dengan Aplikasi Air Kelapa Muda Dan Lama Inkubasi. *Mitra Sains*, 6(1), 31-42.
- Kader, I. H., & Gerung, G. S. (2020). Struktur morfologi jenis makro alga di Perairan Siko Kepulauan Gura Ici Kabupaten Halmahera Selatan Provinsi Maluku Utara. *Jurnal Ilmu Kelautan Kepulauan*, 3(2). <https://doi.org/10.33387/jikk.v3i2.2581>
- Karimi, S., Karami, H., Vahdati, K., & Mokhtassi-Bidgoli, A. (2020). Antioxidative responses to short-term salinity stress induce drought tolerance in walnut. *Scientia Horticulturae*, 267, 109322. <https://doi.org/10.1016/j.scienta.2020.109322>
- Kementerian Pertanian Republik Indonesia. (2025). *Outlook Komoditas Hortikultura Cabai Tahun 2025*. Jakarta: Pusat Data dan Sistem Informasi Pertanian.
- Khalaki, A., M., Moameri, M., Asgari Lajayer, B., & Astatkie, T. (2021). Influence of nano-priming on seed germination and plant growth of forage and medicinal plants. *Plant growth regulation*, 93(1), 13-28. <https://doi.org/10.1007/s10725-020-00670-9>

- Khan, M. N., Zhang, J., Luo, T., Liu, J., Rizwan, M., Fahad, S., Xu, Z., & Hu, L. (2019). Seed priming with melatonin coping drought stress in rapeseed by regulating reactive oxygen species detoxification: Antioxidant defense system, osmotic adjustment, stomatal traits and chloroplast ultrastructure perseveration. *Industrial Crops and Products*, 140, 111597. <https://doi.org/10.1016/j.indcrop.2019.111597>.
- Kumari, P dan Kumari, C., (2017). "Erythrina variegata L." The coral tree: A Review. *J. Med. Sci. Clin. Res.*, 5 (8): 26705-26715.
- Lagiman, L., & Supriyanta, B. (2021). *Karakterisasi morfologi dan pemuliaan tanaman cabai*. LPPM UPN "Veteran" Yogyakarta
- Lei, C., Bagavathiannan, M., Wang, H., Sharpe, S. M., Meng, W., & Yu, J. (2021). Osmoprimering with polyethylene glycol (PEG) for abiotic stress tolerance in germinating crop seeds: A review. *Agronomy*, 11(11), 2194. <https://doi.org/10.3390/agronomy11112194>.
- Lestari, I., Karno, K., & Sutarno, S. (2020). Uji viabilitas dan pertumbuhan benih kedelai (*Glycine max*) dengan perlakuan invigorasi menggunakan ekstrak bawang merah. *Journal of Agro Complex*, 4(2), 116-124. <https://doi.org/10.14710/joac.4.2.116-124>
- Lewu, L. D., Uru, R. R., Ambu, L., Hinda, I. D., Welik, N. N., Raga, N. A., & Mandaha, M. (2023). Pengaruh Konsentrasi Ekstrak Rumput Laut (*Sargassum polycystum*) Terhadap Viabilitas Benih Sorgum. In *Prosiding Seminar Nasional SATI*, 2(1), 122-127.
- Li, X., & Liu, F. (2016). Drought stress memory and drought stress tolerance in plants: biochemical and molecular basis. *Drought Stress Tolerance in Plants, Vol 1: Physiology and Biochemistry*, 17-44. https://doi.org/10.1007/978-3-319-28899-4_2.
- Liu, H. Y., Yu, X., Cui, D. Y., et al. (2007). *The role of water channel proteins and nitric oxide signaling in rice seed germination*. *Cell Research*, 17, 638–649.
- Lubis, R., Trisda dan Zuyasna. (2018). Invigorasi Benih Tomat Kadaluarsa dengan Ekstrak Bawang Merah Pada Berbagai Konsentrasi dan Lama Perendaman. *JIM Pertanian*, 3 (4) : 175-184.
- Lutfiah, N., Benyamin Timotiwu, P. (2021). Pengaruh priming pada vigor benih kedelai (*Glycine max* L. Merrill) yang dikecambahkan pada tanah masam. *Seed Vigor on Ultisol Soil*. 20(2).
- Ma, L., Wei, J., Han, G., Sun, X., & Yang, X. (2024). Seed osmoprimering with polyethylene glycol (PEG) enhances seed germination and seedling

physiological traits of *Coronilla varia* L. under water stress. *Plos one*, 19(5), e0303145

- Mahakham, W.; Sarmah, A.K.; Maensiri, S.; Theerakulpisut, P. (2017). Nanopriming Technology for Enhancing Germination and Starch Metabolism of Aged Rice Seeds Using Phytosynthesized Silver Nanoparticles. *Sci. Rep*, 7, 8263. DOI: [10.1038/s41598-017-08669-5](https://doi.org/10.1038/s41598-017-08669-5)
- Maharany, F., Nurjanah, Suwandi, R., Anwar, E., & Hidayat, T. (2017). Kandungan senyawa bioaktif rumput laut cokelat *Padina australis* dan *Padina minor* serta aktivitas antioksidannya. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(1), 10–20.
- Manteu, S. H., & Nurjanah, N. T. (2018). Karakteristik rumput laut cokelat (*Sargassum polycystum* dan *Padina minor*) dari perairan Pohuwato Provinsi Gorontalo. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 21(3), 396-405. DOI: [10.17844/jphpi.v21i3.24709](https://doi.org/10.17844/jphpi.v21i3.24709)
- Marthandan, V., Geetha, R., Kumutha, K., Renganathan, V. G., Karthikeyan, A., & Ramalingam, J. (2020). Seed priming: a feasible strategy to enhance drought tolerance in crop plants. *International journal of molecular sciences*, 21(21), 8258. <https://doi.org/10.3390/ijms21218258>.
- Martínez-Andújar, C., (2023). Red LED Light Improves Pepper (*Capsicum annuum* L.) Seed Radicle Emergence and Growth through the Modulation of Aquaporins, Hormone Homeostasis, and Metabolite Remobilization. *International Journal of Molecular Sciences*, 24(5), 4779
- Maurel, C., (2020). Versatile Roles of Aquaporins in Plant Growth and Development. *International Journal of Molecular Sciences*, 21(24), 9485.
- Mawale, K. S., Nandini, B., & Giridhar, P. (2024). Copper and Silver Nanoparticle Seed Priming and Foliar Spray Modulate Plant Growth and Thrips Infestation in *Capsicum* spp. *ACS omega*, 9(3),3430-3444. <https://pubs.acs.org/doi/10.1021/acsomega.3c06961?goto=supporting-info>
- Mazhar, M., Afzal, A., & Nazir, A.* (2023). Nanoparticle-mediated amelioration of drought stress in plants: a systematic review. *Environmental Science and Pollution Research*, 30, 1–17. <https://doi.org/10.1007/s11356-023-28558-9>
- Melta, A. A., Yulianty, Y., Agustrina, R., Setiawan, W. A., Suratman, S., & Chrisnawati, L. (2022). Pertumbuhan Benih Cabai (*Capsicum annuum* L.) dengan Induksi Medan Magnet 0, 2 mT dan Infeksi *Fusarium oxysporum*. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 151-159. <https://doi.org/10.24002/biota.v7i2.4731>

- Mouradi, M., Farissi, M., Bouizgaren, A., Makoudi, B., Kabbadj, A., & Ghoulam, C. (2016). Effects of drought stress on antioxidant defense system and osmotic adjustment in alfalfa (*Medicago sativa* L.) seedlings. *Physiology and Molecular Biology of Plants*, 22(3), 381–394. <https://doi.org/10.1007/s12298-016-0376-9>
- Navira, A., & Heiriyani, T. (2020). Pengaruh beberapa jenis dan konsentrasi larutan kecambah kacang-kacangan terhadap viabilitas benih padi kadaluarsa varietas Inpago 9. *Agrotekview*, 3(3), 1–8.
- Nie, L., Liu, H., Zhang, L., & Wang, W. (2020). Enhancement in rice seed germination via improved respiratory metabolism under chilling stress. *Food and Energy Security*, 9(4), e234. <https://doi.org/10.1002/fes3.234>
- Nile, S. H., Thiruvengadam, M., Wang, Y., Samynathan, R., Shariati, M. A., Rebezov, M., & Kai, G. (2022). Nano-priming as emerging seed priming technology for sustainable agriculture—recent developments and future perspectives. *Journal of nanobiotechnology*, 20(1), 254. <https://doi.org/10.1186/s12951-022-014238>
- Noli, Z. A., Suwirmen., Aisyah., & Aliyyanti, P. (2021). Effect of Liquid Seaweed Extracts as Biostimulant on Vegetative Growth Of Soybean. In *International Conference on Agricultural and Life Sciences*, 1-7. <http://dx.doi.org/10.1088/1755-1315/759/1/012029>
- Noli, Z. A., Aliyyanti, P., & Mansyurdin. (2022). Study the Effect of Padina minor Seaweed Crude Extract as a Biostimulant on Soybean. *Pakistan Journal of Biological Sciences*, 25(1), 23-28. <https://doi.org/10.3923/pjbs.2022.23.28>
- Noli, Z. A., Alamsjah, F., & Rahmayati, R. S. (2024). Pengaruh Lama Perendaman pada Biopriming Padi Anak Daro Menggunakan *Bacillus subtilis* dan *Trichoderma harzianum*. *Bioscientist: Jurnal Ilmiah Biologi*, 12(1), 722- 732. <https://doi.org/10.333394/bioscientist.v12i1.10987>
- Noli, Z.A., Shayan, M. P., Maideliza T., Suwirmen. (2024). Effect of nanoparticle seaweed extracts (*Padina minor*) as biostimulant on growth and yield of soybean (*Glycine max*). *Intl J Agric Biol*, 32, 233-239. <http://dx.doi.org/10.17957/IJAB/15.2197>
- Nurhafitri, A., & Suwirmen. (2026). Design and Validation of PIP Gene Primer for Quantitative PCR in *Capsicum annuum* Using In Silico and Experimental Approaches. *Bioeksperimen: Jurnal Penelitian Biologi*.
- Nurjannati, K. (2017). Efek Perlakuan Priming Terhadap Performa Tanaman Cabai (*Capsicum annuum* L.) pada Kondisi Stres Air. *Skripsi*. Progam Studi Biologi Jurusan Pendidikan Biologi Fakultas Matematika Dan Ilmu Pengetahuan Alam Universitas Negeri Yogyakarta.

- Nurmiaty, Y., Ermawati, E., & Purnamasari, V. W. (2014). Pengaruh cara skarifikasi dalam pematangan dormansi pada viabilitas benih saga manis (*Abrus precatorius* [L.]). *Jurnal Agrotek Tropika*, 2(1), 73-77
- Obroucheva, N. V. (2013). Aquaporins in Seeds. *Seed Science Research*, 23(4), 213–216.
- Ochoa-Chaparro, E. H., Ramírez-Estrada, C. A., Anchondo-Páez, J. C., Sánchez, E., Pérez-Álvarez, S., Castruita-Esparza, L. U., & Franco-Lagos, C. L. (2024). Nanopriming with Zinc–Molybdenum in Jalapeño Pepper on Imbibition, Germination, and Early Growth. *Agronomy*, 14(8) [DOI:10.20944/preprints202406.1830.v1](https://doi.org/10.20944/preprints202406.1830.v1)
- Paparella, S., Araújo, S. S., Rossi, G., Wijayasinghe, M. A. L. A. K. A., Carbonera, D., & Balestrazzi, A. (2015). Seed priming: state of the art and new perspectives. *Plant cell reports*, 34, 1281-1293. <https://doi.org/10.1007/s00299-015-1784->
- Pratiwi, T., & Rahmawati, E. (2024). Peningkatan mutu benih dan pertumbuhan vegetatif semangka (*Citrullus lanatus* L.) kedaluwarsa melalui priming dengan beberapa sumber ZPT alami. *Agropross: National Conference Proceedings of Agriculture*. Politeknik Negeri Jember.
- Radwan, A. M., Ahmed, E. A., Donia, A. M., Mustafa, A. E., & Balah, M. A. (2023). Priming of *Citrullus lanatus* var. Colocynthoides seeds in seaweed extract improved seed germination, plant growth and performance under salinity conditions. *Scientific Reports*, 13(1), 11884. <https://doi.org/10.1038/s41598-023-38711-8>
- Rahayu, A. D., & Suharsi, T. K. (2015). Pengamatan Uji Daya Berkecambah dan Optimalisasi Substrat Perkecambahan Benih Kecipir [*Psophocarpus tetragonolobus* L. (DC)]. *Buletin Agrohorti*, 3(1), 18–27. <https://doi.org/10.29244/agrob.v3i1.14821>
- Rahmadina, N. Z., Hasanuddin, H., & Mayani, N. (2024). Pengaruh Lama Perendaman dengan Berbagai Konsentrasi *Trichoderma harzianum* Terhadap Viabilitas dan Vigor Benih Cabai Kedaluwarsa (*Capsicum annum* L.). *Jurnal Floratek*, 19(1), 45-55. <https://doi.org/10.17969/floratek.v19i1.36268>
- Refli, R., & Purwestri, Y. A. (2016). The role of antioxidant enzymes in drought stress tolerance of plants: A review. *Nusantara Bioscience*, 8(1), 33–40.
- Rhaman, M. S., Tania, S. S., Imran, S., Rauf, F., Kibria, M. G., Ye, W., & Murata, Y. (2022). Seed priming with nanoparticles: An emerging technique for improving plant growth, development, and abiotic stress tolerance. *Journal of*

Soil Science and Plant Nutrition, 22(4), 4047-4062.
<https://doi.org/10.1007/s42729-022-01007-3>

- Rhodes D. Samaras Y. (1994). Genetic control of osmoregulation in plants, in: Strange K. (Ed), *Cellular and Molecular Physiology of cell volume regulation*. CRC Press. Boca Raton, FL. pp. 347-361.
- Risnoyatiningsih, S. (2011). Hydrolysis of starch. *Momentum*, 7(1), 41–44.
- Rodriguez AA, Grunberg KA, Taleisnik EL. (2002). Reactive Oxygen Species in the Elongation Zone of Maize Leaves Are Necessary for Leaf Extension. *Plant physiol*, 129: 1627- 1632.
- Rofik, A. dan E. Murniati. (2008). “Pengaruh Perlakuan Deperkulasi Benih dan Media Perkecambahan untuk Meningkatkan Viabilitas Benih Aren (*Arenga pinnata* (Wurmb.) Merr.”Bul. Agron. 36(1):33 – 40.
- Rusmin, D. (2007). Peningkatan Viabilitas Benih Jambu Mete (*Anarcadium occidentale* L.) Melalui Invigorasi. *Jurnal Perkembangan Teknologi Tanaman Rempah dan Obat*. 19 (1): 56–63.
- Sadjad, S. (1993). *Dari benih kepada benih*. Jakarta : PT Grasindo.
- Sadjad, S. E. Muniarti dan S. Ilyas. (1999). *Parameter Pengujian Vigor Benih dari Komparatif ke Simulatif*. Grasindo. Jakarta. 184 hal
- Saha, D., Choyal, P., Mishra, U. N., Dey, P., Bose, B., Prathibna, D., Gupta, N. K., Mehta, B. K., Kumar, P., Pandey, S., Chauhan, J., & Singhal, R. K. (2022). Drought Stress Responses and Inducing Tolerance by Seed Priming Approach in Plants. *Plant Stress*, 4(1), 1-14. <https://doi.org/10.1016/j.stress.2022.100066>
- Salwanee, S., Wanaida, W. M., Mamot, S., Maskat, M. Y., & Ibrahim, S. (2013). Effects of Enzyme Concentration, Temperature, pH and Time on the Degree of Hydrolysis of Protein Extract from Viscera of Tuna. *Sains Malaysian*, 42(3):279-287
- Sarita, I. D. A. A. D., Subrata, I. M., Sumaryani, N. P., & Rai, I. G. A. (2021). identifikasi jenis rumput laut yang terdapat pada ekosistem alami perairan nusa pedida. *Emasains: Jurnal Edukasi Matematika dan Sains*, 10(1), 141- 154. <https://doi.org/10.5281/zenodo.4692118>
- Setyono. (1982). *Teknologi benih*. Bogor: Institut Pertanian Bogor.
- Shayen, M. P., Noli, Z. A., Maideliza, T., & Suwirmen, S. (2023). Pengaruh Aplikasi Nanobiostimulan Rumput Laut (*Padina minor* Yamada) terhadap Kadar

- Klorofil Kedelai (*Glycine max* (L.) Merr.). *Bioscientist: Jurnal Ilmiah Biologi*, 11(2), 1176-1185. <https://doi.org/10.33394/bioscientist.v11i2.9063>
- Singh, A., Prasad, S. M., & Singh, V. P. (2021). Seed nanoprimering with ZnO nanoparticles modulates antioxidant defense system and drought tolerance in wheat (*Triticum aestivum* L.). *Plant Physiology and Biochemistry*, 158, 300–311. <https://doi.org/10.1016/j.plaphy.2020.11.027>
- Souza, P. M., & Magalhães, P. O. (2010). Application of microbial α -amylase in industry—A review. *Brazilian Journal of Microbiology*, 41(4), 850–861. <https://doi.org/10.1590/S1517-83822010000400004>
- Suarsana, W.T., Suprayogi, A. (2013). Respon Stres Oksidatif dan Pemberian Isoflavon terhadap Aktivitas Enzim Superoksida Dismutase dan Peroksidasi Lipid pada Hati Tikus. *JITV*, 18(2), 146- 152.
- Sunjava, A.F. (2024). Pengaruh Priming dengan Nanopartikel Zinc Oxide terhadap Viabilitas dan Vigor Benih Kedelai. *IPB University*.
- Syafruddin, & Miranda, T. (2015). Pengaruh pemberian rizobakteri indigen terhadap viabilitas dan vigor benih kedelai (*Glycine max* L.) pada tanah tercemar hidrokarbon. *Jurnal Floratek*, 10, 18–25
- Syaiful, S. A., Haring, F., Syawlia, R. R., Padjung, R., Mantja, K., & Farid, M. (2021). Improvement on the quality of chilli (*Capsicum annum* L.) seedlings through seed immersion in Supergib solution. In IOP Conference Series: *Earth and Environmental Science*, 807(4). <http://dx.doi.org/10.1088/1755-1315/807/4/042051>
- Tavares, A. R., dos Santos, P. L. F., Zabotto, A. R., do Nascimento, M. V. L., Jordão, H. W. C., Boas, R. L. V., & Broetto, F. (2020). Seaweed extract to enhance marigold seed germination and seedling establishment. *SN Applied Sciences*, 2(11), 1792. <https://doi.org/10.1007/s42452-020-03603-3>
- Thriunavukkarasu, R., Joseph, J., & Aruni, W. (2020). Effect of seaweed on seed germination and biochemical constituents of *Capsicum annum*. *Biocatalysis and agricultural biotechnology*, 29, 101761. <https://doi.org/10.1016/j.bcab.2020.101761>
- Utami, S., S. B. Panjaitan dan Y. Musthofhah. (2020). Pematahan Dormansi Biji Sirsak dengan Berbagai Konsentrasi Asam Sulfat dan Lama Perendaman Giberelin. *Jurnal Agrium* Vol. 23(1): 42-45.
- Waqas, M., N. E, Korres., M. D, Khan., A, Nizami., F, Deeba., I, Ali & H, Hussain. (2019). Advances in the Concept and Methods of Seed Priming. In:

- Hasanuzzaman, M., Fotopoulos, V. (eds) Priming and Pretreatment of Seeds and Seedlings. *Springer, Singapore*. <https://doi.org/10.1007/978-981-13-8625->
- Widiastuti, M. L., & Wahyuni, S. (2020). Penerapan teknik invigorasi dalam meningkatkan vigor benih padi. *Jurnal Penelitian dan Pengembangan Pertanian*, 39(2), 96. <http://dx.doi.org/10.21082/jp3.v39n2.2020.p96-104>
- Winarsi H. (2007). *Antioksidan alami dan radikal bebas*. Yogyakarta: Penerbit Kanisius.
- Wlodarczyk, K., & Smolinska, B. (2022). The effect of nano-zno on seeds germination parameters of different tomatoes (*Solanum lycopersicum* L.) cultivars. *Molecules*, 27(15), 4963. <https://doi.org/10.3390/molecules27154963>
- Yuanasari, B. S., N. Kendarini, dan D. Saptadi. (2015). Peningkatan Viabilitas Benih Kedelai Hitam (*Glycine max* L. Merr) melalui Invigorasi Osmoconditioning. *Jurnal Produksi Tanaman*. 3 (6): 518-527.
- Yuniarti, N., Zanzibar, M., Megawati, Leksono, B. (2014). Perbandingan Vigoritas Benih *Acaciamangium*. Hasil Pemuliaan dan yang Belum Dimuliakan. *Jurnal Penelitian Kehutanan Wallacea* 3 (1)
- Yuniarti, N., Megawati, & Leksono, B. (2016). Teknik Perkecambahan Benih dan Metode Penentuan Mutu Bibit. *Jurnal Penelitian Kehutanan Wallacea*, 5(1), 1-11.
- Yustiningsih, M., Poto, A., & Ledheng, L. (2021). Seleksi Cekaman Kekeringan Secara In Vitro Tunas Jagung Putih (*Zea Mays* L.) Menggunakan PEG. *BIO-EDU: Jurnal Pendidikan Biologi*, 6(2), 142-147. <https://doi.org/10.32938/jbe.v6i2.1521>.
- Zhang, F., Yu, J., Johnston, C. R., Wang, Y., Zhu, K., Lu, F., Zhang, Z., & Zou, J. (2015). Seed priming with polyethylene glycol induces physiological changes in sorghum (*Sorghum bicolor* L. Moench) seedlings under suboptimal soil moisture environments. *PLoS One*, 10(10), e0140620. <https://doi.org/10.1371/journal.pone.0140620>
- Zhang, X., Xing, R., Ding, Y., Yu, J., Wang, R., Li, X., Yang, Z., & Zhuang, L. (2023). Overexpression of Gibberellin 2-Oxidase 4 from Tall Fescue Affected Plant Height, Tillering, and Drought Tolerance in Rice. *Environmental and Experimental Botany*, 205(1), 1-11. <https://doi.org/10.1016/j.envexpbot.2022.105118>.
- Zainuri, Masagus., Septelia, I.W. (2012). 38. Aktivitas spesifik Manganese Superoxide Dismutase (MnSOD) dan katalase pada hati tikus yang diinduksi hipoksia

sistemik: hubungannya dengan kerusakan oksidatif. *Media Litbang Kesehatan*, 22(2), 87-92.

Zulueta-Rodríguez, R., Hernández-Montiel, L.G., Murillo-Amador, B., Rueda-Puente, E.O., Capistrán, L.L., Diéguez, E.T., Cordoba, M. (2015). *Effect of Hydropriming and Biopriming on Seed Germination and Growth of Two Mexican Fir Tree Species in Danger of Extinction. Forests* 6, 3109-3122

