




DAFTAR PUSTAKA

1. DiMeglio LA, Evans-Molina C, Oram RA. Type 1 diabetes. *Lancet*. 2018 Jun;391:2449–62.
2. Pulungan AB, Fadiana G, Annisa D. Type 1 diabetes mellitus in children: Experience in Indonesia. *Clin Pediatr Endocrinol*. 2021;30:11–8.
3. Mobasser M, Shirmohammadi M, Amiri T, Vahed N, Fard HH, Ghofazadeh M. Prevalence and incidence of type 1 diabetes in the world: A systematic review and meta-analysis. *Heal Promot Perspect*. 2020;10:98–115.
4. Casadei G, Filippini M, Brognara L. Glycated Hemoglobin (HbA1c) as a Biomarker for Diabetic Foot Peripheral Neuropathy. *Diseases*. 2021;9:1–18.
5. Walter-Höliner I, Barbarini DS, Lütshg J, Blassnig-Ezeh A, Zanier U, Saely CH, et al. High Prevalence and Incidence of Diabetic Peripheral Neuropathy in Children and Adolescents With Type 1 Diabetes Mellitus: Results From a Five-Year Prospective Cohort Study. *Pediatr Neurol*. 2018;80:51–60.
6. Aleidan FA, Ahmad BA, Alotaibi FA, Aleesa DH, Alhefdhi NA, Badri M, et al. Prevalence and risk factors for diabetic peripheral neuropathy among saudi hospitalized diabetic patients: A nested case-control study. *Int J Gen Med*. 2020;13:881–9.
7. Khan KS, Andersen H. The Impact of Diabetic Neuropathy on Activities of Daily Living, Postural Balance and Risk of Falls - A Systematic Review. *J Diabetes Sci Technol*. 2022;16(2):289-294. doi: 10.1177/1932296821997921.
8. Jaiswal M, Lauer A, Martin CL, Bell RA, Divers J, Dabelea D, et al. Peripheral neuropathy in adolescents and young adults with type 1 and type 2 diabetes from the SEARCH for diabetes in youth follow-up cohort: A pilot study. *Diabetes Care*. 2013;36:3903–8.
9. Andrei Cristian B, Amarin Remus P. Diabetic Neuropathy Prevalence and Its Associated Risk Factors in Two Representative Groups of Type 1 and Type 2 Diabetes Mellitus Patients from Bihor County. *Maedica (Buchar)*. 2018;13:229–34.
10. Porcel-Chacón R, Antúnez-Fernández C, Loro MM, Ariza-Jimenez AB, Ceballos LT, Hinojosa MJ, et al. Good metabolic control in children with type 1 diabetes mellitus: Does glycated hemoglobin correlate with interstitial glucose monitoring using freestyle libre? *J Clin Med*. 2021;10:1–7.

11. Sherwani SI, Khan HA, Ekhzaimy A, Masood A, Sakharkar MK. Significance of HbA1c test in diagnosis and prognosis of diabetic patients. *Biomark Insights*. 2016;11:95–104.
12. Kilpatrick ES, Rigby AS, Atkin SL. A1C Variability and the Risk of Microvascular Complications in Type 1 Diabetes. *Diabetes Care*. 2008 Nov;31:2198–202.
13. Kallinikou D, Soldatou A, Tsentidis C, Louraki M, Kanaka-Gantenbein C, Kanavakis E, et al. Diabetic neuropathy in children and adolescents with type 1 diabetes mellitus: Diagnosis, pathogenesis, and associated genetic markers. *Diabetes Metab Res Rev*. 2019;35:1–14.
14. Ding X, Fang C, Li X, Cao YJ, Zhang QL, Huang Y, et al. Type 1 diabetes-associated cognitive impairment and diabetic peripheral neuropathy in Chinese adults: Results from a prospective cross-sectional study. *BMC Endocr Disord*. 2019;19:1–6.
15. Singh DP, Singh P, Sharma S, Aneja S, Seth A. Point Prevalence of Peripheral Neuropathy in Children and Adolescents with Type 1 Diabetes Mellitus. *Indian J Pediatr*. 2022;89:220–5.
16. Maddaloni E, Moretti C, Mignogna C. Maturitas Adult-onset autoimmune diabetes in 2020 : An update. 2020;137:37–44.
17. The Burden of Diabetes Mellitus Among US Youth: Prevalence Estimates From the SEARCH for Diabetes in Youth Study. *Pediatrics*. 2006 Oct;118:1510–8.
18. Magliano DJ, Boyko EJ. IDF DIABETES ATLAS. IDF Diabetes Atlas 10th edition scientific committee. 2021.
19. David Leslie R, Evans-Molina C, Freund-Brown J, Buzzetti R, Dabelea D, Gillespie KM, et al. Adult-onset type 1 diabetes: Current understanding and challenges. *Diabetes Care*. 2021;44:2449–56.
20. Krischer JP, Liu X, Lernmark Å, Hagopian WA, Rewers MJ, She JX, et al. Characteristics of children diagnosed with type 1 diabetes before vs after 6 years of age in the TEDDY cohort study. *Diabetologia*. 2021;64:2247–57.
21. Wilkin TJ. The accelerator hypothesis: Weight gain as the missing link between Type I and Type II diabetes. *Diabetologia*. 2001;44:914–22.
22. Virtanen SM, Knip M. Nutritional risk predictors of β cell autoimmunity and type 1 diabetes at a young age. *Am J Clin Nutr*. 2003 Dec;78:1053–67.
23. Rewers M, Ludvigsson J. Environmental risk factors for type 1 diabetes. *Lancet*. 2016 Jun;387:2340–8.

24. Lamb MM, Yin X, Barriga K, Hoffman MR, Barón AE, Eisenbarth GS, et al. Dietary glycemic index, development of islet autoimmunity, and subsequent progression to type 1 diabetes in young children. *J Clin Endocrinol Metab.* 2008;93:3936–42.
25. Yeung W-CG, Rawlinson WD, Craig ME. Enterovirus infection and type 1 diabetes mellitus: systematic review and meta-analysis of observational molecular studies. *BMJ.* 2011 Feb;342:d35–d35.
26. Traversi D, Rabbone I, Scaioli G, Vallini C, Carletto G, Racca I, et al. Risk factors for type 1 diabetes, including environmental, behavioural and gut microbial factors: a case–control study. *Sci Rep.* 2020;10:1–13.
27. Danne T, Phillip M, Buckingham BA, Jarosz-Chobot P, Saboo B, Urakami T, et al. ISPAD Clinical Practice Consensus Guidelines 2018: Insulin treatment in children and adolescents with diabetes. *Pediatr Diabetes.* 2018;19:115–35.
28. Targets G. 5. Glycemic targets. *Diabetes Care.* 2016;39:S39–46.
29. Pulungan AB, Juwita E, Pudjiadi AH, Rahmayanti S, Tsaniya I. Diabetic Ketoacidosis in Adolescents and Children: A Prospective Study of Blood versus Urine Ketones in Monitoring Therapeutic Response. *Acta Med Indones.* 2018;50:46–52.
30. Smart CE, Annan F, Higgins LA, Jelleryd E, Lopez M, Acerini CL. ISPAD Clinical Practice Consensus Guidelines 2018: Nutritional management in children and adolescents with diabetes. *Pediatr Diabetes.* 2018;19:136–54.
31. Mozzillo E, Zito E, Maffei C, De Nitto E, Maltoni G, Marigliano M, et al. Unhealthy lifestyle habits and diabetes-specific health-related quality of life in youths with type 1 diabetes. *Acta Diabetol.* 2017;54:1073–80.
32. Adelita M, Arto KS, Deliana M. Kontrol Metabolik pada Diabetes Melitus Tipe-1. *Cermin Dunia Kedokt.* 2020;47:227–32.
33. Holman N, Woch E, Dayan C, Warner J, Robinson H, Young B, et al. National Trends in Hyperglycemia and Diabetic Ketoacidosis in Children, Adolescents, and Young Adults With Type 1 Diabetes: A Challenge Due to Age or Stage of Development, or Is New Thinking About Service Provision Needed? *Diabetes Care.* 2023;46:1404–8.
34. Hjermstad MJ, Fayers PM, Haugen DF, Caraceni A, Hanks GW, Loge JH, et al. Studies comparing numerical rating scales, verbal rating scales, and visual analogue scales for assessment of pain intensity in adults: A systematic literature review. *J*

- Pain Symptom Manage. 2011;41:1073–93.
35. Marlow AL, King BR, Trost SG, Weaver N, Smart CE. Healthy weight and overweight adolescents with type 1 diabetes mellitus do not meet recommendations for daily physical activity and sleep. *Diabetes Res Clin Pract.* 2023;203:110879.
 36. Warnes H, Helliwell R, Pearson SM, Ajjan RA. Metabolic Control in Type 1 Diabetes: Is Adjunctive Therapy the Way Forward? *Diabetes Ther.* 2018;9:1831–51.
 37. Štrotl I, Kambič T, Hadžić V, Zdolšek A. Different types of physical activity and metabolic control in people with type 1 diabetes mellitus. *Front Physiol.* 2019;10:1–8.
 38. Nathan DM. The Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications Study at 30 Years: Overview. *Diabetes Care.* 2014 Jan;37:9–16.
 39. Jaiswal M, Divers J, Dabelea D, Isom S, Bell RA, Martin CL, et al. Prevalence of and risk factors for diabetic peripheral neuropathy in youth with type 1 and type 2 diabetes: Search for diabetes in youth study. *Diabetes Care.* 2017;40:1226–32.
 40. Schreiber AK, Nones CF, Reis RC, Chichorro JG, Cunha JM. Diabetic neuropathic pain: Physiopathology and treatment. *World J Diabetes.* 2015 Apr;6:432–44.
 41. UZUNER B, KETENCİ S, SALBAŞ E. General Approach to Diabetic Neuropathy. *Acta Medica Alanya.* 2020 Oct;4:296–308.
 42. Bjornstad P, Dart A, Donaghue KC, Dost A, Feldman EL, Tan GS, et al. ISPAD Clinical Practice Consensus Guidelines 2022: Microvascular and macrovascular complications in children and adolescents with diabetes. *Pediatr Diabetes.* 2022;23:1432–50.
 43. Jensen MP, Dworkin RH, Gammaitoni AR, Olaleye DO, Oleka N, Galer BS. Assessment of pain quality in chronic neuropathic and nociceptive pain clinical trials with the Neuropathic Pain Scale. *J Pain.* 2005 Feb;6:98–106.
 44. Bintang AK, Aulina S, Goysal Y, Amran MY, Hamid F, Setiawan DD. Validitas Michigan Neuropathy Screening Instrument Versi Bahasa Indonesia dalam Mendeteksi Polineuropati Distal Simetris Diabetika Validity of Michigan Neuropathy Screening Instrument (Indonesia) in Detecting Diabetic Distal Symmetric. *Neurona.* 2023;39.
 45. Muntean C, Cătălin B, Tudorică V, Moța M. Efficiency of Michigan Neuropathy Screening Instrument and Nerve Conduction Studies for Diagnosis of Diabetic

- Distal Symmetric Polyneuropathy. *Rom J Diabetes Nutr Metab Dis*. 2016 Mar;23:55–65.
46. Azhary H, Farooq MU, Bhanushali M, Majid A, Kassab MY. Peripheral neuropathy: differential diagnosis and management. *Am Fam Physician*. 2010 Apr;81:887–92.
 47. Nepal R, Bajracharya MR, Karki BB, Mall D, Shrestha PS, Wasti KP, et al. Amitriptyline, Pregabalin and Duloxetine for Treatment of Painful Diabetic Peripheral Neuropathy. *J Nepal Health Res Counc*. 2024 Jun;22:185–91.
 48. Todorovic MS, Frey K, Swarm RA, Bottros M, Rao L, Tallchief D, et al. Prediction of Individual Analgesic Response to Intravenous Lidocaine in Painful Diabetic Peripheral Neuropathy. *Clin J Pain*. 2022 Feb;38:65–76.
 49. Chuar PF, Ng YT, Phang SCW, Koay YY, Ho J-I, Ho LS, et al. Tocotrienol-Rich Vitamin E (Tocovid) Improved Nerve Conduction Velocity in Type 2 Diabetes Mellitus Patients in a Phase II Double-Blind, Randomized Controlled Clinical Trial. *Nutrients*. 2021 Oct;13:3770.
 50. Pinhas-Hamiel O, Hamiel U, Boyko V, Graph-Barel C, Reichman B, Lerner-Geva L. Trajectories of HbA1c levels in children and youth with type 1 diabetes. *PLoS One*. 2014;9.
 51. Bruschi LKM, da Rocha DA, Filho ELG, Barboza N de MP, Frisanco PAB, Callegaro RM, et al. Diabetes Mellitus and Diabetic Peripheral Neuropathy. *Open J Endocr Metab Dis*. 2017;07:12–21.
 52. Ghaemi N, Hasanabadi H, Ashrafzadeh F, Sarvari S, Rahimi H, Hashemian S. Peripheral Neuropathy in Children and Adolescents with Insulin-dependent Diabetes Mellitus. *Iran J child Neurol*. 2018;12:83–90.
 53. Liu X, Xu Y, An M, Zeng Q. The risk factors for diabetic peripheral neuropathy: A meta-analysis. *PLoS One*. 2019;14:1–16.
 54. Abo Hola AS, Abd El Naby SA, Allam ET, Gab Allah AA, Hammad DA. Promising predictors of diabetic peripheral neuropathy in children and adolescents with type 1 diabetes mellitus. *Ital J Pediatr*. 2024;50:1–13.
 55. Hashemipour M, Hovsepian S, Mozafarian N, Motaghi Z, Izadikhah E, Maracy MR. Factors related to glycemic control in children and adolescents with type 1 diabetes mellitus in Isfahan, Iran. *J Diabetes Metab Disord*. 2021;20:1281–8.
 56. Özgüven Öztornacı B, Ardahan Akgül E, Yanar N, Akyol S, Yetim P, Baş G, et al. The Effect of Parental Collaboration on Diabetes Self-Efficacy, Quality of Life and

- HbA1c Level in Adolescents Diagnosed with Type 1 Diabetes. *J Clin Res Pediatr Endocrinol*. 2024 Dec;
57. Verma H, Verma PK, Kumar V, Bhat N, Bahurupi Y. Prevalence and Associated Clinical Features of Type 1 Diabetes Mellitus Among Children Presented to a Tertiary Health Care Center of Himalayan Foothills. *Cureus*. 2023;15:6–11.
 58. Pasi R, Ravi KS. Type 1 diabetes mellitus in pediatric age group. *J Fam Med Prim Care*. 2022 Jan;11:27–31.
 59. Hormazábal-Aguayo I, Ezzatvar Y, Huerta-Urbe N, Ramírez-Vélez R, Izquierdo M, García-Hermoso A. Incidence of type 1 diabetes mellitus in children and adolescents under 20 years of age across 55 countries from 2000 to 2022: A systematic review with meta-analysis. *Diabetes Metab Res Rev*. 2024 Mar;40.
 60. Kandemir N, Vuralli D, Ozon A, Gonc N, Ardicli D, Jalilova L, et al. Epidemiology of type 1 diabetes mellitus in children and adolescents: A 50-year, single-center experience. *J Diabetes*. 2024;16.
 61. Chen X, Pei Z, Zhang M, Xu Z, Zhao Z, Lu W, et al. Glycated Hemoglobin (HbA1c) Concentrations Among Children and Adolescents With Diabetes in Middle- and Low-Income Countries, 2010–2019: A Retrospective Chart Review and Systematic Review of Literature. *Front Endocrinol (Lausanne)*. 2021;12:1–9.
 62. Akinci G, Savelieff MG, Gallagher G, Callaghan BC, Feldman EL. Diabetic neuropathy in children and youth. *Diabet Neuropathy*. 2022;22:185–99.
 63. Irwandy ISF, Hawke F, Coda A, McGee RG, Birt S, Fellas A. Prevalence and Presentation of Lower Limb Neurovascular Complications in Children With Diabetes: A Systematic Review With Proportion Meta-Analysis. *Pediatr Diabetes*. 2025;2025.
 64. De Bock M, Agwu JC, Deabreu M, Dovc K, Maahs DM, Marcovecchio ML, et al. International Society for Pediatric and Adolescent Diabetes Clinical Practice Consensus Guidelines 2024: Glycemic Targets. *Horm Res Paediatr*. 2025;97:546–54.

