

DAFTAR PUSTAKA

1. Killien EY, Keller MR, Watson RS, Hartman ME. Epidemiology of Intensive Care Admissions for Children in the US From 2001 to 2019. *JAMA Pediatr.* 2023;177:506-15.
2. Alisamir M, Mirkarimi M, Mirzaee S, Heidari S, Barouti S, Mohammadi S. Characteristics and outcomes of patients admitted to a pediatric intensive care unit in Southwest of Iran. *Acta Med Iran.* 2022;60:646–54..
3. Divecha C, Tullu MS, Chaudhary S. Burden of respiratory illnesses in pediatric intensive care unit and predictors of mortality: Experience from a low resource country. *Pediatr Pulmonol.* 2019;54:1234–41.
4. Sovira N, Ismi J, Trisnawati Y, Lubis M, Yusuf S. Profil Penyakit Kritis di Ruang Rawat Intensif Anak RSUD Dr. Zainoel Abidin Banda Aceh. *Sari Pediatr.* 2020;22:92.
5. Alwi EH. Terapi Oksigen. dalam : Buku Ajar Pediatri Gawat Darurat. 2011;8:51–8.
6. Fedor KL. Noninvasive respiratory support in infants and children. *Respir Care.* 2017;62:699–717.
7. Kadafi KT, Yuliarto S, Monica C, Susanto WP. Clinical review of High Flow Nasal Cannula and Continuous Positive Airway Pressure in pediatric acute respiratory distress. *Ann Med Surg.* 2022;73:1-9.
8. Wu JH, Wang CC, Lu FL, Huang SC, Wu ET. The applications of high-flow nasal cannulas in pediatric intensive care units in Taiwan. *J Formos Med Assoc.* 2024;124:15–21.
9. Popat B, Jones AT. Invasive and non-invasive mechanical ventilation. *Med (United Kingdom).* 2016;44:346–50..
10. Lodeserto FJ, Lettich TM, Rezaie SR. High-flow Nasal Cannula: Mechanisms of Action and Adult and Pediatric Indications. *Cureus.* 2018;10:1-12.
11. Saelim K, Thirapaleka B, Ruangnapa K, Prasertsan P, Anuntaseree W. Predictors of high-flow nasal cannula failure in pediatric patients with acute respiratory distress. *Clin Exp Pediatr.* 2022;65:595–601.
12. Prasetyo M, Martuti S, Salimo H, Prasetyo M, Martuti S, Salimo H. Faktor Prediktif Kegagalan Hasil. 2024;26:202-14.
13. Franklin D, Babl FE, Schlapbach LJ, Oakley E, Craig S, Neutze J, et al. A Randomized Trial of High-Flow Oxygen Therapy in Infants with Bronchiolitis. *N Engl J Med.* 2018;378:1121–31.
14. Milési C, Boubal M, Jacquot A, Baleine J, Durand S, Odena MP, et al. High-flow nasal cannula: Recommendations for daily practice in pediatrics. *Ann Intensive Care.* 2014;4:1–7.
15. Yildizdas D, Yontem A, Iplik G, Horoz OO, Ekinici F. Predicting nasal high-flow therapy failure by pediatric respiratory rate-oxygenation index and pediatric respiratory rate-oxygenation index variation in children. *Eur J Pediatr.* 2021;180:1099–106.

16. Sarkar PK, Rahman MS. Oxygen Therapy in Children - An Update. *Dhaka Shishu Hosp J.* 2021;34:48–54.
17. Mayfield S, Jauncey-Cooke J, Hough JL, Schibler A, Gibbons K, Bogossian F. High-flow nasal cannula therapy for respiratory support in children. *Cochrane Database Syst Rev.* 2014;2; 1-13.
18. Papazian L, Corley A, Hess D, Fraser JF, Frat JP, Guitton C, et al. Use of high-flow nasal cannula oxygenation in ICU adults: a narrative review. *Intensive Care Med.* 2016;42:1336–49.
19. Sockrider M, Evey LW, Grad R, Leong A, Baker J, Gettys A. Oxygen therapy for children. *Am J Respir Crit Care Med.* 2019;199:5–6.
20. Pudjiastuti A. Buku saku Terapi Oksigen pada Anak. IDAI. 2021;3: 11-13.
21. Kadafi KT, Yulianto S, Monica C. Modalitas Terapi Oksigen pada Anak. *EGC.* 2014;7: 72-91.
22. Schibler A. Nasal High Flow in infants and children. *Atemwegs- und Lungenkrankheiten.* 2020;46:22–7.
23. Puspaningtyas NW, Dewi R, Pudjiadi AH. High-flow Nasal Cannula in Pediatric Patients. 2022;16–21.
24. Yurtseven A, Saz EU, Hennes H. Safety and Efficacy of High-flow Nasal Cannula Therapy in the Pediatric Emergency Department. *Turkish J Pediatr Emerg Intensive Care Med.* 2019;6:121–9.
25. Venanzi A, Filippo P Di, Attanasi M, Santagata C, Pillo S Di, Chiarelli F. Heated Humidified High-Flow Nasal Cannula in Children : State of the Art. 2022;10:1-14
26. Nolasco S, Manti S, Leonardi S, Vancheri C, Spicuzza L. High-Flow Nasal Cannula Oxygen Therapy: Physiological Mechanisms and Clinical Applications in Children. *Front Med.* 2022;9:1-12.
27. Nishimura M. High-flow nasal cannula oxygen therapy devices. *Respir Care.* 2019;64:735–42.
28. Kwon JW. High-flow nasal cannula oxygen therapy in children: A clinical review. *Clin Exp Pediatr.* 2020;63:3–7.
29. Kepreotes E, Whitehead B, Attia J, Oldmeadow C, Collison A, Searles A, et al. High-flow warm humidified oxygen versus standard low-flow nasal cannula oxygen for moderate bronchiolitis (HFWHO RCT): an open, phase 4, randomised controlled trial. *Lancet.* 2017;389:930–9.
30. Wang J, Lee KP, Chong SL, Loi M, Lee JH. High flow nasal cannula in the emergency department: indications, safety and effectiveness. *Expert Rev Med Devices.* 2018;15:929–35.
31. Ischaki E, Pantazopoulos I, Zakynthinos S. Nasal high flow therapy: A novel treatment rather than a more expensive oxygen device. *Eur Respir Rev.* 2017;26:1-17.
32. Slain KN, Shein SL, Rotta AT. Uso de cânula nasal de alto fluxo no departamento de emergência pediátrica. *J Pediatr (Rio J).* 2017;93:36–45.
33. Duan X, Wei N, Wei J, Zhu Y, Kang Y, He Y, et al. Effect of High-Flow Nasal Cannula Oxygen Therapy on Pediatric Patients With Congenital Heart Disease in Procedural Sedation: A Prospective, Randomized Trial. *J Cardiothorac Vasc Anesth.* 2021;35:2913–9.

34. Baudin F, Buisson A, Vanel B, Massenavette B, Pouyau R, Javouhey E. Nasal high flow in management of children with status asthmaticus: a retrospective observational study. *Ann Intensive Care*. 2017;7:1–9.
35. González Martínez F, González Sánchez MI, Toledo Del Castillo B, Pérez Moreno J, Medina Muñoz M, Rodríguez Jiménez C, et al. Treatment with high-flow oxygen therapy in asthma exacerbations in a paediatric hospital ward: Experience from 2012 to 2016. *An Pediatr*. 2019 Feb;90:72–8.
36. Chang CC, Lin YC, Chen TC, Lin JJ, Hsia SH, Chan OW, et al. High-Flow Nasal Cannula Therapy in Children With Acute Respiratory Distress With Hypoxia in A Pediatric Intensive Care Unit–A Single Center Experience. *Front Pediatr*. 2021;1-9.
37. Asseri AA, AlQahtani YA, Alhanshani AA, Ali GH, Alhelali I. Indications and Safety of High Flow Nasal Cannula in Pediatric Intensive Care Unit: Retrospective Single Center Experience in Saudi Arabia. *Pediatr Heal Med Ther*. 2021;12:431–7.
38. Ignatiuk D, Schaer B, McGinley B. High flow nasal cannula treatment for obstructive sleep apnea in infants and young children. *Pediatr Pulmonol*. 2020;55:2791–8.
39. Karedath J, Hatamleh MI, Haseeb R, Cela RS, Asjad S. Comparison of High-Flow Nasal Cannula Versus Conventional Oxygen Therapy After Extubation in Children Undergoing Cardiac Surgery : A Meta- analysis. 2023;15:1-9.
40. Shioji N, Kanazawa T, Iwasaki T, Shimizu K, Suemori T, Kuroe Y, et al. High-flow nasal cannula versus noninvasive ventilation for postextubation acute respiratory failure after pediatric cardiac surgery. *Acta Med Okayama*. 2019;73:15–20.
41. Luo J, Duke T, Chisti MJ, Kepreotes E, Kalinowski V, Li J. Efficacy of High-Flow Nasal Cannula vs Standard Oxygen Therapy or Nasal Continuous Positive Airway Pressure in Children with Respiratory Distress: A Meta-Analysis. *J Pediatr*. 2019;215:199-208
42. Liu J, Li D, Luo L, Liu Z, Li X, Qiao L. Analysis of risk factors for the failure of respiratory support with high-flow nasal cannula oxygen therapy in children with acute respiratory dysfunction: A case-control study. *Front Pediatr*. 2022;10:1-7.
43. Yuniar I, Pudjiadi AH, Dewi R, Prawira Y, Puspaningtyas NW, Tartila T, et al. Respiratory Rate Oxygenation (ROX) index as predictor of high flow nasal cannula in pediatric patients in pediatric intensive care unit. *BMC Pulm Med*. 2024;24:1–7.
44. Saputra I, Handayani D, Kaffah S, Saputra I, Handayani D, Kaffah S. Penggunaan Indeks Respiratory-Oxygenation dalam Menentukan Keberhasilan Terapi Oksigen High Flow Nasal Cannula pada Anak Sakit Kritis. 2023;24:352–8.
45. Li Z, Chen C, Tan Z, Yao Y, Xing S, Li Y, et al. Prediction of high-flow nasal cannula outcomes at the early phase using the modified respiratory rate oxygenation index. *BMC Pulm Med*. 2022;22:1–11
46. Ricard JD, Roca O, Lemiale V, Corley A, Braunlich J, Jones P, et al. Use of nasal high flow oxygen during acute respiratory failure. *Intensive Care Med*.

- 2020;46:2238–47.
47. Kolla S, Meda R, Ballela L, Thimmapuram CR. The utility value of ROX index and modified ROX index in determining the efficiency of HFNC in children admitted with respiratory distress. *Int J Contemp Pediatr*. 2024;11:775–81.
 48. Nayani K, Naeem R, Munir O, Naseer N, Feroze A, Brown N, et al. The clinical respiratory score predicts paediatric critical care disposition in children with respiratory distress presenting to the emergency department. *BMC Pediatr*. 2018;18:1–8.
 49. Roca O, Messika J, Caralt B, García-de-Acila M, Sztrymf B, Ricard JD, et al. Predicting success of high-flow nasal cannula in pneumonia patients with hypoxemic respiratory failure: The utility of the ROX index. *J Crit Care*. 2016;35:200–5.
 50. Napolitano N, Berlinski A, Walsh BK, Ginier E, Strickland SL. AARC clinical practice guideline: Management of pediatric patients with oxygen in the acute care setting. *Respir Care*. 2021;66:1214–23.
 51. Permall DL, Pasha AB, Chen XQ. Current insights in non-invasive ventilation for the treatment of neonatal respiratory disease. *Ital J Pediatr*. 2019;45:1–7.
 52. Haut C. Pediatric Noninvasive Ventilation. *J Pediatr Intensive Care*. 2015;4:121–7.
 53. Ni YN, Luo J, Yu H, Liu D, Ni Z, Cheng J, et al. Can High-flow Nasal Cannula Reduce the Rate of Endotracheal Intubation in Adult Patients With Acute Respiratory Failure Compared With Conventional Oxygen Therapy and Noninvasive Positive Pressure Ventilation?: A Systematic Review and Meta-analysis. *Chest*. 2017;151:764–75.
 54. Albadi MS, Bookari K. Is Undernutrition Associated With Deterioration of Outcomes in the Pediatric Intensive Care Unit (PICU): Systematic and Meta-Analysis Review. *Frontiers in Pediatrics*. 2022;10:1–9.
 55. Omran AM, Aiyousef SM, Zahraa JA, Almubarak MS, Albalawi MS. Utilization of High-Flow Nasal Cannulas in Pediatric Critical Care : A Single-Center Experience. 2024;1–13.
 56. Jason A. Clayton, Katherine N. Slain SLS & Ira MC. High flow nasal cannula in the pediatric intensive care unit. 2022;1:1–5.
 57. Lindell RB, Fitzgerald JC, Rowan CM, Flori HR, Di Nardo M, Napolitano N, et al. The Use and Duration of Preintubation Respiratory Support Is Associated With Increased Mortality in Immunocompromised Children With Acute Respiratory Failure. *Crit Care Med*. 2022 J;50:1–13.
 58. Venanzi A, Filippo P Di, Attanasi M, Santagata C, Pillo S Di, Chiarelli F. Heated Humidified High-Flow Nasal Cannula in Children : State of the Art. 2022;10:1–14.
 59. Vásquez-Hoyos P, Jiménez-Chaves A, Tovar-Velásquez M, Albor-Ortega R, Palencia M, Redondo-Pastrana D, et al. Factors associated to high-flow nasal cannula treatment failure in pediatric patients with respiratory failure in two pediatric intensive care units at high altitude. *Med Intensiva*. 2021;45:195–204.

60. Fleming S, Thompson M, Stevens R, Heneghan C, Plüddemann A, MacOnochie I, et al. Normal ranges of heart rate and respiratory rate in children from birth to 18 years of age: A systematic review of observational studies. *Lancet*. 2011;377:1011–8.
61. Webb L V., Chahine R, Aban I, Prabhakaran P, Loberger JM. Predicting High-Flow Nasal Cannula Therapy Outcomes Using the ROX-HR Index in the Pediatric ICU. *Respir Care*. 2022;67:1377–84.
62. Milesi C, Nogue E, Baleine J, Moulis L, Pouyau R, Gavotto A, et al. ROX (Respiratory rate – OXygenation) index to predict early response to high-flow nasal cannula therapy in infants with viral bronchiolitis. *Pediatr Pulmonol*. 2024;59:982–90.
63. Kim GE, Choi SH, Park M, Jung JH, Lee M, Kim SY, et al. SpO2/FiO2 as a predictor of high flow nasal cannula outcomes in children with acute hypoxemic respiratory failure. *Sci Rep*. 2021;11:13439.
64. Center TCHE-BO. High Flow Nasal Cannula (HFNC) Therapy: Initiation and Escalation for Respiratory Distress [Internet]. Houston: Texas Children's Hospital. 2023 [2026 Mar 10]. p. 1–5. Tersedia dari: <https://www.texaschildrens.org/sites/tc/files/uploads/documents/outcomes/2024%20standards/HFNC%20Pathway%20final.2.7.2023.pdf>
65. Etrusco Zaroni Santos AC, Caiado CM, Daud Lopes AG, de França GC, Valerio CA, Oliveira DBL, et al. Comparative analysis of predictors of failure for high-flow nasal cannula in bronchiolitis. *PLoS One*. 2024;19:1–17.

