

DAFTAR PUSTAKA

1. Amin H, Siddiqui W. Cardiomegaly. [Updated 2022 Nov 20]. StatPearls [Internet] Treasure Island (FL): StatPearls Publishing. 2023. Available from: <https://www.ncbi.nlm.nih.gov/sites/books/NBK542296/>
2. Lazzeroni D, Rimoldi O, Camici PG. From left ventricular hypertrophy to dysfunction and failure. *Circ J*. 2016;80(3):555-64.
3. Bornstein A, Rao S, Marwaha K. Left Ventricular Hypertrophy. 2023 Aug 8. StatPearls [Internet] Treasure Island (FL): StatPearls Publishing. 2024:3-4.
4. Viwatrangkul P, Lawanwisut S, Leekhapphan P, Prasart-Intara T, Phiensuparp P, Prakiatpongsa S, et al. Prevalence and associated factors of electrocardiographic left ventricular hypertrophy in a rural community, central Thailand. *Sci Rep*. 2021;11(1):7083
5. Wowor RL. Faktor-faktor yang Mempengaruhi Pembesaran Jantung Kiri (LVH) pada Mahasiswa Pria Peserta Kepanitraan Klinik Madya Fakultas Kedokteran Universitas Sam Ratulangi. *JIKMU*. 2015;5(1).
6. Khalid K, Padda J, Ismail D, Abdullah M, Gupta D, Pradeep R, et al. Correlation of coronary artery disease and left ventricular hypertrophy. *Cureus*. 2021;13(8).
7. Caturano A, Vetrano E, Galiero R, Salvatore T, Docimo G, Epifani R, et al. Cardiac hypertrophy: from pathophysiological mechanisms to heart failure development. *Rev Cardiovasc Med*. 2022;23(5):165.
8. Satrijo B, Maharani AM, Fadlan MR, Baskoro SS. Left Ventricular Hypertrophy and Clinical Outcomes in Heart Failure Patients Based on

Hypertension Subtypes: Insights from a Tertiary Hospital Heart Failure Registry in Malang, Indonesia. *Heart Sci J.* 2023;4(2):18-22.

9. Poedjijo YS, Hanif AM, Murni AW, Ahmad A, Faheri E, Elvira D, Kurniawan E. Diagnostic value of Peguero-Lo Presti electrocardiographic criteria for diagnosing concentric left ventricular hypertrophy in hypertensive patients at Dr. M. Djamil General Hospital Padang. *JKKI*. 2025 Dec 27:372-82.
10. Hancock EW, Deal BJ, Mirvis DM, Okin P, Kligfield P, Gettes LS. AHA/ACCF/HRS recommendations for the standardization and interpretation of the electrocardiogram: part V: electrocardiogram changes associated with cardiac chamber hypertrophy: a scientific statement from the American Heart Association Electrocardiography and Arrhythmias Committee, Council on Clinical Cardiology; the American College of Cardiology Foundation; and the Heart Rhythm Society: endorsed by the International Society for Computerized Electrocardiology. *J Am College Cardiol.* 2009;119(10):e251-e61.
11. Moura B, Aimo A, Al-Mohammad A, Keramida K, Ben Gal T, Dorbala S, et al. Diagnosis and management of patients with left ventricular hypertrophy: Role of multimodality cardiac imaging. A scientific statement of the Heart Failure Association of the European Society of Cardiology. *Eur J Heart Fail.* 2023;25(9):1493-506.
12. Dávila DF, Donis JH, Odreman R, Gonzalez M, Landaeta A. Patterns of left ventricular hypertrophy in essential hypertension: should echocardiography guide the pharmacological treatment? *Int J Cardiol.* 2008;124(2):134-8.

13. Garza-Salazar FDI. Diagnostic utility of 31 ECG criteria for predicting echocardiographic left ventricular geometry. *Arch Cardiol Méx.* 2022;92(4):492-501.
14. Sayin BY, Oto A. Left ventricular hypertrophy: etiology-based therapeutic options. *Cardiol Ther.* 2022;11(2):203-30.
15. Noubiap JJ, Agbaedeng TA, Nyaga UF, Nkoke C, Jingi AM. A meta-analytic evaluation of the diagnostic accuracy of the electrocardiographic Peguero-Lo Presti criterion for left ventricular hypertrophy. *J Clin Hypertens.* 2020;22(7):1145-53.
16. Liu C-W, Wu F-H, Hu Y-L, Pan R-H, Lin C-H, Chen Y-F, et al. Left ventricular hypertrophy detection using electrocardiographic signal. *Sci Rep.* 2023;13(1):2556.
17. Peguero JG, Lo Presti S, Perez J, Issa O, Brenes JC, Tolentino A. Electrocardiographic criteria for the diagnosis of left ventricular hypertrophy. *J Am College Cardiol.* 2017;69(13):1694-703.
18. Noubiap JJ, Jingi AM. Adjustments of electrocardiographic criteria for the diagnosis of left ventricular hypertrophy. *J Am College Cardiol.* 2017;70(5):686-7.
19. Sun G-Z, Wang H-Y, Ye N, Sun Y-X. Assessment of novel Peguero-Lo Presti electrocardiographic left ventricular hypertrophy criteria in a large Asian population: newer may not be better. *Can J Cardiol.* 2018;34(9):1153-7.
20. Faggiano A, Gherbesi E, Tadic M, Carugo S, Grassi G, Cuspidi C. Do We Need New Electrocardiographic Criteria for Left Ventricular Hypertrophy?

- The Case of the Peguero–Lo Presti Criterion. A Narrative Review. *Am J Hypertens*. 2024;37(3):155-62.
21. Tavares CdAM, Samesima N, Hajjar LA, Godoy LC, Padrão EMH, Lazar Neto F, et al. Clinical applicability and diagnostic performance of electrocardiographic criteria for left ventricular hypertrophy diagnosis in older adults. *Sci Rep*. 2021;11(1):11516.
 22. Ginting MN, Andra CA, Nasution AN, Hasan H, Akbar NZ, Siregar AA. Peguero–Lo Presti Criteria from Electrocardiography to Diagnose Left Ventricular Hypertrophy in Patients with Hypertension in Adam Malik Hospital. *ACI*. 2019;6(1):29-33.
 23. Suyasa IPGEA, Artha APJM, Harlina M, Sari P. Comparison of Cornell and Peguero–Lo Presti Criteria in Electrocardiography to Diagnose Left Ventricular Hypertrophy in Hypertensive Patients at RSUD Tabanan. *WMJ*. 2023;8(2).
 24. Verma A, Meris A, Skali H, Ghali JK, Arnold JMO, Bourgoun M, et al. Prognostic implications of left ventricular mass and geometry following myocardial infarction: the VALIANT (VALsartan In Acute myocardial iNfarcTion) Echocardiographic Study. *JACC Cardiovasc Imaging*. 2008;1(5):582-91.
 25. Bang CN, Gerds E, Aurigemma GP, Boman K, de Simone G, Dahlöf B, et al. Four-group classification of left ventricular hypertrophy based on ventricular concentricity and dilatation identifies a low-risk subset of eccentric hypertrophy in hypertensive patients. *Circ Cardiovasc Imaging*. 2014;7(3):422-9.

26. Zheng Q, Loo G, Le T-T, Shi L, Chan ES-Y, Chin CW. Prognosis associated with geometric patterns of left ventricular remodeling: systematic review and network meta-analysis. *Research*. 2019;8:1130.
27. Anan R, Imoto T, Onizuka K, Watanabe H, Mori W, Murakoso M. Concentric hypertrophy geometry is a significant determinant of impaired global longitudinal strain in patients with normal cardiac structure and function. *Heliyon*. 2023;9(6).
28. Lieb W, Gona P, Larson MG, Aragam J, Zile MR, Cheng S, et al. The natural history of left ventricular geometry in the community: clinical correlates and prognostic significance of change in LV geometric pattern. *JACC Cardiovasc Imaging*. 2014;7(9):870-8.
29. Ye N, Sun G-Z, Zhou Y, Wu S-J, Sun Y-X. Influence of relative wall thickness on electrocardiographic voltage measures in left ventricular hypertrophy: a novel factor contributing to poor diagnostic accuracy. *Postgrad Med*. 2020;132(2):141-7.
30. Yalçın F, Kucukler N, Cingolani O, Mbiyangandu B, Sorensen L, Pinherio A, et al. Evolution of ventricular hypertrophy and myocardial mechanics in physiological and pathological hypertrophy. *J Appl Physiol*. 2019;126(2):354-62.
31. Lovic D, Narayan P, Pittaras A, Faselis C, Doumas M, Kokkinos P. Left ventricular hypertrophy in athletes and hypertensive patients. *J Clin Hypertens*. 2017;19(4):413-7.

32. Pittaras A, Faselis C, Doulas M, Grassos C, Kokkinos P. Physical Activity and Cardiac Morphologic Adaptations. *Reviews in Cardiovascular Medicine*. 2023;24(5):142.
33. Carabello BA. The pathophysiology of afterload mismatch and ventricular hypertrophy. *Structural Heart*. 2021;5(5):446-56.
34. Oláh A, Németh BT, Mátyás C, Hidi L, Lux Á, Ruppert M, et al. Physiological and pathological left ventricular hypertrophy of comparable degree is associated with characteristic differences of in vivo hemodynamics. *AJP-Heart Circ Physiol*. 2016;310(5):H587-H97.
35. Oldfield CJ, Duhamel TA, Dhalla NS. Mechanisms for the transition from physiological to pathological cardiac hypertrophy. *Can J Physiol Pharmacol*. 2020;98(2):74-84.
36. Cacciapuoti F. Molecular mechanisms of left ventricular hypertrophy (LVH) in systemic hypertension (SH)—possible therapeutic perspectives. *Journal of the American Society of Hypertension*. 2011;5(6):449-55.
37. Hilfiker-Kleiner D, Landmesser U, Drexler H. Molecular mechanisms in heart failure: focus on cardiac hypertrophy, inflammation, angiogenesis, and apoptosis. *J Am Soc Hypertens*. 2011;5(6):449-55.
38. Yu W, Chen C, Cheng J. The role and molecular mechanism of FoxO1 in mediating cardiac hypertrophy. *ESC Heart Fail*. 2020;7(6):3497-504.
39. Samak M, Fatullayev J, Sabashnikov A, Zeriouh M, Schmack B, Farag M, et al. Cardiac hypertrophy: an introduction to molecular and cellular basis. *Med Sci Monit Basic Res*. 2016;22:75.

40. Schirone L, Forte M, Palmerio S, Yee D, Nocella C, Angelini F, et al. A review of the molecular mechanisms underlying the development and progression of cardiac remodeling. *Oxid Med Cell Longev*. 2017;2017(1):3920195.
41. Rohini A, Agrawal N, Koyani CN, Singh R. Molecular targets and regulators of cardiac hypertrophy. *Pharmacol Res*. 2010;61(4):269-80.
42. Lei H, Hu J, Sun K, Xu D. The role and molecular mechanism of epigenetics in cardiac hypertrophy. *Heart Fail Rev*. 2021;26(6):1505-14.
43. You J, Wu J, Zhang Q, Ye Y, Wang S, Huang J, et al. Differential cardiac hypertrophy and signaling pathways in pressure versus volume overload. *Am J Physiol Heart and Circ Physiol*. 2018;314(3):H552-H62.
44. Ruppert M, Barta B, Sayour A, Olah A, Nagy D, Balint T, et al. Pressure overload and volume overload-induced chronic heart failure are associated with characteristic left ventricular myocardial proteomic alterations. *EHJ*. 2022;43(Supplement_2):ehac544. 2958.
45. Lang RM, Badano LP, Mor-Avi V, Afilalo J, Armstrong A, Ernande L, et al. Recommendations for cardiac chamber quantification by echocardiography in adults: an update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. *J Am Soc Echocardiogr*. 2015;16(3):233-71.
46. Garcia JAD, Incerpi EK. Factors and mechanisms involved in left ventricular hypertrophy and the anti-hypertrophic role of nitric oxide. *Arg Bras Cardiol*. 2008;90:443-50.

47. Barbieri A, Albini A, Maisano A, De Mitri G, Camaioni G, Bonini N, et al. Clinical value of complex echocardiographic left ventricular hypertrophy classification based on concentricity, mass, and volume quantification. *Front Cardiovasc Med*. 2021;8:667984.
48. Zhang Y, Guo X, Chen S, Wang Y, Li J, Sun X, et al. Left ventricular geometry characteristics and clinical outcomes in hemodialysis patients with heart failure with preserved ejection fraction. *BMC Cardiovasc Disord*. 2024;24(1):327.
49. Sattar Y, Chhabra L. Electrocardiogram.[Updated 2020 Jul 31]. StatPearls [Internet] Treasure Island (FL): StatPearls Publishing. 2020.
50. Yagi R, Mori Y, Goto S, Iwami T, Inoue K. Routine electrocardiogram screening and cardiovascular disease events in adults. . *JAMA Intern Med*. 2024;184(9):1035-44.
51. Silva RP, de Almeida CPL, da Silva Junior GB, Costa PL, Costa PSC, Rocha MG. Electrocardiogram reports in a cardiology tests clinic. *Cardiocre*. 2015;50(1):22-6
52. Bacharova L, Chevalier P, Gorenek B, Jons C, Li Y-G, Locati ET, et al. ISE/ISHNE expert consensus statement on ECG diagnosis of left ventricular hypertrophy: the change of the paradigm. The joint paper of the International Society of Electrocardiology and the International Society for Holter Monitoring and Noninvasive Electrocardiology. *J Electrocardiol*. 2023;81:85-93.
53. Djordjevic DB, Tasic IS, Kostic ST, Stamenkovic BN, Lovic MB, Djordjevic ND, et al. Electrocardiographic criteria which have the best

- prognostic significance in hypertensive patients with echocardiographic hypertrophy of left ventricle: 15-year prospective study. *Clin Cardiol.* 2020;43(9):1017-23.
54. Yu Z, Song J, Cheng L, Li S, Lu Q, Zhang Y, et al. Peguero-Lo Presti criteria for the diagnosis of left ventricular hypertrophy: A systematic review and meta-analysis. *PLoS One.* 2021;16(1):e0246305.
 55. Gamrat A, Trojanowicz K, Surdacki MA, Budkiewicz A, Wasińska A, Wieczorek-Surdacka E, et al. Diagnostic Ability of Peguero-Lo Presti Electrocardiographic Left Ventricular Hypertrophy Criterion in Severe Aortic Stenosis. *J Clin Med.* 2021;10(13):2864.
 56. Li G, Jin L, Weng Z, Jin X, Lin X, Chen S. Clinical utility of electrocardiographic voltage parameters for the diagnosis of hypertrophic cardiomyopathy. *Front Cardiovasc Med.* 2024;11:1354364.
 57. Rodrigues TS, Azraai M, Crosthwaite A, Patel S, Farouque O, Ramchand J, et al. The Peguero-Lo Presti criteria improve the sensitivity of the electrocardiogram to diagnose left ventricular hypertrophy in patients with end-stage kidney disease. *Heart, Lung and Circulation.* 2019;28:S324.
 58. Moustafa MM, Shredah AAR, Marghany KA, Zakaria AYS. Electrocardiography versus Echocardiography for assessment of left ventricular hypertrophy in ischemic heart disease patients with and without cardiovascular risk factors. *The Egyptian Journal of Hospital Medicine.* 2019;74(5):1165-73.
 59. Mitchell C, Rahko PS, Blauwet LA, Canaday B, Finstuen JA, Foster MC, et al. Guidelines for performing a comprehensive transthoracic

- echocardiographic examination in adults: recommendations from the American Society of Echocardiography. *JASE*. 2019;32(1):1-64.
60. Wu S, Feng X, Zheng H, Wang J, Yan M, Zhou D, et al. Sex-Specific Association of Left Ventricular Hypertrophy With Cardiovascular Events in High-Risk of Cardiovascular Disease Population: Findings From the Sub-Cohort of China PEACE Million Persons Project. *JCH*. 2025;27(5):e70072.
 61. Gerds E, Izzo R, Mancusi C, Losi MA, Manzi MV, Canciello G, et al. Left ventricular hypertrophy offsets the sex difference in cardiovascular risk (the Campania Salute Network). *Int J Cardiol*. 2018;258:257-61.
 62. Taki H, Tuomilehto J, Zimmet P, Tamosiunas A, Kowlessur S, Magliano DJ, et al. Left ventricular hypertrophy: an ECG-based study of prevalence and risk factors in a multiethnic population. *Open heart*. 2023;10(2).
 63. Bairey Merz CN, Nelson MD, Cheng S, Wei J. Sex differences and the left ventricle: morphology matters. *Eur herat J Cardiovasc Imaging*; 2020. p. 991-3.
 64. Ogah O, Adebisi A, Orimolade O, Akinosi T, Aborisade S, Okorie C, et al. Performance of the Peguero-Lo Presti criteria for the diagnosis of left ventricular hypertrophy in patients with cardiac disease in Ibadan, Nigeria. *Ann Ib Postgrad Med*. 2024;22(2):31.
 65. Gremese E, Bruno D, Perniola S, Ceolan J, Ferraccioli G. Autoimmune inflammation as a key risk factor for heart failure with preserved ejection fraction: the different types of inflammation driving to HFpEF. *Front Med*. 2025;12:1557312.

66. Ruangpan K, Nilmoje T, Aiewruengsurat D. Prevalence of abnormal left ventricular geometry and predictors of left ventricular hypertrophy in patients with rheumatoid arthritis. *EHJ*. 2022;43(Supplement_2):ehac544. 2646.
67. Myhr KA, Zinglarsen AH, Hermansen M-LF, Jepsen MM, Iversen KK, Ngo AT, et al. Left ventricular size and function in patients with systemic lupus erythematosus associate with lupus anticoagulant: an echocardiographic follow-up study. *J Autoimmune*. 2022;132:102884.
68. Kashem N, Ahmed F, Tanu S, Rahman A, Sultana R, Jui Y, et al. Effects of body mass index on left ventricular function: An echocardiographic comparison between obese and nonobese individuals. *Physiol Rep*. 2025;13(24):e70705.
69. von Jeinsen B, Vasan RS, McManus DD, Mitchell GF, Cheng S, Xanthakis V. Joint influences of obesity, diabetes, and hypertension on indices of ventricular remodeling: findings from the community-based Framingham Heart Study. *PLoS One*. 2020;15(12):e0243199.
70. Ahmed SN, Jhaj R, Sadasivam B, Joshi R. Regression of the left ventricular hypertrophy in patients with essential hypertension on standard drug therapy. *Discoveries*. 2020;8(3):e115.
71. Movahed MR, Ramaraj R, Manrique C, Hashemzadeh M. Left ventricular hypertrophy is independently associated with all-cause mortality. *Am J Cardiovasc Dis*. 2022;12(1):38.
72. Luangphiphat W, Phaisitkriengkrai A, Methavigul R, Methavigul K. Peguero–Lo Presti criteria modified by body surface area for the

- electrocardiographic diagnosis of left ventricular hypertrophy in Thai patients. *Asian Biomed (Res Rev News)*. 2021;15(2):101.
73. Salvetti M, Painsi A, Bertacchini F, Stassaldi D, Aggiusti C, Rosei CA, et al. Changes in left ventricular geometry during antihypertensive treatment. *Pharmacol Res*. 2018;134:193-9.
 74. Sastroasmoro S, Ismael S. Dasar-dasar metodologi penelitian klinis. Jakarta: sagung seto. 2011;55.
 75. Maanja M, Wieslander B, Schlegel TT, Bacharova L, Abu Daya H, Fridman Y, et al. Diffuse myocardial fibrosis reduces electrocardiographic voltage measures of left ventricular hypertrophy independent of left ventricular mass. *J AHA*. 2017;6(1):e003795.
 76. Asch FM, Miyoshi T, Addetia K, Citro R, Daimon M, Desale S, et al. Similarities and differences in left ventricular size and function among races and nationalities: results of the World Alliance Societies of Echocardiography Normal Values Study. *J Am Soc Echocardiogr*. 2019;32(11):1396-406. e2.
 77. Tan E, Xu CF, Liang F, Santhanakrishnan R, Chan MM, Seow S-C, et al. Association of ethnicity, age and body size with electrocardiographic values in the community. *JACC*. 2014;63(12S):A1636-A.
 78. Marquez MGA, Rosita RR. Diagnostic Performance of Electrocardiographic Criteria Compared With Echocardiographic Diagnosis of Left Ventricular Hypertrophy in Patients at the Outpatient Department. *PJC*. 2023;51(1):55-61.

79. Marcato JP, Santos FS, Palone AG, Marques GL. Evaluation of different criteria in the diagnosis of left ventricular hypertrophy by electrocardiogram in comparison with echocardiogram. *Cureus*. 2022;14(6).
80. Keskin K, Ser OS, Dogan GM, Cetinkal G, Yildiz SS, Sigirci S, et al. Assessment of a new electrocardiographic criterion for the diagnosis of left ventricle hypertrophy: A prospective validation study. *North Clin İstan*. 2020;7(3).
81. Tomita S, Ueno H, Takata M, Yasumoto K, Tomoda F, Inoue H. Relationship between electrocardiographic voltage and geometric patterns of left ventricular hypertrophy in patients with essential hypertension. *Hypertension Res*. 1998;21(4):259-66
82. Zhang H, Hu L, Wei X. Prognostic value of left ventricular hypertrophy in hypertensive patients: A meta-analysis of electrocardiographic studies. *The J Clin Hypertens*. 2020;22(2):254-60.
83. Afify HM, Waits GS, Ghoneum AD, Cao X, Li Y, Soliman EZ. Peguero electrocardiographic left ventricular hypertrophy criteria and risk of mortality. *Front Cardiovasc Med*. 2018;5:75.