

DAFTAR PUSTAKA

- Adolfssons, S and B. O. Bengston. 2007. The spread of apomixes and its effect on resident genetic variations. *J. Evol. Biol.*, 20: 1933 – 1940.
- Agarwal, M., N. Srivastava, and H. Padh. 2008. Advances in molecular marker techniques and their applications in plant sciences. *Plant Cell Reporter*, 27 :617 – 631.
- Amos, W and J. Harwood. 1998. Factors affecting levels of genetic diversity in natural population. *Phil. Trans. R. Soc. Land. B.* 353: 177 – 186.
- Amrullah, S. Dharma, dan Ferdinal. 2002. Buah unggul khas Propinsi Jambi. Balai Pengawasan dan Sertifikasi Benih Tanaman Pangan dan Hortikultura, Dinas Pertanian Tanaman Pangan, Provinsi Jambi.
- Andrini, Suharsi, and Surahman. 2013. Studies on polyembryony and determination of physiological maturity of Japansche Citroen seed based on fruit skin color. *J. Hort.* 23: 195 – 202.
- Armbruster, W.S. and Muchhala, N. 2009. Associations between floral specialization and species diversity: Cause, effect, or correlation?. *Evolutionary Ecology*, 23: 159 – 179.
- Asker, S. E & L. Jerling. 1992. Apomixis in plants. CRC Press. London.
- Balai Penelitian Tanaman Buah Tropika, Solok. 2012. Instruksi kerja laboratorium Badan Penelitian dan Pengembangan Pertanian. Pusat Penelitian dan Pengembangan Hortikultura.
- Barcaccia, G., F. Arzenton, T. F. Sharbe, S. Varotto, P. Parrini, and M. Lucchin. 2006. Genetic diversity and reproductive biology in ecotypes of the facultative apomict *Hypericum perforatum L.* *Heredity*. 96: 322–334.
- Barcaccia, G. and E. Albertini. 2013. Apomixis in plant reproduction: a novel perspective on an old Dilemma. Review. *Plant Reprod.* 26:159–179.
- Barrett, S.C.H. 2010. Understanding plant reproductive diversity. *Phil. Trans. R. Soc. B.* 365: 99 – 109.
- Bashaw, W.W., K.W. Hignight. 1990. Gene transfer in apomictic buffelgrass through fertilization of an unreduced egg. *Crop Science*, 30: 571-575.
- Batygina, T. B and G.Y. Vinogradova. 2007. Phenomenon of polyembryony. Genetic heterogeneity of seeds. *Russian Journal of developmental biology*, 38: 126 – 151.
- Bhandari, H.R., A.N. Bhanu, K. Srivastava et al.. 2017. Assessment of genetic diversity in crop plant – An Overview. *Adv Plants Agric Res.* 7: 279 – 286.

- Bohs, L. 1991. Crossing studies in Cyphomandra (Solanaceae) and their systematic and evolutionary significance. *American Journal of Botany*, 78: 1683 – 1693.
- Borges, A., M. S. Rosa, G. H. Recchia, J. Queiroz-Silva, E. A. Bressan, and E. A. Veasey. 2009. CTAB methods for DNA extraction of sweetpotato for microsatellite analysis. *Sci. Agric. (Piracicaba, Braz)* 66: 529 – 534.
- Bradford, K. 2008. Comparing the ability of two PCR based techniques, RAPD and ISSR to detect low levels of genetic diversity, to detect low levels of genetic diversity. Chicago Botanic Garden, Glencoe, IL. [www.chicagobotanic.org/ downloads/conservation/Poste](http://www.chicagobotanic.org/downloads/conservation/Poste).
- Bustamante, E. and A. B'urquez. 2008. Effects of plant Size and weather on the flowering phenology of the organ Pipie Cactus (*Stenocereus thurberi*). *Annals of Botany*, 102: 1019 – 1030.
- Carman, J. G. 1997. Asynchronous expression of duplicate genes in angiosperms may cause apomixis, bisporic, tetrasporic, and polyembryony. *Biological Journal of the Linnean Society*, 61: 51 – 94.
- Carrio, E and J. Guemes. 2013. The role of a mixed mating system in the reproduction of a Mediterranean subshrub (*Fumana hispidula*, Cistaceae). *J Plant Res*, 126:33–40.
- Chaudhury, A., A. Koltunow., ES. Dennis., WJ. Peacock. 2001. Apomixis. Encyclopedia of life sciences. Macmillan Publishers Ltd, Nature Publishing Group / www.els.net.
- Choat, B., L. Sack, N. M. Holbrook. 2007. Diversity of hydraulic traits in nine *Cordia* species growing in tropical forests with contrasting precipitation. *New Phytologist*, 175: 686 – 98.
- Cruden, R.W. 1977. Pollen-Ovule Ratios: A Conserveative indicator of breeding systems in flowering plants. *Evolution*, 31: 32-46.
- Quero, J. L., R. Villar, T. Maranon, and R. Zamora. 2006. Interaction of drought and shade effects on seedlings of four *Quercus* species: physiological and structural leaf responses. *New Phytologist*, 170: 918 – 34.
- de Arias, M.M. 2015. Effects of plant stress on facultative apomixis in *Boechera* (Brassicaceae). *All Graduate Theses and Dissertations*. Paper 4451.
- d'Erfurth I, Jolivet S, Froger N, Catrice O, Novatchkova M, Mercier R. 2009. Turning meiosis into mitosis. *PLoS Biol*, 7: e1000124. doi:10.1371/journal.pbio.1000124.
- Dinas Pertanian Tanaman Pangan Provinsi Jambi. 2013. Data pertanian tanaman pangan dan hortikultura tahun 2012. Pemerintah Provinsi Jambi.
- Direktorat Budidaya Tanaman Buah. 2006. Budidaya Duku. Direktorat Jenderal Hortikultura, Departemen Pertanian.

- Doyle, J. J and Doyle, J. L. 1990. Isolation of plant DNA from fresh tissue. *Focus*. 12: 13 – 15.
- Elzinga, J. A., A. Atlan, A. Biere, L. Gigord, A. E. Weis, and G. Bernasconi. 2007. Time After Time: Flowering phenology and biotic interaction. *Trends in Ecology & Evolution*, 22: 432 – 439.
- Fenner, M. 1998. The Phenology of growth and reproduction in plants. Perspectives in Plant Ecology, *Evolution and Systematics*, 1: 78 – 91.
- Fewless, G. 2006. Phenology. Tersedia pada: <http://www.uwgb.edu/biodiversity/phenology/index.htm>.
- Finkeldey, R. and H.H. Hattemer. 2007. Tropical forest genetics. Springer- Verlag Berlin Heidelberg.
- Gottlieb, D., J. P. Holzman., Y. Lubin., A. Bouskila., S. T. Kelley., A. R. Harari. 2009. Mate availability contributes to maintain the mixed mating system in a scolytid beetle. *J Evol Biol*, 22:1526 – 1534.
- Govindaraj, M., M. Vetriventhan, and M. Srinivasan. 2015. Importance of genetic diversity assessment in crop plants and its recent advances: An Overview of Ita Analytical Perspectives. *Genetic Research International*, Article Id 431487, 14 pages.
- Grimanelli D., O. Leblanc., E. Perotti., U. Grossniklaus. 2001. Developmental genetics of gametophytic apomixis. *Trends in Genetics*, 17: 597-604.
- Grogan, J. and Loveless, M. D. 2013. Flowering phenology and its implications for management of big-leaf Mahogany *Swietenia macrophylla* in Brazilian Amazonia. *American Journal of Botany*, 100: 2293 – 2305.
- Hamrick, J. L., Godt, M.J.W.,and Sherman-Broyles, S.L.1992. Factors influencing genetic diversity in woody plant species. *New Forest*, 6:95-124.
- Hamrick, J. L and M. J. W Godt. 1996. Effects of life history traits on genetic diversity in plant species. <https://doi.org/10.1098/rstb.1996.0112>.
- Han, Y. C., C. Z. Teng, G. R. Wahiti, M. Q. Zhou, Z. L. Hu, and Y. C. Song. 2009. Mating system and genetic diversity in natural populations of *Nelumbo nucifera* (Nelumbonaceae) detected by ISSR markers. *Plant Syst Evol*, 277:13–20.
- Hanum, L., R. S. Kasiamdari, Santosa, and Rugayah. 2012. Genetic relatedness among Duku, Kokosan, and Pisitan in Indonesia based on Random Amplified Polymorphic DNA Markers. *Indonesian Journal of Biotechnology*, 17: 121 – 131.

Hanum, L., R. S. Kasiamdari, Santosa, dan Rugayah. 2013. Karakter makromorfologi dan mikromorfologi Duku, Kokosan, Langsat dalam penentuan status taksonomi pada kategori infraspesies. *Biospecies*, 6: 23 – 29.

Hanum, L., R. S. Kasiamdari, Santosa, and Rugayah. 2013. The Phylogenetic relationship among varieties of *Lansium domesticum* Correa based on ITS rDNA sequences. *Indonesian Journal of Biotechnology*, 18: 123-132.

Harder, L. D. and S. D. Johnson. 2005. Adaptive plasticity of floral display size in animal – pollinated plants. *Proceedings of the Royal Society of London B: Biological Sciences*, 272: 2651 – 2657.

Hermanto, C., N. L. P. Indriani, dan S. Hadiati. 2013. Keragaman dan kekayaan buah tropika nusantara. IAARD Press. Badan Penelitian dan Pengembangan Pertanian. Kementerian Pertanian.

Horandl, E. and O. Paun. 2007. Patterns and sources of genetic diversity in apomictic plants: Implications for evolutionary potentials. <http://www.researchgate.net/profile/Elvira-Hoerndl/publication/286786683>. Diakses 9 April 2019.

Jamsari. 2007. Bioteknologi pemula. Prinsip dasar dan aplikasi analisis molekuler. UNRI PRESS Pekanbaru.

Kandemir, N and I. Saygili. 2015. Apomixis: new horizons in plant breeding. *Turkish Journal of Agriculture and Forestry*, 39: 1409-1474.

Karsinah, Sudarsono, L. Setyobudi, dan H. Aswidinnoor. 2002. Keragaman genetik plasmanutfah Jeruk berdasarkan analisis penanda RAPD. *J. Bioteknologi. Pert*, 7: 8 – 16.

Kearns, C. A. et al. 1998. Endangered mutualisms: The Conservation of plant – pollinator interactions. *Annu. Rev. Ecol. Syst*, 29: 83 – 112.

Khanduri, V. P., C. M. Sharma., K. S. Kumar., and S. K. Ghildiyal. 2013. Annual variation in flowering phenology, pollination, mating system, and pollen yield in two natural populations of *Schima wallichii* (DC.) Korth. *Research Article*. Hindawi Publishing Corporation. *The ScientificWorld Journal*, Article ID 350157, 11 pages. <http://dx.doi.org/10.1100/350157>.

Kishore, K. 2014. <http://www.researchgate.net/publication/131087846-Polyembryony>. Diakses 26 September 2017

Koltunow, A. M., R. A. Bicknell, and A. M. Chaudhury. 1995. Apomixis: Molecular strategies for the generation of genetically identical seeds without fertilization. *Plant Physiol*, 108: 1345 – 1352.

- Koltunow, A. M., T. Hidaka, S. P. Robinson. 1996. Polyembryony in Citrus accumulation of seed storage protein in seeds and in embryos cultured in vitro. *Plant Physiol*, 110: 599 – 609.
- Lemes, M. R., T. Esashika, and O. G. Gaoue. 2011. Microsatellites for Mahoganies: Twelve new loci for *Swietenia macrophylla* and its high transferability to *Khaya Senegalensis*. *American Journal of Botany*: e207–e209.
- Lim, T. K. 2012. Edible medicinal plants. 3th Volume. Fruits. Springer. New York.
- Liu, J., Z. X. Sun, Y. T. Chen and J. M. Jiang. 2012. Isolation and characterization of microsatellite loci from an endangered tree species, *Toona ciliata* var. *pubescens*. *Genetics and Molecular Research*, 11: 4411 – 4417.
- Liu, J., J. M. Jiang and Y. T. Chen. 2014. Genetic diversity of central and peripheral populations of *Toona ciliata* var. *pubescens*, an endangered tree species endemic to China. *Genetics and Molecular Research*, 13 (2): 4579 – 4590.
- Lobo, J. A., M. Quesada, K. E. Stoner, E. J. Fuchs, Y. Herrer'ias-Diego, J. Rojas, and G. Sabor'io. 2003. Factors affecting phenological patterns of Bombacaceous trees in seasonal forest in Costa Rica and Mexico. *American Journal of Botany*, 90: 1054 – 1063.
- Lone, F. A. and S. Lone. 2013. Apomixis in flowering plants – An Overview. Research Article. *International Journal of Advanced Research*, 1: 130 – 136.
- Mabberley, D. J., C. M. Pannell and A. M. Sing. 1995. Flora Malesiana. Series I-Spermatophyta. Volume 12 – part. 1. Meiaceae. Foundation Flora Malesiana.
- Maftuchah. 2001. Strategi pemanfaatan penanda molekuler dalam perkembangan bidang hortikultura. Makalah Sarasehan Pemanfaatan Penanda Molekuler di Bidang Hortikultura. Indonesian Biotechnology Information Centre (IndoBIC). Bogor.
- Mansyah, E., M. J. A. Syah, F. Usman, dan T. Purnama. 2004. Variabilitas genetik antara tanaman induk Manggis (*Garcinia mangostana* L.) dan keturunannya. *Jurnal Hortikultura*, 14: 229 – 237.
- Mansyah, E., Sobir, E. Santosa, dan R. Poerwanto. 2010. Assesment of Inter Simple Sequence Repeat (ISSR) technique in Mangosteen (*Garcinia mangostana* L.) grown in different Sumatra region. *Journal of Horticulture and Forestry*, 2: 127 – 134.
- Martinez-Adriano, C. A., E. Jurado, J. Flores, H. Gonzales-Rodriguez, and G. Cuellar-Rodriguez. 2016. Flower, fruit phenology and flower traits in *Cordia boissieri* (Boraginaceae) from northeastern Mexico. *Peer J*, 4:e2033.
- Mateu-Andre S. I and L. De Paco. 2006. Genetic diversity and the reproduction system in related species of *Antirrhinum*. *Annals of Botany*, 98: 1053 – 1060.

- Moeljopawiro, S. 2010. Marka Mikrosatelit sebagai alternatif uji BUSS dalam perlindungan varietas tanaman Padi. Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumberdaya Genetik Pertanian. Bogor.
- Nei, M. 1978. Estimation of average heterozygosity and genetic distance from a small number of individuals. *Genetics*, 89: 583 – 590.
- Newstrom, L. E., G. W. Frankie and H. G. Baker. 1994. A new classification for plant phenology based on flowering patterns in lowland tropical rain forest trees at La Selva, Costa Rica. *Biotropica*, 26: 141 – 159.
- Nicotra, A. B., O. K. Atkin, S. P. Bonser, A. M. Davidson, E. J. Finnegan, U. Mathesius, P. Poot, M. D. Purugganan, C. L. Richards, F. Valladares, and M. van Kleunen. 2010. Plant phenotypic plasticity in a changing climate. *Trends in Plant Science*, 15: 684 – 692.
- Nogler, G. A. 1984. Gametophytic apomixis. In Johri BM (ed) *Embryology of Angiosperms*. 475-518 Springer-Verlag, Berlin, Germany.
- Noorrohmah, S. Sobir, dan D. Efend. 2015. Analisis keragaman genetik manggis dalam satu pohon. *J. Hort*, 25(2): 106 – 112.
- Nybom, H. and I. V. Bartish. 2000. Effects of life history traits and sampling strategies on genetic diversity estimations obtained with RAPD markers in plants. *Perspectives in Plant Ecology, Evolution and Systematics*, 3/2: 93 – 114.
- Nybom, H. 2004. Comparison of different nuclear DNA markers for estimating intraspecific genetic diversity in plants. *Molecular Ecology*, 13: 1143 – 1155.
- Ollerton, J., Winfree, R., and Tarrant, S. 2011. How many flowering plants are pollinated by animals?. *Oikos* 120: 321 – 326.
- Onda, Y and K. Mochida. 2016. Exploring genetic diversity in plants using high-throughput sequencing techniques. *Current Genomics*, 17: 358 – 367.
- Pandin, D. S. 2010. Keragaman genetik Kelapa Dalam Bali (DBI) dan Dalam Sawarna (DSA) berdasarkan penanda *Random Amplified Polymorphism DNA* (RAPD)
- Parab, G. V., and S. Krishnan. 2008. Assessment of genetic variation among populations of *Rhynchostylis retusa*, an epiphytic orchid from Goa, India using ISSR and RAPD markers. *Indian Journal of Biotechnology*, 7:313 – 319.
- Pereira, M. F., L. F. Bandeira, A. J. V. Blanco, A. S. G. Coelho, A. Y. Ciampi, and E. V. Franceschinelli. 2011. Isolation and characterization of microsatellite loci in *Cabralea canjerana* (Meliaceae). *American Journal of Botany*: e10 – e12.
- Petros Y, A. Merker, and H. Zeleke H. 2007. Analysis of genetic diversity of *Guizotia abyssinica* from Ethiopia using Inter Simple Sequence Repeat markers. *Hereditas*, 144: 18 – 24.

- Pramono, A. A., E. R. Palupi, I. Z. Siregar, dan C. Kusmana. 2016. Surian (*Toona sinensis* (A. Juss) M. Roem.): Morfologi, Fenologi, dan Serangga Pengunjung. *Jurnal Perbenihan Tanaman Hutan*, 4 (2): 67 – 80.
- Pudjoarinto, A. dan Hasanuddin. 1996. Kedudukan taksonomi Duku, Kokosan, dan Pisitan ditinjau dari morfologi serbuk sari. *Biologi*, 2: 1 – 10.
- Rahayu, S.E dan S. Handayani. 2010. Keragaman genetik Pandan asal Jawa Barat berdasarkan penanda *Inter Simple Sequence Repeat*. *MAKARA SAINS*. 14: 158 – 162.
- Rajesh, P. N., V. J. Sant, V. S. Gupta, F. J. Muehlbauer, and P. K. Ranjekar. 2002. Genetic relationships among annual and perennial wild species of *Cicer* using Inter Simple Sequence Repeat (ISSR) polymorphism. *Euphytica*, 129: 15 – 23.
- Rao, V. R. and T. Hodgkin. 2002. Genetic diversity and conservation and utilization of plant genetic resources. *Plant Cell, Tissue and Organ Culture*, 68: 1 -19.
- Ravishankar, K. V., P. Chandrashekara, S. A. Sreedhara, M. R. Dinesh, L. Anand, and G. V. S. Saiprasad. 2004. Diverse genetic base of Indian polyembryonic and monoembryonic Mango (*Mangifera indica* L.) cultivars. *Current Science*, 87.
- Retnoningsih, A., S. Moeljopawiro., M. Na’iem., dan Purnomo. 2001. Biosistematika *Lansium* (*L. dookoo*, *L. aqueum*, dan *L. domesticum*) berdasarkan Keragaman Pola Pita Isozim. *Biologi*. 2: 699-709.
- Richards, A. J. 1997. Plant Breeding System, ed. 2. Departement of Agricultural and Environmental Science University of Newcastle Upon Tyne, Chapman and Hall, London.
- Richards, A. J. 2003. Apomixis in flowering plants: An Overview. *Phil. Trans. R. Soc. Lond. B*.358: 1085 – 1093.
- Rodrigues, D. M., C. Tuchetto, S.M. Callegari-Jacques, and L.B. Freitas. 2018. Can the reproductive system of a rare and narrowly endemic plant species explain its high genetic diversity?. *Acta Botanica Brasilica*, 32(2): 180 – 187.
- Rodríguez-Pérez, J and Traveset, A. 2016. Effects of flowering phenology and synchrony on the reproductive success of a long-flowering shrub. *AoB PLANTS* 8: plw007:
- Rohlf, F. J. 1998. NTSys-PC. Numerical taxonomy and multivariate analysis System NTSys-PC Version 2.02i. Exeter, New York.
- Rosas-Guerrero, V., Quesada, M., Armbruster, W.S., Pérez-Barrales, R., and Smith, S.D. 2011. Influence of pollination specialization and breeding system on floral integration and phenotypic variation in *Ipomoea*. *Evolution*, 65: 350 – 363.

- Salma, I. and B. Razali. 1987. The Reproductive biology of Duku Langsat, *Lansium domesticum* Corr. (Meliaceae), in Peninsular Malaysia. *MARDI Res. Bull.*, 15: 141-150.
- Sapii, A.T., N. Yunus., P. Muda., and T.S. Lin. 2000. Postharvest quality changes in Dokong (*Lansium domesticum* Corr.) harvested at different stages of Ripeness. Quality assurance in agricultural produce, ACIAR Proceedings 100. (printed version, 2000).
- Savidan Y, 2000. Apomixis: Genetics and breeding. Review. *Plant Breeding*, 18: 13 – 86.
- Sexton, G. J., C. H. Frere, M. J. Dieters, I. D. Godwin, and P. J. Prentis. 2010. Development and characterization of microsatellite loci for *Khaya Senegalensis* (Meliaceae). *American Journal of Botany*: e111–e113.
- Singh, S., D. Dhyani., P. S. Ahuja. 2011. Apomixis in Plants – Embryology, Genetics and Molecular Basis. *J Cell & Plant Sc.*, 2: 24-31.
- Singhal, V.K., A. Salwan, P. Kumar, and J. Kaur. 2011. Phenology, pollination and breeding system of *Aegle marmelos* (Linn.) correia (Rutaceae) from India. *New Forests*, 42:85–100.
- Sobir, R. Poerwanto, E. Santosa, S. Sinaga, and E. Mansyah. 2011. Genetic variability in apomictic mangosteen (*Garcinia mangostana*) and its close relatives (*Garcinia* spp.) based on ISSR markers. *BIODIVERSITAS*, 12: 59-63.
- Song, B. K., M. M. Clyde., R.Wickneswari., M. N. Normah. 2000. Genetic relatedness among *Lansium domesticum* Accessions Using RAPD Markers. *Annals of Botany*, 86: 299 – 307.
- Stefunova, V., M. Bezo, M. Labajova and S. Senkova. 2014. Genetic analysis of three *Amaranth* species using ISSR markers. *PLANT SCIENCE. Emir. J. Food Agric*, 26:35 - 43.
- Steinacher, G. and Wagner, J. 2010. Flower longevity and duration of pistil receptivity in high mountain plants. *Flora*, 205: 376 – 387.
- Stevovic, S., V. S. Mikovilovic, and D. C. Dragosavac. 2010. Environmental impact on morphological and anatomical structure of Tansy. *African Journal of Biotechnology*, 9: 2413 – 2421.
- Sunarti, S. 1987. Anatomi daun dan taksonomi Duku, Kokosan, dan Pisitan. *Floribunda*, 1: 13 – 16.
- Syamsuardi. 2004. Mating system variation in *Ranunculus japonica* Thunb. (Ranunculaceae): Evidence from electrophoretic data. Makalah semirata bidang MIPA BKS-PTN Wilayah Indonesia Barat di Pontianak, tanggal 27 – 30 Juli.

- Tabla, V. P and C. F. Vargas. 2004. Phenology and Phenotypic Natural Selection on the Flowering Time of a Deceit-pollinated Tropical Orchid *Mymecophila christinae*. *Annals of Botany*, 94: 243 – 250.
- Tarmizi, S. A., Y. Norlia., M. Pauziah., and S. L. Tham. 1998. Changes in fruit colour and composition of dokong (*Lansium domesticum* Corr.) during maturation. *J. Trop. Agric. and Fd. Sc.*, 26: 127–133.
- Taufiq, A., Syamsuardi, A. Arbain, T. Maideliza, Mansyurdin, dan Nurainas. 2013. Analisis Morfometri dan Biologi Reproduksi *Anaphalis javanica* dan *Anaphalis longifolia* (Asteraceae) di Sumatra Barat. *Floribunda*, 4: 161-168.
- Te-chato, S., M. Lim., and M. Masahiro. 2005. Comparison of cultivar identification methods of longkong, langsat and duku: *Lansium* spp. *Songkranakarin J. Sci. Technol.*, 27(3) : 465-472.
- Velheij, E. W. M. and R. E. Coronel. 1992. Plant Resources of South-East Asia. No. 2. Edible fruits and nuts. Prosea, Bogor, Indonesia.
- Walter, A and U. Schurr. 2005. Dynamics of leaf and root growth: Endogenous control versus environmental impact. *Annals of Botany*, 95: 891 – 900.
- Walters, C., P. Berjak, N. Pammenter, K. Kennedy, P. Raven. 2013. Preservation of recalcitrant seeds. *Science*, 339: 915 – 916.
- Weising, K., H. Nybom, K. Wolff, and G. Kahl. 2005. DNA Fingerprinting in Plants: Principles, Methods, and Applications. Second Edition. Taylor & Francis Group. Boca Raton.
- Weis, A. E. and T. M. Kossler. 2004. Genetic variation in flowering time induces phenological assortative mating: Quantitative genetic methods applied to *Brassica rapa*. *American Journal of Botany*, 91: 825 – 836.
- Widiastuti, A., Sobir, M. R. Suharto. 2013. Analisis keragaman genetik manggis (*Garcinia mangostana*) diiradiasi dengan sinar gamma berdasarkan penanda ISSR. *Bioteknologi* 10: 15-22.
- Widyastuti, Y. E dan R. Kristiawati. 2000. Duku, jenis dan budidaya. Penebar Swadaya. Jakarta.
- Yeh, F. C., R.C. Yang, T. J. B. Boyle, Z. H. Ye, J. X. Mao. 1997. POPGENE, The user-friendly software for population genetic analysis. Molecular Biology and Biotechnology Centre, University of Alberta, Edmonton, Canada.
- Yulita, K. S. 2011. Genetic variations of *Lansium domesticum* Corr. accessions from Java, Sumatra and Ceram based on Random Amplified Polymorphic DNA Fingerprints. *BIODIVERSITAS*, 12: 125 – 130.

- Zainudin, A., Maftuchah, C. Martasari., dan T. J. Santoso. 2010. Keragaman genetik beberapa kultivar tanaman Mangga berdasarkan penanda molekuler mikrosatelit. Kongres Ketiga Komisi Daerah Sumber Daya Genetik, Surabaya, 3 – 5 Agustus.
- Zaki, N. M., R. Singh, R. Rosli, and I. Ismail. 2012. *Elaeis oleifera* genomic-SSR marker: Exploitation in oil Palm germplasm diversity and cross amplification in Arecaceae. *Int. J. Mol. Sci.*, 13:4069 – 4088.
- Zukauskiene, J., A. Paulauskas, J. Varkuleviciene, R. Marseliene, V. Gliaudelyte. 2014. Genetic diversity of five different Lily (*Lilium L.*) Species in Lithuania revealed by ISSR Markers. *American Journal of Plant Sciences*, 5: 2741 – 2747.
- Zulfahmi. 2013. Penanda DNA untuk analisis genetik tanaman. *Jurnal Agroteknologi*. 3: 41 – 52.

