

## DAFTAR PUSTAKA

1. WHO. Reproductive health 2015. Available from: [http://www.who.int/topics/reproductive\\_health/en/](http://www.who.int/topics/reproductive_health/en/).
2. Clinnic M. C-section. 2018.
3. Cunningham FG, editor. Williams obstetrics / [edited by] F. Gary Cunningham, Kenneth J. Leveno, Steven L. Bloom, Catherine Y. Spong, Jodi S. Dashe, Barbara L. Hoffman, Brian M. Casey, Jeanne S. Sheffield. 2014;24th edition.
4. Belfort M, Clark S, Saade G, Kleja K, Dildy G, Van T, et al. Hospital readmission after delivery : evidence for an increased incidence of non-urogenital infection in the immediate post partum period. American Journal of Obstetrics & Gynecology. 2009;202.
5. Boyle A, Reddy U, Landy H. Primary cesarean delivery in United States. Obstet Gynecol. 2013;122.
6. Callahan TL, Caughey AB. Obstetrics and Gynecology. 2013;Sixth Edition:Chap.2 13-4.
7. SDKI. Laporan Survei Demografi dan Kesehatan Indonesia 2007. Badan Pusat Statistik Indonesia, BKKBN, Kementrian Kesehatan, Macro Inc. 2007.
8. Riskesdas. Laporan Nasional Riset Kesehatan Dasar 2013 Badan Litbang Kesehatan Kementrian Kesehatan. 2013.
9. Gelaw KA, Aweke AM, Astawesegn FH, Demissie BW, Zeleke LB. Surgical site infection and its associated factors following cesarean section: a cross sectional study from a public hospital in Ethiopia. Patient Safety in Surgery. 2017;11.
10. Mohamed E, Wafaa R. Randomised study to compare the incidence of post operative infection following timing of prophylactic antibiotics at elective cesarean section. Med J Cairo Univ. 2014;82:603-8.
11. Henderson, Love. Incidence of hospital-acquired infections associated with caesarean section. J Hosp Infect. 1995;29; 245-55.
12. Gu'Imezoglu AM SL, Betran AP, Villar J, Piaggio G. WHO systematic review of maternal mortality and morbidity: methodological issues and challenges. BMC Med Res Methodol. 2004;4(1):16.
13. Kitaya K, Takeuchi T, Mizuta S, Matsubayashi H, Ishikawa T. Endometritis, new time, new concepts. Fertility and Sterility. 2018:1-7.
14. Gungorduk, Yildirim, Ark. Is routine cervical dilatation necessary during elective ceasarean section? : A randomized control trial. Aust N Z J Obstet Gynaecol. 2009;49(3):263-7.
15. Wilkinson, Enkin. Manual removal of placenta at caesarean section. Cochrane Database Syst Rev. 2008.
16. CDC. Surgical Site Infection (SSI) Event. Procedure-associated Module. 2018;9:1-32.

17. Haas DM MS, Contreras K. Vaginal preparation with antiseptic solution before cesarean section for preventing postoperative infections. *Cochrane Database Syst Rev*. 2014;12.
18. Gian Carlo Di Renzo AM. *Cesarean Delivery*. 2017;1:1-2.
19. Gibbons L, Belizán J, Lauer J, Betrán A, Merialdi M, Althabe F. The global numbers and costs of additionally needed and unnecessary caesarean sections performed per year: overuse as a barrier to universal coverage. *World health report*. 2010;30:1-31.
20. SDKI. *Survei Demografi dan Kesehatan Indonesia 2007*. Badan Pusat Statistik Indonesia. 2007.
21. Kemenkes R. *Profil Kesehatan Indonesia Tahun 2016*. 2016:98.
22. Say, Chou, Gemmill, Tunçalp, Moller, Daniels. Global causes of maternal death: a WHO systematic analysis. *Lancet Glob Health*. 2014;2(6):e323–33.
23. WHO. *Maternal mortality*. 2015.
24. Chaim W, Bashiri A, Bar-David J, Shoham-Vardi I, Mazor M. Prevalence and clinical significance of postpartum endometritis and wound infection. *Infect Dis Obstet Gynecol*. 2000;8(2):77–82.
25. Yokoe D, Christiansen C, Johnson R, Sands K, Livingston J, Shtatland E. Epidemiology of and surveillance for postpartum infections. *Emerg Infect Dis*. 2001;7(5):837–41.
26. David A, Eschenbach M. *Serious Postpartum Infections*. Glomw. 2018.
27. CDC. *CDC/NHSN Surveillance Definitions for Specific Types of Infections*. 2019;17:1-29.
28. Monif, Baker. *Infectious Diseases in Obstetrics and Gynecology*. Informa HealthCare. 2008;6th ed.
29. Cheung S. Evidence-based guidelines on vaginal preparation with povidone-iodine solution to reduce post-cesarean endometritis in postnatal women. 2015.
30. Libombo A, Folgosa E, Bergström S. A case-control study on post-caesarean endometritis-myometritis in Mozambique. *Gynecol Obstet Invest*. 1995.
31. Dhar H, Al-Busaidi I, Rathi B, Nimre E, Sachdeva V, Hamdi I. A Study of Post-Caesarean Section Wound Infections in a Regional Referral Hospital, Oman. *Sultan Qaboos Univ Med*. 2014;14(2):e211–7.
32. Watts D, Hillier S, Eschenbach D. Upper genital tract isolates at delivery as predictors of post-cesarean infections among women receiving antibiotic prophylaxis. *Obstet Gynecol*. 1991.
33. Meaney-Delman D, Bartlett L, Gravett M, Jamieson D. Oral and intramuscular treatment options for early postpartum endometritis in low-resource settings: a systematic review. *Obstet Gynecol*. 2015.
34. Mackeen A, Packard R, Ota E, Speer L. Antibiotic regimens for postpartum endometritis. *Cochrane Database Syst Rev*. 2015.
35. Blumenreich. *The White Blood Cell and Differential Count. Clinical Methods: The History, Physical, and Laboratory Examinations*. 1990;153.

36. Riley LK RJ. Evaluation of Patients with Leukocytosis. 92. 2015;11:1004-11.
37. P Dior U, Kogan L, Elchalal U, Goldschmidt N, Burger A, Nir-Paz R, et al. Leukocyte Blood Count during Early Puerperium and its relation to puerperal infection 2013.
38. Josie C, James G, Wright. The efficacy and risk of using povidone iodine irrigation to prevent surgical site infection : an evidence based review. Can Med Assoc J. 2007;50:473-81.
39. Braun. Povidone Iodine : The Gold Standard. 2014:1-15.
40. Shelansky H, Shelansky M. PVP Iodine : History, toxicity and therapeutic uses. J Int Coll Surg. 1956;25:727-37.
41. Sweetman S. The complete drug reference. The Pharmaceutical. 2005;34th ed.
42. Kramer A, Below H, Behrens-Baumann W, Muller G, Rudolph, Reimer K. New aspects of the tolerance of the antiseptic Povidone Iodine in different ex vivo models. Dermatology. 2002;86-91.
43. Zellner P, Bugyi S. Povidone iodine in the treatment of burn patients. J Hosp Infect. 1985:139-46.
44. Linder N, Davidovitz N, Reichman B, Kuint J, Lubin D, Meyerovitz J. Topical iodine containing antiseptic and subclinical hypo-thyroidism in preterm infants. J Pediatric. 1997;131/3:434-9.
45. Kozuka T. Patch test to exclude allergic contact dermatitis caused by povidone iodine. Dermatology. 2002;204:96-8.
46. Isenberg S, Apt L, Campeas D. Ocular applications of povidone iodine. Dermatology. 2002;204:92-5.
47. Nahlieli O, Baruchin A, Levi D, Shapira, Yoffe B. Povidone iodine related burns. Journal of international society for burns injuries. 2001;27/2:185-8.
48. Atemnkeng N, Plaizier-Vercammen J, Schuermans A. Comparison of free and bound iodine and iodide as a function of the dilution of three commercial povidone iodine formulations and their microbiodical activity. Int J Pharmaceutic. 2006;317:161-6.
49. Gottardi W. The influence of the chemical behavior of iodine on the germicidal action and disinfectant solution containing iodine. J Hosp Infect. 1985;6.
50. Gottardi W. Iodine compounds. Lippincott Williams & Wilkins. 2001;5th ed(8).
51. Selvaggi G, Monstrey S, Landuyt KV, Hamdi M, Blondeel P. The role of iodine in antisepsis and wound management : A reappraisal. Acta Chir Belg. 2003;103:241-7.
52. Kunisada T, Yamada K, Oda S, Hara O. Investigation on the efficacy of povidone iodine against antiseptic resistant species. Dermatology. 1997;195:214-8.



53. Sherman D, Lurie S, Betzer M, Pinhasi Y, Arieli S, Boldur I. Uterine flora at cesarean and its relationship to postpartum endometritis. *Obstet Gynecol.* 1999;5(1):787–91.
54. Larsen B. Vaginal Flora in Health and Disease. *Clin Obstet Gynecol.* 1993;36(1):107– 21.
55. Enzelsberger H, Eppel W, Dorninger G, Wewalka G. Zur Effizienz von Verfahren für die präoperative Vaginalantiseptik. *Geburtshilfe Frauenheilkd.* 1995;55(12):707–10.
56. Osborne N, Wright R. Effect of preoperative scrub on the bacterial flora of the endocervix and vagina. 1977;50:148-50.
57. Rouse D, Hauth J, Andrews W, Mills B, Maher J. Chlorhexidine vaginal irrigation for the prevention of periportal infection: a placebo-controlled randomized clinical trial. 1997;176:617-22.
58. Pitt C, Sanchez-Ramos L, Kaunitz A. Adjunctive intravaginal metronidazole for the prevention of postcaesarean endometritis: a randomized controlled trial. *Obstet Gynecol.* 2001;98:745-50.
59. Reid V, Hartmann K, McMahon M, Fry E. Vaginal preparation with povidone iodine and postcaesarean infectious morbidity: a randomized controlled trial. *Obstet Gynecol.* 2001;97:147-52.
60. Guzman M, SD SP, Blann D. Post-caesarean related infection and vaginal preparation with povidone-iodine revisited. *Prim Care Update.* 2002;9:206-9.
61. Asad S, Mazhar SB, Butt NK, Habiba U. Vaginal cleansing prior to cesarean section and postoperative infectious morbidity. *BJOG.* 2017;124:45.
62. Birchenall K, Vanes N, Engineer N. Vaginal cleansing following caesarean section : are postoperative complication reduced? *BJOG.* 2014;121:86.
63. Caissutti, Claudia, Saccone, Gabrielle, Zullo, Fabrizio, et al. Vaginal cleansing before cesarean delivery : a systematic review and meta analysis. *Obstetric and gynecology.* 2017;130:527-38.
64. Yildirim, Gokhan, Gungorduk, Kemal, Asicioglu, Osman, et al. Does vaginal preparation with povidone iodine prior to caesarean delivery reduce the risk of endometritis? a randomized controlled trial. *Maternal fetal & neonatal medicine.* 2012;25:2316-21.
65. Memon, Shahneela, Qazi, Ara R, Bibi, Seema, et al. Effect of preoperative vaginal cleansing with an antiseptic solution to reduce post caesarean infectious morbidity. *The journal of the pakistan medical association.* 2011;61:1179-83.
66. Asghania M, Mirblouk F, Faraji R, Shakiba M. Preoperative vaginal preparation with povidone iodine on post cesarean infectious morbidity. *J Obstet Gynaecol.* 2011;31:400-3.

67. Vanes N, Castleman J, Ganapathy R. Is a vaginal betadine wash after cesarean section an effective intervention in reducing the incidence of postoperative endometritis and sepsis? *BJOG*. 2015;122:176.
68. Haas D, Pazouki F, Smith R, Fry A, Podzielinski I, Al-Darei S, et al. Vaginal cleansing before cesarean delivery to reduce postoperative infectious morbidity : a randomized controlled trial. *American journal of Obstetrics and Gynecology*. 2010;202:310.
69. Khadivzadeh T. Mid upper arm and calf circumference as indicators of nutritional status in women of reproductive age. *East Mediterr Health J*. 2002;6:12-8.
70. Berghofer A, Pischon T, Reinhold T, Apovian C, Sharma A, Willich S. Obesity prevalence from a European perspective: a systematic review. *BMC Public Health*. 2008;8:200.
71. WHO. WHO obesity: preventing and managing the global epidemic. Report of the WHO consultation. *World Health Organ Tech Rep Ser*. 2000;894:1-253.
72. Berne R. The reproductive glands. *Physiology*. 1998;4:965-1013.
73. Fuller J, Schaller-Ayers J. Assessing nutrition and metabolism. *Health assessment*. 2000;3:153-236.
74. Huttunen R, Syrjänen J. Obesity and the outcome of infection. *Lancet Infect Dis*. 2010;10:442-3.
75. Tran T, Jamudirat S, Chongsuvivatwong V, Geater A. Risk factors for postcesarean surgical site infection. *Obstet Gynecol*. 2000;95:367-71.
76. Killian C, Graffunder E, Vinciguerra T, Venezia R. Risk factors for surgical-site infections following cesarean infection. *Infect Control Hosp Epidemiol*. 2001;22:613-7.
77. Schneid-Kofman N, Sheiner E, Levy A, Holcberg G. Risk factors for wound infection following cesarean deliveries. *Int J Gynaecol Obstet*. 2005;90:10-5.
78. Johnson A, Young D, Reilly J. Caesarean section surgical site infection surveillance. *J Hosp Infect*. 2006;64:30-5.
79. Falagas M, Athanasoulia A, Peppas G, Karageorgopoulos D. Effect of body mass index on the outcome of infections: a systematic review. *Obes Rev*. 2009;10:280-9.
80. Marti A, Marcos A, Martinez J. Obesity and immune function relationships. *Obes Rev*. 2001;2:131-40.
81. Nave H, Beutel G, Kielstein J. Obesity-related immunodeficiency in patients with pandemic influenza H1N1. *Lancet Infect Dis*. 2011;11:14-5.
82. Yosipovitch G, DeVore A, Dawn A. Obesity and the skin: skin physiology and skin manifestations of obesity. *J Am Acad Dermatol*. 2007;56:901-16.
83. Al Jama FE. Risk factors for wound infection after lower segment cesarean section. *Qatar medical journal*. 2013;2012(2):26-31.

84. WHO. Haemoglobin concentrations for the diagnosis of anaemia and assessment of severity. Vitamin and mineral nutrition information system. 2011:1-5.
85. Muñoz M, Gómez-Ramírez S, Campos A, Ruiz J, Liunbruno GM. Pre-operative anaemia: prevalence, consequences and approaches to management. *Blood transfusion = Trasfusione del sangue*. 2015;13(3):370-9.
86. Kassebaum N, Jasrasaria R, Naghavi M. A systematic analysis of global anemia burden from 1990 to 2010. *Blood*. 2014;123:615–24.
87. Beard J. Iron biology in immune function, muscle metabolism and neuronal functioning. *J Nutr*. 2001;131:568S- 80S.
88. Kumar V, Choudhry V. Iron Deficiency and Infection. Symposium on Nutritional Anemia. 2010;77:789-93.
89. Olsen MA, Butler AM, Willers DM, Gross GA, Devkota P, Fraser VJ. Risk factors for endometritis after low transverse cesarean delivery. *Infect Control Hosp Epidemiol*. 2010;31(1):69-77.
90. Oppenheimer S. Iron and its relation to immunity and infectious disease. *J Nutr*. 2001;131:616S-35S.
91. Markel T, Crisotomo P, Wang M. The struggle for iron: gastrointestinal microbes modulate the host immune response during infection. *J Leukoc Biol*. 2007;81:393-400.
92. Caughey A. Contemporary diagnosis and management of preterm premature rupture of membranes. *Rev Obstet Gynecol*. 2008;1(1):11–22.
93. Mercer B. Preterm premature ruptures of the membranes. *Obstet Gynecol*. 2003;101:178–93.
94. Ibishi VA, Isjanovska RD. Prelabour Rupture of Membranes: Mode of Delivery and Outcome. *Open access Macedonian journal of medical sciences*. 2015;3(2):237-40.
95. ACOG. Premature Rupture of Membranes. American College of Obstetricians and Gynecologists, 1998.
96. ACOG. Premature rupture of membranes. *Obstet Gynecol*. 2007;109:1007–19.
97. Mercer B, Goldenberg R, Meis P. The Preterm Prediction Study: prediction of preterm premature rupture of membranes through clinical findings and ancillary testing. *Am J Obstet Gynecol*. 2000;183:738–45.
98. Rouse D, Landon M, Leveno K. The Maternal-Fetal Medicine Units cesarean registry:chorioamnionitis at term and its duration-relationship to outcomes. *Am J Obstet Gynecol*. 2004;191:211.
99. Mark S, Croughan-Minihane M, Kilpatrick S. Chorioamnionitis and uterine function. *Obstet Gynecol*. 2000;95:909.
100. James P, Notta A, Elizabeth, Bonney, James D, Pickering, et al. The structure and function of the cervix during pregnancy. Elsevier. 2016.



101. Becher N, Waldorf KA, Hein M, Ulbjerg N. The cervical mucus plug: structured review of the literature. *Acta Obstet Gynecol Scand.* 2009;88:502-13.
102. Methodius G, Tuuli, Liu BL, Ryan E, Longman, Anthony O, et al. Infectious morbidity is higher after second-stage compared with first-stage cesareans. *Am J Obstet Gynecol.* 2014.
103. Cebekulu L, Buchmann E. Complications associated with cesarean section in the second stage of labor. *Int J Gynaecol Obstet.* 2006;95:110-4.
104. Allen V, O'Connell C, Baskett T. Maternal and perinatal morbidity of caesarean delivery at full cervical dilatation compared with caesarean delivery in the first stage of labour. *BJOG.* 2005;112:986-90.
105. Moodley J, Devjee J, Khedun S, Esterhuizen T. Second-stage primary caesarean deliveries: are maternal complications increased? . *SA Fam Pract* 2009;51:328-31.
106. Kruszka SP, Kruszka JS. Evaluation of acute pelvic pain in women. *Am Fam Physician.* 2010;82(2):141-7.
107. Ferguson C. Inspection, Auscultation, Palpation, and Percussion of the Abdomen. *Clinical Methods: The History, Physical, and Laboratory Examinations.* 1990,3rd edition:Chapter 93.
108. Hegertun IEA, Gundersen KMS, Kleppa E, Zulu SG, Gundersen SG, Taylor M, et al. S. haematobium as a common cause of genital morbidity in girls: a cross-sectional study of children in South Africa. *PLoS Negl Trop Dis.* 2013;7.
109. Ekpo U, M Odeyemi O, Sam-Wobo S, B Onunkwor O, Mogaji H, Oluwole A, et al. Female genital schistosomiasis (FGS) in Ogun State, Nigeria: a pilot survey on genital symptoms and clinical findings 2017.
110. Hanan E, Samia I, Reda H. Vaginal preparation with antiseptic solution before cesarean section for reducing post partum morbidity. *IOSR.* 2015;4.
111. French L, Smaill F. Antibiotics regimens for endometritis after delivery. *Cochrane Database Syst Rev.* 2000.
112. Graham J, Blanco J, Oshiro B, Magee K, Monga M, Eriksen N. Single dose ampicillin prophylaxis does not eradicate enterococcus from lower genital tract. *ObstetGynecol.* 2013;81:115-7.