

DAFTAR PUSTAKA

- A, Mohajjel Aghdam, Z, Sanaat, H, Hassankhani, & Z, Kochaki Nejad. (2013). Self-efficacy in breast cancer patients: Asystematic review.
- Barbara F. Piper, P., RN, AOCN, FAAN. (2013). The Piper Fatigue Scale-Revised (PFS-R) and the Piper Fatigue Scale-12 (PFS-12).
- Baumann, F. T., Bloch, W., Weissen, A., Brockhaus, M., Beulertz, J., Zimmer, P., Zopf, E. M. (2013). Physical Activity in Breast Cancer Patients during Medical Treatment and in the Aftercare - a Review. *Breast Care (Basel)*, 8(5), 330-334. doi: 10.1159/000356172
- Bower, J. E., Ganz, P. A., Irwin, M. R., Kwan, L., Breen, E. C., & Cole, S. W. (2011). Inflammation and behavioral symptoms after breast cancer treatment: do fatigue, depression, and sleep disturbance share a common underlying mechanism? *J Clin Oncol*, 29(26), 3517-3522. doi: 10.1200/JCO.2011.36.1154
- Cho, H. J., Kivimaki, M., Bower, J. E., & Irwin, M. R. (2013). Association of C-reactive protein and interleukin-6 with new-onset fatigue in the Whitehall II prospective cohort study. *Psychol Med*, 43(8), 1773-1783. doi: 10.1017/S0033291712002437
- De Sanctis, V., Agolli, L., Visco, V., Monaco, F., Muni, R., Spagnoli, A., Enrici, R. M. (2014). Cytokines, fatigue, and cutaneous erythema in early stage breast cancer patients receiving adjuvant radiation therapy. *Biomed Res Int*, 2014, 523568. doi: 10.1155/2014/523568
- Dickerson, S. S., Connors, L. M., Fayad, A., & Dean, G. E. (2014). Sleep-wake disturbances in cancer patients: narrative review of literature focusing on improving quality of life outcomes. *Nat Sci Sleep*, 6, 85-100. doi: 10.2147/NSS.S34846
- Eyigor, S., & Akdeniz, S. (2014). Is exercise ignored in palliative cancer patients *World J Clin Oncol*, 5(3), 554-559. doi: 10.5306/wjco.v5.i3.554

- Eyigor, S., & Kanyilmaz, S. (2014). Exercise in patients coping with breast cancer: An overview. *World J Clin Oncol*, 5(3), 406-411. doi: 10.5306/wjco.v5.i3.406
- Gilliam, L. A., & St Clair, D. K. (2011). Chemotherapy-induced weakness and fatigue in skeletal muscle: the role of oxidative stress. *Antioxid Redox Signal*, 15(9), 2543-2563. doi: 10.1089/ars.2011.3965
- Gould, D. W., Lahart, I., Carmichael, A. R., Koutedakis, Y., & Metsios, G. S. (2013). Cancer cachexia prevention via physical exercise: molecular mechanisms. *J Cachexia Sarcopenia Muscle*, 4(2), 111-124. doi:10.1007/s13539-012-0096-0
- Hagelin, C. L. (2008). Fatigue In Patients with Advanced Cancer Aspects of Assessment and Measurements.
- Hoffman, A. J., von Eye, A., Gift, A. G., Given, B. A., Given, C. W., & Rothert, M. (2009). Testing a theoretical model of perceived self-efficacy for cancer-related fatigue self-management and optimal physical functional status. *Nurs Res*, 58(1), 32-41. doi: 10.1097/NNR.0b013e3181903d7b
- Horneber, M., Fischer, I., Dimeo, F., Ruffer, J. U., & Weis, J. (2012). Cancer-related fatigue: epidemiology, pathogenesis, diagnosis, and treatment. *Dtsch Arztebl Int*, 109(9), 161-171; quiz 172. doi: 10.3238/arztebl.2012.0161
- Howell, D., Keller-Olaman, S., Oliver, T. K., Hack, T. F., Broadfield, L., Biggs, K., Olson, K. (2013). A pan-Canadian practice guideline and algorithm: screening, assessment, and supportive care of adults with cancer-related fatigue. *Curr Oncol*, 20(3), e233-246. doi: 10.3747/co.20.1302
- Institute, N. C. (2014). Facing Forward - Life After Cancer Treatment.
- KI, B., P, v. d. T., T, T., VeeningMA, E, v. D.-d. B., & GJL, K. (2013). Physical exercise training interventions for children and young adults during and after treatment for childhood cancer.
- Laird, B. J., McMillan, D. C., Fayers, P., Fearon, K., Kaasa, S., Fallon, M. T., & Klepstad, P. (2013). The systemic inflammatory response and its relationship to pain and other symptoms in advanced cancer. *Oncologist*, 18(9), 1050-1055. doi: 10.1634/theoncologist.2013-0120

- Liu, L., Rissling, M., Neikrug, A., Fiorentino, L., Natarajan, L., Faierman, M., Ancoli-Israel, S. (2013). Fatigue and Circadian Activity Rhythms in Breast Cancer Patients Before and After Chemotherapy: A Controlled Study. *Fatigue, 1*(1-2), 12-26. doi: 10.1080/21641846.2012.741782
- McClellan, R. (2013). Exercise programs for patients with cancer improve physical functioning and quality of life. *Journal of Physiotherapy, 59*(1), 57. doi: 10.1016/s1836-9553(13)70150-4
- Meneses-Echavez, J. F., Gonzalez-Jimenez, E., & Ramirez-Velez, R. (2015). Supervised exercise reduces cancer-related fatigue: a systematic review. *J Physiother, 61*(1), 3-9. doi: 10.1016/j.jphys.2014.08.019
- Miller, A. H., Ancoli-Israel, S., Bower, J. E., Capuron, L., & Irwin, M. R. (2008). Neuroendocrine-immune mechanisms of behavioral comorbidities in patients with cancer. *J Clin Oncol, 26*(6), 971-982. doi: 10.1200/JCO.2007.10.7805
- Minton, O., Berger, A., Barsevick, A., Cramp, F., Goedendorp, M., Mitchell, S. A., & Stone, P. C. (2013). Cancer-related fatigue and its impact on functioning. *Cancer, 119 Suppl 11*, 2124-2130. doi: 10.1002/cncr.28058
- Mustian, K. M., Morrow, G. R., Carroll, J. K., Figueroa-Moseley, C. D., Jean-Pierre, P., & Williams, G. C. (2007). Integrative nonpharmacologic behavioral interventions for the management of cancer-related fatigue. *Oncologist, 12 Suppl 1*, 52-67. doi: 10.1634/theoncologist.12-S1-52
- NCCN.org. (2014). Cancer-Related Fatigue.
- Neefjes, E. C., van der Vorst, M. J., Blauwhoff-Buskermolen, S., & Verheul, H. M. (2013). Aiming for a better understanding and management of cancer-related fatigue. *Oncologist, 18*(10), 1135-1143. doi: 10.1634/theoncologist.2013-0076
- Pereira, S., Fontes, F., Sonin, T., Dias, T., Fragoso, M., Castro-Lopes, J., & Lunet, N. (2014). Neurological complications of breast cancer: study protocol of a prospective cohort study. *BMJ Open, 4*(10), e006301. doi: 10.1136/bmjopen-2014-006301
- Sandra A. Mitchell, P., CRNP, AOCN®. (2014). Cancer-Related Fatigue.

- Sandra A. Mitchell, P., CRNP, AOCN®, Regina M. DeGennaro, D., RN, AOCN®, Carolene B. Robinson, R., MA, CNS, AOCN®, Amy J. Hoffman, M., PhD, RN, Jane C. Clark, P., RN, AOCN®, Patricia Poirier, P., RN, AOCN®, & Breanna L. Weisbrod, M., APRN, AGCNS-BC, OCN®. (2014). Putting Evidence Into Practice- An Update of Evidence-Based Interventions for Cancer-Related Fatigue During and Following Treatment.
- Sha, F., Zhuang, S., Zhou, L., Zhang, L., Yang, Y., Zhang, S., Zhang, S. (2015). Biomarkers for cancer-related fatigue and adverse reactions to chemotherapy in lung cancer patients. *Mol Clin Oncol*, 3(1), 163-166. doi: 10.3892/mco.2014.439
- Shiraz I. Mishra, M., PhD, Roberta W. Scherer, P., Claire Snyder, P., Paula Geigle, P., PhD, & Carolyn Gotay, P. (2015). The Effectiveness of Exercise Interventions for Improving Health-Related Quality of Life From Diagnosis Through Active Cancer Treatment. *Oncol Nurs Forum*, 42(no. 1), E33-E53.
- SOCIETY, D. A. (2002). Patient empowerment—a patient-centred approach to improve care.
- Society., A. C. (2009). Getting help for fatigue.
- Sprangers, M. A., Thong, M. S., Bartels, M., Barsevick, A., Ordonana, J., Shi, Q., GeneQol, C. (2014). Biological pathways, candidate genes, and molecular markers associated with quality-of-life domains: an update. *Qual Life Res*, 23(7), 1997-2013. doi: 10.1007/s11136-014-0656-1
- Stanford. Chronic Disease Self Efficacy Scale.
- Wood, L. J., & Weymann, K. (2013). Inflammation and neural signaling: etiologic mechanisms of the cancer treatment-related symptom cluster. *Curr Opin Support Palliat Care*, 7(1), 54-59. doi: 10.1097/SPC.0b013e32835dabe3
- Wilmore JH dan Costill DI (1999) Physiology of Sport and exercise second edition, Human Kinetik, USA