

## DAFTAR PUSTAKA

1. Forman D, Mathers C, Soerjomataram I, Bray F, Eser S RM. Cancer Incidence and Mortality Worldwide : Sources, Methods and Major Patterns in Globocan 2012. *Int J Cancer.* 2014;136(5):E359–86.
2. Kementrian Kesehatan RI. Situasi Penyakit Kanker. Buletin Jendela Data dan Informasi Kesehatan. 2015;
3. Miller A, Salas S, Haden A. Knowledge Into Action Treatment, Diagnosis and Treatment. WHO Libr Cat Data Diagnosis. 2008;4:1–51.
4. Cancer Institute NSW. Cancer Treatment Side Effects : A Guide for Aboriginal Health Workers. 2015.
5. Ravikumar S, Ramanathan G, Jacob Inbaneson S, Ramu A. Antiplasmoidal Activity of Two Marine Polyherbal Preparations from *Chaetomorpha antennina* and *Aegiceras corniculatum* Against *Plasmodium falciparum*. *Parasitol Res.* 2011;108(1):107–13.
6. Hu Y, Chen J, Hu G, Yu J, Zhu X, Lin Y, et al. Statistical Research on the Bioactivity of New Marine Natural Products Discovered during the 28 Years from 1985 to 2012. *Mar Drugs.* 2015;13(1):202–21.
7. Wardani SH, Rismawan TBS. Aplikasi Klasifikasi Jenis Tumbuhan Mangrove Berdasarkan Karakteristik Morfologi Menggunakan Metode K-Nearest Neighbor (KNN) Berbasis Web. *Coding J Komput dan Apl Untan.* 2016;04(3)(3):9–21.

8. Gurudeeban S, Satyavani K, Ramanathan T. Antidiabetic Effect of A Black Mangrove Species *Aegiceras corniculatum* in Alloxan-Induced Diabetic Rats. 3(1):52–6.
9. Lim SSM, Hazalin NA, Cole AL, Ramasamy K, Abdul Majeed AB. Cytotoxic and Antibacterial Activities of Endophytic Fungi Isolated From Plants at The National Park, Pahang, Malaysia. BMC Complement Altern Med. 2009;9(1):1–5.
10. Chamikara P. Advanced Study on Selected Taxonomic Groups of Bacteria and Archaea. BSc(UG) Microbiol (Sp), Univ Kelaniya, Sri Lanka. 2016;(10):3.
11. Deng CM, Liu SX, Huang CH, Pang JY, Lin YC. Secondary Metabolites of A Mangrove Endophytic Fungus *Aspergillus terreus* (No. GX7-3B) from The South China Sea. Mar Drugs. 2013;11(7):2616–24.
12. Karthikeyan P, Senthilkumar G PA. Actinobacterial Diversity of Mangrove Environment of The Palaverkadu Mangroves, East Coast of Tamil Nadu, India. Int J Curr Microbiol Appl Sci. 2014;3(1):145–54.
13. Ser HL, Tan LTH, Law JWF, Chan KG, Duangjai A SS. Focused Review: Cytotoxic and Antioxidant Potentials of Mangrove-Derived Streptomyces. Front Microbiol. 2017;8(11).
14. Bae M, Kim H, Shin Y, Kim BY, Lee SK OK. Separacenes A-D, Novel Polyene Polyols from The Marine Actinomycete, *Streptomyces* sp. Mar Drugs. 2013;11(8):2882–93.

15. Thatoi H, Behera BC, Mishra RR, Dutta SK. Biodiversity and Biotechnological Potential of Microorganisms from Mangrove Ecosystems: A Review. *Ann Microbiol*. 2013;63(1):1–19.
16. NCI. Dictionary of Cancer Terms.
17. Sessink, P.J.M., G. Sewell and JV. Preventing Occupational Exposure to Cytotoxic and Other Hazardous Drugs European Policy Recommendations. 2016;18.
18. Suzery M, Cahyono B. Evaluation of Cytotoxicity Effect of *Hyptis pectinata* Poit (Lamiaceae) Extracts Using BSLT and MTT Methods. *J Sains dan Mat*. 2014;22(3):84–8.
19. Hayati NF, Muhiddin AH AM. Profil Distribusi dan Kondisi Mangrove Berdasarkan Pasang Surut Air Laut di Pulau Bangkobangko Kecamatan Liukang Tupabbiring Kabupaten Pangkep. *Spermonde*. 2017;3:47–52.
20. Sangkanu S, Rukachaisirikul V, Suriyachadkun C, Phongpaichit S. Evaluation of Antibacterial Potential of Mangrove Sediment-Derived Actinomycetes. *Microb Pathog*. 2017;112(6):303–12.
21. Liu Y, Li F, Huang Q. Allelopathic Effects of Gallic Acid from *Aegiceras corniculatum* on *Cyclotella caspia*. *J Environ Sci*. 2013;25(4):776–84.
22. Plantamor. *Aegiceras corniculatum* (L.) Blanco.
23. Julayhaa, Basyunib M, Putric LAP. Komposisi Senyawa Isoprenoid Pada Mangrove Sejati Minor Jenis Teruntun (*Aegiceras corniculatum* (L.) Blanco)

- Sebagai Biomarker. J Farm Indones. 2009;4.
24. Roy A, Gupta V, Mukherjee K. Two Novel Antifungals, Acornine 1 and Acornine 2, from The Bark of Mangrove Plant *Aegiceras corniculatum* (Linn.) Blanco from Sundarban Estuary. Pharmacogn Mag. 2014;10(38):342.
25. Dalisay DS, Williams DE, Wang XL, Centko R, Chen J, Andersen RJ. Marine Sediment-Derived Streptomyces Bacteria from British Columbia, Canada Are a Promising Microbiota Resource for the Discovery of Antimicrobial Natural Products. PLoS One. 2013;8(10):1–14.
26. Handa SS, Khanuja SPS, Longo G, Rakesh DD. Extraction Technologies for Medical and Aromatic Plants. India: United Nations Industrial Development Organization and the International Center for Science and High Technology (ICS); 2008. p. 21–4.
27. Nn A. A Review on the Extraction Methods Use in Medicinal Plants, Principle, Strength and Limitation. Med Aromat Plants. 2015;04(03):3–8.
28. HD E. Applied Thin-Layer Chromatography. Second, Re. Germany: Wiley-VCH Verlag GmbH & Co. KGaA; 2007.
29. Meyer BN, Ferrigni NR, Putnam JE, Jacobsen LB, Nichols DE, McLaughlin JL. Brine shrimp: A Convenient General Bioassay for Active Plant Constituents. Planta Med. 1982;45(5):31–4.
30. Jeda L, Nuñez OM, Mylene U. Brine Shrimp (*Artemia salina*) Bioassay of the Medicinal Plant *Pseudelephantopus spicatus* from Iligan City , Philippines. Int Res J Biol Sci. 2014;3(9):2278–3202.

31. Harbone JB. Metode Fitokimia Penuntun Cara Modern Menganalisis Tumbuhan. Bandung: ITB; 1987.
32. Randhawa MA. Calculation of LD<sub>50</sub> values from the method of Miller and Tainter, 1944. J Ayub Med Coll Abbottabad. 2009;21(3):184–5.
33. Arambasi MB, Randhawa MA. Comparison of the Methods of Finney and Miller-Tainter for the Calculation of LD<sub>50</sub> Values. World Appl Sci J. 2014;32(10):2167–70.
34. Katili AS, Retnowati Y. Short Communication : Isolation of Actinomycetes from Mangrove Ecosystem in Torosiaje, Gorontalo, Indonesia. 2017;18(2):826–33.
35. Pratiwi ST. Mikrobiologi Farmasi. Jakarta: Erlangga; 2008.
36. Himedia Laboratories. Actinomycete Isolation Agar. 2015;2:1.
37. Mohamed H, Miloud B, Zohra F, Veloso A. Isolation and Characterization of Actinobacteria from Algerian Sahara Soils with Antimicrobial Activities. Int J Mol Cell Med. 2017;6(2):109–20.
38. Sagar Aryal. Isolation of Actinomycetes from Soil sample. Online Microbiol Biol Relat notes. 2018.
39. Himedia Laboratories. Actinomyces broth. 2015.
40. Mesta C OR. Screening of Antimicrobial and Antioxidant Activities of Endophytic Actinomycetes Isolated from *Rhizophora mucronata* and

*Sonneratia caseolaris*. Int J Pharm Biol Arch. 2017;8(4):22–8.

41. Herlina R. Isolasi dan Karakterisasi Actinomycetes-Asosiasi Spons Penhasil Antibiotik Koleksi Pulau Barrang Lombo Makassar. Universitas Gadjah Mada; 2012.
42. Athalye M, Lacey J, Goodfellow M. Selective Isolation and Enumeration of Actinomycetes using Rifampicin. J Appl Bacteriol. 1981;51(2):289–97.
43. T. Janaki. Antimicrobial Activity of Mangrove Actinomycetes From Soil Sample of *Bruguiera cylindrica*. 2016;5(12):1287–96.
44. Rendowaty A, Djamaan A, Handayani D. Waktu Kultivasi Optimal dan Aktivitas Antibakteri dari Ekstrak Etil Asetat Jamur Simbion *Aspergillus unguis* (WR8) dengan *Haliclona fascigera*. J Sains Farm Klin. 2017;4(1):49.
45. Muaja AD, Koleangan HSJ, Runtuwene MR j. Analisis Kandungan Fitokimia dari Uji Toksisitas Ekstrak Metanol Daun Soyogik (*Sauraula bracteosa* DC) dengan Menggunakan Metode Maserasi. Ilm Sains. 2013;2(2):1–4.
46. Handayani D, Yulia M, Allen Y. Komunikasi Ringkas Isolasi Senyawa Sitotoksik dari Spons Laut *Petrosia* sp. JPB Perikan. 2012;7(1):69–76.
47. Kjer J, Debbab A, Aly AH, Proksch P. Methods for Isolation of Marine-Derived Endophytic Fungi and their Bioactive Secondary Products. Nat Protoc. 2010;5(3):479–90.
48. Hanani E. Analisis Fitokimia. Jakarta: EGC; 2015.

49. Tedi Septiadi, Delianis Pringgenies OKR. Uji Fitokimia dan Aktivitas Antijamur Ekstrak Teripang Keling (*Holoturia atra*) Dari Pantai Bandengan Jepara Terhadap Jamur *Candida albicans*. 2013;2(2):76–84.
50. Adri D, Hersoelistyorini W. Antioxidant Activity and Organoleptic Charecteristic of Soursop (*Annona muricata* Linn.) Leaf Tea Based on Variants Time Drying. J Pangan dan Gizi. 2013;04(07).
51. Biologi B. Jurnal Ilmu-ilmu Hayati. 2016;15(3).
52. Ventura M, Canchaya C, Tauch A, Chandra G, Fitzgerald GF CK. Uji Awal Aktivitas Antimikroba dari Actinomycetes 9ISP1 dari Spons Asal Perairan Pulau Randayan. E-Jurnal Ilmu dan Teknol Kelaut Trop. 2016;1(1):1–7.
53. Maryati, Sutrisna EM. Potensi Sitotoksik Tanaman Ceplukan (*Physalis angulata* L) Terhadap Sel HeLa. Pharmacon. 2007;8(1):1–6.
54. Weng JR, Bai LY, Chiu CF, Hu JL, Chiu SJ WC. Cucurbitane Triterpenoid from *Momordica charantia* Induces Apoptosis and Autophagy in Breast Cancer Cells, in Part, Through Peroxisome Proliferator-Activated Receptor  $\gamma$  Activation. Evidence-based Complement Altern Med. 2013;2013.
55. Mardany MP, Chrystomo LY, Karim AK. Skrining Fitokimia dan Uji Aktivitas Sitotoksik dari Tumbuhan Sarang Semut (*Myrmecodia beccarii* Hook . f .) Asal Kabupaten Merauke. J Biol Papua. 2016;8(1):13–22.
56. Rahmawati F, Kusdiyantini E, Budiharjo A. Isolasi dan Identifikasi Molekuler Khamir dari Molase serta Kemampuannya dalam Produksi Etanol. J Biol. 2017;6(4).

57. Obeidat M. Cytotoxicity of n-Butanol Extracts of *Streptomyces* Against Human Breast Cancer Cells. *Int J Pharmacol.* 2017;13(8):969–79.
58. Kumar V, Bharti A, Gusain O, Bisht GS. Scanning Electron Microscopy of *Streptomyces* Without Use of Any Chemical Fixatives. *Scanning.* 2011;33(6):446–9.
59. Kaur T, Jasrotia S, Ohri P, Manhas RK. Evaluation of in Vitro and in Vivo Nematicidal Potential of a Multifunctional Streptomycete, *Streptomyces hydrogenans* Strain DH16 Against *Meloidogyne incognita*. *Microbiol Res.* 2016;192:247–52.
60. Kaur T, Kaur A, Sharma V, Manhas RK. Purification and Characterization of a New Antifungal Compound 10-(2,2-dimethyl-cyclohexyl)-6,9-dihydroxy-4,9-dimethyl-dec-2-enoic Acid Methyl Ester from *Streptomyces hydrogenans* Strain DH16. *Front Microbiol.* 2016;7(6).
61. Kulkarni M, Gorthi S, Banerjee G, Chattopadhyay P. Production, characterization and optimization of actinomycin D from *Streptomyces hydrogenans* IB310, an Antagonistic Bacterium Against Phytopathogens. *Biocatal Agric Biotechnol.* 2017;10:69–74.