

## DAFTAR PUSTAKA

1. Jeevanandam J, Barhoum A, Chan YS, Dufresne A, Danquah MK. Review on nanoparticles and nanostructured materials: History, sources, toxicity and regulations. *Beilstein J Nanotechnol.* 2018. doi:10.3762/bjnano.9.98
2. KOÇAK A, KARASU B. General Evaluations of Nanoparticles. *Ei-Cezeri Fen ve Mühendislik Derg.* 2018;5(1):191-236. doi:10.31202/ecjse.361663
3. Gao Y, Cranston R. Recent Advances in Antimicrobial Treatments of Textiles. *Text Res J.* 2008;78(1):60-72. doi:10.1177/0040517507082332
4. Wahab R, Tripathy SK, Shin HS, et al. Photocatalytic oxidation of acetaldehyde with ZnO-quantum dots. *Chem Eng J.* 2013;226(1):154-160. doi:10.1016/j.cej.2013.02.128
5. Baskoutas S. Special issue: Zinc oxide nanostructures: Synthesis and characterization. *Materials (Basel).* 2018;11(6):873. doi:10.3390/ma11060873
6. Tiwari V, Mishra N, Gadani K, Solanki PS, Shah NA, Tiwari M. Mechanism of anti-bacterial activity of zinc oxide nanoparticle against Carbapenem-Resistant Acinetobacter baumannii. *Front Microbiol.* 2018;9(1):1218. doi:10.3389/fmicb.2018.01218
7. Pradeev raj K, Sadaiyandi K, Kennedy A, et al. Influence of Mg Doping on ZnO Nanoparticles for Enhanced Photocatalytic Evaluation and Antibacterial Analysis. *Nanoscale Res Lett.* 2018;13(1):229. doi:10.1186/s11671-018-2643-x
8. Rocha Segundo IG da, Dias EAL, Fernandes FDP, Freitas EF de, Costa MF, Carneiro JO. Photocatalytic asphalt pavement: the physicochemical and rheological impact of TiO<sub>2</sub> nano/microparticles and ZnO microparticles onto the bitumen. *Road Materials and Pavement Design.* 2018:1452-1457.
9. He L, Tong Z, Wang Z, Chen M, Huang N, Zhang W. Effects of calcination temperature and heating rate on the photocatalytic properties of ZnO prepared by pyrolysis. *J Colloid Interface Sci.* 2018;509:448-456. doi:10.1016/j.jcis.2017.09.021
10. Burta FS. *Pelapisan Senyawa ZnO-TiO<sub>2</sub>/Kitosan Dan Hidrofobisasi Untuk Preparasi Katun Anti Bakteri Dan Anti Noda.*; 2018.
11. Mamat MH, Khusaimi Z, Zahidi MM, et al. Controllable growth of vertically aligned aluminum-doped zinc oxide nanorod arrays by sonicated sol-gel immersion method depending on precursor solution volumes. *Jpn J Appl Phys.* 2011;50(6):10-15. doi:10.1143/JJAP.50.06GH04

12. Liu J, Wang Y, Ma J, Peng Y, Wang A. A review on bidirectional analogies between the photocatalysis and antibacterial properties of ZnO. *J Alloys Compd.* 2019;783:898-918. doi:10.1016/j.jallcom.2018.12.330
13. Yu W, Liu T, Cao S, Wang C, Chen C. Constructing MnO<sub>2</sub>/single crystalline ZnO nanorod hybrids with enhanced photocatalytic and antibacterial activity. *J Solid State Chem.* 2016;239:131-138. doi:10.1016/j.jssc.2016.04.027
14. Raizada P, Sudhaik A, Singh P. Photocatalytic water decontamination using graphene and ZnO coupled photocatalysts: A review. *Mater Sci Energy Technol.* 2019;2(3):509-525. doi:10.1016/j.mset.2019.04.007
15. Kadam AN, Kim TG, Shin DS, Garadkar KM, Park J. Morphological evolution of Cu doped ZnO for enhancement of photocatalytic activity. *J Alloys Compd.* 2017;710:102-113. doi:10.1016/j.jallcom.2017.03.150
16. Saleh R, Djaja NF. Transition-metal-doped ZnO nanoparticles: Synthesis, characterization and photocatalytic activity under UV light. *Spectrochim Acta - Part A Mol Biomol Spectrosc.* 2014;130:581-590. doi:10.1016/j.saa.2014.03.089
17. Rahimi N, Pax R, Gray EMA. Review of functional titanium oxides. II: Hydrogen-modified TiO<sub>2</sub>. *Prog Solid State Chem.* 2019;55(July):1-19. doi:10.1016/j.progsolidstchem.2019.04.003
18. Hu H, Lin Y, Hu YH. Synthesis, structures and applications of single component core-shell structured TiO<sub>2</sub>: A review. *Chem Eng J.* 2019;375:122029. doi:10.1016/j.cej.2019.122029
19. Khan ME, Khan MM, Min BK, Cho MH. Microbial fuel cell assisted band gap narrowed TiO<sub>2</sub> for visible lightinduced photocatalytic activities and power generation. *Sci Rep.* 2018;8(1):1723. doi:10.1038/s41598-018-19617-2
20. Kang M, Kim SW, Park HY. Optical properties of TiO<sub>2</sub> thin films with crystal structure. *J Phys Chem Solids.* 2018;123(March):266-270. doi:10.1016/j.jpcs.2018.08.009
21. Humayun M, Raziq F, Khan A, Luo W. Modification strategies of TiO<sub>2</sub> for potential applications in photocatalysis: A critical review. *Green Chem Lett Rev.* 2018:86-102. doi:10.1080/17518253.2018.1440324
22. Rilda Y, Kurniawan S, Arief S, August J. Research Journal of Pharmaceutical ,

- Biological and Chemical Sciences Synthesis and Modification of the Morphology of Zinc Oxide ( ZnO ) Nano Particles with Induced Biopolymer Chitosan . *Res J Pharm Biol Chem Sci Synth.* 2015;6(1511):1511-1518.
- 23. Ways TMM, Lau WM, Khutoryanskiy V V. Chitosan and its derivatives for application in mucoadhesive drug delivery systems. *Polymers (Basel).* 2018;267. doi:10.3390/polym10030267
  - 24. Yuni U, Istirokhatun T, Susanto H. Pengaruh Penambahan Nano-ZnO dan Nano-Al<sub>2</sub>O<sub>3</sub> Sebagai Agen Anti Bakteri Dalam Pembuatan Membran Selulosa Asetat-Kitosan Terhadap Biofouling Yang Disebabkan Oleh Bakteri Gram Negatif. 2015;4(4):1-11.
  - 25. Hernández-Hernández H, González-Morales S, Benavides-Mendoza A, Ortega-Ortiz H, Cadenas-Pliego G, Juárez-Maldonado A. Effects of chitosan–PVA and Cu nanoparticles on the growth and antioxidant capacity of tomato under saline stress. *Molecules.* 2018;23(1):178. doi:10.3390/molecules23010178
  - 26. Pebriani RH, Rilda Y, Pendahuluan I. MODIFIKASI KOMPOSISI KITOSAN PADA PROSES SINTESIS KOMPOSIT TiO<sub>2</sub> -KITOSAN. 2012;1(November):40-47.
  - 27. Quiñones JP, Peniche H, Peniche C. Chitosan based self-assembled nanoparticles in drug delivery. *Polymers (Basel).* 2018;235. doi:10.3390/polym10030235
  - 28. Znaidi L. Sol-gel-deposited ZnO thin films: A review. *Mater Sci Eng B Solid-State Mater Adv Technol.* 2010;174(1-3):18-30. doi:10.1016/j.mseb.2010.07.001
  - 29. Hakki HK, Allahyari S, Rahemi N, Tasbihi M. Surface properties, adherence, and photocatalytic activity of sol-gel dip-coated TiO<sub>2</sub>–ZnO films on glass plates. *Comptes Rendus Chim.* 2019;22:393-405. doi:10.1016/j.crci.2019.05.007
  - 30. Jittiarpong P, Badilescu S, Al MN, Sikong L, Truong V. Advanced Materials and Devices Electrochromic properties of sol e gel prepared hybrid transition metal oxides e A short review. *J Sci Adv Mater Devices.* 2017;2(3):286-300. doi:10.1016/j.jsamd.2017.08.005
  - 31. Shaban M, Mohamed F, Abdallah S. Production and Characterization of Superhydrophobic and Antibacterial Coated Fabrics Utilizing ZnO Nanocatalyst. *Sci Rep.* 2018;8(1):1-15. doi:10.1038/s41598-018-22324-7
  - 32. Rilda Y, Kurniawan S, Arief S. Synthesis and modification of the morphology of zinc

- oxide (ZnO) nano particles with induced biopolymer chitosan. *Res J Pharm Biol Chem Sci.* 2015;217:1-7.
- 33. Dolez PI, Arfaoui MA, Dubé M, David É. Hydrophobic treatments for natural fibers based on metal oxide nanoparticles and fatty acids. In: *Procedia Engineering.* ; 2017:81-88. doi:10.1016/j.proeng.2017.07.013
  - 34. Zhao B, Cao JF, Hu GJ, et al. Core cis-element variation confers subgenome-biased expression of a transcription factor that functions in cotton fiber elongation. *New Phytol.* 2018;218(3):1061-1075. doi:10.1111/nph.15063
  - 35. Long LY, Weng YX, Wang YZ. Cellulose aerogels: Synthesis, applications, and prospects. *Polymers (Basel).* 2018;623. doi:10.3390/polym10060623
  - 36. Delima S. Perbedaan kain katun dengan poliester pada busana kuliah ditinjau dari aspek kenyamanan. 2013;7-12.
  - 37. Rilda Y, Safitri R, Agustien A, Nazir N, Syafiuddin A, Nur H. Enhancement of Antibacterial Capability of Cotton Textiles Coated with TiO<sub>2</sub>-SiO<sub>2</sub>/Chitosan Using Hydrophobization. *J Chinese Chem Soc.* 2017;64(11):1347-1353. doi:10.1002/jccs.201700165
  - 38. Wahyu E, Dini P. Degradasi Metilen Biru Menggunakan Fotokatalis Zn-Zeolit. *Chem Prog.* 2014;7(1):29-33.
  - 39. Shaban M, Ashraf AM, Abukhadra MR. TiO<sub>2</sub> Nanoribbons/Carbon Nanotubes Composite with Enhanced Photocatalytic Activity; Fabrication, Characterization, and Application. *Sci Rep.* 2018;8(1):781. doi:10.1038/s41598-018-19172-w
  - 40. Teng M, Qiao J, Li F, Bera PK. Electrospun mesoporous carbon nanofibers produced from phenolic resin and their use in the adsorption of large dye molecules. *Carbon N Y.* 2012;50(8):2877-2886. doi:10.1016/j.carbon.2012.02.056
  - 41. O'Neil MJ. The Merck Index: an Encyclopedia of Chemicals, Drugs, and Biologicals. 13th Edition. *Drug Dev Res.* 2006;67(11):870. doi:10.1002/ddr.20159
  - 42. Christina M, Mu'nisatun, Saptaaji R, Marjanto D. Studi Pendahuluan Mengenai Degradasi Zat Warna Azo ( Metil Orange ) Dalam Pelarut Air Menggunakan Mesin Berkas Elektron 350 keV/10mA. *J Forum Nukl BATAN.* 2007;1(1):31-44. <http://jurnal.batan.go.id/index.php/jfn/article/view/3271/2868>.
  - 43. Yoon YC, Park KS, Kim SD. Effects of low preheating temperature for ZnO seed

- layer deposited by sol-gel spin coating on the structural properties of hydrothermal ZnO nanopartikel. *Thin Solid Films*. 2015. doi:10.1016/j.tsf.2015.11.040
44. Singh R, Verma K, Patyal A, Sharma I, Barman PB, Sharma D. Nanosheet and nanosphere morphology dominated photocatalytic & antibacterial properties of ZnO nanostructures. *Solid State Sci.* 2019;89:1-14. doi:10.1016/j.solidstatesciences.2018.12.011
45. Sadhukhan P, Kundu M, Rana S, Kumar R, Das J, Sil PC. Microwave induced synthesis of ZnO nanopartikel and their efficacy as a drug carrier with profound anticancer and antibacterial properties. *Toxicol Reports*. 2019;6:176-185. doi:10.1016/j.toxrep.2019.01.006
46. Rilda Y, Damara D, Syukri, Putri YE, Refinel, Agustien A. Synthesis of ZnO-TiO<sub>2</sub>/Chitosan Nanopartikel by Using Precipitation Methods and Studying Their Structures and Optics Properties at Different Precursor Molar Compositions. *IOP Conf Ser Earth Environ Sci*. 2019;217(1):1-7. doi:10.1088/1755-1315/217/1/012015
47. Nie C, Liu L, He R. Pt/TiO<sub>2</sub>-ZnO in a circuit Photo-electro-catalytically removed HCHO for outstanding indoor air purification. *Sep Purif Technol*. 2018;206(May):316-323. doi:10.1016/j.seppur.2018.06.024
48. Mufti N, Maryam S, Fibriyanti AA, et al. Morphological Modification and Analysis of ZnO Nanopartikel and Their Optical Properties and Polarization. *Scanning*. 2018;2018. doi:10.1155/2018/6545803
49. Haryati T, Andarini N, Mardhiyah S. THE EFFECT OF SOL-GEL TEMPERATURE AND SOLVENT POLYETHYLENE GLYCOL (PEG) IN ZnO- TiO<sub>2</sub> PHOTOCATALYST ACT AS DEGRADER OF TEXTILE DYEING LIQUID WASTE. *ALCHEMY J Penelit Kim*. 2016;10(2):149. doi:10.20961/alchemy.v10i2.536
50. Natarajan S, Jeyakodi Moses J. Surface modification of polyester fabric using polyvinyl alcohol in alkaline medium. *Indian J Fibre Text Res*. 2012;37(3):287-291.
51. Boppella R, Anjaneyulu K, Basak P, Manorama S V. Facile synthesis of face oriented ZnO crystals: Tunable polar facets and shape induced enhanced photocatalytic performance. *J Phys Chem C*. 2013. doi:10.1021/jp311443s
52. Djawa JPT, Tawa BD, Wogo HE. Degradasi zat warna azo metil orange

menggunakan besi valensi nol. 2018:1-6.

53. Wang J, Wang Z, Huang B, et al. Oxygen vacancy induced band-gap narrowing and enhanced visible light photocatalytic activity of ZnO. *ACS Appl Mater Interfaces*. 2012. doi:10.1021/am300835p

