

DAFTAR PUSTAKA

- [1] I. S. Aji, S. M. Sapuan, E. S. Zainudin, and K. Abdan, “Kenaf Fibres as Reinforcement for Polymeric Composites: A Review,” vol. 4, no. 3, pp. 239–248, 2009.
- [2] B. C. J. Bettinger and Z. Bao, “Organic Thin-Film Transistors Fabricated on Resorbable Biomaterial Substrates,” pp. 651–655, 2010.
- [3] Q. Sun, B. Qian, K. Uto, J. Chen, X. Liu, and T. Minari, “Biosensors and Bioelectronics Open Access Electronic Biomaterials Towards Flexible Sensors : A Review,” vol. 2018, no. 03, 2018.
- [4] A. K. H. P. S *et al.*, “A review on chitosan-cellulose blends and nanocellulose reinforced chitosan biocomposites : Properties and their applications,” *Carbohydr. Polym.*, vol. 150, pp. 216–226, 2016.
- [5] F. G. Torres, S. Commeaux, and O. P. Troncoso, “Functional Biomaterials Biocompatibility of Bacterial Cellulose Based Biomaterials,” pp. 864–878, 2012.
- [6] J. S. Jur, “Mechanical and thermal investigation of thermoplastic nanocomposite films fabricated using micro- and nano-sized fillers from recycled cotton T-shirts,” 2014.
- [7] N. Tka, M. Jabli, T. A. Saleh, and G. A. Salman, “Amines modified fibers obtained from natural *Populus tremula* and their rapid biosorption of Acid Blue 25,” *J. Mol. Liq.*, 2017.
- [8] M. Asrofi, H. Abral, A. Kasim, A. Pratoto, and M. Mahardika, “Isolation of Nanocellulose from Water Hyacinth Fiber (WHF) Produced via Digester-Sonication and Its Characterization,” vol. 19, no. 8, pp. 1618–1625, 2018.
- [9] E. Syafri, A. Kasim, H. Abral, and A. Asben, “Cellulose nanofibers isolation and characterization from ramie using a chemical-ultrasonic treatment,” *J. Nat. Fibers*, vol. 00, no. 00, pp. 1–11, 2018.
- [10] J. Zhao, W. Zhang, X. Zhang, X. Zhang, C. Lu, and Y. Deng, “Extraction of cellulose nanofibrils from dry softwood pulp using high shear homogenization,” *Carbohydr. Polym.*, vol. 97, no. 2, pp. 695–702, 2013.
- [11] A. Alemdar and M. Sain, “Biocomposites from wheat straw nanofibers :

- Morphology , thermal and mechanical properties,” vol. 68, pp. 557–565, 2008.
- [12] H. Abral and Lawrenctius Vincent, “Preparation of nano-sized particles from bacterial cellulose using ultrasonication and their characterization,” *Carbohydr. Polym.*, vol. 191, no. February, pp. 161–167, 2018.
 - [13] W. Czaja, A. Krystynowicz, S. Bielecki, and R. M. Brown, “Microbial cellulose — the natural power to heal wounds \$,” vol. 27, pp. 145–151, 2006.
 - [14] Z. Shi, Y. Zhang, G. O. Phillips, and G. Yang, “Food Hydrocolloids Utilization of bacterial cellulose in food,” *Food Hydrocoll.*, vol. 35, pp. 539–545, 2014.
 - [15] B. Ghanbarzadeh, S. A. Oleyaei, and H. Almasi, “Nano-Structured Materials Utilized in Biopolymer based Plastics for Food Packaging Applications,” no. August, pp. 37–41, 2014.
 - [16] J. Hu, F. Gao, Z. Zhao, S. Sang, P. Li, and W. Zhang, “Applied Surface Science Synthesis and characterization of Cobalt-doped ZnO microstructures for methane gas sensing,” *Appl. Surf. Sci.*, vol. 363, pp. 181–188, 2016.
 - [17] P. Judith *et al.*, “Physical – mechanical and antimicrobial properties of nanocomposite films with pediocin and ZnO nanoparticles,” *Carbohydr. Polym.*, vol. 94, no. 1, pp. 199–208, 2013.
 - [18] A. Emamifar, M. Kadivar, M. Shahedi, and S. Soleimanian-zad, “Evaluation of nanocomposite packaging containing Ag and ZnO on shelf life of fresh orange juice,” *Innov. Food Sci. Emerg. Technol.*, vol. 11, no. 4, pp. 742–748, 2010.
 - [19] D. S. Vicentini, A. Smania, and M. C. M. Laranjeira, “Chitosan / poly (vinyl alcohol) fi lms containing ZnO nanoparticles and plasticizers,” *Mater. Sci. Eng. C*, vol. 30, no. 4, pp. 503–508, 2010.
 - [20] F. Shahmohammadi and H. Almasi, “Morphological , physical , antimicrobial and release properties of ZnO nanoparticles-loaded bacterial cellulose films,” *Carbohydr. Polym.*, vol. 149, pp. 8–19, 2016.
 - [21] A. Kumar *et al.*, “Flexible ZnO – Cellulose Nanocomposite for Multisource

- Energy Conversion,” pp. 2173–2178, 2011.
- [22] F. Vilaplana, E. Strömberg, and S. Karlsson, “Environmental and resource aspects of sustainable biocomposites,” *Polym. Degrad. Stab.*, vol. 95, no. 11, pp. 2147–2161, 2010.
- [23] D. G. Callister, W. D., & Rethwisch, *Callister, W. D., & Rethwisch, D. G. (2007). Materials science and engineering: an introduction (Vol. 7, pp. 665-715)*. New York: John wiley & sons., 9th ed. New York, 2014.
- [24] O. Faruk, A. K. Bledzki, H. P. Fink, and M. Sain, “Biocomposites reinforced with natural fibers: 2000-2010,” *Prog. Polym. Sci.*, vol. 37, no. 11, pp. 1552–1596, 2012.
- [25] A. Riyanto, “Pengaruh Waktu Pengempaan Pembuatan Papan Partikel Dari Serat Tandan Kosong Kelapa Sawit Dengan Perekat Urea Formadehyde Terhadap Kekuatan Tarik Papan Partikel,” Padang, 2013.
- [26] R. J. Moon, A. Martini, J. Nairn, J. Youngblood, A. Martini, and J. Nairn, *Chem Soc Rev Cellulose nanomaterials review : structure , properties and nanocomposites*. 2011.
- [27] F. . Gibson, *Principles of Composite Material Mechanis, International Edition*. New York: McGraw-Hill Inc, 1994.
- [28] M. R. Sanjay, P. Madhu, M. Jawaid, P. SenthamaraiKannan, S. Senthil, and S. Pradeep, “Characterization and properties of natural fiber polymer composites: A comprehensive review,” *J. Clean. Prod.*, vol. 172, pp. 566–581, 2018.
- [29] M. R. Sanjay, G.R. Arpitha, and B. Yugesha, “Study on Mechanical Properties of Natural - Glass Fibre Reinforced Polymer Hybrid Composites: A Review,” *Mater. Today Proc.*, vol. 2, no. 4–5, pp. 2959–2967, 2015.
- [30] I. S. Nakagaito A.N, “Bacterial cellulose : the ultimate nano-scalar cellulose morphology for the production of high-strength composites,” vol. 97, pp. 93–97, 2005.
- [31] N. Soykeabkaew, C. Sian, S. Gea, T. Nishino, and T. Peijs, “All-cellulose nanocomposites by surface selective dissolution of bacterial cellulose,” *Cellulose*, vol. 16, no. 3, pp. 435–444, 2009.

- [32] M. Melbi, “Production of Nanocellulose from Pineapple Leaf,” pp. 1–12, 2018.
- [33] Syafri Edi, “Cellulose nanofibers isolation and characterization from ramie using a chemical-ultrasonic treatment,” *J. Nat. Fibers*, vol. 00, no. 00, pp. 1–11, 2018.
- [34] M. Asrofi, “Isolation of Nanocellulose from Water Hyacinth Fiber (WHF) Produced via Digester-Sonication and Its Characterization,” vol. 19, no. 8, pp. 1618–1625, 2018.
- [35] Fahma Farah et al, “Isolation, preparation, and characterization of nanofibers from oil palm empty-fruit-bunch (OPEFB),” pp. 977–985, 2010.
- [36] D. Holbery, J., & Houston, “Natural-fiber-reinforced polymer composites in automotive applications.,” no. Jom, pp. 58(11), 80–86., 2006.
- [37] E. Fortunati *et al.*, “Microstructure and nonisothermal cold crystallization of PLA composites based on silver nanoparticles and nanocrystalline cellulose,” *Polym. Degrad. Stab.*, vol. 97, no. 10, pp. 2027–2036, 2012.
- [38] T. G. Volova *et al.*, “Antibacterial properties of films of cellulose composites with silver nanoparticles and antibiotics,” *Polym. Test.*, vol. 65, no. August 2017, pp. 54–68, 2018.
- [39] Z. Yu, W. Wang, F. Kong, M. Lin, and A. Mustapha, “Cellulose nano fibril/silver nanoparticle composite as an active food packaging system and its toxicity to human colon cells,” *Int. J. Biol. Macromol.*, vol. 129, pp. 887–894, 2019.
- [40] S. Ni, H. Zhang, P. M. Godwin, H. Dai, and H. Xiao, “ZnO nanoparticles enhanced hydrophobicity for starch film and paper,” *Mater. Lett.*, no. July, 2018.
- [41] Ü. Özgür, “A comprehensive review of ZnO materials and devices,” vol. 041301, 2005.
- [42] H. Agarwal, S. V. Kumar, and S. Rajeshkumar, “A review on green synthesis of zinc oxide nanoparticles – An eco-friendly approach,” *Resour. Technol.*, vol. 3, no. 4, pp. 406–413, 2017.
- [43] W. Chen, H. Yu, Y. Liu, P. Chen, M. Zhang, and Y. Hai, “Individualization

- of cellulose nanofibers from wood using high-intensity ultrasonication combined with chemical pretreatments,” *Carbohydr. Polym.*, vol. 83, no. 4, pp. 1804–1811, 2011.
- [44] W. Cheng, J. Chen, D. Liu, X. Ye, and F. Ke, “Impact of ultrasonic treatment on properties of starch film-forming dispersion and the resulting films,” *Carbohydr. Polym.*, vol. 81, no. 3, pp. 707–711, 2010.
- [45] M. Asrofi, H. Abral, A. Kasim, A. Pratoto, M. Mahardika, and F. Hafizulhaq, “Characterization of the sonicated yam bean starch bionanocomposites reinforced by nanocellulose water hyacinth fiber (WHF): The effect of various fiber loading,” *J. Eng. Sci. Technol.*, vol. 13, no. 9, pp. 2700–2715, 2018.
- [46] I. ASTM, “Standard Test Method for Tensile Properties of Plastics,” no. Materials, Plate Materials, Electrical Insulating, 2015.
- [47] H. Abral, G. J. Putra, M. Asrofi, J. W. Park, and H. J. Kim, “Effect of vibration duration of high ultrasound applied to bio-composite while gelatinized on its properties,” *Ultrason. Sonochem.*, vol. 40, no. August 2017, pp. 697–702, 2018.
- [48] L. Segal, J. J. Creely, A. E. Martin, and C. M. Conrad, “An Empirical Method for Estimating the Degree of Crystallinity of Native Cellulose Using the X-Ray Diffractometer,” *Text. Res. J.*, vol. 29, no. 10, pp. 786–794, 1959.
- [49] M. Jonoobi, Y. Aitomäki, A. P. Mathew, and K. Oksman, “Thermoplastic polymer impregnation of cellulose nanofibre networks: Morphology, mechanical and optical properties,” *Compos. PART A*, vol. 58, pp. 30–35, 2014.
- [50] M. Mahardika, E. Sugiarti, M. S. Sapuan, R. A. Ilyas, and I. Stephane, “A simple method for improving the properties of the sago starch films prepared by using ultrasonication treatment,” *Food Hydrocoll.*, 2019.
- [51] Abral. and Dalimunthe, “Characterization of tapioca starch biopolymer composites reinforced with micro scale water hyacinth fibers,” *Starch*, 2018.
- [52] H. Abral, A. S. Anugrah, F. Hafizulhaq, E. Sugiarti, and A. N. Muslimin,

- “AC PT Faculty of Pharmacy,” no. 2017, 2018.
- [53] M. Asrofi, H. Abral, Y. Kurnia, S. M. Sapuan, and H. Kim, “Effect of Duration of Sonication During Gelatinization on Properties of Tapioca Starch Water Hyacinth Fiber Biocomposite International Journal of Biological Macromolecules Effect of duration of sonication during gelatinization on properties of tapioca starch water hyacinth fiber biocomposite,” *Int. J. Biol. Macromol.*, vol. 108, no. November, pp. 167–176, 2017.
- [54] F. Hafizulhaq, “Moisture Absorption and Opacity of Starch-Based Biocomposites Reinforced with Cellulose Fiber from Bengkoang,” 2018.
- [55] S. Wong, S. Kasapis, and D. Huang, “Molecular weight and crystallinity alteration of cellulose via prolonged ultrasound fragmentation,” *Food Hydrocoll.*, vol. 26, no. 2, pp. 365–369, 2012.
- [56] H. Abral *et al.*, “Mechanical properties of water hyacinth fibers – polyester composites before and after immersion in water,” *Mater. Des.*, vol. 58, pp. 125–129, 2014.
- [57] H. Abral *et al.*, “Comparative Study of the Physical and Tensile Properties of Jicama (Pachyrhizus erosus) Starch Film Prepared Using Three Different Methods,” vol. 1800224, pp. 1–9, 2019.