

DAFTAR PUSTAKA

1. Menon M, Martin I. Urinary Lithiasis Etiologi and Endourologi. *Chambell's Urology*. 11th ed. Philadelphia: W.B Saunder Company; 2016. p. 1170-5.
2. Romero V, Haluk A, Dean G. Kidney Stones: A Global Picture of Prevalence, Incidence, and Associated Risk Factors. *Reviews of Urology*. 2010;12(3): 86-96.
3. Departemen Kesehatan RI. Riset Kesehatan Dasar 2013; Jakarta: Depkes RI
4. Purnomo B. Dasar-dasar Urologi. Edisi Ketiga. Jakarta : Sagung Setu, 2014; h. 87- 101.
5. Sudoyo AW. Batu Kandung Kemih. In: *Buku Ajar Ilmu Penyakit Dalam*. 6th ed. Jakarta: Balai Penerbit FK UI; 2014; 1:2212-20.
6. Turk C, Knoll T, Petrik A, Sarica K, SKolarikos A, Straub M. Guideline on Urolithiasis. *European Association of Urology* 2015; 69(3): 475-80.
7. Gupta M, Ost M, Shah J, McDougall E, Smith A. Percutaneous management of the upper urinary tract. *Campbell's Urology*. 11th ed. Philadelphia: W.B. Saunders Co; 2016. p. 1254-60.
8. Nugroho, Dimas dkk. Percutaneous Nephrolithotomy sebagai Terapi Batu Ginjal. *Maj Kedokt Indon*. 2011; 61(3):130-8.
9. Behnamfar A, Alizadeh F, Sichani M, Khorami M, Nourimahdavi K, Izadpanahi M. Percutaneous nephrolithotomy: Effect of unilateral procedure on contralateral kidney function. *Adv Biomed Res*. 2014; 3(1):227.
10. Srisubat A, Potisat S, Lojanapiwat B, Setthawong V, Laopaiboon M. Extracorporeal Shock Wave Lithotripsy (ESWL) Versus Percutaneous Nephrolithotomy (PCNL) or Retrograde Intrarenal Surgery (RIRS) for Kidney Stones. *Cochrane Database Syst Rev*. 2014;11:9-11.
11. Ganpule AP, Shah DH, Desai MR. Postpercutaneous nephrolithotomy bleeding: Aetiology and management. *Curr Opin Urol*. 2014;24(2):189-94.
12. Gombotz H. Patient blood management: A patient-orientated approach to blood replacement with the goal of reducing anemia, blood loss and the need for blood transfusion in elective surgery. *Transfus Med Hemotherapy*. 2012;39(2):67-72.
13. Kukreja R, Desai M, Patel S, Bapat S. Factors affecting blood loss during Percutaneous Nephrolithotomy: Prospective Study. *J Endourol*. 2004;18(8):715-22.
14. Said SHA, Al Kadum Hassan MA, Ali RHG, Aghaways I, Kakamad FH, Mohammad KQ. Percutaneous nephrolithotomy; alarming variables for postoperative bleeding. *Arab J Urol*. 2017;15(1):24-9.
15. Mousavi-Bahar SH, Mehrabi S, Moslemi MK. Percutaneous nephrolithotomy complications in 671 consecutive patients: A single-center experience. *Urol J*. 2011;8(4):271-6.
16. Lee JK, Kim BS, Park YK. Predictive factors for bleeding during percutaneous nephrolithotomy. *Korean J Urol*. 2013;54(7):448-53.

17. Turna B, Nazli O, Demiryoguran S, Mammadov R, Cal C. Percutaneous Nephrolithotomy: Variables That Influence Hemorrhage. *Jour of Urology*. 2007;69(4):603–7.
18. Akman T, Sari E, Binbay M, Yuruk E, Tepeler A, Kaba M, et al. Comparison of outcomes after percutaneous nephrolithotomy of staghorn calculi in those with single and multiple accesses. *J Endourol*. 2010;24(6):955–60.
19. Standring S. *Gray's Anatomy*. 41st ed. Churchill Livingstone Elsevier. The anatomical basis of clinical practice. Philadelphia; 2015:1821-65.
20. Standring S. *Gray's Anatomy*. 41st ed. Churchill Livingstone Elsevier. Philadelphia: Female reproductive system; 2015:1279–1304.
21. Sherwood, L. *Human Physiology: From Cells to Systems*. 7th ed. US: Cengage Learning; 2009. p. 554-602.
22. Scanlon VC, Sanders T. *Essential Of Anatomy And Physiology*. 5th ed. US: FA Davis Company; 2007. p. 499-502.
23. Netter FH. *Atlas of Human Anatomy*. 6th ed. US: Saunders; 2014. p. 277-82.
24. Van de Graaf KM. *Human Anatomy*. 8th ed. US: The McGraw-Hill Companies; 2016. p. 886.
25. Paulsen, Waschke. *Sobotta: Atlas of Human Anatomy Latin Nomenclature Internal Organs*. 15th Ed. Munich: Elsevier; 2011. p. 15.
26. VanPutte LC, Regan JL, Russo AF. *Seeley's Anatomy & Physiology*. 10th ed. US: McGraw-Hill; 2014. p. 499-526.
27. Mader S. *Understanding anatomy & physiology*. 9th ed. Boston: McGraw-Hill; 2017. p. 372-385.
28. Bahdarsyam. *Spektrum Bakteriologiik Pada Berbagai Jenis Batu Saluran Kemih Bagian Atas di RS H. Adam Malik Medan*. Medan : Bagian Patologi Klinik Fakultas Kedokteran Universitas Sumatera Utara; 2011. p, 1-40.
29. Moe OW. Kidney stones: Pathophysiology and medical management. *Lancet*, 2006; 367: 333-44.
30. Sohgaoura A, Bigoniya P. A Review on Epidemiology and Etiology of Renal Stone. *Am J Drug Discov Dev*. 2017; 7(2):54–62.
31. Lopez M, Hoppe B. History, epidemiology and regional diversities of urolithiasis. *Pediatr. Nephrol*. 2010; 25: 49-59.
32. Thalut K, Rizal A, Brockis J.G, Bowyer R.C, Taylor T.A, Wisniewski Z.S. The endemic bladder stones of Indonesia: epidemiology and clinical features. *Br J Urol*. 1976; 48: 617–21.
33. Bartoletti R, Cai T, Mondaini N, Melone F, Travaglini F, Carini M, Rizzo M. Epidemiology and risk factors in urolithiasis. *Urol Int*. 2007; 79: 3–7.
34. Zhang, C.Y, W.H. Wu, J, Wang and M.B. Lan. Antioxidant properties of polysaccharide from the brown seaweed *Sargassum graminifolium* (Turn.) and its effects on calcium oxalate crystallization. *Mar. Drugs*, 2012; 10: 119-130

35. Purnomo, B. Dasar-dasar urologi. Edisi 3. Jakarta : CV Sagung seto, 2015. p. 87-101.
36. Trihono PP, Pardede PP, Alatas T. Batu Saluran Kemih pada Anak. Buku Ajar Nefrologi Anak. Edisi 2. Jakarta: Balai Penerbit FK UI; 2009. p. 142-163.
37. Kliegman, R. M, Behrman R. E, Jenson. H .B, Stanton. B. F. Urinary Lithiasis. In:Elder, J. S. Nelson Textbook of Pediatrics. 18th ed. Saunders Elsevier; 2007; 2267-71
38. Edvardsson VO, Goldfarb DS, Lieske JC, Beara-Lasic L, Anglani F, Milliner DS, et al. Hereditary causes of kidney stones and chronic kidney disease. *Pediatr Nephrol.* 2013;28(10):1923–42.
39. Colella, J, Kochis E, Galli B, Munver R. Urolithiasis/Nephrolithiasis: What's It All About. *Medscape reference.* 2009; 25(6): 1-23.
40. Moreira MG, de Sousa Tavares M. Pediatric primary urolithiasis: Symptoms, medical management and prevention strategies. *World J Nephrol.* 2015;4(4):444-50.
41. Gottlieb M, Long B, Koyfman A. The evaluation and management of urolithiasis in the ED: A review of the literature. *Am J Emerg Med.* 2018;36(4):699–706.
42. Parson S. Clinically Oriented Anatomy. 6th ed. *Journal of Anatomy;* 2009. 215(4): 474-80.
43. Yamashita S, Kohjimoto Y, Iwahashi Y, Iguchi T, Nishizawa S, Kikkawa K, et al. for Predicting Shock Wave Lithotripsy Outcome in Upper Urinary Tract Stone Cases. *BioMed Research International,* 2018: 1–6.
44. Colella, J, Kochis E, Galli B, Munver R. Urolithiasis/Nephrolithiasis: What's It All About. *Medscape reference,* 2005; 25(6): 1-23
45. Türk C, Neisius A, Petrik A, Seitz C, Skolarikos A, Tepeler A, et al. EUA Nephrolithiasis Guidelines Treatment for Urolithiasis. *Eur Urol.* 2016;69(3):475-82.
46. Pearle MS, et al. Medical management of kidney stones: AUA guideline. *The Journal of Urology.* 2014;192:316 (diakses 7 mei 2019. 00.01) <https://www.mayoclinic.org/diseases-conditions/kidney-stones/diagnosis-treatment/drc-20355759>
47. Shafi H, Moazzami B, Pourghasem M. An overview of treatment options for urinary stones. *Casp J Intern Med.* 2016;7(1):1–6.
48. Fernström I, Johansson B. Percutaneous pyelolithotomy. A new extraction technique. *MVP Journal of Medical Sciences.* Vol 4(2),2017 126–134.
49. Kruck S, Anastasiadis A.G, Herrmann T.R, Walcher U, Abdelhafez M.F, Nicklas A.P. Minimally invasive percutaneous nephrolithotomy: an alternative to retrograde intrarenal surgery and shockwave lithotripsy. *World J Urol.* 2013;31:1555–61.

50. De S, Autorino R, Kim F.J, Zargar H, Laydner H, Balsamo R. Percutaneous nephrolithotomy versus retrograde intrarenal surgery: a systematic review and meta-analysis. *Eur Urol.* 2015; 67: 125–137.
51. Kirac M, Bozkurt Ö.F, Tunc L, Guneri C, Unsal A, Biri H. Comparison of retrograde intrarenal surgery and mini-percutaneous nephrolithotomy in management of lower-pole renal stones with a diameter of smaller than 15 mm. *Jour Of Urolithiasis.* 2013; 41: 241–6.
52. Weizer A.Z, Springhart W.P, Ekeruo W.O, Matlaga B.R, Tan Y.H, Assimos D.G. Ureteroscopic management of renal calculi in anomalous kidneys. *Urology.* 2009; 65: 265–9.
53. Prakash G, Sinha R.J, Jhanwar A, Bansal A, Singh V. Outcome of percutaneous nephrolithotomy in anomalous kidney: is it different? *Urol Ann.* 2017; 9: 23–6.
54. Purkait B, Sankhwar S.N, Kumar M, Patodia M, Bansal A, Bhaskar V. Do outcomes of percutaneous nephrolithotomy in horseshoe kidney in children differ from adults? A single-center experience. *J Endourol.* 2016; 30: 497–503.
55. Karaolides T, Moraitis K, Bach C et al. Positions for percutaneous nephrolithotomy: thirty-five years of evolution. *Arab J Urol.* 2012; 10: 307–16.
56. Derisavifard S, Hartman C, Gupta N, Hoenig D, Okeke Z, Smith A. New developments in percutaneous stone surgery. *Afr J Urol.* 2016; 2:141–8.
57. Miller N.L, Matlaga B.R, Lingeman J.E. Techniques for fluoroscopic percutaneous renal access. *J Urol.* 2014; 178:15–23.
58. Marcovich R, Smith A. Percutaneous renal access: tips and tricks. *BJU Int.* 2016; 95:78-84.
59. Lowe G, Knudsen B.E. Ultrasonic, Pneumatic And Combination Intracorporeal Lithotripsy For Percutaneous Nephrolithotomy. *J Endourol.* 2009; 23: 1663–68.
60. Li X, He Z, Wu K, Li S.K, Zeng G, Yuan J. Chinese Minimally Invasive Percutaneous Nephrolithotomy: The Guangzhou Experience. *J Endourol.* 2009; 23: 1693–97.
61. Lahme S, Bichler KH, Strohmaier WL, Gotz T. Minimally invasive PCNL in patients with renal pelvic and calyceal stones. *Eur Urol.* 2016; 40: 619-24.
62. Feng M, Tamaddon K, Mikhail A, Kaptein J, Bellman G. Pro-spective randomized study of various techniques of percutaneous nephrolithotomy. *Department of Urology.* 2007; 58: 345-50.
63. Skolarikos A, de la Rosette J. Prevention and treatment of complications following percutaneous nephrolithotomy. *Curr Opin Urol.* 2008; 18: 229-34.
64. Segura JW, Patterson DE, LeRoy AJ, et al. Percutaneous removal of kidney stones: review of 1,000 cases. *J Urol* 2014; 134: 1077-81.
65. Parsons JK, Jarrett TW, Lancini V, et al. Infundibular stenosis after percutaneous nephrolithotomy. *J Urol.* 2016;167: 35-8.

66. Shin TS, Cho HJ, Hong SH, Lee JY, Kim SW, Hwang TK. Complications of Percutaneous Nephrolithotomy Classified by the Modified Clavien Grading System: A Single Center's Experience over 16 Years. *Korean J Urol.* 2011; 52: 769-75.
67. Sohgaura A, Bigoniya P. A Review on Epidemiology and Etiology of Renal Stone. *Am J Drug Discov Dev.* 2017;7(2):54–62.
68. Alpendri A, Danarto HR. Stone Composition Pattern of Kidney Stone. *Indonesian Journal of Urology.* 2013;20(1):34-6.
69. Aslim O, Utomo NB, et al. Treatment of Kidney Stone With Stone Burden More Than Two Centimeters in Gatot Soebroto Indonesia Army Central Hospital in 2011-2014. *Department of Urology* 2017;1(1):7-14.
70. Krishna R, Shaik AB. Outcome and complications of percutaneous nephrolithotomy as primary versus secondary procedure for renal calculi. *Int Braz J Urol.* 2016;42(2):262–9.
71. Elsy M, Alwin M, Hilman L. Angka kejadian batu ginjal di Rumah Sakit Umum Pusat Prof. DR. R. D. Kandou Manado 2010 - 2012 [skripsi]. Manado (ID): Universitas Sam Ratulangi Manado;2014.
72. Monoarfa A, Wagiu A. Profile of kidney stone in Prof. Dr. R. D. Kandou Manado Central General Hospital period of 2017-2018. *Jurnal Medik dan Rehabilitasi.* 2018;1(2):2-5.
73. Heller HJ, Sakhaee K, Moe OW, Pak CYC. Etiological role of estrogen status in renal stone formation. *J Urol.* 2002;168(5):1923–7.
74. Assimos DG. Diabetes mellitus and kidney stone formation. *Rev Urol.* 2006;8(1):44–445.
75. Weinstein JR, Anderson S. The Aging Kidney: Physiological Changes. *National of Health Journal.* 2010;17(4):302–7.
76. Firtantyo A. Faktor Prediktor Komplikasi Perdarahan dan Pola Transfusi Darah pada Prosedur Percutaneous Nephrolithotomy (PCNL) Batu Ginjal [thesis]. Jakarta (ID). Universitas Indonesia;2016.
77. Sinta M, Rasmaliah, Jemadi. Karakteristik Penderita Batu Saluran Kemih Yang Dirawat Inap di Rumah Sakit Santa Elisabeth Medan Tahun 2015-2016 [skripsi]. Medan (ID). Universitas Sumatera Utara; 2017
78. Ullah A, Khan MK, Rahman AU, Naeem M, Khan S, Rehman RU. Total ultrasound guided percutaneous nephrolithotomy: a novel technique. *Gomal J Med Sc.i* 2013; 11(2): 149-54.
79. Nouralizadeh A, Ziaee SAM, Hosseini S, Basiri A, Tabibi A, Sharifiaghdas F, et al. Delayed postpercutaneous nephrolithotomy hemorrhage: Prevalence, predictive factors and management. *Scand J Urol.* 2014;48(1):110–5.
80. Chakraborty JN, Hatimota P. Same-day angiography and embolization in delayed hematuria following percutaneous nephrolithotomy: An effective, safe, and time-saving approach. *Res Reports Urol.* 2019;11(1):83–9.

81. Taylor E, Miller J, Chi T, Stoller ML. Complications associated with percutaneous nephrolithotomy. *Transl Androl Urol.* 2012;1(4):223–8.
82. Karalar M, Tuzel E, Keles I, Okur N, Sarici H, Ates M. Effects of parenchymal thickness and stone density values on percutaneous nephrolithotomy outcomes. *Med Sci Monit.* 2016;22:4363–8.
83. Thapa N, Shris S, Pokharel N, Tambay YG, Kher YR. Complications of Percutaneous Nephrolithotomy and their Management : Experience from a Single Centre. *J Lumbini Med.* 2015;3(2):30–3.
84. Kumar NA, Chaitanya SV, Bezawada S, Gouri SRS. Post Percutaneous Nephrolithotomy Massive Hematuria : *Int Journ of Contemporary Med Research.* 2016;3(5):1499–502.
85. Meng X, Bao J, Mi Q, Fang S. The Analysis of Risk Factors for Hemorrhage Associated with Minimally Invasive Percutaneous Nephrolithotomy. *Biomed Res Int.* 2019;1(1):1-6
86. Akman T, Binbay M, Sari E, et al. Factors affecting bleeding during percutaneous nephrolithotomy: single surgeon experience. *Journal of Endourology.* 2011;25(2):327–33.

