

DAFTAR KEPUSTAKAAN

- Abd-Rahman, N., Azami, M. S., Nawawi, W. I., Ishak, M. A. M., Ismail, K., Ahmad, Z., Jawad, A. H., Mohd Jaini, Z., Yunus, R. & Rahmat, S. N. 2016. Carbon Nitrogen Co-Doped P25: Parameter Study on Photodegradation of Reactive Red 4. *MATEC Web of Conferences*, 47, 05-18.
- Aboubakr M. Abdullah, Noora J. Al-Thani, Khoulood Tawbi & Al-Kandari, H. 2016. Carbon-nitrogen-doped TiO₂ New synthesis route, characterization and application for phenol degradation. *Arabian Journal of Chemistry*, 9, 229-237.
- Abrahart, E.N. 1977. Dyes and their intermediates. New York: Chemical publishing. 1-12p.
- Agus, S., Rifan, H., Ahmad, M. 2012. Karakterisasi material: Prinsip dan aplikasinya dalam penelitian kimia. Bandung: Upi Press. 28-65p.
- Allen, R.I.M. 1971. Colour chemistry. London: Thomas Nelson and Sons Lt. 12p.
- Ananpattarachai Jirapat, Supapan Seraphin, Puangrat Kajitvichyanukul. 2015. Formation of hydroxyl radicals and kinetic study of 2-chlorophenol photocatalytic oxidation using C-doped TiO₂, N-doped TiO₂, and C,N Co-doped TiO₂ under visible light. *Springer: Environ Sci Pollut Res*.
- Arthur Henry, Suryadi, M.T., Any Yanuar. 2002. Analisis Spektrofotometri UV-Vis Pada Obat Influenza Dengan Menggunakan Aplikasi Sistem Persamaan Linier. *Proceeding Komputer dan Sistem Intelijen (KOMMIT)*: A1-10.
- Augugliaro, V., Bellardita, M., Loddo, V., Palmisano, G., Palmisano, L., Yurdakal, S. 2012. Overview on oxidation mechanisms of organic compounds by TiO₂ in heterogeneous photocatalysis. *Journal Photochem. Photobiol. C*, Vol. 13: 224-245.
- Bai, L., Wang, S., Wang, Z., Hong, E., Wang, Y., Xia, C. & Wang, B. 2019. Kinetics and mechanism of photocatalytic degradation of methyl orange in water by mesoporous Nd-TiO₂-SBA-15 nanocatalyst. *Environ Pollut*, 248, 516-525.
- Banerjee, B.S., Khode, A.V., Patil, A.P., Mohod, A.V., Gogate, P.R. 2014. Studies on sonochemical decolorization of wastewaters containing Rhodamine 6G using ultrasonic bath at an operating capacity of 2 L. *Desalin. Water Treat*: 52.1378-1387.
- Beltran, A.L., Gracia, Andre's, J. 2006. Density Functional Theory Study of the Brookite Surfaces and Phase Transitions between Natural Titania Polymorphs. *J. Phys. Chem. B*, Vol. 110: 23417-23423.

Benkhaya, S., El-Harfi, S., El-Harfi A. 2017. Classifications, properties and applications of textile dyes: A review. *Applied journal of environmental engineering science*, Vol. 3: 311-320.

Bessegato, G.G., Cardoso, J.C., Da Silva, B.F., Zanoni, M.V.B. 2016. Combination of photoelectrocatalysis and ozonation: A novel and powerful approach applied in Acid Yellow 1 mineralization. *Applied Catalysis B: Environmental*, 180, 161-168.

Camargo, B., De C.V., Morales, M.A.M. 2013. Azo dyes; characterization and toxicity- A review. *Textile and light industrial science and technology (TLIST)*, 2, 85-103.

Chung, K.T., Azo dyes and human health: A Review. *J. Environ. Sci. Health C Environ. Carcinog. Ecotoxicol. Rev.*, 34(4), 233-261 (2016).

Cox, J.A. dan White, P.A. The mutagenic activity of select azo compounds in MutaMouse target tissues in vivo and primary hepatocytes in vitro. *Mutat Res Gen Tox En*, 844, 25-34 (2019).

Day, R.A., Underwood, A.L. 1966. Analisis Kimia Kuantitatif edisi kelima. Jakarta: Erlangga.

Djelal, H., Carole, C., Ronan, T., Olivier, R., Amrane, A. 2013. The use of HPTLC and Direct Analysis in Real Time-Of-Flight Mass Spectrometry (DART-TOF-MS) for rapid analysis of degradation by oxidation and sonication of an azo dye. *Arabian Journal of Chemistry*, Vol.30: 1-10.

Fatiha Ahmedchekkat, Mohamed Salah Medjram, Mahdi Chiha, Abeer Mahmoud Ali Al-bsoul. 2011. Sonophotocatalytic degradation of Rhodamine B using a novel reactor geometry: Effect of operating conditions. *Chemical Engineering Journal*, 178: 244–251

Fang, L., Xioli, Y., Ming-ming Y., Jing L. 2011. Investigation on F-B-S tri-doped nano-TiO₂ film for the photocatalytic degradation of organic dyes. *J. Nanopart Res*, Vol. 13: 4839-4846.

Fujishima Akira, Honda Kenichi. 1972. Electrochemical photolysis of water at a semiconductor electrode. *Nature*, Vol. 238: 37-38.

Gogate, P.R. dan Pandit, A.B. 2004. A review of imperative technologies for waste water treatment I:oxidation technologies at ambient conditions. *Adv. Environ. Res*, 8501–551.

Gregory, P. 1990. The chemistry and applications of dyes. New York: Plenum. 17-47p.

Grierson, S. 1989. Dyeing and dyestuffs. New York: Shire. 32p.

Gupta, A.K., Pal, C., Sahoo. 2006. Photocatalytic degradation of a mixture of crystal violet (basic violet 3) and methyl red dye in aqueous suspension using Ag⁺ doped TiO₂. *Dyes Pigm*, Vol. 69: 224-232.

Gholami-Borujeni, F., Naddafi, K., Nejat-zade-Barandozi, F. 2013. Application of catalytic ozonation in treatment of dye from aquatic solutions. *Desalination and Water Treatment*, 51, 6545-6551.

Hao, O.J., Kim H., Chiang, P.C. 2010. Decolorization of wastewater. London: Informa Ltd. 449-505.

Hakeim, O.A., Abdou, L.A.W., El-Gammal, M.S., El-Naggar, A.M. 2012. An approach for vat color printing on cotton and polyester fabrics with electronbeam irradiation curable formulations. *Carbohydrate polymers*, Vol. 87:1467-1475.

Hunger, K. 2003. Industrial dyes: chemistry, properties, applications. Germany: Willey-VCH, Verlag GmbH and Co. Chapter 1, 2p.

Ichinose, H., Terasaki, M., Katsuki, H. 2001. Properties of peroxotitanium acid solution and peroxo modified anatase sol derived from peroxotitanium hydrate. *Journal of Sol-Gel Science and Technology*, Vol. 22: 33-40.

Ishii, D. 1988. Introduction to Microscale High-Performance Liquid Chromatography. New York: VCH Publishers Inc.

Ismail, A.A., Al-Sayari, S.A., Bahnemann, D.W. 2013. Photodeposition of precious metals onto mesoporous TiO₂ nanocrystals with enhanced their photocatalytic activity for methanol oxidation. *Catalysis today*, Vol. 209: 2-7.

Ingle, James D., Stanley R. Crouch. 1988. Spectrochemical Analysis. Prentice Hall Inc. New Jersey.

Inkson, B.J. 2016. Materials characterization using nanodestructive evaluation method (chp.2). United Kingdom: The University of Sheffield, Sheffield. 17-27p.

Jiasong, Z., Jinrong, X., Qingyao, W. 2014. Nitrogen and vanadium Co-doped TiO₂ mesosponge layers for enhancement in visible photocatalytic activity. *Applied surface science*, Vol. 315: 131-137.

Jolanta, S.G., Horald, S.F., Abraham, R. 1996. Synthetic dyes based on environmental considerations, part 2: Iron complexes formazan dyes. *Dyes and pigments*, Vol. 30: 1-20.

Kaur, N., Kaur, S., Singh, V. 2015. Preparation, characterization and photocatalytic degradation kinetics of Reactive Red dye 198 using N, Fe codoped TiO₂ nanoparticles under visible light. *Desalination and Water Treatment*, Vol. 57: 9237-9246.

Karci, A. 2014. Degradation of chlorophenols and alkylphenol ethoxylates, two representative textile chemicals, in water by advanced oxidation processes: the state of the art on transformation products and toxicity. *Chemosphere*, Vol. 99: 1–18.

Konicki, W., Sibera, D., Mijowska, E., Bielun, Z.L., Narkiewicz, U. 2013. Equilibrium and kinetic studies on acid dye Acid Red 88 adsorption by magnetic ZnFe₂O₄ spinel ferrite nanoparticles. *J. Colloid Interface Sci*, Vol. 398: 152–160.

Kudo, A. 2007. Photocatalysis and solar hydrogen production. *Pure Applied Chemistry*, Vol. 79: 1917-1927.

Le-Coz, C.J. 2005. Dyes. In: Encyclopedia of toxicology. California: Elsevier . 104-114p.

Liang-Hai, L., Juan, L., Zuo-Shan, W., Lu, Y., Xiu-Feng, Z., Lu, H. 2012. Fabrication of the C–N co-doped rod-like TiO₂ photocatalyst with visible-light responsive photocatalytic activity. *Material Research Bulletin*, Vol. 47: 1508-1512.

Li, G., Gray, K.A. 2007. The solid-solid interface: explaining the high and unique photocatalytic reactivity of TiO₂ based nanocomposite materials. *Chem. Phys.*, Vol. 339: 173-187.

Liu, J.W, Han, R., Zhao, Y., Wang, H.T., Lu, W.J., Yu T.F., Zhang, Y.X. 2011. Enhanced photoactivity of V-N codoped TiO₂ derived from a two-step hydrothermal procedure for the degradation of PCP–Na under visible light irradiation. *J. Phys.Chem. C*, Vol. 115: 4507–4515.

Lindsay, S., John W., Sons. 1992. High Performance Liquid Chromatography, 2nd (ed). New York: Chiscer.

Lucas, M.S. dan Peres, J.A. 2006. Decolorization of the azo dye Reactive Black 5 by Fenton and photo-Fenton oxidation. *Dyes Pigment*, Vol. 71:236–244.

Malik A., E. Grohmann (eds.). 2012. Environmental Protection Strategies for Sustainable Development, Strategies for Sustainability. Portugal: Springer Science+Business Media. 112-154p.

Michael, V., Christoph, S. 2008. A decade of HPLC-MS/MS in the routine clinical laboratory-goals for futher development. *Clinical Biochemistry Rev*, Vol. 41: 649-662.

Mikrajuddin, A., dan Khairurrijal. 2009. Review: Karakterisasi nanomaterial. *Jurnal nanosains dan nanoteknologi*, Vol. 2: 1-9.

Mohsin, M., Abher, R., Assad, F., Munir, A., Amin, S. 2013. Enviroment friendly finishing of sulphur, vat, direct and reactive dyed cotton fabric. *Journal of Cleaner Production*, Vol. 53: 341-347.

Naraginti, S., Stephen, F.B., Radhakrishnan, A., Sivakumar, A. 2015. Zirconium and silver co-doped TiO₂ nanoparticles as visible light catalyst for reduction of 4-nitrophenol, degradation of methyl orange and methylene blue. *Spectrochim Acta A Mol Biomol Spectrosc*, Vol. 135,: 814-819.

Natarajan, T.S., Natarajan, K., Hari, C.B., Rayesh, J.T. 2013. Enhanced photocatalytic activity of bismuth-doped TiO₂ nanotubes under direct sunlight irradiation for degradation of Rhodamine B dye. *J. Nanport. Res*, Vol. 15: 1-18.

Nirmalya, T., Rafiq, A., Jeong-Eun, S., Hyun-Ah, K., Yoon-Bong, H., Gilson, K. 2014. Photocatalytic degradation of methyl orange dye by ZnO nanoneedle under UV irradiation. *Materials Letter*, Vol. 136: 171-174.

Nurhamidah. 2005. Penentuan Kondisi Optimum Hplc Untuk Pemisahan Residu Pestisida Imidakloprid, Profenofos Dan Deltametrin Pada Cabai (*Capsicum annum*). *Jurnal Ilmu-Ilmu Pertanian Indonesia*, Vol. 7(2): 87 – 93.

Parrinoa, F., Camera-Rodab, G., Loddo, V., Palmisano, G., Augugliaro V. 2014. Combination of ozonation and photocatalysis for purification of aqueous effluents containing formic acid as probe pollutant and bromide ion. *Water Research*, Vol. 50. 189–199.

Patil, P.N. dan Gogate, P.R. 2012. Degradation of methyl parathion using hydrodynamic cavitation: effect of operating parameters and intensification using additives. *Sep. Purif. Technol*, Vol. 95: 172–179.

Pereira, L., Raquel, P., Catarina, S., Oliveira, L.A., Mariana G., Marie-Noëlle, P., Orfan, Z., Maria M.Alves. 2013. UV/TiO₂ Photocatalytic Degradation of Xanthene Dyes. *Photochemistry and photobiology*.

Peternel I.T, Koprivanac N, Bozic A.M.L, Kusic H.M. 2007. Comparative study of UV/TiO₂, UV/ZnO and photo-Fenton processes for the organic reactive dye degradation in aqueous solution. *J. Hazard Mate*, Vol. 148: 477-484.

Poole, C.F. dan Poole, S.K. 1994. 1st ed. *Chromatography Today*. Netherlands: Elsevier Science B.V. 545-550p.

Pratibha, B., Ganga, R.C., Mehta, S.K. 2015. Comparative study of catalytic activity of ZrO₂ nanoparticles for sonocatalytic and photocatalytic degradation of cationic and anionic dyes. *Chemical Engineering Journal*, Vol. 280: 475–485.

Pimentel, A., Daniela, N., Sonia, P., Rodrigo, M., Elfira, F. 2016. Photocatalytic activity of TiO₂ nanostructured arrays prepared by microwave-assisted solvothermal method. *Open Science*, Vol. 3: 81-103.

Reyes-Coronado, D., Rodriguez-Gattorno, G., Espinosa-Pesqueira, M.E., Cab, C., Oskam G. 2008. Phase-pure TiO₂ nanoparticles: anatase, brookite and rutile. *Nanotechnology*, Vol. 19: 1-10.

Rueda-Márquez, J.J., Marina, G., Pintado-Herrera, M.L., Martín-Díaz, A. Acevedo-Merino, M.A., Manzano. 2015. Combined AOPs for potential wastewater reuse or safe discharge based on multi-barrier treatment (microfiltration-H₂O₂/UV catalytic wet peroxide oxidation). *Chemical Engineering Journal*, Vol. 270: 80-90.

Safni, Deby, A., Diana, V.W, Khoiriah. 2015. Degradation of Direct Red-23 and Direct Violet Dyes by Ozonolysis and Photolysis Methods with UV Light and Solar Irradiation using N-Doped TiO₂ Catalyst. *J. Litbang Industri*, Vol. 5(2).

Safni, S., Delliza, Deby, A., Rahmi, S.D., Hasnah, U., Diana, V.W. 2016. Degradation of direct red-81 and direct yellow-27 by photolysis with UV-light and solar irradiation using C-N-codoped TiO₂. *Der Pharma Chemica*, Vol. 8(12): 30-35.

Safni, Diana, V.W., Puti, S.K., Reza, A.P. 2015. Degradation of yellow-GCN by photolysis with UV-light and irradiation using C-N-codoped TiO₂ catalyst. *Journal of Chemical and Pharmaceutical Research*, Vol. 7(11): 306-311.

Safni, Diana, V.W., Puti, S.K., Reza, A.P., Deliza. 2016. Photocatalytic Degradation of Yellow-GCN dye using C-N-codoped TiO₂ Thin Film in Degradation Reactor Using Visible-Light Irradiation. *Der Pharma Chemica*, Vol. 8 (19): 642-646.

Safni, Maizatisna, Zulfarman, Sakai, T. 2007. Degradasi Zat Warna Naphtol Blue Black Secara Sonolisis Dan Fotolisis Dengan Penambahan TiO₂-Anatase. *J. Ris. Kim*, Vol.1(2), 163-169.

Safni, Reza, A.P., Diana, V.W., Upita, S. 2017. Photodegradation of Orange F3R dyes effect of light sources and the addition of C-N-Codoped TiO₂ catalyst. *Der Pharma Chemica*, Vol. 9(10), 1-5.

Safni, Sari F., Maizatisna, Zulfarman. *J. Sains Materi Indonesia*. 2009. Degradasi Zat Warna Methanil Yellow Secara Sonolisis dan Fotolisis dengan Penambahan TiO₂ Anatase. *J. Sains Materi Indonesia*, Vol 11(1), 47-51.

Safni, Putri T.N.H., Suryani H. 2008. Degradasi Senyawa Rhodamin-B Secara Sonolisis dan Fotolisis dengan Penambahan TiO₂-Anatase. *J. Sains dan Teknologi Farmasi*, Vol. 13(1), 38-42.

Safni, Zuki, Z., Haryati, C., Maizatisna, Sakai, T. 2008. Degradasi Senyawa Alizarin-S Secara Sonolisis dan Fotolisis dengan Penambahan TiO₂-Anatase. *J. Pilar sains*, Vol. 7(1), 31-36.

Sambandam, A., Gang-Juan, L., Pei-Kuan, C., Chihhao, F., Wu, J.J. 2010. Removal of Orange II Dye in Water by Visible Light Assisted Photocatalytic Ozonation Using Bi₂O₃ and AuBi₂O₃ Nanorods. *Ind. Eng. Chem. Res.*, Vol. 49, 9729-9737.

Sharma, S.K. dan Sanghi, R. (eds.). 2013. Wastewater Reuse and Management. London: Springer Dordrecht Heidelberg. 353-373p.

Skoog, D.A. 1994. Analytical Chemistry an Introduction, ed. fV, International. Edition. Harcroust Brace College Publishers. Philadelphia.

Skoog, D.A dan West, D.M. 1971. Principle of instrumental analysis. New York: Rinehart and Winston Inc.

Snigdha, K., Subrata, K.M., Pallab, G. 2014. A pillot plant study of the degradation of Brilliant Green dye using ozone microbubbles: mechanism and kinetics of reaction. *Environmental technology*, Vol. 2: 1-12.

Son, H.S., Lee, S.J., Cho, I.H., Zoh, K.D. 2004. Kinetics and mechanism of TNT degradation in TiO₂ photocatalysis. *Chemosphere*, Vol. 57: 309-317.

Son, H.S., Ko, G.P., Zoh, K.D. 2009. Kinetics and menchanism of photolysis and TiO₂ photocatalysis of triclosan. *Journal of Hazardous Material*, Vol. 166: 954-960.

Sun, J., Qiao, L., Sun, S., Wang, G. 2008. Photocatalytic degradation of Orange G on nitrogen-doped TiO₂ catalysts under visible light and sunlight irradiation. *J Hazard Mater*, Vol. 155, 312-319.

Sushil, K.K., Swati, S., Ahmad, U., Mehtab, S.K. 2013. Photocatalytic degradation of Eriochrome Black T dye using well-crystalline anatase TiO₂ nanoparticles. *Journal of Alloys and Compounds*, Vol. 581: 392-397.

Tayade, R.J., Praveen, K.S., Ramchandra, G.K., Raksh, V.J. 2007. Photocatalytic degradation of dyes and organic contaminants in water using nanocrystalline anatase and rutile TiO₂.

Thillai, S.N., Molly, T., Kalithasan, N., Hari C.B., Rajesh J.T. 2011. Study on UV-LED/TiO₂ process for degradation of Rhodamine B dye. *Chemical Engineering Journal*, Vol. 169: 126-134.

Tobit, R.E., Immanuel, G., Thomas, B.M. 2014. Surface structures and thermodynamics of low-index of rutile, brookite and anatase – A comparative DFT study. *Applied Surface Science*, Vol. 288: 275-287.

Vinu, R., Spurti, U., Akki, Giridhar, M. 2010. Investigation of dye functional group on the photocatalytic degradation on dyes by nano-TiO₂. *Journal of Hazardous Material*, Vol. 176: 765-773.

Wang, J., Guo, B., Liu, X., Jin, L., Liu, R., Xu, Y., Kong, B., Wang. 2011. Detection and analysis of reactive oxygen species (ROS) generated by nano-sized TiO₂ powder under ultrasonic irradiation and application in sonocatalytic degradation of organic dyes. *Ultrason. Sonochem.*, 18(1): 10-21.

Weiss, J. 1995. *Ion Chromatography*, 2nd (ed). New York: VCH Publisher Inc.

Wellia, D. V., Fitria, D. & Safni, S. 2018. C-N-Codoped TiO₂ Synthesis by using Peroxo Sol Gel Method for Photocatalytic Reduction of Cr(VI). *The Journal of Pure and Applied Chemistry Research*, Vol. 7: 26-32.

Xiaoping W, Teik-Thye L. 2010. Solvothermal synthesis of C–N codoped TiO₂ and photocatalytic evaluation for bisphenol A degradation using a visible-light irradiated LED photoreactor. *Applied Catalysis B: Environmental*, Vol. 100: 355-364.

Xu, Q.C., Wellia, D.V., Yan, S., Liao, D.W., Lim, T.M. Tan, T.T. 2011. Enhanced photocatalytic activity of C-N-codoped TiO₂ films prepared via an organic-free approach. *J Hazard Mater*, Vol. 188: 172-80.

Yean L.P, dan Ahmad, Z.A. 2013. Effect of carbon and nitrogen co-doping on characteristics and sonocatalytic activity of TiO₂ nanotubes catalyst for degradation of Rhodamine B in water. *Chemical Engineering Journal*, Vol. 214: 129-138.

Yogesh, S.K., Raveena, M.D., Nikita, M.D., Kanchan, N.B., Shruti, P.H., Ashish, V.M., Parag, R.G. 2015. Degradation of magenta dye using different approaches based on ultrasonic and ultraviolet irradiations: Comparison of effectiveness and effect of additives for intensification. *Ultrasonic Sonochemistry*, Vol. 27: 117-124.

Yu, Z., Ying, L., Jun, W., Jian, W., Linuan, Y., Yumei, K., Guangxi, H., Ping, F. 2013. Effective sonocatalytic degradation of organic dyes by using Er³⁺: YAlO₃/TiO₂-SnO₂ under ultrasonic irradiation. *Journal of Molecular Catalyst A : Chemical*, Vol. 366: 282-287.

Zollinger, H. 2003. *Color chemistry: syntheses, properties, and applications of organic dyes and pigments*. New York: John Wiley & Sons.