

DAFTAR PUSTAKA

- Abtar, Hasriyanti and Burhanuddin, N. 2013. Komunitas Semut (Hymenoptera: Formicidae) pada Tanaman Padi, Jagung, dan Bawang Merah. *Jurnal Agroteknologi dan Bisnis* 1(2): 109-112.
- Agosti, D., Majer, D., Alonso L.E., and Schultz, T.R. 2000. *Ants standard methods for measuring and monitoring biodiversity*. Washington: Smithsonian Institution Press.
- Andersen, A.N., Hoffmann B.D., Müller, W.J. and Griffiths, A.D. 2002. Using ants as bioindicators in land management: simplifying assessment of ant community responses. *Journal of Applied Ecology* (39): 8-17.
- Andersen A. N. 2000. Global ecology of rainforest ants: functional groups in relation to environmental stress and disturbance. In: Agosti D, Majer JD, Alonso LE, Schultz TR (eds). *Ants: Standard Methods for Measuring and Monitoring Biodiversity*. Volume 3. Smithsonian Inst, Amerika Serikat.
- Arsyad, A. 2010. Pemupukan Kelapa Sawit Berdasarkan Potensi Produksi Untuk Meningkatkan Hasil Tandan Buah Segar (Tbs) Pada Lahan Marginal Kumpeh. *Penelitian Universitas Jambi Seri Sains* 14 (1): 29-36.
- Antwiki. 2017. Antwiki. Available : <http://www.antwiki.org/wiki/indonesia>. [15 Juli 2019].
- Bestelmeyer BT, Wiens JA. 1996. The effects of land use on the structure of ground-foraging ant communities in the Argentine Chaco. *Ecol Appl*. 6:1225-1240.
- Bolton B. 1994. *Identification Guide to The Ant Genera of the World*. Cambridge, Massachusetts London, England. Harvard University Press.
- Bruhl, Carlton, and Linsenmair. 2002. Size does matter effect of tropical rainforest fragmentation on the leaf litter ant community in Sabah, Malaysia. *Journal Biodiversity and Conservation* 12: 1371-1389.
- Chiu, S. B. 2004. Botany, Habits, and Economic Uses of *Mucuna bracteata* Dc Exkurz. *Lyman Research Center for Forestry and Agriculture*. Pontianak, Indonesia.
- Chung, A. Y. C. and Mohamed, M. 1996. A Comparative study of the ants fauna in a primary and secondary forest in Sabah. In Edwards, DS., Booth, W.E. and Choy, S.C (eds). *Tropical rainforest Research-Currents issue*: 357-366. Kluwer Academic Publisher, Dordrecht, Netherlands.

- DEST [Departemen of Enviroment, Sport and Territories]. 2004. *Biodiversity and Itsvalue*.<http://www.deh.gov.au/biodiversity/publication/series/paper/index.html> [04 September 2019].
- Dirjen Perkebunan. 2007. Pedoman Umum Program Revitalisasi Perkebunan (Kelapa sawit, Karet dan Kakao). Jakarta : Departemen Pertanian.
- DITR. 2007. *Biodiversity Management: Leading Practice Sustainable Development Program for the Mining Industry*. Department of Industry, Tourism and Resources, Government of Australia, Canberra
- Doles, J.L., R.J. Zimmerman, & J.C. Moore. 2001. Soil Microarthropod Community Structure and Dynamics in Organic and Conventionally Managed Apple Orchards in Western Colorado, USA. *Applied Soil Ecology* 18:83-96.
- Falahudin, I. 2012. Peranan Semut Rangrang (*Oecophylla smaragdina*). Hal 2604-2618. Di dalam: Pengendalian Biologis Pada Perkebunan Kelapa Sawit. Prosiding Konferensi AICIS XII.
- Fitria, N. 2013. Komunitas Semut pada Bunga Jantan Kelapa Sawit di Kebun Cimulang di PTPN VIII Bogor Jawa Barat. [Skripsi]. Bogor. Departemen Biologi Fakultas Matematika dan Ilmu Pengetahuan Alam. Institut Pertanian Bogor.
- Forum Prohati. 2006. *Keanekaragaman Hayati Tumbuhan Indonesia*.
- Genetic Diversity. 2008. National Biological Information Infrastructure. NBII. www.nbi.gov. [04 Agustus 2018].
- Go, K. J., Chiu, S. B. 2007. *Mucuna bracteata* A Cover Crop and Living Green Manure. *Agriculture Crop Trust* (ACT), Selangor. Malaysia.
- Hashimoto, Y. and H. Rahman. 2003. *Inventory & Collection Total Protocol for Understanding of Biodiversity*. Research and Education Component BBEC Programme. Sabah.
- Harahap, I. Y. Subroto. 2002. *Penggunaan kacang penutup tanah Mucuna bracteata pada pertanaman kelapa sawit*. Warta Pusat Penelitian Kelapa Sawit. Medan : Pusat Penelitian Kelapa Sawit.10 (1):1-6 hal.
- Hariyadi. 2009. *Dampak Ekologi Pengembangan Kelapa Sawit untuk Bioenergi*. http://energi.infogoe.com/dampak_ekologi_pengembangan_kelapa_sawit_untuk_bioenergi. (17 Agustus 2018).
- Hashimoto, Y., S.Yamane and M. Mohamed. 2001. How to design an inventory method for ground-level ants in tropical forests. *Journal Nature and Human Activities* 6: 25-30.

- Herwina, H., N. Nasir, Jumjunidang, dan Yaherwandi. 2013. The composition of Ant Species On Banana Plants with Banana Bunchy-top virus (BBTV) Symptoms in West Sumatera, Indonesia. *Asian Myrmicology*, 5: 151-161.
- Holldobler, B. and Wilson I. 1990. *The Ants*. Cambridge Massachusetts: Harvard Univ Pr.feromon.
- Ito, F., S. Yamane., K. Eguchi., W.A. Noerdjito, S. Kahono, K. Tsuji., K. Ohkawa, K. Yamauchi, T. Nishida dan K. Nakamura. 2001. Ants Spesies Diversity in the Bogor Botanic Garden, West Java, Indonesia, with Description of Two New Species of The Genus Leptanilla (Hymenoptera: Formicidae). *Tropics* 10 (3): 379-404.
- Kalshoven, L.G.E. 1981. *The Pests of Crops In Indonesia*. PT. Ikhtiar Baru Van Hoeve : Jakarta.
- Kusuma, A. 2010. *Komunitas Semut Epigeal di Hutan Greenbelt dalam Lingkungan Hutan Tanaman Industri (HTI) Akasia di Semenanjung*. Kampar, Riau.
- Latumahina, F. S. 2011. Pengaruh Alih Fungsi Lahan Terhadap Keanekaragaman Semut Alam Hutan Lindung Gunung Nona Ambon. *Jurnal Agroforestri* 6(1): 18-22.
- Longino, J. T., Coldington, J. And Colwell, R.K. 2002. The ant fauna of tropical rain forest: estimating species richness three different way. *Journal Ecology*. 83:689-702.
- Marshall, T. 2013. Oil Palm Plantations Leave Ants Isolated. <http://planetearth.nerc.ac.uk/news/story.aspx?id=1391>. [12 Agustus 2019].
- Mathews, J. and E.K. Saw, 1998. *IOI's experiences with establishing Mucuna bracteata on soil derived*. In: *Mucuna Bracteata, A Cover Crop Living Green Manure*. Petaling Jaya.
- Mukherjee, S. dan Mitra, A. 2009. Health Effects of Palm Oil. *Jurnal Hum Ecol* 26 (3): 197-203.
- Nugroho, P. A., dan Istianto. 2012. Dinamika Populasi Mikrobial Tanah dibawah Naungan *Mucuna bracteata* pada Tanaman yang Menghasilkan. Indonesia: Balai Penelitian Sungai Putih.
- Nusyirwan. 1977. Pengaruh Beberapa Tanaman Penutup Tanah *Leguminosa* terhadap Tanaman Muda. [Skripsi]. Palembang. Fakultas Pertanian. Universitas Sriwijaya.
- Perfecto, I. dan Vandermeer, J. 2002. Quality of agroecological matrix in a tropical montane landscape: ants in coffee plantations in Southern Mexico. *Conserv Bio*.16(1):174-182.
- Pracaya, 2009. *Hama Dan Penyakit Tanaman*. Jakarta : Penebar Swadaya.

- Primack, R.B., Supriatna, J. dan Indrawan, M. 1998. *Biologi Konservasi*. Ed:Kedua (rev). Yayasan Obor Indonesia. Jakarta.
- Purvis A. and Hector A. 2000. Getting The Measure Of Biodiversity. *Nature* 405: 212-219.
- Putra, N. S. 1994. *Serangga di Sekitar Kita*. Yogyakarta: Kanisius.
- Rahmawati, 2004. Studi Keanekaragaman Mesofauna Tanah di Kawasan Hutan Wisata Alam Sibolangit. *USU e-USU repository* : 1-17.
- Riyanto. 2007. Kepadatan, Pola Distribusi, dan Peranan Semut pada Tanaman di Sekitar Lingkungan Tempat Tinggal. *Jurnal Penelitian Sains* 10(2): 241-250.
- Rusman, B. 1999. *Konservasi tanah dan air*. Padang. Fakultas Pertanian. Universitas Andalas.
- Savitri, B. 2010. Komunitas semut Epigeal pada dua fase Hutan Tanaman Industri (HTI) Akasia di Semenanjung Kampar. [Skripsi]. Jurusan Biologi, FMIPA, Universitas Riau. Pekanbaru.
- Schultz, T. R. and Mc. Glynn, T. P. 2000. The interaction of ants with other organisms. In: Agosti, D., Majer, J., Alonso, E., editor. *Ants: standard methods for measuring and monitoring biodiversity*. Amerika Serikat US. Smithsonian Institution Press.
- Schmitz OJ, Suttle KB. 2001. Effects of top predator species on direct and indirect interactions in a food web. *Ecology*. 82:2072-2081.
- Siagian, N. 2001. Potensi dan Pemanfaatan *Mucuna bracteata* Sebagai Kacangan Penutup Tanah di Perkebunan. *Warta Pusat Penelitian*: 20(3):32-43.
- Simanjuntak, D., T. A. P. Rozziansha., Sudarto, A. Sipayung., R.D. Chenon.,A.E. Prasetyo., A. Susanto. 2011. *Informasi Organisme Pengganggu "Setothosea asigna van Eecke"*. Medan : Pusat Penelitian Kelapa Sawit
- Srimawab, T. 1997. *Serangga Dalam Lingkungan Hidup*. Akadoma : 195.
- Suhara. 2009. Semut Rangrang (*Oecophylla smaragdina*). [http://file.upi.edu/Direktori/FPMIPA/JUR. PEND.BIOLOGI/196512271991031-SUHARA/Semut-Rangra_PPT_Entomologi.pdf](http://file.upi.edu/Direktori/FPMIPA/JUR.PEND.BIOLOGI/196512271991031-SUHARA/Semut-Rangra_PPT_Entomologi.pdf). [27 September 2018].
- Suin, N. M. 2012. *Ekologi hewan tanah. Cetakan IV*. Jakarta: Bumi Aksara.
- Sutanto and Ilham 1993. Pendayagunaan Tanaman Kacang-kacangan pada Lahan Kritis. Jakarta. Yayasan Prosia Bogor dan MAB Indonesia, UNESCO/ROSTEA.

Tawatao, N.B. 2014. Basic Biology and Ecology of Ants. <http://www.antbase.net/english/ants-of-southeast-asia/ecology/basicantbiology.html>. [20 Agustus 2019].

Wang, C., Strazanac, J., dan Butler L. 2000. Abundance, diversity, and activity of ants (Hymenoptera: Formicidae) in oak—dominated mixed appalachian forest treated with microbial pesticides. *Environmental Ecology* 29(3):579-586.

Wardiyono. 2006. *Dioscorea esculenta* (Lour). Burkill. <http://www.proseanet.org>. [6 Agustus 2019].

Yamane, S. 2007. *Pachycondyla Nigrita* And Related Species In Southeast Asia. In Snelling, R. R., B. L. Fisher, and P. S. Ward (eds). *Advances in ant systematics (Hymenoptera: Formicidae): homage to E. O. Wilson – 50 years of contributions*. *Memoirs of the American Entomological Institute*, pp 650-663.

Yulminarti, S. And Subahar, T. S. S. 2012. Jenis dan Jumlah Individu Semut di Tanah Gambut Alami dan Tanah Gambut Perkebunan Sawit di Sungai Pagar, Riau. *Jurnal Biospecies* 5(2): 21-27.

Yulminarti, Salimah, S dan T. S. Subahar. 2012. Jumlah Jenis dan Jumlah Individu Semut di Tanah Gambut Alami dan Tanah Gambut Perkebunan Sawit di Sungai Pagar, Riau. *Biospecies*. 5(2) : 21-27.

