

DAFTAR PUSTAKA

- Abdelzaher, H. M. A. 2004. Occurrence of Damping-off of Wheat Caused by *Pythium diclinum* tokunaga in El-minia, Egypt and its Possible Control by *Gliocladium roseum* and *Trichoderma harzianum*. Arch Phytopathol Plant Prot 37:147–159.
- Adinde J. O., Anieke U. J., Uche O. J., Aniakor A. C., Isani L. C. and Nwagbosso A. A. 2016. Assessment of Performance of Four Cucumber (*Cucumis sativus* L.) Cultivars in Iwollo, South-Eastern Nigeria. Jurnal Internasional Penelitian Saat Ini dalam Biosains dan Biologi Tumbuhan 3(10): 136-143.
- Adriansyah, A., Arri, M., Hamawi, M. dan Ikhwan, A. 2015. Uji Metabolit Sekunder *Trichoderma* sp. sebagai Antimikroba Patogen Tanaman *Pseudomonas solanacearum* Secara *in vitro*. Jurnal Ilmiah Gontor Agrotech 2(1):19-30.
- Alexopoulos, C. J. and Mims, C. W. 1996. Introducing Mycology. Four Edition.
- Allen, T. W., Martinez, A. and Burpee, L. L. 2004. Pythium Blight of Turfgrass. The Planth Health Instructur. The American Phytopathological Society.
- Al-Sheikh, H. 2010. Two Pathogenic Species of Pythium: *P. aphanidermatum* and *P. diclinum* from A Wheat Field. Jurnal Saudi of Biological Sciences 17: 347–352.
- Amaria, W., Harni, R. dan Samsudin. 2015. Evaluasi Jamur Antagonis dalam Menghambat Pertumbuhan *Rigidoporus microporus* Penyebab Penyakit Jamur Akar Putih Pada Tanaman Karet. Jurnal Tanaman Industri dan Penyegaran 2(1):51-60.
- Amin, F., Razdan, V. K., Mohiddin, F. A., Bhat, K. A and Banday, S. 2010. Potential of *Trichoderma* species as Biocontrol Agents of Soil Borne Fungal Propagules. Journal of Phytology. 2(10):38–41.
- Anoop, K. and Bhai, R. S. 2013. Host Range Study of Turmeric Rhizome Rot Pathogen *Pythium aphanidermatum* on Selected Zingiberaceae Members. 2013. Jurnal Internasional Research in Pure and Applied Microbiology 3(4): 113-115.
- Ashwathi, S., Ushamalini, C., Parthasarathy, S. and Nakkeeran, S. 2017. Morphological, Pathogenic and Molecular Characterisation of *Pythium aphanidermatum* : A Causal Pathogen of Coriander Damping-off in India. The Pharma Innovation Journal 6(11):44-48.
- Ashwini, A., Sharmila, T., Raaga, K., Sri, D. R. and Krishna, M. S. R. 2016. In vitro Antifungal Activity of Trichoderma Strains on Pathogenic Fungi

- Inciting Hot Pepper (*Capsicum annuum* L.). Jurnal Chemical and Pharmaceutical Research 8(4):425-430.
- Badan Pusat Statistik. 2019. Produksi Tanaman Ketimun Provinsi Sumatera Barat Menurut Kabupaten/Kota (Ton), 2009-2017. [Internet]. <https://sumbar.bps.go.id/dynamictable/2019/01/30/232/produksitanaman-ketimun-provinsi-sumatera-barat-menurut-kabupaten-kota-ton-2009-2017.html> [diakses pada 12 November 2019]
- Bala, K., Robideau, G. P., Desaulniers, N., de Cock, A. and Lévesque, C. A. 2010. Taxonomy, DNA Barcoding and Phylogeny of Three New Species of *Pythium* from Canada. Persoonia 25:22-31.
- Balbalian, C. 2018. Cottony Leak in Cucurbits. [Artikel]. Plant Pathology, Mississippi State University.
- Barbosa, M. A. G., Rehn, K. G., Menezes, M. and Mariano., R. 2001. Antagonism of *Trichoderma* species on *Cladosporium herbarum* and Their Enzimatic Characterization. Jurnal Microbiology (32): 98-104.
- Bartnicki, G. S. 1968. Cell Wall Chemistry, Morphogenesis and Taxonomy of Fungi. Annu Rev Microbiol 22:87-109.
- Berlin, I., Setyawan, B. dan Hadi, H. 2013. Mekanisme Antagonisme *Trichoderma* spp. terhadap Beberapa Patogen Tular Tanah. Warta Perkaretan. 32(2):74 – 82.
- Birnadi, S. 2017. Respons Mentimun Jepang (*Cucumis sativus* L.) Var. Roberto terhadap Perendaman Benih dengan Giberelin (GA3) dan Bahan Organik Hasil Fermentasi (BOHASI). Jurnal ISTEK 10(2):77-90.
- Broders, K. D., Lipps, P. E., Paul, P. A., and Dorrance, A. E. 2007. Characterization of *Pythium* spp. Associated with Corn and Soybean Seed and Seedling Disease in Ohio. Plant Disease 91:727–735.
- Bustamam, H. 2006. Seleksi Mikroba Rizosfer Antagonis Terhadap Bakteri *Raslitonia solanacearum* Penyebab Penyakit Layu Bakteri pada Tanaman Jahe di Lahan Tertindas. Ilmu-ilmu Pertanian Indonesia 8(1) : 12-18.
- Dendang, B. 2015. Uji Antgonisme *Trichoderma* spp. Terhadap *Ganoderma* sp. yang Menyerang Tanaman Sengon Secara In-Vitro. Jurnal Penelitian Kehutanan Wallacea 4(2):147 – 156.
- Dennis, C dan Webster, J. 1971. Antagonistic Properties of Species Groups of *Trichoderma*. II Production of Volatile Antibiotics. Transactions of the British Mycological Society 57(1):41-48.
- Domsch, K. H., Gams, W. and Anderson, T. H. 1980. Compendium of Soil Fungi. Academic Press, London.1264 hlm.

- Drechsler, C. 1925. The Cottony Leak of Cucumbers Caused by *Pythium apahidermatum*. Jurnal Agricultural Research 30(11):1035-1042.
- Elad, Y., Chet, I. and Katan, J. 1980. *Trichoderma harzianum*: A Biocontrol Agent Effective Against *Sclerotium rolfsii* and *Rhizoctonia solani*. Jurnal Phytopathology 70:119-121.
- Galarza, L., Akagi, Y., Takao, K., Kim, C. S., Maekawa, N., Itai, A., Peralta, E., Santos, E. and Kodama, M. 2015. Characterization of *Trichoderma* Species Isolated in Ecuador and Their Antagonistic Activities Against Phytopathogenic Fungi from Ecuador and Japan. Jurnal General Plant Pathology 81(3):201-210.
- Grosclaude, C., Ricard, J. L. and Dubos, B. 1973. Inoculation of *Trichoderma viride* Spores Via Pruning Shears for Biological Control of *Stereum purpureum* on Plum Tree Wounds. Plant Disease Rep 57: 25–28.
- Hanada, R. E., De Jorge S. T., Pomella, A. W., Hebbar, K. P., Pereira, J. O., Ismaiel, A. and Samuel, G. J. 2008. *Trichoderma martiale* sp. nov., A New Endophyte from Sapwood of *Theobroma cacao* with A Potential for Biological Control. Mycol Res 112(11): 1335-1343.
- Harman, G. E., Howell, C. R., Viterbo, A., Chet, I. and Lorito, M. 2004. *Trichoderma* Species-Opportunistic, Avirulent Plant Symbionts. Nature Reviews, Microbiology 2:43-56.
- Hartanto, S. dan Heni, E. 2016.Uji Antagonis 5 Isolat Trichoderma Dari Rizosfer *Pinus* Sp terhadap Pertumbuhan Cendawan *Colletotrichum* Sp Penyebab Penyakit Antraknos pada Cabai Secara *In-vitro*. Prosiding Symbion (Symposium on Biology Education):2528-5726.
- Howell, C. R. 2002. Mechanisms Employed by *Trichoderma* Species In The Biological Control of Plant Disease The History and Evolution of Current Concept. Plant Disease 87:1-10.
- Hussain, H., Krohn, K., Draeger, S., Meier, K. and Schulz, B. 2009. Bioactive Chemical Constituents of a Sterile Endophytic Fungus from *Meliotus dentatus*. Record of Natural Product 3(2):114-117.
- Jellen, H., Blaszczyk. L., Chelkowski, J., Rogowicz, K. and Strakowska., J. 2013. Formation of 6-n-pentyl-2H-pyran-2-one (6-PAP) and Other Volatiles by Different *Trichoderma* species. Jurnal Mycol Progress:1-15.
- John, R. P., Tyagi, R. D., Prevost, D., Satinder, K. B., Pouleur, S. and Surampalli, R. Y. 2010. Mycoparasitic *Trichoderma viride* as A Biocontrol Agent Against *Fusarium oxysporum* f. sp. adzuki and *Pythium arrhenomanes* and as A Growth Promoter of Soybean. Crop Prot 29:1425-1459.
- Johnson, E. A. 1946. An Improved Slide Culture Techique for The Study and Identification of Pathogenic Fungi. Jurnal Bakteriologi:689-694.

- Kamala, T and Indira S. 2011. Evaluation of Indigenous *Trichoderma* Isolates from Manipur as Biocontrol Agent Against *Pythium aphanidermatum* on Common Beans. Biotech 1:217-225.
- Kottb, M., Gigolashvli, T., Grobkinsky, D. K. and Piechulla, B. 2015. Trichoderma Volatiles Effecting Arabidopsis: from Inhibition to Protection Against Phytopathogenic Fungi. Jurnal Frontiers in Microbiology:1-14.
- Kuberan, T., Vidhyapallavi, R. S., Balamurugan, A., Nepolean, P., Jayanthi, R and Premkumar, R. 2012. Isolation and Biocontrol Potential of Phylloplane *Trichoderma* against *Glomerella cingulata* in Tea. Jurnal Agricultural Technology 8(3):1039-1050.
- Larkin, R. P., English, J. T and Mihail, J. D. 1995. Identification, Distribution and Comparative Pathogenicity of *Pythium* spp. Associated with Alfalfa Seedlings *Soil Biol. Biochem* 27:357-364.
- Lazreg, F., Belabid, L. Sanchez, J. and Gallego, E. 2016. Root Rot and Damping-off of Aleppo Pine Seedlings Caused by *Pythium* sp. in Algerian Forest Nurseries. Jurnal Forest Science 62(7):322-328.
- Lee, H. M. Z, Khan, Kim, S. G., Baek, N. I and Kim, Y. H. 2011. Evaluation of Biocontrol Potential of Some Medicinal Plant Materials Alone and In Combination with *Trichoderma harzianum* Against *Rhizoctonia solani* AG 2-1. Jurnal Plant Pathology 2:68-77.
- Lee, T. O. Z., Khan, Z., Kim, S. G and Kim, Y. H. 2008. Amendment with Peony (*Paeonia suffruticosa*) Root Bark Powder Improves the Biocontrol Efficacy of *Trichoderma harzianum* against *Rhizoctonia solani*. Jurnal Microbiology and Biotechnology 18:1537-1543.
- Liza, E. Y., Adrinal, dan Trisno, J. 2015. Keragaman Cendawan Rizosfer dan Potensinya Sebagai Agens Antagonis *Fusarium oxysporum* Penyebab Penyakit Layu Tanaman Krisan. Universitas Andalas. Jurnal Fitopatologi Indonesia 11(2):68-72.
- Matroudi, S., Zamani, M. R. and Moltallebi, M. 2009. Antagonistic Effects of Three Species of *Trichoderma* sp. on *Sclerotinia sclerotiorum*, The Causal Agent of Canola Stem Rot. Jurnal Egyptian of Biology 11:37-44
- Meena, M., Swapnil. P., Zehra, A., Dubey, M. K. and Upadhyay, R. S. 2017. Antagonistic Assessment of *Trichoderma* spp. by Producing Volatile and Non-volatile Compounds Against different Fungal Pathogen. Phytopathology and Plant Protection:1-21.
- Mohiddin, F. A., Khan, M. R., Khan, S. M and Bhat, B. H. 2010. Why *Trichoderma* is Considered Super Hero (Super Fungus) Against The Evil Parasites? Jurnal Plant Pathology 9:92-102.

- Mujim, S. 2010. Pengaruh Ekstrak Rimpang Jahe (*Zingiber Officinale* R.) terhadap Pertumbuhan *Pythium* sp Penyebab Penyakit Rebah Kecambah Mentimun Secara *in vitro*. Jurnal HPT Tropika 10(1):59– 63.
- Muthukumar, A., Eswran, A. and Sanjeevkumas, K. 2011. Exploitation of *Trichoderma* Species on the Growth of *Pythium aphanidermatum* in Chili. Jurnal Mikrobiologi Brazil 42:1598-1607.
- Niterink, J. V. P. 1981. Monograph of The Genus *Pythium*. Stud. Mycol 21:1-242.
- Noverita, Fitria, D. dan Sinaga, E. 2009. Isolasi dan Uji Aktivitas Antibakteri Jamur Endofit dari Daun dan Rimpang *Zingiber ottensii* Val. Jurnal Farmasi nasional 4(4):171 -176.
- Nurhaedah. 2002. Pengaruh Aplikasi *Trichoderma* sp. dan Mulsa terhadap Persentase Serangan Penyakit Antraknosa pada Buah Tanaman Cabai Merah Besar (*Capsicum annum* L.) [Skripsi]. Fakultas Pertanian UNTAD, Palu.
- Nurhayati, H., 2001. Pengaruh Pemberian *Trichoderma spp.* terhadap Daya Infeksi dan Ketahanan Hidup *Sclerotium roflsii* pada Akar Bibit Cabai [Skripsi]. Fakultas Pertanian UNTAD, Palu.
- Oetriana, L. 2011. Potensi Agen Hayati dalam Menghambat Pertumbuhan *Phytiun* sp. secara *in vitro*. Buletin Plasma Nutfah 17(2):138-142.
- Pankhurst, C. E., Mc Donald, H. J and Hawke, B. G. H. 1995. Influence of Tillage and Crop Rotation on The Epidemiology of *Pythium* Infections of Wheat in a Red-brown Earth of South Australia. Soil Biology and Biochemistry 27: 1065–1073.
- Parker, K. C. 2003. *Pythium aphanidermatum* Soil Borne Plant Pathogens Class Project. NC State University. [Artikel] http://www.Cals.ncSV.edu/course/pp728/Pythium/Pythium_aphanidermatum.html. [diakses pada 24 Desember, 2018].
- Patil, A. S., Patil., S. R. and Paikrao, H. M. 2016. Springer Science Business Media Singapore:69-102.
- Perazzolli, M., Roatti, B., Bozza, E and Pertot, I. 2011. *Trichoderma harzianum* T39 Induces Resistance Against Downy Mildew by Priming for Defense without Costs for Grapevine. Biological Control 58:74-82.
- Prabowo, D. P. 2009. Survei Hama dan Penyakit pada Pertanaman Mentimun (*Cucumis sativus* Linn.) di Desa Ciherang, Kecamatan Pacet Kabupaten Cianjur, Jawa Barat. [Skripsi]. Program Studi Hama dan Penyakit Tumbuhan Fakultas Pertanian Institut Pertanian, Bogor.

- Prihatiningtias, W. dan Wahyuningsih, M. S. H. 2014. Prospek Mikroba Endofit sebagai Sumber Senyawa Bioaktif. Yogyakarta:Fakultas Farmasi UGM. Jurnal:1-5.
- Prijono, D. 2004. Pengujian Pestisida Berbahan Aktif Majemuk. Pusat Kajian Pengendalian Hama Terpadu. Departemen Hama dan Penyakit Tumbuhan. Fakultas Pertanian IPB, Bogor.
- Purwantisari, S dan Hastuti, R. B. 2009. Uji Antagonisme Jamur Patogen *Phytophthora infestans* Penyebab Penyakit Busuk Daun dan Umbi Tanaman Kentang dengan Menggunakan *Trichoderma* spp. Isolat Lokal. Semarang:Bioma 11(1):24-32.
- Putri, A. Y. 2018. Uji Aktivitas Antifungi dan Fitokimia Metabolit Sekunder Kapang Endofit *Trichoderma* sp. Terhadap Kapang Patogen *Colletotrichum* sp. dan *Fusarium oxysporum* pada Tanaman Cabai. [Skripsi]. Fakultas Sains dan Teknologi, UIN Maulana Malik Ibrahim Malang.
- Rosso, M. L., Rupe, J. C., Chen, P and Mozzoni, L. A. 2008. Inheritance and Genetic Mapping of Resistance to *Pythium* Damping-off Caused by *Pythium aphanidermatum* in 'Archer' Soybean. Crop Science 48: 2215–2222.
- Samuels, G. J. 1996. *Trichoderma*:A Review of Biology and Systematic of The Genus. Mycol Res 100(8):923-935.
- Sari, D. P. 2017. Kemampuan Antagonis Beberapa Isolat *Trichoderma* spp. Terhadap Jamur *Colletotrichum gloeosporioides* Penyebab Antraknosa pada Tanaman Cabai (*Capsicum annum*) Secara *in vitro* [Skripsi]. Jurusan Hama dan Penyakit Tumbuhan, Fakultas Pertanian Universitas Andalas, Padang.
- Semangun, H. 1994. Penyakit-Penyakit Tanaman Hortikultura di Indonesia. Yogyakarta: Gadjah Mada University Press. 850 hlm.
- Smith, K. P., Havey, M. J. and Handelsman, J. 1993. Supression of Cottony Leak of Cucumber with *Bacillus cereus* strain UW85. Plant Disease 77:139-142.
- Soeriaatmadja, R. E., Dabyantoro, A. L. H dan Sulastrini, I. 1993. Residu Insektisida pada Tanaman Sayuran di Sentra Produksi Tanaman Sayuran Dataran Rendah Provinsi DTI Jawa Tengah dan DI Yogyakarta. Bul. Penel. Hort 25(3):72-78.
- Sriwati, R., Chamsudan, T. J dan Sukarman. 2011. Deteksi dan Identifikasi Cendawan Endofitik *Trichoderma* yang Berasosiasi pada Tanaman Kakao. Agrista 15(1):15-20.

- Sudantha, I. M. dan Abadi, A. L. 2007. Identifikasi Jamur Endofit dan Mekanisme Antagonismenya terhadap Jamur *Fusarium oxysporum* f. sp. *vanillae* pada Tanaman Vanili. Agroteksos 17(1): 23-38.
- Sudantha, I. M dan Abadi, A. L. 2011. Uji Efektivitas Beberapa Jenis Jamur Endofit *Trichoderma* spp. Isolat Lokal NTB terhadap Jamur *Fusarium oxysporum* f. sp. *vanilla* Penyebab Penyakit Busuk Batang pada Bibit Vanili. Crop Agro. 4(2):64-73.
- Sumpena, U. 2001. Budidaya Mentimun Intensif dengan Mulsa secara Tumpang Gilir. Jakarta: Penebar Swadaya.
- Sundram, S. 2013. First Report: Isolation of Endophytic Trichoderma from Oil Palm (*Elaeis guineensis* Jacq.) and Their *In vitro* Antagonistic Assesment on *Ganoderma boninense*. Jurnal Oil Palm Research 25 (3):368-372.
- Suwahyono, U. 2000. Pengendalian Penyakit Tanaman Secara Mikrobiologis: Menuju Komunitas Berkelanjutan. NEED:Lingkungan Manajemen Ilmiah 2(8):7-18.
- Szekeres, A., Leitgeb, B., Kredics, L., Manczinger, L and Va'gvo'lgyi, C. 2006. A Novel, Image Analysis-based Method for The Evaluation of *in vitro* Antagonism. Jurnal Microbiological Methods 65:619-622.
- Taufiq, E. 2012. Potensi *Trichoderma* spp. dalam Menekan Perkembangan Penyakit Busuk Pucuk Vanili di Pembibitan. Buletin RISTRI 3(1).
- Tuite, J. 1969. Plant Pathological Methods. United States of Amerika. Amerika. 239 hlm.
- Vinale, F., Sivasithamparam, E.L., Ghisalberti, R., Marra, S.L., Woo and Lorito, M. 2008. *Trichoderma* Plant Pathogen Interactions. Soil Biology and Biochemistry 40:1-10.
- Wiguna, G. 2014. Keragaan Fenofitik Beberapa Genotipe Mentimun (*Cucumis sativus* L.). Jurnal Ilmu-ilmu Pertanian 10(2):45-56.
- Yanti, F. 2007. Mekanisme Antagonis Beberapa Spesies *Trichoderma* Terhadap *Pythium aphanidermatum* (Edson) Secara *in vitro* dan Uji Kemampuannya Dalam Mengendalikan Penyakit Rebah Kecambah Tanaman Bayam (*Amaranthus* sp) [Skripsi]. Fakultas Pertanian, Universitas Andalas, Padang.
- Yuni, P. 2011. Pengaruh Cairan Perasan Beberapa Jenis Daun Terhadap Pertumbuhan Cendawan Endofit *Trichoderma* Asal Kakao [Skripsi]. Jurusan Hama dan Penyakit Tumbuhan. Fakultas Pertanian Unsyiah. Banda Aceh.